

2V0-01.19.VCEplus.premium.exam.65q

Number: 2V0-01.19
Passing Score: 800
Time Limit: 120 min
File Version: 1.0



Website: <https://vceplus.com>


VCE to PDF Converter: <https://vceplus.com/vce-to-pdf/>

Facebook: <https://www.facebook.com/VCE.For.All.VN/>

Twitter : https://twitter.com/VCE_Plus

2V0-01.19

VMware vSphere 6.7 Foundations Exam 2019



Exam A

QUESTION 1

What describe a set of patches that meet certain criteria and will vary as the available patches change?

- A. Upgrade Baselines
- B. Fixed Patch Baselines
- C. Host Profiles
- D. Dynamic Patch Baselines

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.update_manager.doc%2FGUID-95A71727-B0FA-4144-9E57-2C41640047DD.html

QUESTION 2 What three shares are available when configuring a Resource Pool?

(Choose three.)

- A. Average
- B. Normal
- C. Custom
- D. Low
- E. Maximum

Correct Answer: BCD

Section: (none)

Explanation



Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-0F6C6709-A5DA-4D38-BE08-6CB1002DD13D.html>

QUESTION 3 Which three methods can a vSphere administrator use to automatically synchronize time on a ESXi host?

(Choose three.)

- A. Log in to the VMware Host Client, navigate to **Host > Manage > Time & date** and click **Edit settings**.
- B. Configure the VMware Tools time synchronization.
- C. Select the host in the vSphere Web Client, navigate to **Configure > System > Time Configuration** and click the **Edit** button.
- D. Use the `vicfg-ntp` command.
- E. Use the `esxcli hardware clock get` command in the ESXi Shell.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4 Which three IP addresses may be pinged by the **Test Management Network** feature in the ESXi hosts DCUI?

(Choose three.)

- A. Primary DNS server
- B. NTP server
- C. Secondary DNS server
- D. DHCP server

E. Default gateway

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsa.doc_10%2FGUID-B14C1BD3-AB4E-4A5F-AAEB-8A2856B19FC1.html

QUESTION 5 A VMware vSphere 6.x administrator is creating an Alarm Action.

What are three configure actions? (Choose three.)

- A. Run a command.
- B. Shutdown Guest.
- C. Send a notification email.
- D. Restart Guest.
- E. Migrate VM.

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.monitoring.doc/GUID-8F833B44-E675-406D-BFC1-64FB08EF6DFD.html>

QUESTION 6 Which statement is true when adding a VM to a Resource Pool?

- A. The VM share value (%Shares) adjusts to the Resource Pool.
- B. The VM share value (%Shares) remains unchanged.
- C. The VM limit changes.
- D. The VM reservation changes.



Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7 Which two options can be used for vCenter Server 6.x database availability? (Choose two.)

- A. Microsoft SQL Server 2012/2014 AlwaysOn Availability Groups (AG)
- B. vCenter Server Watchdog
- C. NSX load balancer
- D. vCenter Server Heartbeat
- E. Microsoft Windows Server Failover Clustering

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1024051>

QUESTION 8

Which two components are built into the vCenter Server Appliance 6.x? (Choose two.)

- A. vSphere Auto Deploy
- B. vCenter Converter
- C. vRealize Orchestrator
- D. VMware vSphere Update Manager

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.install.doc/GUID-78933728-7F02-43AF-ABD8-0BDCE10418A6.html>

QUESTION 9 VMware vRealize Log Insight can be configured to send notification events to which endpoint?

- A. vRealize Configuration Manager
- B. vRealize Operations Manager
- C. vRealize Infrastructure Navigator
- D. vCenter Server

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/vRealize-Log-Insight/4.3/com.vmware.log-insight.administration.doc/GUID-B22BCAC6-D1D5-40B3-931C-9F0FAA799D41.html>

QUESTION 10 Which two scenarios can cause a VM to appear orphaned in the vSphere Web Client? (Choose two.)

- A. The VM was removed from the vCenter Server.
- B. The VM had an unsuccessful migration within a vSphere DRS cluster.
- C. The ESXi host had an unsuccessful failover event in vSphere HA.
- D. The VM was unregistered from the ESXi host directly.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc%2FGUID-BFD8C9BC-30FB-4A92-AFEC-2FC9FF387920.html>

QUESTION 11 What are two requirements needed to enable a 4 vCPU virtual machine with Fault Tolerance? (Choose two.)

- A. vSphere Enterprise Plus license
- B. 1 GbE uplink for FT logging network
- C. vSphere Standard license
- D. 10 GbE uplink for FT logging network

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-57929CF0-DA9B-407A-BF2E-E7B72708D825.html>



QUESTION 12

A vSphere administrator has been tasked with ensuring that 500 virtual desktops are unable to communicate with one another, but can communicate with required services.

Which two solutions does VMware recommend? (Choose two.)

- A. vSphere Host Firewall
- B. Private VLAN
- C. VMware NSX Distributed Firewall
- D. Port Filtering

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13 One of your virtual machines (VM) has performance issues and sometimes is unresponsive.

Which VM file must be checked in order to find the root cause?

- A. vpxd.log
- B. ds.log
- C. vminst.log
- D. vmware.log

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:



QUESTION 14 Which two choices are valid ways to patch an ESXi host? (Choose two.)

- A. vRealize Operations Manager
- B. vSphere Update Manager
- C. configuring a Host Profile
- D. utilizing the `esxcli` Command Line Interface

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2020972>

QUESTION 15 Which three installation methods are supported for a guest operating system within a virtual machine? (Choose three.)

- A. ISO image from the datastore
- B. CD-ROM
- C. ISO image from a Content Library
- D. ISO image from an external FTP Server
- E. ISO image from Update Manager repository

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

A vSphere administrator has been tasked with enabling upstream failure detection for networking in an environment that does not support link state tracking.

Which statement is a VMware-recommended option?

- A. Satisfy prerequisites and enable Beacon probing.
- B. Enable **Explicit failover order** and ensure **Failback** is selected.
- C. Enable **Explicit failover order** and ensure **Notify Switches** is selected.
- D. Configure a port-channel with LACP.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1005577>

QUESTION 17 Which two options are available when configuring a virtual flash resource on a virtual machine?

(Choose two.)

- A. Reservation
- B. SCSI Controller
- C. Limit
- D. Block Size



Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.storage.doc/GUID-211CE783-51A8-4B65-BFF6-434D1C272308.html>

QUESTION 18 Which three features can be configured during the initial creation of a cluster

(Choose three.)

- A. vSAN
- B. EVC
- C. DRS
- D. Proactive HA

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.resmgmt.doc/GUID-487C09CE-8BE2-4B89-BA30-0E4F7E3C66F7.html>

QUESTION 19 What are three configuration steps are required to mount an NFS datastore in vSphere?

(Choose three.)

- A. On virtual machines running Microsoft Windows, increase the value of the SCSI TimeoutValue paramater to allow Windows to better tolerate delayed I/O resulting from path failover.

- B. Configure VMkernel Port Binding.
- C. On each ESXi host, configure a VMkernel Network port for NFS traffic.
- D. On the NFS server, configure an NFS volume and export it to be mounted on the ESXi hosts.
- E. If you plan to use Kerberos authentication with the NFS 4.1 datastore, configure the ESXi hosts for Kerberos authentication.

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.storage.doc/GUID-9FE32DE2-148C-4441-A859-18B4CC24207C.html>

QUESTION 20 When using vSAN, all the storage characteristics are specified by Storage Policies.

Which parameter in vSAN Storage Policies can increase performance in a cache miss situation?

- A. Number of failures to tolerate
- B. Number of disk stripes per object
- C. Force provisioning
- D. Object space reservation (%)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://blogs.vmware.com/virtualblocks/2016/09/19/vsan-stripes/>

QUESTION 21

A vSphere administrator uses vMotion to migrate a virtual machine between two ESXi hosts and notices that they can no longer ping the VM.

What is the cause?

- A. The destination host has an incorrect VLAN tag on the virtual machine port group for the VM.
- B. The destination host has two port groups with the same VLAN tag.
- C. There is an MTU mismatch.
- D. The virtual machine has RDMS attached.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

A vSphere administrator notices that sometimes they receive poor network throughput for multiple port groups that reside on a vSwitch with multiple physical uplinks (vmnics). The configuration on the ESXi host is identical to other hosts that are working properly in the same cluster.

What should be done next?

- A. Add additional port groups the v Switch.
- B. Add additional resources to the virtual machines that are powered on.
- C. Restart Management agents in ESXi Direct Console User Interface (DCUI).
- D. Alter the failover order of the vmnics until a bad vmnic is found.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.monitoring.doc/GUID-C4EA86FD-95CB-4DE7-A9E3-63F6BFC1A268.html>

QUESTION 23

A vSphere administrator sees the alarm:

vSphere HA virtual machine failed to failover

This occurred for a number of virtual machines on a particular ESXi host in a cluster with vSphere High Availability (HA) enabled. The virtual machines guest operating systems never reported a power event.

What occurred?

- A. The virtual machines were vMotioned off of the ESXi host.
- B. The ESXi host failed and vSphere HA successfully failed over the virtual machines.
- C. The previous virtual machine cloning operations failed to complete.
- D. The ESXi host is still running but has disconnected from the network.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24 What three steps are necessary to enable Jumbo Frames for use with an iSCSI storage array?

(Choose three.)

- A. Configure the MTU on the VMKernel port.
- B. Configure the MTU on the virtual switch.
- C. Configure the MTU on the physical switch.
- D. Configure the MTU on the LAG group.
- E. Configure the MTU on the VTEP.



Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.networking.doc/GUID-53F968D9-2F91-41DA-B7B2-48394D997F2A.html>

QUESTION 25

A vSphere Administrator is tasked with implementing a production VMware vSAN cluster and has followed the design and sizing guide to correctly size the environment.

Which two requirements represent valid VMware recommendations? (Choose two.)

- A. A disk group must be composed of more than one cache disk and at least one capacity disk.
- B. All-Flash configurations do not require a caching tier.
- C. A disk group must be composed of one cache disc and at least one capacity disk.
- D. The cache tier should be sized to no less than 10% of the capacity tier.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

What are two valid methods to deploy an OVF template which consists of two or more VMs? (Choose two.)

- A. Deploy on the VMware vSphere Hypervisor.
- B. Deploy on a vSphere DRS enabled cluster.
- C. Deploy on a vSphere HA enabled cluster.
- D. Deploy on the standalone host connected to vCenter Server.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27 What is required to create a vSphere Distributed Switch? (Choose two.)

- A. vSphere Enterprise Plus licensing is required.
- B. Login to the ESXi Host with the Root account.
- C. A minimum of two physical uplinks is required.
- D. The host is added to a vCenter Server.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1010555>



QUESTION 28 Which three steps deploy a virtual machine from a VM Template in the Content Library? (Choose three.)

- A. Right-click a VM Template and select **New VM from This Template**.
- B. In the vSphere Web Client navigator, select **vCenter Inventory Lists > VM templates in Folders**.
- C. Using vSphere Host client, select **vCenter Inventory Lists > Content Libraries**.
- D. In the vSphere Web Client navigator, select **vCenter Inventory Lists > Content Libraries**.
- E. Select a Content Library, click **Related Objects** tab and click **Templates**.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm_admin.doc/GUID-6EA309BC-9113-449C-B668-ACBB363485C3.html

QUESTION 29 When trying to export the vApp to the OVF, the option is grayed out. What solution allows for the export of a vApp?

- A. The vApp is marked as Non-Exportable.
- B. Logout of the vSphere Client and use the vSphere WebClient.
- C. Change the portgroup where the VMs are connected to.
- D. PowerOff the vApp.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference <https://communities.vmware.com/thread/408957>

QUESTION 30 Which two formats are supported for exporting a VM to a storage media? (Choose two.)

- A. EXE
- B. OVF
- C. OVA
- D. ISO

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-AE61948B-C2EE-436E-BAFB-3C7209088552.html

QUESTION 31 Which two statements are true using Resource Pools? (Choose two.)

- A. Resource Pools require vSphere DRS to be enabled.
- B. Resource Pools compartmentalize all resource in a cluster.
- C. Resource Pools compartmentalize all resources in a datacenter.
- D. Resource Pools require vSphere HA to be enabled.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://communities.vmware.com/thread/145338>

QUESTION 32 Which type of network traffic is used for vSphere High Availability (HA) by default?

- A. Management network traffic
- B. iSCSI Port Binding network traffic
- C. vMotion network traffic
- D. VM Network traffic

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.avail.doc/GUID-B1906BCD-E538-4FFF-AAE9-5403FE253F38.html>

QUESTION 33 Which is a valid requirement for deploying the vCenter Server Appliance 6.x to a DRS cluster?

- A. At least one host in the cluster must be in maintenance mode or lockdown mode.
- B. One ESXi host in the cluster must not be in maintenance mode or lockdown mode.
- C. All ESXi hosts in the cluster must not be in maintenance mode.
- D. One ESXi host in the cluster must not be in lockdown mode.

Correct Answer: A



Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.install.doc/GUID-8F62E118-4805-4B0A-904C-C561C1A692E7.html>

QUESTION 34

Which are two steps that a vSphere administrator must take to increase the capacity of an existing VMFS datastore that is participating in a Storage DRS cluster? (Choose two.)

- A. In the vSphere Web Client navigator, select **Global Inventory Lists > Datastore Clusters**.
- B. Select the target datastore to grow and click the **Increase Datastore Capacity** icon.
- C. Select the target datastore cluster and click the **Add Datastore** icon.
- D. In the vSphere Web Client navigator, select **Global Inventory Lists > Datastores**.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-D57FEF5D-75F1-433D-B337-E760732282FC.html>

QUESTION 35

Which two network failure detection options are available when using a vSphere Standard Switch? (Choose two.)

- A. Fixed with preferred path
- B. Dynamic
- C. Link status with Beacon probing
- D. Link status only

Correct Answer: CD

Section: (none)

Explanation



Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-D34B1ADD-B8A7-43CD-AA7E-2832A0F7EE76.html>

QUESTION 36

A vSphere administrator wants to ensure standardization of any new deployments of Windows VMs. In order to accomplish this, the administrator creates a new Windows VM with all of the required settings.

What vSphere feature can the administrator leverage to ensure that each new Windows VM receives a unique name and is automatically joined to the domain after creation?

- A. Guest Operating System Customization
- B. vRealize Orchestrator
- C. Host Profiles
- D. Sysprep

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.vadmin.doc_41/vsp_vm_guide/deploy_vms_from_templates_and_clones/t_create_a_customization_specification_for_windows.html

QUESTION 37 What three steps must be taken when removing a host from a vSAN-enabled cluster?

(Choose three.)

- A. Remove VMkernel port with vSAN traffic checkbox checked.
- B. Remove the host from vSAN cluster.
- C. Remove disks from diskgroups, remove disk groups.

- D. Place the host into maintenance mode with Full Migration option selected.
- E. Create at least one vSphere Standard Switch.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://www.vmwareminds.com/2017/07/02/remove-host-from-the-vsan-cluster/>

QUESTION 38 What three tools or products can be used for monitoring a vSphere 6.x deployment?
(Choose three.)

- A. vCenter Alarms
- B. vCenter Events
- C. vRealize Automation
- D. vRealize Operations Manager
- E. vRealize Orchestrator

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39 Which two resource types can be limited on the vApp level? (Choose two.)

- A. Network
- B. CPU
- C. Storage
- D. Memory



Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-9902FD4C-4727-43F7-AEAF-901DA4CB4D60.html

QUESTION 40 Which three virtual hardware configurations will allow snapshots?
(Choose three.)

- A. 16+ vCPU
- B. full memory reservation
- C. Physical Mode RDMS
- D. Virtual Mode RDMS
- E. bus sharing

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-53F65726-A23B-4CF0-A7D5-48E584B88613.html

QUESTION 41

A vSphere administrator is required to apply security hardening policies following the VMware vSphere Hardening Guide recommendations. Which tool enables native compliance reporting for these guidelines?

- A. VMware vCenter Server
- B. VMware vRealize Operations Manager
- C. VMware vSphere Update Manager
- D. VMware AirWatch

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/vRealize-Operations-Manager/6.5/com.vmware.vcom.core.doc/GUID-1DE5F654-A59E-4DA0-A294-AE7676AEE267.html>

QUESTION 42 When specifying a trigger action for an Alarm Definition, what two alarm state changes are available to be triggered on? (Choose two.)

- A. From normal to critical
- B. From critical to warning
- C. From critical to normal
- D. From normal to warning

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:



QUESTION 43 A vSphere administrator takes a snapshot before logging into a VM to preserve the current state in case of a problem.

Assuming this process is repeated every day for over 30 days, what two results will happen? (Choose two.)

- A. The virtual machine's performance will decrease.
- B. The virtual machine can end up consuming more space on the datastore than assigned.
- C. The administrator will have backups for the entire month.
- D. The administrator has successfully cloned the VM 30 times.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1025279>

QUESTION 44 Which three options are available when applying a customization Specification to an existing virtual machine? (Choose three.)

- A. Create a specification
- B. Import a specification
- C. Modify a specification
- D. Select an existing specification.
- E. Create a specification from an existing specification.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

Reference: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-EB5F090E-723C-4470-B640-50B35D1EC016.html

QUESTION 45 Which state does VMware recommend an ESXi host be in before removing the ESXi host from a DRS cluster?

- A. Powered off
- B. Quarantine mode
- C. Disconnected
- D. Maintenance mode

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.bsa.doc_40/vc_admin_guide/managing_hosts_in_vcenter_server/t_remove_a_host_from_a_cluster.html

QUESTION 46 Which three actions allow a VMware vSphere 6.x administrator to view vSphere log files?

(Choose three.)

- A. Analyze the vSphere logs from the vRealize Log Insight user interface.
- B. Download the vSphere log bundles from the Direct Console User Interface (DCUI).
- C. Download the vSphere log bundles from vSphere Web Client connected to a vCenter Server system.
- D. View the vSphere log files from the vSphere Web Client Log Browser.
- E. Analyze the vSphere logs from the vRealize Operations user interface.



Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

What three types of host bus adapters are supported for connecting to shared storage on an ESXi hosts? (Choose three.)

- A. Hardware HBA
- B. Software SATA
- C. Software iSCSI. Software FCoE

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48 Which two choices would make a Virtual Machine compatible when enabling Fault

Tolerance? (Choose two.)

- A. NIC passthrough
- B. 2 TB + VMDK
- C. e1000 virtual network adapter
- D. 4 Virtual CPUs (vCPU)

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49 Which two options does VM Monitoring use to determine if a virtual machine should be reset?

(Choose two.)

- A. I/O activity from the virtual machine
- B. CPU activity from the virtual machine
- C. Network activity from the virtual machine
- D. Heartbeats from VMware Tools

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

A vSphere administrator wants to migrate a virtual machine with vMotion from one node to another in the same cluster, but when the destination server is specified, an error message is displayed. What might be wrong? (Choose two.)

- A. The destination host does not have access to the shared datastore.
- B. The hosts are licensed for vSphere Essentials Plus.
- C. The cluster is configured for EVC and the hosts are of the same processor family.
- D. The hosts have a dedicated vMotion VMKernel interface configured.
- E. The source host is not licensed for vMotion.



Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51 Which two options are available when migrating a powered off VM and relocating the attached disks? (Choose two.)

- A. Raw Device Mapping Virtual compatibility
- B. Same format as source
- C. Thick Provision Eager Zeroed
- D. Raw Device Mapping Physical compatibility

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vcenterhost.doc/GUID-23E67822-4559-4870-982A-BCE2BB88D491.html>

QUESTION 52

Which password meets the default password requirements in ESXi 6.x?

- A. Xqa_hin3
- B. xTaMEhb!
- C. xQA!3h
- D. Xqavntthi3

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53 A VMware vSphere 6.x administrator is implementing a new eight-node cluster for business critical applications. Each server will be configured with two 10 GbE network adapters and will utilize iSCSI for storage on one subnet.

Which feature is required to implement this solution?

- A. Storage DRS
- B. Network I/O Control
- C. VMKernel Port Binding
- D. LACP

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/2038869>

QUESTION 54 Which two options are valid to create vApp in the vSphere Environment?
(Choose two.)



- A. Login using vSphere C# Client to the ESXi host, right click on the host and select **Create new vApp**.
- B. Login using vSphere Host Client to the ESXi host, right click on the host and select **Create new vApp**.
- C. Login using vSphere WebClient to the vCenter Server, right click on the Cluster and select **Create new vApp**.
- D. Login using vSphere WebClient to the vCenter Server, right click on the standalone ESXi host and select **Create new vApp**.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55

A VMware vSphere 6.x administrator sees the following output in esxtop:


```

2:32:21pm up 35 days 14:26, 819 worlds, 11 VMs, 28 vCPUs; CPU load average: 0.07, 0.07, 0.07
PCPU USED(%): 3.3 10 2.9 0.6 5.9 10.0 4.5 1.5 9.7 1.0 3.9 64 1.1 1.1 1.0 3.6 0.5 0.9 1.0 2.2 0.5 0.4 0.9 0.2 AVG: 5.5
PCPU UTIL(%): 5.1 10 5.0 1.3 7.8 12 5.8 2.8 11 2.1 4.2 52 2.1 2.4 1.6 4.2 0.8 1.6 2.1 3.5 1.1 0.5 1.8 0.5 AVG: 5.9
CORE UTIL(%): 15 6.2 19 8.2 12 55 4.1 5.7 2.5 5.3 1.8 2.0 AVG: 11

```

ID	GID	NAME	NWLD	%USED	%RUN	%SYS	%WAIT	%VMWAIT	%RDY	%IDLE	%OVRLP	%CSTP	%MLMTD	%SWPWT
56232	56232	atxlab-puppet-m	7	65.67	54.17	0.09	638.66	0.74	0.11	143.55	0.04	0.00	0.00	0.00
21740	21740	NSX_Controller_	9	32.60	35.99	0.44	854.78	0.00	0.19	361.17	0.05	0.00	0.00	0.00
334303	334303	ausmgtvrops01	9	6.41	9.17	0.16	881.58	0.34	0.19	188.87	0.03	0.00	0.00	0.00
49196	49196	ausmgtvrli01	9	5.11	8.25	0.14	884.27	0.38	0.24	189.86	0.03	0.00	0.00	0.00
77058332	77058332	esxtop.10128716	1	3.72	3.54	0.01	95.46	-	0.00	0.00	0.01	0.00	0.00	0.00
6400419	6400419	ausmgtvrops04	9	3.22	4.55	0.05	886.11	0.20	0.18	193.32	0.01	0.00	0.00	0.00
7833	7833	hostd.34322	31	2.32	2.28	0.00	3066.36	-	0.05	0.00	0.00	0.00	0.00	0.00

What does the %RDY column represent?

- A. CPU Utilization
- B. CPU Ready
- C. CPU Cycle Wait Percentage
- D. Idle CPU Percentage

Correct Answer: B
Section: (none)
Explanation



Explanation/Reference:

QUESTION 56 Which function key command will allow a vSphere administrator to access ESXi shell?

- A. Alt + F12
- B. Alt + F1C. Alt + F2
- D. Alt + F11

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:
Reference: https://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vcli.migration.doc_50%2Fcos_upgrade_technote.1.4.html

QUESTION 57 What are two uses of the vRealize Log Insight Agents for Windows and Linux? (Choose two.)

- A. Collect events from flat text files.
- B. Monitor the state of syslog/eventmgr services.
- C. Control the state of the syslog/eventmgr services.
- D. Monitor directories with the filesystem.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58 What are two prerequisites for adding RDM disks to a VM? (Choose two.)

- A. LUN used as a RDM must be visible to the underlying hosts in the cluster.
- B. LUN used as a RDM cannot be visible to any other underlying hosts in the cluster.
- C. VM resides on a VMFS datastore.
- D. LUN used as a RDM must be hidden to the ESXi host.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59 What load balancing appliance does VMware recommend for deploying a vRealize Log Insight cluster?

- A. F5 Big-IP
- B. Citrix NetScaler
- C. VMware NSX Load Balancer
- D. Integrated Load Balancer

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/vRealize-Log-Insight/4.7/com.vmware.log-insight.administration.doc/GUID-7B981536-F80C-458F-A196-2AFD4B1D33C2.html>

QUESTION 60 What are the two minimum configurations of a disk group in a vSAN host?

- A. 1 SSD drive for the caching tier and 1 or more SSDs for the capacity tier
- B. 1 SSD drive for the caching tier and 1 or more HDDs for the capacity tier
- C. 2 or more SSD drives for the caching tier and 2 or more HDDs for the capacity tier
- D. 2 or more SSD drives for the caching tier and 2 or more SSDs for the capacity tier

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-4B738A10-4506-4D70-8339-28D8C8331A15.html>

QUESTION 61 Which statement describes a vApp?

- A. It is a container, like a resource pool which can contain one or more virtual machines.
- B. It is a software computer that, like a physical computer, runs an operating system and applications.
- C. It is a file format that supports the exchange of virtual appliances across products and platforms.
- D. It is a master copy of virtual machines that allows creation of ready-for-use virtual machines.



Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

Reference: https://pubs.vmware.com/vsphere-4-esx-vcenter/index.jsp?topic=/com.vmware.vsphere.bsa.doc_40/vc_admin_guide/managing_vmware_vapp/c_managing_vmware_vapp.html

QUESTION 62 Which two statements are correct when licensing an ESXi 6.x host? (Choose two.)

- A. ESXi licenses can only applied to ESXi hosts connected to a vCenter Server.
- B. Bulk licensing requires vSphere Auto Deploy to be enabled.
- C. ESXi licenses can be assigned utilizing the ESXi host client.
- D. Bulk licensing requires vSphere PowerCLI.

Correct Answer: CD
Section: (none)
Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.install.doc/GUID-28D25806-748B-49C0-97A1-E7DE5CB335A9.html>

QUESTION 63 A vSphere administrator cannot mount an NFS datastore.

Which three actions can be performed to troubleshoot the issue? (Choose three.)

- A. Verify that the CHAP authentication settings are correct.
- B. Run `esxcli storage nfs list` and ensure that the NFS filesystem is `etx44` or `reiserFS`.
- C. Run the `nc -z array-IP 2049` command in the ESXi Shell to see whether the ESHi host can reach the NFS server `nfsd` TCP/UDP port (default 2049) on the storage array.
- D. Ensure that the ESXi host can `vmkping` the NFS server address.
- E. Ensure that the access on the NFS server is set to Anonymous user, Root Access (`no_root_squash`), and Read/Write.

Correct Answer: CDE
Section: (none)
Explanation

Explanation/Reference:

Reference: <https://kb.vmware.com/s/article/1003967>

QUESTION 64 A vSphere administrator wants to export the log files from a vCenter Server Appliance for troubleshooting.

Which three are supported methods to export the log files? (Choose three.)

- A. Leveraging vRealize Operations Manager.
- B. Using the Managed Object Browser to explore the `DiagnosticManager`.
- C. Using the URL displayed on the VCSA DCUI home screen (<https://:443/appliance/support-bundle>).
- D. Logging on to the vCenter Server Appliance Bash shell and running the `vc-support.sh` script

Correct Answer: ACD
Section: (none)
Explanation

Explanation/Reference:

QUESTION 65

Which two statements are true about LACP support with the vSphere Distributed Switch? (Choose two.)

- A. LACP works with MAC hash load balancing.
- B. LACP works with software iSCSI multipathing.
- C. LACP does not work with host profiles.
- D. LACP does not work with port mirroring.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-3FDE1E96-9217-4FE6-8B76-6E3A64766828.html>

