

```
2020-11-03T00:20:47.794 [63635]INFO:cgiutil:id=getStatus, action=query
2020-11-03T00:20:48.304 [63635]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()
2020-11-03T00:20:48.305 [63635]DEBUG:detwist:Before PintProcessWrapper call
2020-11-03T00:20:48.305 [63635]DEBUG:detwist:After PintProcessWrapper call
2020-11-03T00:20:48.315 [63635]DEBUG:detwist:After execute call
2020-11-03T00:20:48.316 [63635]DEBUG:detwist:Before getResult Method
2020-11-03T00:20:48.316 [63690]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()
2020-11-03T00:20:48.623 [63690]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()
2020-11-03T00:20:48.625 [63690]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()
2020-11-03T00:20:49.602 [63690]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7efd7b61e790>]
2020-11-03T00:20:49.603 [63690]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>
2020-11-03T00:20:49.606 [63690]ERROR:detwist:Traceback (most recent call
last):
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
654, in _runCallbacks
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
```

```
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

2020-11-03T00:20:49.606 [63690]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '_error_':
True}

2020-11-03T00:20:49.606 [63635]DEBUG:detwist:At getResult after pipe recv

2020-11-03T00:20:49.607 [63635]DEBUG:detwist:After getResult call

2020-11-03T00:20:49.607 [63635]DEBUG:detwist:Child process still alive,
terminating it

2020-11-03T00:20:49.609 [63635]DEBUG:detwist:Process pid=63690, exitcode=0

2020-11-03T00:20:49.610 [63635]DEBUG:detwist:Before pPipe close

2020-11-03T00:20:49.610 [63635]DEBUG:detwist:After pPipe close

2020-11-03T00:20:49.610 [63635]DEBUG:detwist:Before cPipe close

2020-11-03T00:20:49.610 [63635]DEBUG:detwist:After cPipe close

2020-11-03T00:20:49.610 [63635]INFO:cgiutil:flow is: ['firstboot']

2020-11-03T00:20:49.611 [63635]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...

2020-11-03T00:20:49.611 [63635]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>

2020-11-03T00:21:11.54 [64369]INFO:cgiutil:id=getStatus, action=query

2020-11-03T00:21:11.567 [64369]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()

2020-11-03T00:21:11.568 [64369]DEBUG:detwist:Before PintProcessWrapper call

2020-11-03T00:21:11.568 [64369]DEBUG:detwist:After PintProcessWrapper call

2020-11-03T00:21:11.577 [64369]DEBUG:detwist:After execute call

2020-11-03T00:21:11.578 [64369]DEBUG:detwist:Before getResult Method

2020-11-03T00:21:11.578 [64379]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()

2020-11-03T00:21:11.827 [64379]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()

2020-11-03T00:21:11.828 [64379]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()

2020-11-03T00:21:12.663 [64379]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7f1856965790>]

2020-11-03T00:21:12.664 [64379]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>

2020-11-03T00:21:12.667 [64379]ERROR:detwist:Traceback (most recent call
last):
File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
654, in _runCallbacks

```
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

2020-11-03T00:21:12.667 [64379]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '__error__':
True}

2020-11-03T00:21:12.667 [64369]DEBUG:detwist:At getResult after pipe recv

2020-11-03T00:21:12.668 [64369]DEBUG:detwist:After getResult call

2020-11-03T00:21:12.668 [64369]DEBUG:detwist:Child process still alive,
terminating it

2020-11-03T00:21:12.671 [64369]DEBUG:detwist:Process pid=64379, exitcode=0

2020-11-03T00:21:12.671 [64369]DEBUG:detwist:Before pPipe close

2020-11-03T00:21:12.671 [64369]DEBUG:detwist:After pPipe close

2020-11-03T00:21:12.671 [64369]DEBUG:detwist:Before cPipe close

2020-11-03T00:21:12.671 [64369]DEBUG:detwist:After cPipe close

2020-11-03T00:21:12.672 [64369]INFO:cgiutil:flow is: ['firstboot']

2020-11-03T00:21:12.672 [64369]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...

2020-11-03T00:21:12.672 [64369]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>

```
2020-11-03T01:02:01.301 [59549]INFO:cgiutil:id=getStatus, action=query
2020-11-03T01:02:01.835 [59549]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()
2020-11-03T01:02:01.836 [59549]DEBUG:detwist:Before PintProcessWrapper call
2020-11-03T01:02:01.836 [59549]DEBUG:detwist:After PintProcessWrapper call
2020-11-03T01:02:01.846 [59549]DEBUG:detwist:After execute call
2020-11-03T01:02:01.847 [59549]DEBUG:detwist:Before getResult Method
2020-11-03T01:02:01.848 [59563]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()
2020-11-03T01:02:02.110 [59563]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()
2020-11-03T01:02:02.111 [59563]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()
2020-11-03T01:02:02.829 [59563]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7f62ab33d710>]
2020-11-03T01:02:02.831 [59563]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>
2020-11-03T01:02:02.835 [59563]ERROR:detwist:Traceback (most recent call
last):
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
654, in _runCallbacks
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
```

```
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

2020-11-03T01:02:02.835 [59563]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '_error_':
True}

2020-11-03T01:02:02.835 [59549]DEBUG:detwist:At getResult after pipe recv

2020-11-03T01:02:02.835 [59549]DEBUG:detwist:After getResult call

2020-11-03T01:02:02.836 [59549]DEBUG:detwist:Child process still alive,
terminating it

2020-11-03T01:02:02.838 [59549]DEBUG:detwist:Process pid=59563, exitcode=0

2020-11-03T01:02:02.838 [59549]DEBUG:detwist:Before pPipe close

2020-11-03T01:02:02.839 [59549]DEBUG:detwist:After pPipe close

2020-11-03T01:02:02.839 [59549]DEBUG:detwist:Before cPipe close

2020-11-03T01:02:02.839 [59549]DEBUG:detwist:After cPipe close

2020-11-03T01:02:02.839 [59549]INFO:cgiutil:flow is: ['firstboot']

2020-11-03T01:02:02.855 [59549]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...

2020-11-03T01:02:02.855 [59549]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>

2020-11-03T01:34:32.367 [39081]INFO:cgiutil:id=getStatus, action=query

2020-11-03T01:34:32.653 [39081]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()

2020-11-03T01:34:32.653 [39081]DEBUG:detwist:Before PintProcessWrapper call

2020-11-03T01:34:32.654 [39081]DEBUG:detwist:After PintProcessWrapper call

2020-11-03T01:34:32.659 [39081]DEBUG:detwist:After execute call

2020-11-03T01:34:32.660 [39081]DEBUG:detwist:Before getResult Method

2020-11-03T01:34:32.660 [39086]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()

2020-11-03T01:34:32.867 [39086]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()

2020-11-03T01:34:32.868 [39086]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()

2020-11-03T01:34:33.613 [39086]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7f5b308d7e10>]

2020-11-03T01:34:33.614 [39086]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>

2020-11-03T01:34:33.617 [39086]ERROR:detwist:Traceback (most recent call
last):
File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
654, in _runCallbacks

```
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

2020-11-03T01:34:33.617 [39086]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '__error__':
True}

2020-11-03T01:34:33.617 [39081]DEBUG:detwist:At getResult after pipe recv

2020-11-03T01:34:33.617 [39081]DEBUG:detwist:After getResult call

2020-11-03T01:34:33.618 [39081]DEBUG:detwist:Child process still alive,
terminating it

2020-11-03T01:34:33.620 [39081]DEBUG:detwist:Process pid=39086, exitcode=0

2020-11-03T01:34:33.620 [39081]DEBUG:detwist:Before pPipe close

2020-11-03T01:34:33.621 [39081]DEBUG:detwist:After pPipe close

2020-11-03T01:34:33.621 [39081]DEBUG:detwist:Before cPipe close

2020-11-03T01:34:33.621 [39081]DEBUG:detwist:After cPipe close

2020-11-03T01:34:33.621 [39081]INFO:cgiutil:flow is: ['firstboot']

2020-11-03T01:34:33.622 [39081]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...

2020-11-03T01:34:33.622 [39081]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>

```
2020-11-03T07:01:35.616 [14469]INFO:cgiutil:id=getStatus, action=query
2020-11-03T07:01:35.911 [14469]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()
2020-11-03T07:01:35.911 [14469]DEBUG:detwist:Before PintProcessWrapper call
2020-11-03T07:01:35.911 [14469]DEBUG:detwist:After PintProcessWrapper call
2020-11-03T07:01:35.917 [14469]DEBUG:detwist:After execute call
2020-11-03T07:01:35.917 [14469]DEBUG:detwist:Before getResult Method
2020-11-03T07:01:35.918 [14532]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()
2020-11-03T07:01:36.80 [14532]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()
2020-11-03T07:01:36.81 [14532]DEBUG:detwist:Before exec invoke_method Method
= 'get', args = ()
2020-11-03T07:01:36.717 [14532]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7f36c9e11850>]
2020-11-03T07:01:36.719 [14532]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>
2020-11-03T07:01:36.722 [14532]ERROR:detwist:Traceback (most recent call
last):
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
654, in _runCallbacks
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
```

```
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

```
2020-11-03T07:01:36.722 [14532]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '__error__':
True}
```

```
2020-11-03T07:01:36.722 [14469]DEBUG:detwist:At getResult after pipe recv
```

```
2020-11-03T07:01:36.722 [14469]DEBUG:detwist:After getResult call
```

```
2020-11-03T07:01:36.722 [14469]DEBUG:detwist:Child process still alive,
terminating it
```

```
2020-11-03T07:01:36.724 [14469]DEBUG:detwist:Process pid=14532, exitcode=0
```

```
2020-11-03T07:01:36.724 [14469]DEBUG:detwist:Before pPipe close
```

```
2020-11-03T07:01:36.725 [14469]DEBUG:detwist:After pPipe close
```

```
2020-11-03T07:01:36.725 [14469]DEBUG:detwist:Before cPipe close
```

```
2020-11-03T07:01:36.725 [14469]DEBUG:detwist:After cPipe close
```

```
2020-11-03T07:01:36.725 [14469]INFO:cgiutil:flow is: ['firstboot']
```

```
2020-11-03T07:01:36.726 [14469]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...
```

```
2020-11-03T07:01:36.726 [14469]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>
```

```
2020-11-03T07:05:39.457 [19888]INFO:cgiutil:id=getStatus, action=query
```

```
2020-11-03T07:05:39.747 [19888]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()
```

```
2020-11-03T07:05:39.747 [19888]DEBUG:detwist:Before PintProcessWrapper call
```

```
2020-11-03T07:05:39.747 [19888]DEBUG:detwist:After PintProcessWrapper call
```

```
2020-11-03T07:05:39.756 [19888]DEBUG:detwist:After execute call
```

```
2020-11-03T07:05:39.756 [19888]DEBUG:detwist:Before getResult Method
```

```
2020-11-03T07:05:39.756 [19912]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()
```

```
2020-11-03T07:05:39.973 [19912]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()
```

```
2020-11-03T07:05:39.974 [19912]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()
```

```
2020-11-03T07:05:41.31 [19912]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7fd96af428d0>]
```

```
2020-11-03T07:05:41.32 [19912]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>
```

```
2020-11-03T07:05:41.36 [19912]ERROR:detwist:Traceback (most recent call
last):
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
  654, in _runCallbacks
```

```
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

```
2020-11-03T07:05:41.36 [19912]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '__error__':
True}
2020-11-03T07:05:41.37 [19888]DEBUG:detwist:At getResult after pipe recv
2020-11-03T07:05:41.37 [19888]DEBUG:detwist:After getResult call
2020-11-03T07:05:41.38 [19888]DEBUG:detwist:Child process still alive,
terminating it
2020-11-03T07:05:41.41 [19888]DEBUG:detwist:Process pid=19912, exitcode=0
2020-11-03T07:05:41.41 [19888]DEBUG:detwist:Before pPipe close
2020-11-03T07:05:41.41 [19888]DEBUG:detwist:After pPipe close
2020-11-03T07:05:41.42 [19888]DEBUG:detwist:Before cPipe close
2020-11-03T07:05:41.42 [19888]DEBUG:detwist:After cPipe close
2020-11-03T07:05:41.42 [19888]INFO:cgiutil:flow is: ['firstboot']
2020-11-03T07:05:41.43 [19888]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...
2020-11-03T07:05:41.43 [19888]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>
```

```
2020-11-03T07:36:40.182 [11678]INFO:cgiutil:id=getStatus, action=query
2020-11-03T07:36:40.583 [11678]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()
2020-11-03T07:36:40.584 [11678]DEBUG:detwist:Before PintProcessWrapper call
2020-11-03T07:36:40.584 [11678]DEBUG:detwist:After PintProcessWrapper call
2020-11-03T07:36:40.595 [11678]DEBUG:detwist:After execute call
2020-11-03T07:36:40.596 [11678]DEBUG:detwist:Before getResult Method
2020-11-03T07:36:40.597 [11687]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()
2020-11-03T07:36:40.811 [11687]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()
2020-11-03T07:36:40.812 [11687]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()
2020-11-03T07:36:41.811 [11687]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7f996a07d750>]
2020-11-03T07:36:41.815 [11687]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>
2020-11-03T07:36:41.819 [11687]ERROR:detwist:Traceback (most recent call
last):
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
654, in _runCallbacks
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
```

```
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

```
2020-11-03T07:36:41.820 [11687]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '__error__':
True}
```

```
2020-11-03T07:36:41.821 [11678]DEBUG:detwist:At getResult after pipe recv
```

```
2020-11-03T07:36:41.821 [11678]DEBUG:detwist:After getResult call
```

```
2020-11-03T07:36:41.821 [11678]DEBUG:detwist:Child process still alive,
terminating it
```

```
2020-11-03T07:36:41.824 [11678]DEBUG:detwist:Process pid=11687, exitcode=0
```

```
2020-11-03T07:36:41.825 [11678]DEBUG:detwist:Before pPipe close
```

```
2020-11-03T07:36:41.825 [11678]DEBUG:detwist:After pPipe close
```

```
2020-11-03T07:36:41.825 [11678]DEBUG:detwist:Before cPipe close
```

```
2020-11-03T07:36:41.826 [11678]DEBUG:detwist:After cPipe close
```

```
2020-11-03T07:36:41.826 [11678]INFO:cgiutil:flow is: ['firstboot']
```

```
2020-11-03T07:36:41.827 [11678]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...
```

```
2020-11-03T07:36:41.827 [11678]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>
```

```
2020-11-04T22:56:05.113 [65246]INFO:cgiutil:id=getStatus, action=query
```

```
2020-11-04T22:56:05.680 [65246]DEBUG:detwist:method =
com.vmware.appliance.recovery.restore.job.get, args = ()
```

```
2020-11-04T22:56:05.680 [65246]DEBUG:detwist:Before PintProcessWrapper call
```

```
2020-11-04T22:56:05.681 [65246]DEBUG:detwist:After PintProcessWrapper call
```

```
2020-11-04T22:56:05.690 [65246]DEBUG:detwist:After execute call
```

```
2020-11-04T22:56:05.691 [65246]DEBUG:detwist:Before getResult Method
```

```
2020-11-04T22:56:05.691 [65266]DEBUG:detwist:At pintFunction before
importing Method = 'get', args = ()
```

```
2020-11-04T22:56:05.957 [65266]DEBUG:detwist:At pintFunction after importing
Method = 'get', args = ()
```

```
2020-11-04T22:56:05.958 [65266]DEBUG:detwist:Before exec invoke_method
Method = 'get', args = ()
```

```
2020-11-04T22:56:06.745 [65266]DEBUG:detwist:Method = 'get', args =
[<vmware.appliance.backup_restore.impl.RestoreJob object at 0x7fa2b4f45790>]
```

```
2020-11-04T22:56:06.748 [65266]ERROR:detwist:Method failure =
<twisted.python.failure.Failure vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})>
```

```
2020-11-04T22:56:06.792 [65266]ERROR:detwist:Traceback (most recent call
last):
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
  654, in _runCallbacks
```

```
    current.result = callback(current.result, *args, **kw)
  File "/usr/lib/python3.7/site-packages/twisted/internet/base.py", line
441, in _continueFiring
    callable(*args, **kwargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/detwist.py", line 151,
in invoke_method
    dObj = _method(*realargs)
  File "/usr/lib/applmgmt/base/py/vmware/vherd/base/pint.py", line 982, in
run
    ret = defer.maybeDeferred(method, self, *realArgs)
--- <exception caught here> ---
  File "/usr/lib/python3.7/site-packages/twisted/internet/defer.py", line
151, in maybeDeferred
    result = f(*args, **kw)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 136, in wrapper
    return func(*args, **kwargs)
  File
"/usr/lib/applmgmt/backup_restore/py/vmware/appliance/backup_restore/impl.py
", line 1164, in get
    args=op)
vmware.vherd.base.pint.Error:
pint.Error('com.vmware.applmgmt.err_status_does_not_exist', "Status for
'%(0)s' does not exist.", **{'args': 'RESTORE'})
```

2020-11-04T22:56:06.792 [65266]DEBUG:detwist:Method result = {'code':
'com.vmware.applmgmt.err_status_does_not_exist', 'message': "Status for
'%(0)s' does not exist.", 'attributes': {'args': 'RESTORE'}, '__error__':
True}

2020-11-04T22:56:06.793 [65246]DEBUG:detwist:At getResult after pipe recv

2020-11-04T22:56:06.793 [65246]DEBUG:detwist:After getResult call

2020-11-04T22:56:06.793 [65246]DEBUG:detwist:Child process still alive,
terminating it

2020-11-04T22:56:06.796 [65246]DEBUG:detwist:Process pid=65266, exitcode=0

2020-11-04T22:56:06.796 [65246]DEBUG:detwist:Before pPipe close

2020-11-04T22:56:06.796 [65246]DEBUG:detwist:After pPipe close

2020-11-04T22:56:06.796 [65246]DEBUG:detwist:Before cPipe close

2020-11-04T22:56:06.796 [65246]DEBUG:detwist:After cPipe close

2020-11-04T22:56:06.797 [65246]INFO:cgiutil:flow is: ['firstboot']

2020-11-04T22:56:06.797 [65246]INFO:cgiutil:firstboot: succeeded, 100,
Starting VMWare Performance Charts...

2020-11-04T22:56:06.798 [65246]INFO:cgiutil:Response :
<response><locale>en-US</locale><requestid>getStatus</requestid><value
actions="enabled" id="status">succeeded</value><value actions="enabled"
id="progress">100</value><value actions="enabled" id="details" /></response>