

2020-11-05T21:05:24.128+01:00 Section for VMware vCenter Converter Standalone, pid=7392, version=6.2.0, build=8466193, option=Release
2020-11-05T21:05:24.128+01:00 verbose vmware-converter-worker[01120]
[Originator@6876 sub=Default] Dumping early logs:
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Logging uses fast path: true
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] The bora/lib logs WILL be handled by VmaCore
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Initialized channel manager
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Current working directory: C:\Program Files (x86)\VMware\VMware vCenter Converter Standalone
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ThreadPool windowsStackImmediateCommit = true
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=ThreadPool] Thread pool on asio: Min Io, Max Io, Min Task, Max Task, Max Concurrency: 1, 121, 2, 60, 2147483647
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:05:24.128+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Trying converter_agent
2020-11-05T21:05:24.138+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Trying converter_worker
2020-11-05T21:05:24.138+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:05:24.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:05:24.217+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:05:24.217+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Trying ufa_agent
2020-11-05T21:05:24.226+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa] Initializing SSL context
2020-11-05T21:05:24.228+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Libs] FILE: FileCreateDirectoryRetry: Non-retriable error encountered (C:\ProgramData\VMware): Unknown error 183 (0xb7) (183)
2020-11-05T21:05:24.228+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Libs] FILE: FileCreateDirectoryRetry: Non-retriable error encountered (C:\ProgramData\VMware): Unknown error 183 (0xb7) (183)
2020-11-05T21:05:24.230+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Libs] FILE: FileCreateDirectoryRetry: Non-retriable error encountered (C:\ProgramData\VMware): Unknown error 183 (0xb7) (183)
2020-11-05T21:05:24.230+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Libs] FILE: FileCreateDirectoryRetry: Non-retriable error encountered (C:\ProgramData\VMware): Unknown error 183 (0xb7) (183)
2020-11-05T21:05:24.230+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Libs] FILE: FileCreateDirectoryRetry: Non-retriable error encountered (C:\ProgramData\VMware): Unknown error 183 (0xb7) (183)
2020-11-05T21:05:24.230+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Vmcore::InitSSL: handshakeTimeoutUs = 20000000
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa] Plugin initialized
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] No read reconfig data found.
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa] SOAP pipe name:
\\.\pipe\vmware-converter-worker-soap
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Using default for nonChunkingAgents: 'VMware VI Client|VMware-client|VMware-client/3.*'
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Using default for agentsNeedingContentLength: 'VMware-client'
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Max buffered response size is 104857600 bytes
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa] enableChunkedResponses: true
2020-11-05T21:05:24.234+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Libs] UUID: SMBIOS UUID is reported as '42 0d ae e9 32 45 5e e8-dc 8b 5d 55 01 d0 00 5c'.
2020-11-05T21:05:24.236+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=SOAP-1] Created SOAP body handler for converter.version.version7 (converter/7.0)
2020-11-05T21:05:24.236+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Http Service started: <server p:0x01efa2d8, '\\.\pipe\vmware-converter-worker-soap'>
2020-11-05T21:05:24.236+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa] Soap (over Named Pipe) started on pipe \\.\pipe\vmware-converter-worker-soap. enableRemoteAccess = false, nonRootAccess = false, useSSL = false
2020-11-05T21:05:24.236+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Ufa] Plugin started
2020-11-05T21:05:24.238+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] DiskLibProvider init - OK
2020-11-05T21:05:24.238+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Mntapi_Init Asked - 2.3 Served - 2.3 was successful,TempDirectory: C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__.
2020-11-05T21:05:24.238+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] Running on OS: Windows 10, 64-bit (Build 9200); ver 10.0.9200; CPUs: 2
2020-11-05T21:05:24.238+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Running on Hypervisor: VMwareVMware
2020-11-05T21:05:24.248+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files (x86)\VMware\VMware vCenter Converter Standalone\vmware-converter.exe
The file is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:24.260+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\ntdll.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.270+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\KERNEL32.DLL The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.288+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\KERNELBASE.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.304+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\ADVAPI32.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.341+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\msvcrt.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.341+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\WinSxS\x86_microsoft.vc90.crt_1fc8b3b9a1e18e3b_9.0.30729.9619_none_508d9c7abcbd32b6\MSVCR90.dll The certificate for the signer of the message is invalid or not found.
2020-11-05T21:05:24.357+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\sechost.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.373+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\RPCRT4.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.389+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\SspiCli.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.389+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\CRYPTBASE.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.421+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\bcryptPrimitives.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.437+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\ole32.dll The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.452+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\combase.dll

The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.468+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\ucrtbase.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.486+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\GDI32.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.501+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\win32u.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.516+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\gdi32full.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.516+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\msvc_p_win.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.550+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\USER32.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.635+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\SHELL32.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.635+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\cfgmgr32.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.650+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\shcore.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.689+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module:
C:\WINDOWS\System32\windows.storage.dll The file is signed and the
signature was verified. (1 out of 1)
2020-11-05T21:05:24.732+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\profapi.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.732+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\powrprof.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.748+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\UMPDC.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.748+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\shlwapi.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.764+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module:
C:\WINDOWS\System32\kernel.appcore.dll The file is signed and the
signature was verified. (1 out of 1)
2020-11-05T21:05:24.764+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\cryptsp.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.764+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\PSAPI.DLL The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.779+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\WINTRUST.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.789+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\MSASN1.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.807+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\CRYPT32.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.849+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\vmacore.dll The file is
signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:24.865+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\vmomi.dll The file is
signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:24.884+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\sysimbase.dll The file
is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:24.891+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\OLEAUT32.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.901+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\WS2_32.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.901+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\dbghelp.dll
The file is not signed.
2020-11-05T21:05:24.911+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\NETAPI32.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:24.951+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\mntapi2.dll The file is
signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:24.960+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\sysimbaseRemote.dll
The file is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:24.972+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\ufa-common.dll The file

is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.003+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\converterTypes.dll The
file is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.003+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module:
C:\WINDOWS\WinSxS\x86_microsoft.vc90.crt_1fc8b3b9a1e18e3b_9.0.30729.9619
_none_508d9c7abcbd32b6\MSVCP90.dll The certificate for the signer of the
message is invalid or not found.
2020-11-05T21:05:25.013+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\expat.dll The file is
signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.021+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\ssoClient.dll The file
is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.023+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\WINMM.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.039+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\MSWSOCK.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.224+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\vim-types.dll The file
is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.232+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\MPR.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.238+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\WINMMBASE.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.261+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\SRVCLI.DLL The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.267+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\NETUTILS.DLL
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.267+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\SAMCLI.DLL The
file is not signed.
2020-11-05T21:05:25.275+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\Wscapi.dll The
file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.277+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\bccrypt.dll The
file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.277+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\urlmon.dll The
file is not signed.

2020-11-05T21:05:25.298+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\iertutil.dll
The file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.308+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\system32\rsaenh.dll The
file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.318+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\imagehlp.dll
The file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.326+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\gpapi.dll The
file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.328+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\cryptnet.dll
The file is not signed.

2020-11-05T21:05:25.344+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\IPHLPAPI.DLL
The file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.356+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\WINNSI.DLL The
file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.378+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\NSI.dll The
file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.438+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\converter-agent.dll The
file is signed and the signature was verified. (2 out of 2)

2020-11-05T21:05:25.484+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\System32\SETUPAPI.dll
The file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.496+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\hypervWMI.dll The file
is signed and the signature was verified. (2 out of 2)

2020-11-05T21:05:25.508+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\deployPkg.dll The file
is signed and the signature was verified. (2 out of 2)

2020-11-05T21:05:25.516+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\VERSION.dll
The file is signed and the signature was verified. (1 out of 1)

2020-11-05T21:05:25.524+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\mspack.dll The file is
signed and the signature was verified. (2 out of 2)

2020-11-05T21:05:25.587+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\converter-worker.dll
The file is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.597+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\ufa-agent.dll The file
is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.607+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\libeay32.dll The file
is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.617+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\Program Files
(x86)\VMware\VMware vCenter Converter Standalone\ssleay32.dll The file
is signed and the signature was verified. (2 out of 2)
2020-11-05T21:05:25.630+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Module: C:\WINDOWS\SYSTEM32\ntmarta.dll
The file is signed and the signature was verified. (1 out of 1)
2020-11-05T21:05:25.637+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [serviceWin32,928] Panic message will be
logged now...
2020-11-05T21:06:24.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in
session 52e041ff-bf3f-c0a0-e942-4253722ce476
2020-11-05T21:06:53.132+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:06:53.132+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:06:53.132+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:06:53.132+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one
2020-11-05T21:06:53.133+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-05T21:06:53.133+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-05T21:06:53.133+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-05T21:06:53.558+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-05T21:06:53.573+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will

use open retries count 3
2020-11-05T21:06:53.784+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512
2020-11-05T21:06:53.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-05T21:06:53.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-05T21:06:53.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk with signature 402064154, recognized
partitions 2
2020-11-05T21:06:53.805+01:00 info vmware-converter-worker[09396]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:06:53.805+01:00 info vmware-converter-worker[09476]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:06:53.935+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000100000\ FS:<NTFS>
2020-11-05T21:06:53.942+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000100000\
2020-11-05T21:06:53.942+01:00 info vmware-converter-worker[09476]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:06:53.942+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000100000\
2020-11-05T21:06:53.948+01:00 info vmware-converter-worker[09460]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:06:53.986+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000100000\ FS:<NTFS>
2020-11-05T21:06:53.986+01:00 info vmware-converter-worker[09460]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:06:53.987+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000100000\
2020-11-05T21:06:53.987+01:00 info vmware-converter-worker[09392]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:06:54.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000200000\ FS:<NTFS>
2020-11-05T21:06:55.339+01:00 info vmware-converter-worker[09392]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:06:55.339+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume

```
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000002000000\  
2020-11-05T21:06:55.340+01:00 info vmware-converter-worker[09572]  
[Originator@6876 sub=ThreadPool] Thread enlisted  
2020-11-05T21:06:55.387+01:00 info vmware-converter-worker[02044]  
[Originator@6876 sub=Default] MNTAPI: Mounted volume  
\\.\vstor2-mntapi20-shared-1A03F71700001000000000001000000\  
2020-11-05T21:06:55.435+01:00 info vmware-converter-worker[02044]  
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on  
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi59.  
2020-11-05T21:06:55.443+01:00 info vmware-converter-worker[02044]  
[Originator@6876 sub=Default] [LoadTempHive] Registry hive  
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi59\BCD is loaded  
under the name mntApi89970167630847919  
2020-11-05T21:06:55.443+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\E  
lements\12000002  
2020-11-05T21:06:55.443+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\E  
lements\12000002  
2020-11-05T21:06:55.443+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\E  
lements\12000002  
2020-11-05T21:06:55.443+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\E  
lements\12000002  
2020-11-05T21:06:55.443+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\E  
lements\26000022.  
2020-11-05T21:06:55.443+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from  
key  
mntApi89970167630847919\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\E  
lements\24000001  
2020-11-05T21:06:55.444+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\E  
lements\26000022.  
2020-11-05T21:06:55.444+01:00 warning vmware-converter-worker[02044]  
[Originator@6876 sub=Default] ERROR 2 opening key  
mntApi89970167630847919\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\E  
lements\26000022.  
2020-11-05T21:06:55.444+01:00 info vmware-converter-worker[02044]  
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries  
error 0 entries:2
```

2020-11-05T21:06:55.448+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi89970167630847919
2020-11-05T21:06:55.449+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-05T21:06:55.449+01:00 info vmware-converter-worker[04060]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:06:55.628+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000002000000\ FS:<NTFS>
2020-11-05T21:07:00.480+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161.
2020-11-05T21:07:03.106+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161\SOFTWARE is
loaded under the name mntApi95014817430847919
2020-11-05T21:07:03.106+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi95014817430847919\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:07:03.106+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:07:03.106+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:07:03.106+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-05T21:07:03.106+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-05T21:07:03.907+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi93.
2020-11-05T21:07:04.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi93\SYSTEM is
loaded under the name mntApi98442058930847919
2020-11-05T21:07:04.355+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi98442058930847919\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:07:04.355+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-05T21:07:04.453+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi98442058930847919
2020-11-05T21:07:04.455+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:04.461+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Unloaded hive mntApi95014817430847919
2020-11-05T21:07:04.469+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:04.486+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi223.
2020-11-05T21:07:04.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi223\SYSTEM is
loaded under the name mntApi99020526830847919
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Data
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking 4.0.0.0
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking 4.0.0.0
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for Oracle
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for Oracle
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for SqlServer
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for SqlServer
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET
Memory Cache 4.0
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory
Cache 4.0
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
.NETFramework

2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 1394ohci manual
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 3ware bootStart
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-05T21:07:04.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ADOVMPPackage
2020-11-05T21:07:04.810+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage
2020-11-05T21:07:04.811+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-05T21:07:04.811+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-05T21:07:04.811+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-05T21:07:04.811+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-05T21:07:04.909+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-05T21:07:04.909+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-05T21:07:04.909+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:05.011+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver amdsva bootStart
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdsvb bootStart
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdsvc bootStart
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-05T21:07:05.042+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-05T21:07:05.093+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-05T21:07:05.130+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-05T21:07:05.130+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:07:05.186+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-05T21:07:05.270+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-05T21:07:05.398+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-05T21:07:05.398+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-05T21:07:05.398+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-05T21:07:05.398+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppXSvc' [%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-05T21:07:05.516+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver arcsas bootStart
2020-11-05T21:07:05.516+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AsyncMac manual
2020-11-05T21:07:05.516+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver atapi bootStart
2020-11-05T21:07:05.516+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-05T21:07:05.591+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-05T21:07:05.623+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AxInstSV' [%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-05T21:07:05.667+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-05T21:07:05.667+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn manual
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-05T21:07:05.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BFE' [%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-05T21:07:05.754+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BITS' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-05T21:07:05.871+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bowser manual
2020-11-05T21:07:05.871+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure' [%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-05T21:07:05.871+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-05T21:07:05.871+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found service
'Browser' [%SystemRoot%\System32\svchost.exe -k smbssvc]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-05T21:07:05.934+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-05T21:07:05.935+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-05T21:07:05.935+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'bthserv' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-05T21:07:05.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-05T21:07:05.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-05T21:07:05.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-05T21:07:05.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-05T21:07:05.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-05T21:07:05.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:07:06.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-05T21:07:06.158+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-05T21:07:06.158+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:07:06.220+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-05T21:07:06.220+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-05T21:07:06.220+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CLFS bootStart
2020-11-05T21:07:06.220+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-05T21:07:06.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-05T21:07:06.330+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
```


clr_optimization_v4.0.30319_32
2020-11-05T21:07:06.330+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-05T21:07:06.330+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-05T21:07:06.330+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-05T21:07:06.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-05T21:07:06.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-05T21:07:06.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-05T21:07:06.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-05T21:07:06.330+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'COMSysApp' [%SystemRoot%\system32\dlhhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-05T21:07:06.396+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-05T21:07:06.396+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-05T21:07:06.408+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-05T21:07:06.408+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-05T21:07:06.408+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-05T21:07:06.408+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-05T21:07:06.408+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-05T21:07:06.453+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CSC disabled
2020-11-05T21:07:06.454+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CscService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-05T21:07:06.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dam systemStart

2020-11-05T21:07:06.528+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-05T21:07:06.528+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-05T21:07:06.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-05T21:07:06.675+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:07:06.680+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-05T21:07:06.765+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:06.862+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-05T21:07:06.946+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:06.999+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:
LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry
2020-11-05T21:07:07.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-05T21:07:07.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsDriver systemStart
2020-11-05T21:07:07.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS
2020-11-05T21:07:07.114+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsrRo bootStart
2020-11-05T21:07:07.114+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-05T21:07:07.209+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DHCPserver'[%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart

depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem
2020-11-05T21:07:07.311+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'diagnosticshub.standardcollector.service'[%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-05T21:07:07.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DiagTrack'[%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-05T21:07:07.526+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
DirectoryServices
2020-11-05T21:07:07.526+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
DirectoryServices
2020-11-05T21:07:07.526+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-05T21:07:07.526+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-05T21:07:07.648+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dmvsc manual
2020-11-05T21:07:07.648+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dmwappushservice'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-05T21:07:07.711+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DNS'[%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS
2020-11-05T21:07:07.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dnscache'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-05T21:07:07.958+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dot3svc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-05T21:07:08.029+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DPS'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-05T21:07:08.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsmSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:07:08.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'DsRoleSvc' [%SystemRoot%\System32\lsass.exe]/manual depends: <none>
2020-11-05T21:07:08.258+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:08.321+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DXGKrn1 manual
2020-11-05T21:07:08.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver eliexpress manual
2020-11-05T21:07:08.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Eaphost' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-05T21:07:08.364+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ebdrv bootStart
2020-11-05T21:07:08.364+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EFS' [%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-05T21:07:08.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorClass bootStart
2020-11-05T21:07:08.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart
2020-11-05T21:07:08.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxfcoe bootStart
2020-11-05T21:07:08.401+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxstor bootStart
2020-11-05T21:07:08.401+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-05T21:07:08.456+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-05T21:07:08.533+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ErrDev manual
2020-11-05T21:07:08.533+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT
2020-11-05T21:07:08.533+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT
2020-11-05T21:07:08.533+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-05T21:07:08.659+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-05T21:07:08.669+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver exfat manual
2020-11-05T21:07:08.669+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fastfat manual
2020-11-05T21:07:08.669+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fcvsc manual
2020-11-05T21:07:08.669+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fdc manual
2020-11-05T21:07:08.669+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-05T21:07:08.707+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-05T21:07:08.732+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-05T21:07:08.733+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileInfo manual
2020-11-05T21:07:08.733+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-05T21:07:08.733+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver flpydisk manual
2020-11-05T21:07:08.733+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-05T21:07:08.733+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:07:08.830+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-05T21:07:08.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-05T21:07:08.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-05T21:07:08.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-05T21:07:08.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-05T21:07:08.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-05T21:07:08.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-05T21:07:08.960+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv

systemStart

```
2020-11-05T21:07:08.960+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HDAudBus manual
2020-11-05T21:07:08.961+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-05T21:07:08.961+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-05T21:07:08.961+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-05T21:07:08.961+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'hidserv' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:09.000+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-05T21:07:09.000+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-05T21:07:09.000+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
HomeGroupListener
2020-11-05T21:07:09.000+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart
2020-11-05T21:07:09.000+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-05T21:07:09.000+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'HvHost' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ibbus manual
```

2020-11-05T21:07:09.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-05T21:07:09.142+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IKEEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-05T21:07:09.229+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-05T21:07:09.229+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-05T21:07:09.229+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-05T21:07:09.229+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-05T21:07:09.229+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-05T21:07:09.230+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelppm manual
2020-11-05T21:07:09.230+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-05T21:07:09.230+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-05T21:07:09.230+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-05T21:07:09.230+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-05T21:07:09.303+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-05T21:07:09.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-05T21:07:09.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-05T21:07:09.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-05T21:07:09.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-05T21:07:09.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IsmServ'[%SystemRoot%\System32\ismserv.exe]/autoStart depends:
SamSS;NTDS
2020-11-05T21:07:09.359+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-05T21:07:09.359+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-05T21:07:09.359+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'Kdc'[%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-05T21:07:09.457+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-05T21:07:09.458+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-05T21:07:09.494+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-05T21:07:09.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-05T21:07:09.578+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-05T21:07:09.578+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-05T21:07:09.578+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ksthunk manual
2020-11-05T21:07:09.579+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-05T21:07:09.579+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-05T21:07:09.661+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-05T21:07:09.738+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-05T21:07:09.739+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-05T21:07:09.739+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:07:09.787+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-05T21:07:09.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-05T21:07:09.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual

depends: rpcss;lltdio
2020-11-05T21:07:09.871+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lmhosts' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-05T21:07:09.884+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-05T21:07:09.884+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-05T21:07:09.884+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-05T21:07:09.884+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-05T21:07:09.885+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-05T21:07:09.885+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-05T21:07:09.885+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LSM' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-05T21:07:09.885+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-05T21:07:09.885+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver luafv autoStart
2020-11-05T21:07:09.885+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MapsBroker' [%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-05T21:07:09.938+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-05T21:07:09.938+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
2020-11-05T21:07:09.938+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-05T21:07:09.938+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-05T21:07:09.938+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver monitor manual
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
2020-11-05T21:07:09.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-05T21:07:10.006+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-05T21:07:10.006+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-05T21:07:10.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-05T21:07:10.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-05T21:07:10.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-05T21:07:10.007+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-05T21:07:10.007+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-05T21:07:10.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Msfs systemStart
2020-11-05T21:07:10.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual
2020-11-05T21:07:10.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual
2020-11-05T21:07:10.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidumdf manual
2020-11-05T21:07:10.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msisadrv bootStart
2020-11-05T21:07:10.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSiSCSI'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:07:10.040+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'msiserver'[%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-05T21:07:10.059+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual
2020-11-05T21:07:10.059+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLldp autoStart
2020-11-05T21:07:10.059+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsRPC manual
2020-11-05T21:07:10.059+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS
```

2020-11-05T21:07:10.059+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS
2020-11-05T21:07:10.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mssmbios systemStart
2020-11-05T21:07:10.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MTConfig manual
2020-11-05T21:07:10.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Mup bootStart
2020-11-05T21:07:10.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mvumis bootStart
2020-11-05T21:07:10.060+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent
2020-11-05T21:07:10.060+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent
2020-11-05T21:07:10.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NcaSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-05T21:07:10.103+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NcbService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-05T21:07:10.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart
2020-11-05T21:07:10.213+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-05T21:07:10.213+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-05T21:07:10.214+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-05T21:07:10.214+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netlogon'[%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation;LanmanServer
2020-11-05T21:07:10.288+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netman'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-05T21:07:10.345+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'netprofm'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-05T21:07:10.401+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetSetupSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:07:10.451+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing'[%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/disabled depends: <none>
2020-11-05T21:07:10.535+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver netvsc manual
2020-11-05T21:07:10.535+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfpp
2020-11-05T21:07:10.535+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfpp
2020-11-05T21:07:10.535+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:10.597+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcSvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:10.695+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NlaSvc'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-05T21:07:10.759+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-05T21:07:10.759+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver npsvc trig systemStart
2020-11-05T21:07:10.759+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-05T21:07:10.796+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart

2020-11-05T21:07:10.796+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NTDS'[%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>
2020-11-05T21:07:10.846+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NtFrs'[%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-05T21:07:10.894+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-05T21:07:10.895+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-05T21:07:10.895+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-05T21:07:10.895+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-05T21:07:10.895+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-05T21:07:10.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-05T21:07:10.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver partmgr bootStart
2020-11-05T21:07:10.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-05T21:07:11.029+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-05T21:07:11.029+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-05T21:07:11.029+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-05T21:07:11.030+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-05T21:07:11.030+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-05T21:07:11.030+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-05T21:07:11.030+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-05T21:07:11.030+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-05T21:07:11.030+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-05T21:07:11.030+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-05T21:07:11.030+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'PerfHost' [%SystemRoot%\SysWow64\perfhst.exe]/manual depends: RPCSS
2020-11-05T21:07:11.156+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet
2020-11-05T21:07:11.156+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-05T21:07:11.156+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-05T21:07:11.156+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-05T21:07:11.156+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc
2020-11-05T21:07:11.156+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-05T21:07:11.156+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PhoneSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-05T21:07:11.200+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-05T21:07:11.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'pla' [%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-05T21:07:11.346+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PlugPlay' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-05T21:07:11.347+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PolicyAgent' [%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-05T21:07:11.418+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-05T21:07:11.418+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-05T21:07:11.418+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Power' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-05T21:07:11.474+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-05T21:07:11.474+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PrintNotify' [%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-05T21:07:11.474+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL

```
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000002000000\c:\windows\system32\spool\drivers\x64\3\printconfig.dll
2020-11-05T21:07:11.474+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-05T21:07:11.474+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-05T21:07:11.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-05T21:07:11.568+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for pvscsi
2020-11-05T21:07:11.568+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for pvscsi
2020-11-05T21:07:11.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-05T21:07:11.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-05T21:07:11.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart
2020-11-05T21:07:11.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'QWAVE'[%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-05T21:07:11.642+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-05T21:07:11.642+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAcD manual
2020-11-05T21:07:11.643+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-05T21:07:11.643+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-05T21:07:11.688+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-05T21:07:11.688+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-05T21:07:11.688+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasMan'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
```

2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPUDD
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPUDD
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-05T21:07:11.778+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-05T21:07:11.778+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteAccess' [%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-05T21:07:11.837+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteRegistry' [%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-05T21:07:11.882+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RmSvc' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:11.920+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcEptMapper' [%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-05T21:07:11.920+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-05T21:07:11.920+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcLocator' [%SystemRoot%\system32\locator.exe]/manual depends: <none>

2020-11-05T21:07:11.950+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-05T21:07:11.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RSoPProv'[%SystemRoot%\system32\RSoPProv.exe]/manual depends: RPCSS
2020-11-05T21:07:11.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rspndr autoStart
2020-11-05T21:07:11.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver s3cap manual
2020-11-05T21:07:11.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sacdrv bootStart
2020-11-05T21:07:11.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'sacsvr'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:07:11.991+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-05T21:07:12.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SAVAdminService'["C:\Program Files (x86)\Sophos\Sophos
Anti-Virus\SAVAdminService.exe"]/autoStart depends: <none>
2020-11-05T21:07:12.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SAVOnAccess
systemStart
2020-11-05T21:07:12.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'SAVService'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:
RPCSS
2020-11-05T21:07:12.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sbp2port bootStart
2020-11-05T21:07:12.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-05T21:07:12.152+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:12.205+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scfilter manual
2020-11-05T21:07:12.205+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-05T21:07:12.292+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scmbus bootStart

2020-11-05T21:07:12.292+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scmdisk0101 manual
2020-11-05T21:07:12.292+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SCPolicysvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:07:12.293+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-05T21:07:12.293+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdcfilter manual
2020-11-05T21:07:12.293+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-05T21:07:12.293+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'seclogon' [%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:07:12.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SENS' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-05T21:07:12.372+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorDataService' [%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-05T21:07:12.470+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorService' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-05T21:07:12.588+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-05T21:07:12.588+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-05T21:07:12.588+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-05T21:07:12.589+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-05T21:07:12.589+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sermouse manual
2020-11-05T21:07:12.589+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SessionEnv' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-05T21:07:12.663+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-05T21:07:12.663+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-05T21:07:12.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-05T21:07:12.837+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-05T21:07:12.837+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-05T21:07:12.837+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-05T21:07:12.837+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-05T21:07:12.860+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-05T21:07:12.860+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-05T21:07:12.861+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos ELAM bootStart
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos Endpoint
Defense bootStart
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Endpoint Defense
Service'["C:\Program Files\Sophos\Endpoint
Defense\SEDSvcService.exe"]/autoStart depends: <none>
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Message
Router'["C:\Program Files (x86)\Sophos\Remote Management
System\RouterNT.exe" -service -name Router -ORBListenEndpoints
iiop://:8193/ssl_port=8194]/autoStart depends: <none>

2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos System Protection
Service'["C:\Program Files\Sophos\Endpoint
Defense\SSPSvc.exe"]/autoStart depends: <none>
2020-11-05T21:07:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Web Control
Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web
Control\swc_service.exe"]/autoStart depends: RPCSS
2020-11-05T21:07:12.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SophosBootDriver
disabled
2020-11-05T21:07:12.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver spaceport bootStart
2020-11-05T21:07:12.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SpbCx manual
2020-11-05T21:07:12.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-05T21:07:12.987+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-05T21:07:13.277+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv autoStart
2020-11-05T21:07:13.277+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv2 manual
2020-11-05T21:07:13.277+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srvnet manual
2020-11-05T21:07:13.277+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SSDPSRV'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: HTTP
2020-11-05T21:07:13.346+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SstpSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-05T21:07:13.390+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StateRepository'[%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-05T21:07:13.498+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stexstor bootStart
2020-11-05T21:07:13.498+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'stisvc'[%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-05T21:07:13.595+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-05T21:07:13.596+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-05T21:07:13.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stornvme bootStart
2020-11-05T21:07:13.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart
2020-11-05T21:07:13.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StorSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:13.686+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-05T21:07:13.686+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-05T21:07:13.686+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'svsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:13.714+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-05T21:07:13.714+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swi_callout
systemStart
2020-11-05T21:07:13.715+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_filter'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_filter.exe"]/autoStart depends: swi_callout
2020-11-05T21:07:13.715+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_service'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_service.exe"]/autoStart depends: <none>
2020-11-05T21:07:13.715+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-05T21:07:13.746+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-05T21:07:13.747+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-05T21:07:13.826+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-05T21:07:13.826+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-05T21:07:13.826+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

```
'TabletInputService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:13.891+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TapiSrv' [%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-05T21:07:13.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-05T21:07:13.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-05T21:07:13.949+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-05T21:07:13.949+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-05T21:07:13.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart
2020-11-05T21:07:13.949+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIPTUNNEL
2020-11-05T21:07:13.949+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-05T21:07:13.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tdx systemStart
2020-11-05T21:07:13.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver terminpt manual
2020-11-05T21:07:13.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TermService' [%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-05T21:07:14.043+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Themes' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-05T21:07:14.075+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TieringEngineService' [%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-05T21:07:14.125+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tiledatamodelsvc' [%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-05T21:07:14.212+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:14.212+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
```

2020-11-05T21:07:14.212+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TPM manual
2020-11-05T21:07:14.212+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:14.249+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-05T21:07:14.316+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD
2020-11-05T21:07:14.316+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSDDD
2020-11-05T21:07:14.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-05T21:07:14.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-05T21:07:14.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tsusbhub manual
2020-11-05T21:07:14.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-05T21:07:14.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tzautoupdate' [%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-05T21:07:14.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UALSVC' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UASPStor manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver udfs disabled
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled

2020-11-05T21:07:14.410+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UevAgentService' [%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-05T21:07:14.526+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-05T21:07:14.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-05T21:07:14.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-05T21:07:14.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-05T21:07:14.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-05T21:07:14.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-05T21:07:14.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-05T21:07:14.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UI0Detect' [%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-05T21:07:14.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver umbus manual
2020-11-05T21:07:14.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-05T21:07:14.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UmRdpService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-05T21:07:14.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UnistoreSvc' [%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-05T21:07:14.638+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'upnphost' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-05T21:07:14.722+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbhub manual

2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbuhci manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-05T21:07:14.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-05T21:07:14.724+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-05T21:07:14.850+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UsSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:07:14.931+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-05T21:07:14.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-05T21:07:14.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VGAAuthService' ["C:\Program
Files\VMware\VMware Tools\VMware VGAAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhf manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual
2020-11-05T21:07:15.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vm3dservice' [%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-05T21:07:15.092+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000002000000\Windows\system32\oem7.inf
2020-11-05T21:07:15.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-05T21:07:15.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-05T21:07:15.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-05T21:07:15.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-05T21:07:15.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicguestinterface' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:15.189+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicheartbeat' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-05T21:07:15.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmickvpexchange' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:15.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicrdv' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-05T21:07:15.281+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicshutdown' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:15.281+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmictimesync' [%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-05T21:07:15.282+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvmsession' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:15.283+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
```

```
'vmicvss' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:15.283+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-05T21:07:15.283+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-05T21:07:15.283+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-05T21:07:15.283+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-05T21:07:15.284+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-05T21:07:15.284+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-05T21:07:15.284+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-05T21:07:15.284+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-05T21:07:15.284+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VSS' [%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-05T21:07:15.413+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-05T21:07:15.413+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-05T21:07:15.413+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'W32Time' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
```

2020-11-05T21:07:15.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-05T21:07:15.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-05T21:07:15.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarp autoStart
2020-11-05T21:07:15.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-05T21:07:15.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-05T21:07:15.659+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-05T21:07:15.659+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-05T21:07:15.730+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscsv
2020-11-05T21:07:15.730+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscsv
2020-11-05T21:07:15.730+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-05T21:07:15.730+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-05T21:07:15.730+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-05T21:07:15.730+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-05T21:07:15.730+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-05T21:07:15.776+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:07:15.776+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-05T21:07:15.777+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdNisSvc'["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-05T21:07:15.843+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Wecsvc'[%SystemRoot%\system32\svchost.exe -k NetworkService]/manual

depends: HTTP;Eventlog
2020-11-05T21:07:15.889+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WEPHOSTSVC'[%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-05T21:07:15.919+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wercplsupport'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-05T21:07:15.959+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WerSvc'[%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-05T21:07:16.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-05T21:07:16.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WiaRpc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:16.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-05T21:07:16.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinDefend'["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-05T21:07:16.054+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-05T21:07:16.054+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 4.0.0.0
2020-11-05T21:07:16.054+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRT
bootStart
2020-11-05T21:07:16.054+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-05T21:07:16.054+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc'[%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-05T21:07:16.151+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-05T21:07:16.151+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Winmgmt'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-05T21:07:16.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinNat manual

```
2020-11-05T21:07:16.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinRM'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-05T21:07:16.377+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-05T21:07:16.377+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-05T21:07:16.378+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-05T21:07:16.378+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-05T21:07:16.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-05T21:07:16.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-05T21:07:16.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wisvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:07:16.451+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-05T21:07:16.451+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-05T21:07:16.451+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wlidsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:07:16.566+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-05T21:07:16.566+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-05T21:07:16.566+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-05T21:07:16.566+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wmiApSrv'[%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-05T21:07:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-05T21:07:16.644+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-05T21:07:16.644+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
2020-11-05T21:07:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WPDBusEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:07:16.677+01:00 info vmware-converter-worker[02044]
```

```
[Originator@6876 sub=Default] Found device driver WpdUpFltr manual
2020-11-05T21:07:16.677+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnService'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-05T21:07:16.729+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnUserService'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-05T21:07:16.744+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-05T21:07:16.744+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WSearch'[%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-05T21:07:16.851+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-05T21:07:16.851+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi
2020-11-05T21:07:16.851+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wuauaserv'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:07:16.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WudfPf manual
2020-11-05T21:07:16.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WUDFRd manual
2020-11-05T21:07:16.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wudfsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-05T21:07:17.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblAuthManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:07:17.147+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblGameSave'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-05T21:07:17.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xboxgip manual
2020-11-05T21:07:17.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xinputhid manual
2020-11-05T21:07:17.252+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov
2020-11-05T21:07:17.252+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov
2020-11-05T21:07:17.252+01:00 warning vmware-converter-worker[02044]
```

[Originator@6876 sub=Default] Error 2 reading 'startType' for {91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-05T21:07:17.252+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for {91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-05T21:07:17.252+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for {F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-05T21:07:17.252+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for {F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-05T21:07:17.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi99020526830847919
2020-11-05T21:07:17.257+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:07:17.338+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi67.
2020-11-05T21:07:19.915+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi67\SOFTWARE is loaded under the name mntApi111872999830847919
2020-11-05T21:07:19.915+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi111872999830847919\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:07:19.915+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:07:19.915+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:07:19.915+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-05T21:07:19.915+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-05T21:07:19.931+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi97.
2020-11-05T21:07:20.391+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi97\SYSTEM is loaded under the name mntApi114467060430847919
2020-11-05T21:07:20.391+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi114467060430847919\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:07:20.391+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed

2020-11-05T21:07:20.446+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi114467060430847919
2020-11-05T21:07:20.448+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:20.454+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi111872999830847919
2020-11-05T21:07:20.463+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:20.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155.
2020-11-05T21:07:20.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155\SYSTEM is
loaded under the name mntApi115013056930847919
2020-11-05T21:07:20.863+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi115013056930847919
2020-11-05T21:07:20.866+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:20.866+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get
mountpoints for volume :1307/710000010000000000: 4146 (type = 2,
code=259)
2020-11-05T21:07:21.582+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi157.
2020-11-05T21:07:24.182+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi157\SOFTWARE is
loaded under the name mntApi116116706130847919
2020-11-05T21:07:24.183+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi116116706130847919\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:07:24.183+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:07:24.183+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:07:24.183+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-05T21:07:24.183+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-05T21:07:24.199+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi217.

2020-11-05T21:07:24.648+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi217\SYSTEM is
loaded under the name mntApi118733702530847919
2020-11-05T21:07:24.649+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi118733702530847919\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:07:24.649+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-05T21:07:24.704+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi118733702530847919
2020-11-05T21:07:24.706+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:24.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi116116706130847919
2020-11-05T21:07:24.721+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:24.737+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi247.
2020-11-05T21:07:25.073+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi247\SYSTEM is
loaded under the name mntApi119271701730847919
2020-11-05T21:07:25.131+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi119271701730847919
2020-11-05T21:07:25.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:07:25.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-05T21:07:25.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-05T21:07:25.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-05T21:07:25.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key
QueryManagerImpl::Query=12ff5fa43de6b550c55364babf3841bb6d88668
2020-11-05T21:07:25.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ===
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:

```

--> (converter.info.ComputerInfo) {
-->   hardwareInfo = (converter.info.ComputerHardwareInfo) {
-->     storage = (converter.info.StorageInfo) {
-->       disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-5",
-->           capacityInBytes = 42949672960,
-->           diskUsageInBytes = 42949672960,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 402064154,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->         }
-->       ],
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->       (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":1307/710000010000000000",
-->         diskId = (string) [
-->           "disk-5"
-->         ],
-->         partitionNumber = 1,
-->         primary = true,
-->         active = true,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "Réservé au système",
-->         capacityInBytes = 524288000,
-->         spaceUsedInBytes = 354910208,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->       },
-->       (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":1307/71000005?100000000",
-->         diskId = (string) [
-->           "disk-5"
-->         ],
-->         partitionNumber = 2,
-->         primary = true,
-->         active = false,

```

```

-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "",
-->         capacityInBytes = 42423287808,
-->         spaceUsedInBytes = 18347954176,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [
-->             (converter.info.NetworkInfo.HostedNicInfo) {
-->                 nicId = "ethernet-6",
-->                 connected = true,
-->                 label = "ethernet0",
-->                 connectionType = <unset>
-->             }
-->         ]
-->     },
-->     basicHardware = (converter.info.BasicHardwareInfo) {
-->         numCPUs = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096
-->     },
-->     configInfo = (vim.vm.ConfigInfo) {
-->         changeVersion = "",
-->         modified = "1970-01-01T00:00:00Z",
-->         name = "SRV-NHFAD1",
-->         guestFullName = "",
-->         version = "vmx-13",
-->         uuid = "56 4d 1f 72 fd 71 57 73-fa e8 6e 86 0b 9c fd 9c",
-->         instanceUuid = <unset>,
-->         npivWorldWideNameType = <unset>,
-->         npivDesiredNodeWwns = <unset>,
-->         npivDesiredPortWwns = <unset>,
-->         npivTemporaryDisabled = <unset>,
-->         npivOnNonRdmDisks = <unset>,
-->         locationId = "56 4d 19 98 72 4a e4 e3-15 97 55 f0 6f d8 2e
09",
-->         template = false,

```

```
-->         guestId = "windows9Server64Guest",
-->         alternateGuestName = "",
-->         annotation = <unset>,
-->         files = (vim.vm.FileInfo) {
-->             vmPathName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",

-->             snapshotDirectory = <unset>,
-->             suspendDirectory = <unset>,
-->             logDirectory = <unset>,
-->             ftMetadataDirectory = <unset>
-->         },
-->         tools = (vim.vm.ToolsConfigInfo) {
-->             toolsVersion = <unset>,
-->             afterPowerOn = true,
-->             afterResume = true,
-->             beforeGuestStandby = true,
-->             beforeGuestShutdown = true,
-->             beforeGuestReboot = <unset>,
-->             toolsUpgradePolicy = "manual",
-->             pendingCustomization = <unset>,
-->             syncTimeWithHost = false,
-->             lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->             upgradeRebootPredict = <unset>
-->         },
-->         flags = (vim.vm.FlagInfo) {
-->             disableAcceleration = false,
-->             enableLogging = true,
-->             useToe = <unset>,
-->             runWithDebugInfo = <unset>,
-->             monitorType = "release",
-->             htSharing = <unset>,
-->             snapshotDisabled = <unset>,
-->             snapshotLocked = <unset>,
-->             diskUuidEnabled = <unset>,
-->             virtualMmuUsage = <unset>,
-->             virtualExecUsage = <unset>,
-->             snapshotPowerOffBehavior = <unset>,
-->             recordReplayEnabled = <unset>,
-->             faultToleranceType = <unset>
-->         },
-->         consolePreferences = (vim.vm.ConsolePreferences) null,
-->         defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->             powerOffType = <unset>,
-->             suspendType = "soft",
-->             resetType = <unset>,
-->             defaultPowerOffType = <unset>,
-->             defaultSuspendType = <unset>,

```

```

-->         defaultResetType = <unset>,
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,
-->             },
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 2,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide1",
-->                     summary = "IDE Controller 1"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 1,
-->             },
-->             (vim.vm.device.VirtualLsiLogicSASController) {
-->                 key = 3,
-->                 deviceInfo = (vim.Description) {
-->                     label = "scsi0",
-->                     summary = "SCSI Controller 0"
-->                 },
-->                 backing =

```

```

(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk"
,
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,

```

```

-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualE1000) {
-->         key = 6,
-->         deviceInfo = (vim.Description) {
-->             label = "ethernet0",
-->             summary = "Ethernet 0"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "generated",
-->         macAddress = "00:0c:29:9c:fd:9c",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
-->     (vim.vm.device.VirtualUSBController) {
-->         key = 7,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =

```



```

(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         autoConnectDevices = true,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 8,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 9,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     }
--> ]

```

```

-->     },
-->     cpuAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = <unset>,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     latencySensitivity = (vim.LatencySensitivity) null,
-->     memoryHotAddEnabled = false,
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "config.readOnly",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "bios.bootRetry.delay",
-->             value = "10"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.mem.min",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",

```

```
-->         value =
"/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
-90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.syncTime",
-->         value = "false"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.guest.desktop.autolock",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.remindInstall",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:1.speed",
-->         value = "2"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:1.port",
-->         value = "1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:1.parent",
-->         value = "-1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.ctkEnabled",
-->         value = "True"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ethernet0.shares",
-->         value = "normal"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vc.uuid",
-->         value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2
db"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "nvram",
-->         value = "SRV-NHFAD1.nvram"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "svga.present",
-->         value = "TRUE"
-->     },
-->     },
```

```
--> (vim.option.OptionValue) {
-->     key = "svga.guestBackedPrimaryAware",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "RemoteDisplay.maxConnections",
-->     value = "-1"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-3854021677028181693"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "-4577512143103774999"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = "0"
--> },
--> (vim.option.OptionValue) {
```

```
-->         key = "toolsInstallManager.updateCounter",
-->         value = "3"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "cleanShutdown",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.toolsInstallErrCode",
-->         value = "1641"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.buildNumber",
-->         value = "16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.description",
-->         value = "VMware Tools 11.1.1 build 16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionNumber",
-->         value = "11297"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestOS.detailed.data",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
```

```
-->         value = "-1"
-->     }
--> ],
--> cpuFeatureMask = (vim.host.CpuIdInfo) [
-->     (vim.host.CpuIdInfo) {
-->         level = 0,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 0,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>
```

```
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
```

```

-->         vAssertsEnabled = <unset>,
-->         changeTrackingEnabled = <unset>,
-->         firmware = <unset>,
-->         maxMksConnections = <unset>,
-->         guestAutoLockEnabled = <unset>,
-->         managedBy = (vim.ext.ManagedByInfo) null,
-->         memoryReservationLockedToMax = <unset>,
-->         initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
-->         nestedHVEEnabled = <unset>,
-->         vPMCEEnabled = <unset>,
-->         scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
-->         forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->         vFlashCacheReservation = <unset>,
-->         vmxConfigChecksum = <unset>,
-->         messageBusQueuePattern = <unset>,
-->         messageBusTunnelEnabled = <unset>,
-->         vmStorageObjectId = <unset>,
-->         swapStorageObjectId = <unset>,
-->     },
-->     currentEfiBootEntry = <unset>
--> },
--> osInfo = (converter.info.ComputerOsInfo) {
-->     osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->         guestOsId = "windows8srv-64",
-->         displayName = "Windows Server 2012 (64-bit)",
-->         osType = "windowsOs",
-->         osEdition = "Server",
-->         distribution = <unset>,
-->         majorVersion = 6,
-->         minorVersion = 3,
-->         kernelVersion = <unset>,
-->         os64Bit = true,
-->         spLevel = <unset>
-->     },
-->     hostname = "SRV-NHFAD1",
-->     activeVolumeId = ":1307/710000010000000000",
-->     systemVolumeId = ":1307/71000005?100000000",
-->     logicalVolumeInfo =
(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/710000010000000000",
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 459767808,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,

```



```

-->         canChangeType = true
-->     },
--> },
--> (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->     volumeId = ":1307/71000005?100000000",
-->     mountPoint = (string) [
-->         "C:"
-->     ],
-->     volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->         minSizeInBytes = 20182749593,
-->         canBeSkipped = true,
-->         canBeResized = true,
-->         canBeMovedToAnotherDisk = false,
-->         canChangeClusterSize = true,
-->         canChangeType = true
-->     }
--> }
--> ],
--> reconfigPrerequisites = (converter.info.ReconfigPrerequisites)
null,
-->     services = (converter.info.ServiceInfo) [
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ADWS",
-->             displayName = "Services Web Active Directory",
-->             description = "Ce service fournit une interface de
service Web aux instances de service d'annuaire (AD DS and AD LDS) qui
s'exécutent localement sur le serveur. Si ce service est arrêté ou
désactivé, les applications clientes, comme Active Directory PowerShell,
ne pourront pas accéder ou gérer les instances de service d'annuaire qui
s'exécutent localement sur le serveur.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "AJRouter",
-->             displayName = "Service de routeur AllJoyn",
-->             description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ALG",
-->             displayName = "Service de la passerelle de la couche
Application",

```

```
-->         description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppIDSvc",
-->         displayName = "Identité de l'application",
-->         description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Appinfo",
-->         displayName = "Informations d'application",
-->         description = "Permet d'exécuter les applications
interactives avec des droits d'administration supplémentaires. Si ce
service est arrêté, les utilisateurs ne pourront pas lancer les
applications avec les droits d'administration supplémentaires
nécessaires pour effectuer les tâches utilisateur souhaitées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",
-->         startType = "manual",
```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AudioEndpointBuilder",
-->         displayName = "Générateur de points de terminaison du
service Audio Windows",
-->         description =
"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Audiosrv",
-->         displayName = "Audio Windows",
-->         description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AxInstSV",
-->         displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->         description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la

```

stratégie de groupe. Ce service est démarré sur demande et, s'il est désactivé, l'installation des contrôles ActiveX se comporte conformément aux paramètres par défaut du navigateur.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BFE",
-->         displayName = "Moteur de filtrage de base",
-->         description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),
et qui implémente le filtrage en mode utilisateur. L'arrêt ou la
désactivation du service Moteur de filtrage de base diminue
signifiquement la sécurité du système et aboutit également à un
fonctionnement imprévisible des applications de gestion et de pare-feu
IPsec.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BITS",
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",
-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
```

```

dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils
connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le
minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "ClipSVC",
-->             displayName = "Service de licences de client (ClipSVC)",
-->
-->             description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "COMSysApp",
-->             displayName = "Application système COM+",
-->             description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "CoreMessagingRegistrar",
-->             displayName = "CoreMessaging",
-->             description = "Manages communication between system
components.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "CryptSvc",
-->             displayName = "Services de chiffrement",
-->             description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de
gestion ne fonctionneront pas correctement. Si ce service est désactivé,
les services en dépendant explicitement ne démarreront pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CscService",
-->         displayName = "Fichiers hors connexion",
-->         description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service
est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne
fonctionnent pas correctement. Il est fortement recommandé d'exécuter le
service DCOMLAUNCH.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques

```

```

câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dfs",
-->         displayName = "Espace de noms DFS",
-->         description = "Permet de grouper les dossiers partagés
et situés sur différents serveurs en un ou plusieurs espaces de noms
logiquement structurés. Chaque espace de nom apparaît auprès des
utilisateurs sous forme d'un dossier partagé unique contenant une série
de sous-dossiers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DFSR",
-->         displayName = "Réplication DFS",
-->         description = "Vous permet de synchroniser des dossiers
de plusieurs serveurs sur des connexions réseau de type réseau local ou
étendu. Ce service utilise le protocole RDC (Remote Differential
Compression) pour mettre à jour uniquement les parties des fichiers
ayant été modifiées depuis la dernière réplication.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true

```



```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DHCP Server",
-->         displayName = "Serveur DHCP",
-->         description = "Effectue la configuration TCP/IP des
clients DHCP, notamment les attributions dynamiques d'adresses IP et la
spécification des serveurs WINS et DNS et des noms DNS spécifiques à la
connexion. Si ce service est arrêté, le serveur DHCP n'effectue pas la
configuration TCP/IP des clients. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne peuvent plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
téléométrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de téléométrie offre des fonctionnalités qui prennent en
charge les expériences des utilisateurs connectés et in-app. En outre,
ce service gère la collecte et la transmission des informations de
diagnostic et d'utilisation en fonction des événements (afin d'améliorer
l'expérience et la qualité de la plateforme Windows) lorsque les
paramètres des options de confidentialité des diagnostics et de

```

```

l'utilisation sont activés sous Commentaires & diagnostics.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des
périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DNS",
-->         displayName = "Serveur DNS",
-->         description = "Permet aux clients DNS de résoudre les
noms DNS en répondant aux requêtes DNS et aux requêtes de mise à jour
DNS dynamiques. Si ce service est arrêté, les mises à jour DNS n'auront
pas lieu. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dnscache",
-->         displayName = "Client DNS",
-->         description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "dot3svc",
-->             displayName = "Configuration automatique de réseau
câblé",
-->             description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "DPS",
-->             displayName = "Service de stratégie de diagnostic",
-->             description = "Le service de stratégie de diagnostic
permet la détection, le dépannage et la résolution de problèmes pour les
composants de Windows. Si ce service est arrêté, les diagnostics ne
fonctionnent plus.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "DsmSvc",
-->             displayName = "Gestionnaire d'installation de
périphérique",
-->             description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "DsRoleSvc",
-->             displayName = "Serveur de rôles DS",
-->             description = "Ce service héberge le serveur de rôles DS
utilisé pour la promotion, la régression et le clonage de contrôleur de
domaine. Si le service est désactivé, ces opérations échouent.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },

```

```
-->         (converter.info.ServiceInfo) {
-->             serviceName = "DsSvc",
-->             displayName = "Service de partage des données",
-->             description = "Fournit l'intermédiation des données
entre les applications.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Eaphost",
-->             displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->             description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
nécessitent l'authentification EAP.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "EFS",
-->             displayName = "Système de fichiers EFS (Encrypting File
System)",
-->             description = "Fournit la technologie de chiffrement des
fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "embeddedmode",
-->             displayName = "Mode incorporé",
-->             description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "EntAppSvc",
```

```

-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventSystem",
-->         displayName = "Système d'événement COM+",
-->         description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations
d'ouverture et de fermeture de session. Si ce service est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "fdPHost",
-->         displayName = "Hôte du fournisseur de découverte de
fonctions",
-->         description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery
Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la
désactivation du service FDPHOST désactivera la découverte de réseau
pour ces protocoles lors de l'utilisation de la découverte de fonction.
Lorsque ce service n'est pas disponible, les services réseau qui
utilisent la découverte de fonction et qui dépendent de ces protocoles

```

de découverte ne pourront pas trouver des périphériques ou des ressources réseau.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FDResPub",
-->         displayName = "Publication des ressources de découverte
de fonctions",
-->         description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache",
-->         displayName = "Service de cache de police Windows",
-->         description = "Optimise les performances des
applications en mettant en cache les données des polices communément
utilisées. Les applications démarrent ce service s'il n'est pas déjà en
fonctionnement. Il peut être désactivé ; il en résulte cependant une
dégradation des performances des applications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
l'application des paramètres configurés par les administrateurs pour
l'ordinateur et pour les utilisateurs via le composant de stratégie de
groupe. Si le service est désactivé, les paramètres ne seront pas
appliqués, et les applications et les composants ne seront pas gérables
par la stratégie de groupe. Tout composant ou application qui dépend du
```

composant de stratégie de groupe risque de ne pas fonctionner si le service est désactivé.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",
-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",
-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
Internet Protocol). Ces modules de génération de clés sont utilisés pour
l'authentification et l'échange de clés dans la sécurité IP (IPsec).
L'arrêt ou la désactivation du service IKEEXT entraînera la
désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs
homologues. IPsec est généralement configuré pour utiliser IKE ou
```

AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT risque de conduire à la défaillance d'IPsec et de compromettre la sécurité du système. Il est fortement recommandé d'activer l'exécution du service IKEEXT.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "iphlpsvc",
-->         displayName = "Assistance IP",
-->         description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPv6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IsmServ",
-->         displayName = "Messagerie intersite",
-->         description = "Permet l'échange des messages entre
ordinateurs fonctionnant sur des sites Windows Server. Si ce service est
arrêté, les messages ne seront pas échangés et les informations de
routage du site ne seront pas calculées pour d'autres services. Si ce
service est désactivé, tout service en dépendant explicitement ne
démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Kdc",
-->         displayName = "Centre de distribution de clés Kerberos",
-->
-->         description = "Ce service, qui s'exécute sur les
contrôleurs de domaine, permet aux utilisateurs d'ouvrir une session sur
le réseau en utilisant le protocole d'authentification Kerberos. Si ce
service est arrêté, les utilisateurs ne pourront plus ouvrir de session
sur le réseau. Si ce service est désactivé, les services qui en
dépendent explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KdsSvc",
```



```
-->         displayName = "Service de distribution de clés
Microsoft",
-->         description = "Ce service permet de protéger les données
à l'aide de l'API de protection des données de groupe. Il permet
également de prendre en charge différentes fonctionnalités système,
notamment BitLocker sur les volumes en cluster, les comptes de services
administrés et le DNS sécurisé. Si ce service est arrêté, ces
fonctionnalités ne fonctionnent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KeyIso",
-->         displayName = "Isolation de clé CNG",
-->         description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de
processus de clé aux clés privés et aux opérations de chiffrement
associées, conformément aux critères communs. Le service stocke et
utilise des clés à long terme dans le cadre d'un processus sécurisé
répondant aux exigences des critères communs.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KPSSVC",
-->         displayName = "Service Serveur proxy KDC",
-->         description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KtmRm",
-->         displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->         description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce
service automatiquement. Si ce service est désactivé, toute transaction
MSDTC interagissant avec un gestionnaire de transactions du noyau échoue
et tout service qui en dépend de façon explicite ne parvient pas à
démarrer.",
-->         currentState = "stopped",
```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanServer",
-->         displayName = "Serveur",
-->         description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanWorkstation",
-->         displayName = "Station de travail",
-->         description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce
service est arrêté, ces connexions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lfsvc",
-->         displayName = "Service de géolocalisation",
-->         description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LicenseManager",
-->         displayName = "Serveur Gestionnaire de licences
Windows",
-->         description = "Permet la prise en charge de
l'infrastructure du Windows Store. Ce service démarre à la demande. S'il
est désactivé, le contenu acheté via le Windows Store ne se comporte pas
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lltdsvc",
-->         displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->         description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lmhosts",
-->         displayName = "Assistance NetBIOS sur TCP/IP",
-->         description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
présents sur le réseau, ce qui permet aux utilisateurs de partager des
fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce
service est arrêté, ces fonctions risquent de ne pas être disponibles.
Si ce service est désactivé, les services qui en dépendent explicitement
ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LSM",
-->         displayName = "@%windir%\system32\lsm.dll,-1001",
-->         description = "@%windir%\system32\lsm.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MapsBroker",
-->         displayName = "Gestionnaire des cartes téléchargées",
-->         description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
cartes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MpsSvc",
-->             displayName = "Pare-feu Windows",
-->             description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MSDTC",
-->             displayName = "Coordinateur de transactions
distribuées",
-->             description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MSiSCSI",
-->             displayName = "Service Initiateur iSCSI de Microsoft",
-->             description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur
les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui
dépendent explicitement de lui ne pourront plus démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "msiserver",
-->             displayName = "Windows Installer",
-->             description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NcaSvc",
-->             displayName = "Assistant Connectivité réseau",
```

```

-->         description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcbService",
-->         displayName = "Service Broker pour les connexions
réseau",
-->         description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
notifications d'Internet.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netlogon",
-->         displayName = "NetLogon",
-->         description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur
peut ne pas authentifier les utilisateurs et les services et le
contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si
ce service est désactivé, tout service qui en dépend explicitement ne
pourra pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",
-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetSetupSvc",
-->         displayName = "Service Configuration du réseau",
-->         description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetTcpPortSharing",
-->         displayName = "Service de partage de ports Net.Tcp",
-->         description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcCtnrSvc",
-->         displayName = "Conteneur Microsoft Passport",
-->         description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcSvc",
-->         displayName = "Microsoft Passport",
-->         description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les
fonctions d'utilisation et de gestion de ces clés, telles que
l'ouverture de session et l'authentification unique pour les
applications et les sites web, ne seront pas disponibles. Ce service
démarré et s'arrête automatiquement. Il est recommandé de ne pas le
reconfigurer.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NlaSvc",
-->         displayName = "Connaissance des emplacements réseau",
-->         description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "nsi",
-->         displayName = "Service Interface du magasin réseau",
-->         description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité
réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NTDS",
-->         displayName = "Services de domaine Active Directory",
-->         description = "Service de contrôleur de domaine des
services de domaine Active Directory. Si ce service est arrêté, les
utilisateurs ne peuvent plus se connecter au réseau. Si ce service est
désactivé, tous les services qui en dépendent explicitement ne peuvent
plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NtFrs",
-->         displayName = "Réplication de fichiers",
-->         description = "Synchronise les dossiers avec les
serveurs de fichiers qui utilisent le service FRS au lieu du service de
réplication DFS plus récent.",
-->         currentState = "stopped",
-->         startType = "disabled",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "OneSyncSvc",
-->         displayName = "Hôte de synchronisation",
-->         description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des
programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les
programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhost.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PimIndexMaintenanceSvc",
-->         displayName = "Données de contacts",
-->         description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce

```



```

service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "pla",
-->         displayName = "Journaux & alertes de performance",
-->         description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PlugPlay",
-->         displayName = "Plug-and-Play",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PolicyAgent",
-->         displayName = "Agent de stratégie IPsec",
-->         description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Power",
-->         displayName = "Alimentation",
-->         description = "Gère la stratégie d'alimentation et la
remise de notification de stratégie d'alimentation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "PrintNotify",
-->             displayName =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->             description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ProfSvc",
-->             displayName = "Service de profil utilisateur",
-->             description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir
les données des utilisateurs, et les composants inscrits pour recevoir
les notifications d'événements de profils ne les recevront pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "QWAVE",
-->             displayName = "Expérience audio-vidéo haute qualité
Windows",
-->             description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RasAuto",
-->             displayName = "Gestionnaire des connexions automatiques
d'accès à distance",
-->             description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->             currentState = "stopped",
-->             startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasMan",
-->         displayName = "Gestionnaire des connexions d'accès à
distance",
-->         description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteAccess",
-->         displayName = "Routage et accès distant",
-->         description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteRegistry",
-->         displayName = "Registre à distance",
-->         description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RmSvc",
-->         displayName = "Service de gestion radio",
-->         description = "Service de gestion radio et de mode
Avion",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcEptMapper",
-->         displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->         description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->         currentState = "stopped",

```

```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcLocator",
-->         displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->         description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure
distante (RPC) gère la base de données du service de nom RPC. Dans
Windows Vista et les versions ultérieures de Windows, ce service ne
fournit aucune fonctionnalité et est présent à des fins de compatibilité
applicative.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcSs",
-->         displayName = "Appel de procédure distante (RPC)",
-->         description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets
et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM.
Si ce service est arrêté ou désactivé, les programmes utilisant COM ou
DCOM ne fonctionnent pas correctement. Il est fortement recommandé
d'exécuter le service RPCSS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RSOPProv",
-->         displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->         description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sacsvr",
-->         displayName = "Application d'assistance de la Console
d'administration spéciale",
-->         description = "Permet aux administrateurs d'accéder à

```

distance à une invite de commandes en utilisant les services de gestion d'urgence.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SamSs",
-->         displayName = "Gestionnaire de comptes de sécurité",
-->         description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVAdminService",
-->         displayName = "Sophos Anti-Virus status reporter",
-->         description = "Fournit au Windows Security Center des
informations sur l'état de mise à jour de Sophos Anti-Virus et sur
l'état actif ou non du contrôle sur accès.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVService",
-->         displayName = "Sophos Anti-Virus",
-->         description = "Effectue des opérations de contrôle des
menaces et de nettoyage.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCardSvr",
-->         displayName = "Carte à puce",
-->         description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
--> }
```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "ScDeviceEnum",
-->             displayName = "Service d'énumération de périphériques de
carte à puce",
-->             description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Schedule",
-->             displayName = "Planificateur de tâches",
-->             description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SCPolicySvc",
-->             displayName = "Stratégie de retrait de la carte à puce",
-->
-->             description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "seclogon",
-->             displayName = "Ouverture de session secondaire",
-->             description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SENS",

```

```

-->         displayName = "Service de notification d'événements
système",
-->         description = "Analyse les événements système et notifie
leur existence aux abonnés du système d'événements COM+.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorDataService",
-->         displayName = "Service Données de capteur",
-->         description = "Fournit les données d'une variété de
capteurs",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorService",
-->         displayName = "Service de capteur",
-->         description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de
périphérique simple rapportant les changements d'orientation du
périphérique. Si le service est interrompu ou désactivé, le capteur
d'orientation de périphérique simple ne sera pas chargé et la rotation
automatique n'aura pas lieu. La collecte d'historiques des capteurs sera
également interrompue.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensrSvc",
-->         displayName = "Service de surveillance des capteurs",
-->         description = "Surveille plusieurs capteurs pour exposer
les données et s'adapter aux divers états utilisateur et du système. Si
le service est arrêté ou désactivé, la brillance de l'affichage ne
s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut
également affecter d'autres fonctionnalités du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SessionEnv",
-->         displayName = "Configuration des services Bureau à
distance",
-->         description = "Le service Configuration des services

```

Bureau à distance (RDCS) est responsable de toutes les activités de maintenance de session et de configuration du Bureau à distance et des services Bureau à distance nécessitant un contexte SYSTEM. Il faut y inclure les dossiers temporaires par session, ainsi que les thèmes et certificats des services Bureau à distance.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SharedAccess",
-->         displayName = "Partage de connexion Internet (ICS)",
-->         description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ShellHWDetection",
-->         displayName = "Détection matériel noyau",
-->         description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "smphost",
-->         displayName = "SMP de l'Espace de stockages Microsoft",
-->         description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SNMPTRAP",
-->         displayName = "Interruption SNMP",
-->         description = "Reçoit les messages d'interception
générés par les agents SNMP (Simple Network Management Protocol) locaux
ou distants et transmet les messages aux programmes de gestion SNMP
s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes
à base SNMP sur cet ordinateur ne recevront pas les messages
d'interception SNMP. Si ce service est désactivé, tous les services qui
en dépendent explicitement ne pourront pas démarrer.",
```



```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Agent",
-->         displayName = "Sophos Agent",
-->         description = "Management Agent for Sophos
applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos AutoUpdate Service",
-->         displayName = "Sophos AutoUpdate Service",
-->         description = "Partie du système de mise à jour
concernant la description du Service des composants Sophos",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Endpoint Defense Service",
-->         displayName = "Sophos Endpoint Defense Service",
-->         description = "Sophos Endpoint Defense Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Message Router",
-->         displayName = "Sophos Message Router",
-->         description = "Message router for Sophos applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos System Protection Service",
-->         displayName = "Sophos System Protection Service",
-->         description = "Sophos System Protection Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Web Control Service",
-->         displayName = "Sophos Web Control Service",
```

```

-->         description = "Manages Web Control policy.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sppsvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications
Windows. Si le service est désactivé, le système d'exploitation et les
applications sous licence peuvent s'exécuter dans un mode de
notification. Et il est instamment recommandé de ne pas désactiver le
service de protection logicielle.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDPSRV",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les
périphériques SSDP ne seront pas découverts. S'il est désactivé, tous
les services qui dépendent explicitement de lui ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
-->         displayName = "Service SSTP (Secure Socket Tunneling
Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à

```

```
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_filter",
-->         displayName = "Sophos Web Filter",
-->         description = "Garantit que l'utilisation du Web est
conforme à la stratégie de sécurité. ",
-->         currentState = "stopped",
-->         startType = "autoStart",
```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_service",
-->         displayName = "Sophos Web Intelligence Service",
-->         description = "Protège contre les menaces de sites Web
malveillants.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stylet et
d'entrée manuscrite du clavier tactile et du volet d'écriture

```

```

manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter
de manière interactive à un ordinateur distant. Le Bureau à distance et
le serveur hôte de session Bureau à distance dépendent de ce service.
Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les
cases à cocher situées sous l'onglet Utilisation à distance des
Propriétés système via l'élément Système du Panneau de configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",
-->         description = "Serveur de vignettes pour la mise à jour
des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =
"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du
fuseau horaire",
-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UALSVC",
-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;
l'utilisation du service et des données UAL ne décharge pas de cette
obligation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être
perdu. Si ce service est désactivé, les notifications des nouvelles
boîtes de dialogue de services interactifs ainsi que leur accès ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UmRdpService",
-->         displayName = "Redirection de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
--> }
```



```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "UserManager",
-->             displayName = "Gestionnaire des utilisateurs",
-->             description = "Le Gestionnaire des utilisateurs fournit
les composants d'exécution requis pour une interaction
multi-utilisateur. Si ce service est arrêté, certaines applications
risquent de ne pas fonctionner correctement.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "UsoSvc",
-->             displayName = "Service Update Orchestrator pour Windows
Update",
-->             description = "UsoSvc",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "VaultSvc",
-->             displayName = "Gestionnaire d'informations
d'identification",
-->             description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vds",
-->             displayName = "Disque virtuel",
-->             description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "VGAuthService",
-->             displayName = "VMware Alias Manager and Ticket Service",
-->
-->             description = "Alias Manager and Ticket Service",
-->             currentState = "stopped",
-->             startType = "autoStart",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vm3dbservice",
-->         displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->         description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicguestinterface",
-->         displayName = "Interface de services d'invité Hyper-V",
-->         description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicrdv",
-->         displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->         description = "Fournit une plateforme pour la

```

```

communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicshutdown",
-->         displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->         description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmictimesync",
-->         displayName = "Service Synchronisation date/heure
Microsoft Hyper-V",
-->         description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvmsession",
-->         displayName = "Service Hyper-V PowerShell Direct",
-->         description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvss",
-->         displayName = "Requête du service VSS Microsoft
Hyper-V",
-->         description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation
de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "VMTools",
-->             displayName = "VMware Tools",
-->             description = "Fournit un support pour la
synchronisation des objets entre les systèmes d'exploitation hôte et
invité.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmvss",
-->             displayName = "VMware Snapshot Provider",
-->             description = "VMware Snapshot Provider",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "VSS",
-->             displayName = "Cliché instantané des volumes",
-->             description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si
ce service est arrêté, les clichés instantanés ne seront pas disponibles
pour la sauvegarde et la sauvegarde échouera. Si ce service est
désactivé, les services en dépendant explicitement ne démarreront pas.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "W32Time",
-->             displayName = "Temps Windows",
-->             description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WalletService",
-->             displayName = "WalletService",
-->             description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->             currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WbioSrvc",
-->         displayName = "Service de biométrie Windows",
-->         description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wcmsvc",
-->         displayName = "Gestionnaire des connexions Windows",
-->         description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau
actuellement disponibles à l'ordinateur, et active la gestion de la
connectivité réseau en fonction des paramètres de la stratégie de
groupe.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiServiceHost",
-->         displayName = "Service hôte WDIServiceHost",
-->         description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiSystemHost",
-->         displayName = "Hôte système de diagnostics",
-->         description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de système local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",
-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wecsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
persistants à des événements de sources distantes prenant en charge le
protocole Gestion de services Web. Cela inclut les journaux d'événements
de Windows Vista, les sources d'événements matériels et IPMI. Le service
stocke les événements transférés dans un journal d'événements local. Si
ce service est arrêté ou désactivé, des abonnements aux événements ne
peuvent pas être créés et les événements transférés ne peuvent pas être
acceptés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de

```

```

configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de
diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",
-->
-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client
et fournit aux développeurs une API Win32 et un composant
d'automatisation COM pour l'envoi des demandes HTTP et la réception des
réponses. En outre, WinHTTP prend en charge la découverte automatique
d'une configuration de proxy via son implémentation du protocole WPAD
(Web Proxy Auto-Discovery).",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",
-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion
WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à
distance. La Gestion des services Web est un protocole standard utilisé
pour la gestion à distance de logiciels et de matériels. Le service
Gestion à distance de Windows traite les demandes Gestion des services
Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la
stratégie de groupe. Ce service donne accès aux données WMI et permet le
recueil d'événements. Le recueil d'événements et l'abonnement exigent
que ce service s'exécute. Les messages du service Gestion à distance de
Windows utilisent HTTP et HTTPS. Le service Gestion à distance de
Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même
machine. Le service Gestion à distance de Windows réserve le préfixe
d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites
Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",

```



```

-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs
par le biais des services d'identité de compte Microsoft. Si ce service
est arrêté, les utilisateurs ne pourront pas ouvrir une session sur
l'ordinateur avec leur compte Microsoft.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la
bibliothèque de performance à partir des fournisseurs HiPerf WMI
(Windows Management Instrumentation) à des clients sur le réseau. Ce
service s'exécute uniquement quand l'assistant de performance des
données est activé.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnUserService",
-->         displayName = "Service utilisateur de notifications Push
Windows",

```

```

-->         description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
raw.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WSearch",
-->         displayName = "Windows Search",
-->         description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wuauser",
-->         displayName = "Windows Update",
-->         description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce
service est désactivé, les utilisateurs de cet ordinateur ne pourront
pas utiliser Windows Update ou sa fonctionnalité de mise à jour
automatique, et les programmes ne pourront pas utiliser l'API de l'Agent
de mise à jour automatique Windows Update (WUA).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wudfsvc",
-->         displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->         description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox
Live",
-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,
-->     canSkipUnwantedFiles = false,
-->     canReconfig = true,
-->     canCustomize = true,
-->     canInstallTools = true,
-->     defaultCloningMode = "diskBasedCloning",
-->     supportedCloningMode = (string) [
-->         "diskBasedCloning",
-->         "volumeBasedCloning"
-->     ]
--> },
--> bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
--> dracut = <unset>
--> }
--> }

```

```
--> =====
```

```

2020-11-05T21:07:25.143+01:00 info vmware-converter-worker[09572]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:07:25.144+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000100000\
2020-11-05T21:07:25.162+01:00 info vmware-converter-worker[04060]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:07:25.163+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000200000\
2020-11-05T21:07:25.175+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds

```

2020-11-05T21:07:25.199+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:07:25.199+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:07:25.199+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:07:25.199+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-05T21:11:14.556+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:14.556+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:14.569+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:14.571+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:11:14.607+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:20.945+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:20.945+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:20.961+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:20.961+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:11:21.008+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:21.008+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:11:21.393+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:22.355+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:22.355+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:22.365+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:22.367+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user

CLEMESSY\Administrateur

2020-11-05T21:11:22.407+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds

2020-11-05T21:11:22.410+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes

2020-11-05T21:11:22.410+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No

2020-11-05T21:11:22.410+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'

2020-11-05T21:11:22.410+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-05T21:11:22.411+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-05T21:11:22.411+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-05T21:11:22.419+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-05T21:11:22.421+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Authenticating user

CLEMESSY\Administrateur

2020-11-05T21:11:22.470+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for

vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-05T21:11:22.472+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] ResourcePool for

vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182

2020-11-05T21:11:22.474+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-05T21:11:22.489+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-05T21:11:22.489+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-05T21:11:22.500+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] ComputeResource for

vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-05T21:11:22.501+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] EnvironmentBrowser for

vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-05T21:11:22.552+01:00 info vmware-converter-worker[00864]

[Originator@6876 sub=Default] Chosen host information: vendor 'Dell

Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'

CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:

549173608448 bytes Bios: '2.3.10'
2020-11-05T21:11:22.554+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:22.555+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:11:22.602+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:22.603+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:11:22.607+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] DefaultValues::SetDefaultCPUAndMemory:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-05T21:11:22.608+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:22.609+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:11:22.648+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type vim.vm.device.ParaVirtualSCSIController
2020-11-05T21:11:22.648+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type VirtualNVMEController
2020-11-05T21:11:22.649+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] DefaultValues::SetDefaultDiskController:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-05T21:11:22.650+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::AddKeepSourceIfAllControllersSupported: The target
supports all source disk controllers, adding keepSource and making it
the default
2020-11-05T21:11:22.695+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:22.696+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:11:22.736+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] The default datastore for
vim.HostSystem:host-183 is vim.Datastore:datastore-184

2020-11-05T21:11:22.740+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Caching DefaultConversionParamsResult with
key
DefaultValues::GetDefaultsForConvert=/converter.ComputerSpec=12ff5fa43de
6b550c55364babf3841bb6d88668/converter.info.ComputerOsInfo=9ac919bc4add
805be79ef8058bd86c5d9fe8680/converter.params.TargetVmSpec=e4c59f34d8eee4
907a880ab0d6a3a32be763ad48/int[]=e170d1974aee0e5565f00afc30da8cb74c67972
a
2020-11-05T21:11:22.741+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:22.749+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:11:22.749+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:11:22.749+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:11:22.749+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-05T21:11:22.891+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:22.891+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:22.900+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:22.902+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:11:22.974+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1508140646400
bytes free (Space required: 42949775360 bytes, Space required for flat
targets 42949775360 bytes) in diskBasedCloning mode
2020-11-05T21:11:22.974+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:30.184+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:30.184+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:30.193+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:30.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:11:30.251+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1508140646400

bytes free (Space required: 47244742656 bytes, Space required for flat targets 102400 bytes) in diskBasedCloning mode

2020-11-05T21:11:30.251+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds

2020-11-05T21:11:31.613+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators works without approval mode (FilterAdministratorToken): Yes

2020-11-05T21:11:31.613+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators works without approval mode (EnableLUA): No

2020-11-05T21:11:31.613+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated administrator 'CLEMESSY\CLBRUNEL'

2020-11-05T21:11:31.613+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-05T21:11:31.613+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-05T21:11:31.613+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-05T21:11:31.629+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-05T21:11:31.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user CLEMESSY\Administrateur

2020-11-05T21:11:31.684+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds

2020-11-05T21:11:31.684+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators works without approval mode (FilterAdministratorToken): Yes

2020-11-05T21:11:31.684+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators works without approval mode (EnableLUA): No

2020-11-05T21:11:31.684+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] UAC is enabled! using elevated administrator 'CLEMESSY\CLBRUNEL'

2020-11-05T21:11:31.684+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-05T21:11:31.684+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-05T21:11:31.684+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-05T21:11:31.684+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-05T21:11:31.700+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user CLEMESSY\Administrateur

2020-11-05T21:11:31.747+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:31.747+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-05T21:11:31.747+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:11:31.769+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-05T21:11:31.769+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:31.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:31.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:31.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:31.816+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:11:31.871+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1508140646400
bytes free (Space required: 47244742656 bytes, Space required for flat
targets 102400 bytes) in diskBasedCloning mode
2020-11-05T21:11:31.871+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:31.892+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:11:31.892+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:11:31.892+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:11:31.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-05T21:11:31.892+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:31.892+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:31.902+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:31.902+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur

2020-11-05T21:11:31.942+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds

2020-11-05T21:11:31.942+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes

2020-11-05T21:11:31.942+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No

2020-11-05T21:11:31.942+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'

2020-11-05T21:11:31.942+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-05T21:11:31.950+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-05T21:11:31.950+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-05T21:11:31.950+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-05T21:11:31.960+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur

2020-11-05T21:11:32.011+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-05T21:11:32.011+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182

2020-11-05T21:11:32.011+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-05T21:11:32.027+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult

2020-11-05T21:11:32.027+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds

2020-11-05T21:11:32.027+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-05T21:11:32.027+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-05T21:11:32.043+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-05T21:11:32.043+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur

2020-11-05T21:11:32.096+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1508140646400
bytes free (Space required: 47244742656 bytes, Space required for flat

targets 102400 bytes) in diskBasedCloning mode
2020-11-05T21:11:32.096+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:11:32.096+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:11:32.096+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:11:32.096+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:11:32.096+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-05T21:11:32.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Converter::TargetVmManagerImpl::CreateVM
2020-11-05T21:11:32.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:11:32.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:11:32.112+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:11:32.112+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:11:32.174+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:11:32.174+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:11:32.212+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'
2020-11-05T21:11:32.212+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Target VM name: SRV-NHFAD1
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Using datastore DATASTORE1 for VMX
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Target supports 2 floppy drives, 1 sound
cards, 0 serial ports, 0 parallel ports, 1 USB controllers, 0 VMIROMS
2020-11-05T21:11:32.228+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] No USB device present on the host
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default]
VmTransformerImpl::TransformStorageDevices: Received
diskControllerType=keepSource, using diskControllerType=keepSource
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default]
VmTransformerImpl::TransformStorageDevices: Max number of SCSI
controllers = 4; Max number of devices per SCSI controller = 15; Max
number of IDE controllers = 2; Max number of devices per IDE controller
= 2; Max number of SATA controllers = 4; Max number of devices per SATA
controller = 30; SATA support: yes; Default CD-ROM controller = 2.
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Cloning mode diskBasedCloning
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] VmTransformerImpl::SeparateBootDisk:
Moving bootable scsi disk at bus=0, unit=0 in front of all disks
2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] VmTransformerResult: configVersion = 8
--> isSupportingUsb20 = false
--> isSupportingUsb30 = true
--> targetConfig = (vim.vm.ConfigSpec) {
-->   changeVersion = <unset>,
-->   name = "SRV-NHFAD1",
-->   version = "vmx-14",
-->   uuid = <unset>,
-->   instanceUuid = <unset>,
-->   npivWorldWideNameType = <unset>,
-->   npivDesiredNodeWwns = <unset>,
-->   npivDesiredPortWwns = <unset>,
-->   npivTemporaryDisabled = <unset>,
-->   npivOnNonRdmDisks = <unset>,
-->   npivWorldWideNameOp = <unset>,
-->   locationId = <unset>,
-->   guestId = "windows8Server64Guest",
-->   alternateGuestName = <unset>,
-->   annotation = <unset>,
-->   files = (vim.vm.FileInfo) {
-->     vmPathName = "[DATASTORE1]",
-->     snapshotDirectory = <unset>,
-->     suspendDirectory = <unset>,
-->     logDirectory = <unset>,
-->     ftMetadataDirectory = <unset>
-->   },
-->   tools = (vim.vm.ToolsConfigInfo) {
-->     toolsVersion = <unset>,
-->     afterPowerOn = true,
-->     afterResume = true,
-->     beforeGuestStandby = true,
-->     beforeGuestShutdown = true,
-->     beforeGuestReboot = <unset>,
```

```

-->     toolsUpgradePolicy = "manual",
-->     pendingCustomization = <unset>,
-->     syncTimeWithHost = false,
-->     lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->     upgradeRebootPredict = <unset>
--> },
--> flags = (vim.vm.FlagInfo) {
-->     disableAcceleration = false,
-->     enableLogging = true,
-->     useToe = <unset>,
-->     runWithDebugInfo = <unset>,
-->     monitorType = "release",
-->     htSharing = <unset>,
-->     snapshotDisabled = <unset>,
-->     snapshotLocked = <unset>,
-->     diskUuidEnabled = <unset>,
-->     virtualMmuUsage = <unset>,
-->     virtualExecUsage = <unset>,
-->     snapshotPowerOffBehavior = <unset>,
-->     recordReplayEnabled = <unset>,
-->     faultToleranceType = <unset>
--> },
--> consolePreferences = (vim.vm.ConsolePreferences) null,
--> powerOpInfo = (vim.vm.DefaultPowerOpInfo) {
-->     powerOffType = <unset>,
-->     suspendType = "soft",
-->     resetType = <unset>,
-->     defaultPowerOffType = <unset>,
-->     defaultSuspendType = <unset>,
-->     defaultResetType = <unset>,
-->     standbyAction = "checkpoint"
--> },
--> numCPUs = 2,
--> numCoresPerSocket = 1,
--> memoryMB = 4096,
--> memoryHotAddEnabled = false,
--> cpuHotAddEnabled = false,
--> cpuHotRemoveEnabled = <unset>,
--> virtualICH7MPresent = <unset>,
--> virtualSMCPresent = <unset>,
--> deviceChange = (vim.vm.device.VirtualDeviceSpec) [
-->     (vim.vm.device.VirtualDeviceSpec) {
-->         operation = "add",
-->         fileOperation = <unset>,
-->         device = (vim.vm.device.VirtualUSBController) {
-->             key = -1,
-->             deviceInfo = (vim.Description) null,
-->             backing = (vim.vm.device.VirtualDevice.BackingInfo)

```

```

null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 775435825,
-->         autoConnectDevices = true,
-->         ehciEnabled = <unset>,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualVideoCard) {
-->         key = -2,
-->         deviceInfo = (vim.Description) null,
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualVMCIDevice) {
-->         key = 12000,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)

```

```

null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualE1000e) {
-->         key = -3,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "API",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "Generated",
-->         macAddress = <unset>,
-->         wakeOnLanEnabled = <unset>,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = -4,
-->         deviceInfo = (vim.Description) {

```

```

-->         label = "scsi0",
-->         summary = "SCSI Controller 0"
-->     },
-->     backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->     connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->         startConnected = true,
-->         allowGuestControl = false,
-->         connected = false,
-->         status = <unset>
-->     },
-->     slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->     controllerKey = <unset>,
-->     unitNumber = <unset>,
-->     busNumber = 0,
-->     hotAddRemove = true,
-->     sharedBus = "noSharing",
-->     scsiCtlrUnitNumber = 7,
--> },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = "create",
-->     device = (vim.vm.device.VirtualDisk) {
-->         key = -5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->             fileName = "[DATASTORE1]",
-->             datastore = <unset>,
-->             backingObjectId = <unset>,
-->             diskMode = "persistent",
-->             split = <unset>,
-->             writeThrough = <unset>,
-->             thinProvisioned = true,
-->             eagerlyScrub = <unset>,
-->             uuid = <unset>,
-->             contentId = <unset>,
-->             changeId = <unset>,
-->             parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->             deltaDiskFormat = <unset>,
-->             digestEnabled = <unset>,
-->             deltaGrainSize = <unset>,

```



```

-->         deltaDiskFormatVariant = <unset>,
-->         sharing = <unset>
-->     },
-->     connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->         startConnected = true,
-->         allowGuestControl = false,
-->         connected = false,
-->         status = <unset>
-->     },
-->     slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = -4,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
--> }
--> ],
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = <unset>,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> memoryAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> latencySensitivity = (vim.LatencySensitivity) null,

```

```
--> cpuAffinity = (vim.vm.AffinityInfo) null,
--> memoryAffinity = (vim.vm.AffinityInfo) null,
--> networkShaper = (vim.vm.NetworkShaperInfo) null,
--> cpuFeatureMask = (vim.vm.ConfigSpec.CpuIdInfoSpec) [
-->   (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->       level = 0,
-->       vendor = <unset>,
-->       eax = <unset>,
-->       ebx = <unset>,
-->       ecx = <unset>,
-->       edx = <unset>
-->     }
-->   },
-->   (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->       level = 0,
-->       vendor = "amd",
-->       eax = <unset>,
-->       ebx = <unset>,
-->       ecx = <unset>,
-->       edx = <unset>
-->     }
-->   },
-->   (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->       level = 1,
-->       vendor = <unset>,
-->       eax = <unset>,
-->       ebx = <unset>,
-->       ecx = <unset>,
-->       edx = <unset>
-->     }
-->   },
-->   (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->       level = 1,
-->       vendor = "amd",
-->       eax = <unset>,
-->       ebx = <unset>,
-->       ecx = <unset>,
-->       edx = <unset>,
-->     }
-->   }
--> ]
```

```
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
```

```

-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> }
--> ],
--> extraConfig = (vim.option.OptionValue) [
-->     (vim.option.OptionValue) {
-->         key = "config.readOnly",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "bios.bootRetry.delay",
-->         value = "10"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.cpu.latencySensitivity",
-->         value = "normal"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.mem.min",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.swap.derivedName",
-->         value =
"/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
-90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"

```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "tools.syncTime",
-->     value = "false"
--> },
--> (vim.option.OptionValue) {
-->     key = "tools.guest.desktop.autolock",
-->     value = "FALSE"
--> },
--> (vim.option.OptionValue) {
-->     key = "tools.remindInstall",
-->     value = "FALSE"
--> },
--> (vim.option.OptionValue) {
-->     key = "usb:1.speed",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "usb:1.port",
-->     value = "1"
--> },
--> (vim.option.OptionValue) {
-->     key = "usb:1.parent",
-->     value = "-1"
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:0.ctkEnabled",
-->     value = "True"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.shares",
-->     value = "normal"
--> },
--> (vim.option.OptionValue) {
-->     key = "vc.uuid",
-->     value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2 db"
--> },
--> (vim.option.OptionValue) {
-->     key = "nvram",
-->     value = "SRV-NHFAD1.nvram"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.guestBackedPrimaryAware",
-->     value = "TRUE"
--> },
--> },
```

```
--> (vim.option.OptionValue) {
-->   key = "hpet0.present",
-->   value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->   key = "RemoteDisplay.maxConnections",
-->   value = "-1"
--> },
--> (vim.option.OptionValue) {
-->   key = "numa.autosize.vcpu.maxPerVirtualNode",
-->   value = "2"
--> },
--> (vim.option.OptionValue) {
-->   key = "numa.autosize.cookie",
-->   value = "20001"
--> },
--> (vim.option.OptionValue) {
-->   key = "vm.genid",
-->   value = "-3854021677028181693"
--> },
--> (vim.option.OptionValue) {
-->   key = "vm.genidX",
-->   value = "-4577512143103774999"
--> },
--> (vim.option.OptionValue) {
-->   key = "monitor.phys_bits_used",
-->   value = "43"
--> },
--> (vim.option.OptionValue) {
-->   key = "vmotion.checkpointFBSize",
-->   value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->   key = "vmotion.checkpointSVGAPrimarySize",
-->   value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->   key = "softPowerOff",
-->   value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->   key = "toolsInstallManager.lastInstallError",
-->   value = "0"
--> },
--> (vim.option.OptionValue) {
-->   key = "toolsInstallManager.updateCounter",
-->   value = "3"
--> },
--> (vim.option.OptionValue) {
```

```
-->         key = "cleanShutdown",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.toolsInstallErrCode",
-->         value = "1641"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.buildNumber",
-->         value = "16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.description",
-->         value = "VMware Tools 11.1.1 build 16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionNumber",
-->         value = "11297"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestOS.detailed.data",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
-->         value = "-1"
-->     }
--> ],
--> swapPlacement = <unset>
```

```

--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> vAppConfig = (vim.vApp.VmConfigSpec) null,
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfigRemoved = <unset>,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>,
--> maxMksConnections = <unset>,
--> guestAutoLockEnabled = <unset>,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = <unset>,
--> nestedHVEEnabled = <unset>,
--> vPMCEEnabled = <unset>,
--> scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
--> messageBusQueuePattern = <unset>,
--> messageBusTunnelEnabled = <unset>,
--> }
--> diskMapping = (Target2SourceDiskMappingVector) {
-->     (scsi,bus=0,unit=0) =>
(scsi,bus=0,unit=0,diskId=disk-5,isLvg=false,isGpt=false,sector=512)
--> }

```

2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] TargetVmManagerImpl::CreateVM: Creating
the target VM.

2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ResourcePool for

vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182

2020-11-05T21:11:32.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Creating VM SRV-NHFAD1 in folder

vim.Folder:group-v371 on host vim.HostSystem:host-183 and resource pool
vim.ResourcePool:resgroup-182 (isVirtualApp = false)...

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Created vm vim.VirtualMachine:vm-403

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Getting ConfigInfo for
vim.VirtualMachine:vm-403

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Filtering out invalid extra config options
...

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge0.present is
removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge4.present is
removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge4.virtualDev
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge4.functions
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge5.present is
removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge5.virtualDev
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge5.functions
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge6.present is
removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge6.virtualDev
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge6.functions
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge7.present is
removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option pciBridge7.virtualDev
is removed

2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Extra config option pciBridge7.functions
is removed
2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option
vmware.tools.internalversion is removed
2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option
vmware.tools.requiredversion is removed
2020-11-05T21:11:32.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Extra config option migrate.hostLog is
removed
2020-11-05T21:11:32.544+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
2020-11-05T21:11:32.544+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:11:32.544+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-05T21:11:32.544+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as
902
2020-11-05T21:11:32.544+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-05T21:11:32.575+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 4e a2 95 58
a5 96 6b-63 0f ec 8f de c1 29 24
2020-11-05T21:11:53.625+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNewAuthdConnectionEx:
Failed to connect to peer. Error: Failed to connect to server
srvclyesx01.clemessy.loc:902
2020-11-05T21:11:53.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Sysimgbase_DiskLib_OpenWithPassPhrase
failed with 'NBD_ERR_NETWORK_CONNECT' (error code:2338)
2020-11-05T21:11:53.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2338 opening disk
vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 4e a2 95 58
a5 96 6b-63 0f ec 8f de c1 29 24.
2020-11-05T21:11:53.625+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2338 opening disk disk-2000.
2020-11-05T21:11:53.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Attempt to opening disk disk-2000 again
[rest 2] (sleep for 5 sec).
2020-11-05T21:11:58.640+01:00 info vmware-converter-worker[02044]
```

[Originator@6876 sub=Default] Reusing existing VIM connection to 192.168.1.5
2020-11-05T21:11:58.640+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-05T21:11:58.640+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as 902
2020-11-05T21:11:58.640+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: get protocol as vpxa-nfcssl
2020-11-05T21:11:58.640+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name as vpxa-nfcssl://[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 57 4e 83 e9 2b 1e 34-74 ed 5b de 58 8c 8a ba
2020-11-05T21:11:59.874+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of errors while reading partition table
2020-11-05T21:11:59.874+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of errors while reading dynamic disks header or LDM database is corrupted
2020-11-05T21:11:59.874+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [MoveActiveDiskIfNeeded] GetFirstBootDisk failed, mntapi error: 176
2020-11-05T21:12:00.529+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-05T21:12:00.529+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-05T21:12:00.529+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Reusing existing VIM connection to 192.168.1.5
2020-11-05T21:12:00.529+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [PopulateCapabilities] Volume-based cloning was disabled due to: <no volumes are recognized>
2020-11-05T21:12:00.529+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] System volume is not detected.
2020-11-05T21:12:00.529+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file: [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx
2020-11-05T21:12:00.529+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds
2020-11-05T21:12:00.846+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Impersonating user CLEMESY\CLBRUNEL in session 528bf7fb-24cd-8867-5387-7473e293a490
2020-11-05T21:12:00.846+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators

works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:12:00.846+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:12:00.846+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:12:00.846+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one
2020-11-05T21:12:00.846+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-05T21:12:00.846+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-05T21:12:00.862+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-05T21:12:00.877+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Stopped impersonating in session
52e041ff-bf3f-c0a0-e942-4253722ce476
2020-11-05T21:12:00.877+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects
2020-11-05T21:12:00.877+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded
2020-11-05T21:12:01.316+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-05T21:12:01.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
2020-11-05T21:12:01.432+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512
2020-11-05T21:12:01.448+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-05T21:12:01.448+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-05T21:12:01.448+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk with signature 402064154, recognized
partitions 2
2020-11-05T21:12:01.463+01:00 info vmware-converter-worker[08404]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:02.018+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000003000000\ FS:<NTFS>
2020-11-05T21:12:02.018+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000003000000\
2020-11-05T21:12:02.018+01:00 info vmware-converter-worker[08404]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:02.018+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000003000000\
2020-11-05T21:12:02.034+01:00 info vmware-converter-worker[02644]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:02.461+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000003000000\ FS:<NTFS>
2020-11-05T21:12:02.461+01:00 info vmware-converter-worker[02644]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:02.461+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000003000000\
2020-11-05T21:12:02.461+01:00 info vmware-converter-worker[08048]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:02.777+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000004000000\ FS:<NTFS>
2020-11-05T21:12:03.807+01:00 info vmware-converter-worker[08048]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:03.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000004000000\
2020-11-05T21:12:03.807+01:00 info vmware-converter-worker[07684]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:03.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000003000000\ FS:<NTFS>
2020-11-05T21:12:03.929+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi189.
2020-11-05T21:12:03.929+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi189\BCD is loaded
under the name mntApi398464160530847919
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\

Elements\12000002
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from
key
mntApi398464160530847919\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\24000001
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-05T21:12:03.929+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi398464160530847919\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-05T21:12:03.929+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-05T21:12:03.929+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi398464160530847919
2020-11-05T21:12:03.929+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-05T21:12:03.929+01:00 info vmware-converter-worker[07100]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:04.108+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000004000000\ FS:<NTFS>
2020-11-05T21:12:08.375+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi51.
2020-11-05T21:12:10.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi51\SOFTWARE is
loaded under the name mntApi402909666230847919
2020-11-05T21:12:10.951+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi402909666230847919\Microsoft\Windows NT\CurrentVersion

2020-11-05T21:12:10.951+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:12:10.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:12:10.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-05T21:12:10.951+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-05T21:12:11.669+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi1.
2020-11-05T21:12:12.097+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi1\SYSTEM is
loaded under the name mntApi406203343330847919
2020-11-05T21:12:12.097+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi406203343330847919\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:12:12.097+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-05T21:12:12.196+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi406203343330847919
2020-11-05T21:12:12.198+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:12.198+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi402909666230847919
2020-11-05T21:12:12.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:12.228+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi239.
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi239\SYSTEM is
loaded under the name mntApi406762739630847919
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Data
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]

[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Networking
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR Networking 4.0.0.0
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Networking 4.0.0.0
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data Provider for Oracle
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data Provider for Oracle
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data Provider for SqlServer
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data Provider for SqlServer
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Memory Cache 4.0
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory Cache 4.0
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NETFramework
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 1394ohci manual
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 3ware bootStart
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

ADOVMPPackage

```
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-05T21:12:12.548+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-05T21:12:12.548+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-05T21:12:12.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-05T21:12:12.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-05T21:12:12.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:12.759+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdpsata bootStart
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdpsbs bootStart
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdpsata bootStart
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-05T21:12:12.790+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-05T21:12:12.852+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-05T21:12:12.890+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-05T21:12:12.890+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
```

<none>
2020-11-05T21:12:12.953+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppReadiness'[%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-05T21:12:13.037+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppVClient'[%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-05T21:12:13.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-05T21:12:13.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-05T21:12:13.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-05T21:12:13.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppXSvc'[%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-05T21:12:13.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver arcsas bootStart
2020-11-05T21:12:13.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AsyncMac manual
2020-11-05T21:12:13.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver atapi bootStart
2020-11-05T21:12:13.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:13.295+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Audiosrv'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-05T21:12:13.342+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AxInstSV'[%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-05T21:12:13.380+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-05T21:12:13.380+01:00 warning vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn manual
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-05T21:12:13.380+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BFE'[%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-05T21:12:13.464+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BITS'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-05T21:12:13.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bowser manual
2020-11-05T21:12:13.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-05T21:12:13.596+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-05T21:12:13.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Browser'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-05T21:12:13.665+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-05T21:12:13.665+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-05T21:12:13.665+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'bthserv'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-05T21:12:13.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-05T21:12:13.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-05T21:12:13.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-05T21:12:13.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-05T21:12:13.712+01:00 info vmware-converter-worker[02044]
```

[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-05T21:12:13.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:12:13.796+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-05T21:12:13.881+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-05T21:12:13.881+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:13.943+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-05T21:12:13.943+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-05T21:12:13.943+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CLFS bootStart
2020-11-05T21:12:13.943+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-05T21:12:14.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-05T21:12:14.028+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-05T21:12:14.028+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-05T21:12:14.028+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-05T21:12:14.028+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-05T21:12:14.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-05T21:12:14.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-05T21:12:14.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-05T21:12:14.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-05T21:12:14.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'COMSysApp' [%SystemRoot%\system32\dlhhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-05T21:12:14.113+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-05T21:12:14.113+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-05T21:12:14.128+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-05T21:12:14.128+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-05T21:12:14.128+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-05T21:12:14.128+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-05T21:12:14.128+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-05T21:12:14.166+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CSC disabled
2020-11-05T21:12:14.166+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CscService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-05T21:12:14.244+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dam systemStart
2020-11-05T21:12:14.244+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-05T21:12:14.244+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-05T21:12:14.244+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcomLaunch' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-05T21:12:14.382+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcpSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:14.398+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'defragsvc' [%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-05T21:12:14.483+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-05T21:12:14.567+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-05T21:12:14.668+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:14.683+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:
LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry
2020-11-05T21:12:14.761+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-05T21:12:14.761+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsDriver systemStart
2020-11-05T21:12:14.761+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS
2020-11-05T21:12:14.799+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsrRo bootStart
2020-11-05T21:12:14.799+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-05T21:12:14.899+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DHCPserver'[%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart
depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem
2020-11-05T21:12:15.015+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'diagnosticshub.standardcollector.service'[%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-05T21:12:15.069+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DiagTrack'[%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-05T21:12:15.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
DirectoryServices
2020-11-05T21:12:15.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
DirectoryServices
2020-11-05T21:12:15.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-05T21:12:15.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual

depends: rpcss
2020-11-05T21:12:15.300+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dmvsc manual
2020-11-05T21:12:15.300+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dmwappushservice'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-05T21:12:15.363+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DNS'[%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS
2020-11-05T21:12:15.500+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dnscache'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-05T21:12:15.585+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dot3svc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-05T21:12:15.647+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DPS'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-05T21:12:15.701+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsmSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:12:15.763+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsRoleSvc'[%SystemRoot%\System32\lsass.exe]/manual depends: <none>
2020-11-05T21:12:15.848+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:15.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DXGKrnl manual
2020-11-05T21:12:15.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver eliexpress manual
2020-11-05T21:12:15.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Eaphost'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-05T21:12:15.948+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ebdrv bootStart
2020-11-05T21:12:15.948+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EFS'[%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-05T21:12:15.986+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorClass bootStart

2020-11-05T21:12:15.986+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart
2020-11-05T21:12:15.986+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxfcoe bootStart
2020-11-05T21:12:15.986+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxstor bootStart
2020-11-05T21:12:15.986+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-05T21:12:16.033+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-05T21:12:16.102+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ErrDev manual
2020-11-05T21:12:16.102+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT
2020-11-05T21:12:16.102+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT
2020-11-05T21:12:16.102+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-05T21:12:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-05T21:12:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver exfat manual
2020-11-05T21:12:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fastfat manual
2020-11-05T21:12:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fcvsc manual
2020-11-05T21:12:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fdc manual
2020-11-05T21:12:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-05T21:12:16.287+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-05T21:12:16.318+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-05T21:12:16.318+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileInfo manual
2020-11-05T21:12:16.318+01:00 info vmware-converter-worker[02044]


```
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-05T21:12:16.318+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver flpydisk manual
2020-11-05T21:12:16.318+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-05T21:12:16.318+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:12:16.425+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-05T21:12:16.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-05T21:12:16.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-05T21:12:16.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-05T21:12:16.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-05T21:12:16.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-05T21:12:16.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-05T21:12:16.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv
systemStart
2020-11-05T21:12:16.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HDAudBus manual
2020-11-05T21:12:16.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-05T21:12:16.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-05T21:12:16.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-05T21:12:16.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'hidserv' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:16.594+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-05T21:12:16.594+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-05T21:12:16.594+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
```

HomeGroupListener

2020-11-05T21:12:16.594+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart
2020-11-05T21:12:16.594+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-05T21:12:16.594+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ibbus manual
2020-11-05T21:12:16.656+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-05T21:12:16.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IKEEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-05T21:12:16.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-05T21:12:16.841+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-05T21:12:16.841+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-05T21:12:16.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-05T21:12:16.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-05T21:12:16.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelppm manual

2020-11-05T21:12:16.841+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-05T21:12:16.841+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-05T21:12:16.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-05T21:12:16.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-05T21:12:16.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-05T21:12:16.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-05T21:12:16.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-05T21:12:16.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-05T21:12:16.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-05T21:12:16.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IsmServ'[%SystemRoot%\System32\ismserv.exe]/autoStart depends:
SamSS;NTDS
2020-11-05T21:12:16.979+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-05T21:12:16.979+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-05T21:12:16.979+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Kdc'[%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-05T21:12:17.073+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-05T21:12:17.073+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-05T21:12:17.110+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-05T21:12:17.142+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-05T21:12:17.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-05T21:12:17.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-05T21:12:17.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ksthunk manual

2020-11-05T21:12:17.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-05T21:12:17.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbssvc]/autoStart
depends: SamSS;Srv2
2020-11-05T21:12:17.295+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Browser;MRxSmb20;NSI
2020-11-05T21:12:17.411+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-05T21:12:17.411+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-05T21:12:17.411+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:12:17.442+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-05T21:12:17.480+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-05T21:12:17.480+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-05T21:12:17.511+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-05T21:12:17.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-05T21:12:17.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart

depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-05T21:12:17.527+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver luafv autoStart
2020-11-05T21:12:17.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MapsBroker' [%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver monitor manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
2020-11-05T21:12:17.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MpsSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSDTC' [%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-05T21:12:17.658+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC

Bridge 4.0.0.0

2020-11-05T21:12:17.658+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0

2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Msfs systemStart

2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual

2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual

2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidumdf manual

2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msisadv bootStart

2020-11-05T21:12:17.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'MSiSCSI'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>

2020-11-05T21:12:17.696+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'msiserver'[%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLldp autoStart

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsRPC manual

2020-11-05T21:12:17.712+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS

2020-11-05T21:12:17.712+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mssmbios systemStart

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MTConfig manual

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Mup bootStart

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mvumis bootStart

2020-11-05T21:12:17.712+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent

2020-11-05T21:12:17.712+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent

2020-11-05T21:12:17.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'NcaSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc

2020-11-05T21:12:17.759+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

```
'NcbService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart
2020-11-05T21:12:17.859+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-05T21:12:17.859+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-05T21:12:17.859+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netlogon' [%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation;LanmanServer
2020-11-05T21:12:17.928+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netman' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-05T21:12:18.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'netprofm' [%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-05T21:12:18.159+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:18.244+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
```

SvcHost.exe]/disabled depends: <none>
2020-11-05T21:12:18.429+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver netvsc manual
2020-11-05T21:12:18.429+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfpp
2020-11-05T21:12:18.429+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfpp
2020-11-05T21:12:18.429+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:18.717+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcSvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:18.898+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NlaSvc'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-05T21:12:18.967+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-05T21:12:18.967+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver npsvc trig systemStart
2020-11-05T21:12:18.967+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-05T21:12:19.013+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart
2020-11-05T21:12:19.013+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NTDS'[%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>
2020-11-05T21:12:19.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NtFrs'[%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-05T21:12:19.136+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-05T21:12:19.136+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-05T21:12:19.136+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-05T21:12:19.136+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-05T21:12:19.136+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-05T21:12:19.183+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-05T21:12:19.183+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver partmgr bootStart
2020-11-05T21:12:19.183+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PcaSvc' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-05T21:12:19.314+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-05T21:12:19.314+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-05T21:12:19.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PerfHost' [%SystemRoot%\SysWow64\perfhost.exe]/manual depends: RPCSS
2020-11-05T21:12:19.437+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet
2020-11-05T21:12:19.437+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-05T21:12:19.437+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-05T21:12:19.437+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-05T21:12:19.437+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc
2020-11-05T21:12:19.437+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-05T21:12:19.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PhoneSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-05T21:12:19.499+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc' [%SystemRoot%\system32\svchost.exe -k

UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-05T21:12:19.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'pla'[%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-05T21:12:19.683+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PlugPlay'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-05T21:12:19.683+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PolicyAgent'[%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-05T21:12:19.768+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-05T21:12:19.768+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-05T21:12:19.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-05T21:12:19.831+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-05T21:12:19.831+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-05T21:12:19.831+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000004000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-05T21:12:19.831+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-05T21:12:19.837+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-05T21:12:19.937+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-05T21:12:19.937+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for pvscsi
2020-11-05T21:12:19.937+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for pvscsi
2020-11-05T21:12:19.937+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-05T21:12:19.937+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-05T21:12:19.937+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart

2020-11-05T21:12:19.937+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'QWAVE'[%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-05T21:12:20.038+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-05T21:12:20.038+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAcid manual
2020-11-05T21:12:20.038+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-05T21:12:20.038+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcid
2020-11-05T21:12:20.069+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-05T21:12:20.069+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-05T21:12:20.085+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasMan'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPDUDD
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPDUDD
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-05T21:12:20.185+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-05T21:12:20.185+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-05T21:12:20.238+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteRegistry'[%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-05T21:12:20.269+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RmSvc'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:20.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcEptMapper'[%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-05T21:12:20.316+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-05T21:12:20.316+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcLocator'[%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-05T21:12:20.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-05T21:12:20.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RSOProv'[%SystemRoot%\system32\RSOProv.exe]/manual depends: RPCSS
2020-11-05T21:12:20.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rspndr autoStart
2020-11-05T21:12:20.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver s3cap manual
2020-11-05T21:12:20.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sacdrv bootStart
2020-11-05T21:12:20.354+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'sacsvr'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:20.401+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
```

2020-11-05T21:12:20.517+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SAVAdminService'["C:\Program Files (x86)\Sophos\Sophos
Anti-Virus\SAVAdminService.exe"]/autoStart depends: <none>
2020-11-05T21:12:20.517+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SAVOnAccess
systemStart
2020-11-05T21:12:20.517+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'SAVService'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:
RPCSS
2020-11-05T21:12:20.517+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sbp2port bootStart
2020-11-05T21:12:20.517+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-05T21:12:20.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:20.617+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scfilter manual
2020-11-05T21:12:20.617+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scmbus bootStart
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scmdisk0101 manual
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdcfilter manual
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-05T21:12:20.771+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:20.833+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SENS'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem

2020-11-05T21:12:20.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorDataService'[%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-05T21:12:21.018+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:21.119+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-05T21:12:21.156+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-05T21:12:21.156+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-05T21:12:21.156+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-05T21:12:21.156+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-05T21:12:21.172+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sermouse manual
2020-11-05T21:12:21.172+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-05T21:12:21.257+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-05T21:12:21.257+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-05T21:12:21.341+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-05T21:12:21.442+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-05T21:12:21.442+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-05T21:12:21.442+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-05T21:12:21.442+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-05T21:12:21.473+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0

```
2020-11-05T21:12:21.473+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-05T21:12:21.473+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos ELAM bootStart
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos Endpoint
Defense bootStart
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Endpoint Defense
Service'["C:\Program Files\Sophos\Endpoint
Defense\SEDSvc.exe"]/autoStart depends: <none>
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Message
Router'["C:\Program Files (x86)\Sophos\Remote Management
System\RouterNT.exe" -service -name Router -ORBListenEndpoints
iiop://:8193/ssl_port=8194]/autoStart depends: <none>
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos System Protection
Service'["C:\Program Files\Sophos\Endpoint
Defense\SSPSvc.exe"]/autoStart depends: <none>
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Web Control
Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web
Control\swc_service.exe"]/autoStart depends: RPCSS
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SophosBootDriver
disabled
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver spaceport bootStart
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SpbCx manual
2020-11-05T21:12:21.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-05T21:12:21.573+01:00 info vmware-converter-worker[02044]
```

```
[Originator@6876 sub=Default] Found service
'sppsvc' [%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-05T21:12:21.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv autoStart
2020-11-05T21:12:21.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv2 manual
2020-11-05T21:12:21.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srvnet manual
2020-11-05T21:12:21.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SSDPSRV' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: HTTP
2020-11-05T21:12:21.890+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SstpSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-05T21:12:21.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StateRepository' [%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-05T21:12:22.021+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stexstor bootStart
2020-11-05T21:12:22.021+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'stisvc' [%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-05T21:12:22.121+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-05T21:12:22.121+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-05T21:12:22.121+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stornvme bootStart
2020-11-05T21:12:22.121+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart
2020-11-05T21:12:22.121+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StorSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:22.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-05T21:12:22.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-05T21:12:22.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'svsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:22.221+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-05T21:12:22.221+01:00 info vmware-converter-worker[02044]
```


[Originator@6876 sub=Default] Found device driver swi_callout
systemStart
2020-11-05T21:12:22.221+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_filter'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_filter.exe"]/autoStart depends: swi_callout
2020-11-05T21:12:22.221+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_service'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_service.exe"]/autoStart depends: <none>
2020-11-05T21:12:22.221+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-05T21:12:22.259+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-05T21:12:22.259+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-05T21:12:22.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-05T21:12:22.322+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-05T21:12:22.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:22.375+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-05T21:12:22.444+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-05T21:12:22.444+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-05T21:12:22.444+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-05T21:12:22.444+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-05T21:12:22.444+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart
2020-11-05T21:12:22.444+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIPTUNNEL

2020-11-05T21:12:22.444+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-05T21:12:22.444+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tdx systemStart
2020-11-05T21:12:22.444+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver terminpt manual
2020-11-05T21:12:22.444+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TermService'[%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-05T21:12:22.522+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Themes'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-05T21:12:22.560+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TieringEngineService'[%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-05T21:12:22.591+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tiledatamodelsvc'[%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-05T21:12:22.676+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TimeBrokerSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:22.676+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-05T21:12:22.676+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TPM manual
2020-11-05T21:12:22.676+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrkWks'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:22.707+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrustedInstaller'[%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-05T21:12:22.792+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD
2020-11-05T21:12:22.792+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSDDD
2020-11-05T21:12:22.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-05T21:12:22.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-05T21:12:22.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tsusbhub manual

2020-11-05T21:12:22.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-05T21:12:22.792+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tzautoupdate'[%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-05T21:12:22.823+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UALSVC'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UASPStor manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver udfs disabled
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled
2020-11-05T21:12:22.892+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UevAgentService'[%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-05T21:12:22.977+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-05T21:12:22.977+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-05T21:12:22.977+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-05T21:12:22.977+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-05T21:12:22.977+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-05T21:12:22.977+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-05T21:12:22.977+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-05T21:12:22.977+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'UI0Detect' [%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-05T21:12:23.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver umbus manual
2020-11-05T21:12:23.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-05T21:12:23.008+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UmRdpService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-05T21:12:23.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UnistoreSvc' [%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-05T21:12:23.093+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'upnphost' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbhub manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbuhci manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-05T21:12:23.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-05T21:12:23.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UsSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:12:23.309+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-05T21:12:23.362+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-05T21:12:23.362+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VGAuthService' ["C:\Program
Files\VMware\VMware Tools\VMware VGAuth\VGAuthService.exe"]/autoStart
depends: <none>
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhf manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual
2020-11-05T21:12:23.447+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vm3dservice' [%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-05T21:12:23.462+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000004000000\Windows\syst
em32\oem7.inf
2020-11-05T21:12:23.462+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-05T21:12:23.462+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-05T21:12:23.462+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-05T21:12:23.462+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-05T21:12:23.462+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found service
'vmicguestinterface' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:23.541+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicheartbeat' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-05T21:12:23.541+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmickvpexchange' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:23.541+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicrdv' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicshutdown' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmictimesync' [%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvmsession' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvss' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VMTools' ["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmvss' [C:\Windows\system32\dlhhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-05T21:12:23.625+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-05T21:12:23.625+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-05T21:12:23.625+01:00 warning vmware-converter-worker[02044]
```

```
[Originator@6876 sub=Default] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-05T21:12:23.625+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-05T21:12:23.625+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-05T21:12:23.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-05T21:12:23.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-05T21:12:23.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:12:23.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-05T21:12:23.810+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-05T21:12:23.910+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarp autoStart
2020-11-05T21:12:23.910+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-05T21:12:23.910+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-05T21:12:23.995+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-05T21:12:23.995+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
```

2020-11-05T21:12:24.048+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscsv
2020-11-05T21:12:24.048+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscsv
2020-11-05T21:12:24.048+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-05T21:12:24.048+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-05T21:12:24.048+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-05T21:12:24.048+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-05T21:12:24.048+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiServiceHost' [%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-05T21:12:24.080+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiSystemHost' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:24.080+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-05T21:12:24.080+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdNisSvc' ["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-05T21:12:24.142+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Weccsv' [%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-05T21:12:24.180+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WEPHOSTSVC' [%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-05T21:12:24.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wercplsupport' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-05T21:12:24.249+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WerSvc' [%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-05T21:12:24.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-05T21:12:24.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WiaRpc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:24.349+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-05T21:12:24.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinDefend' ["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-05T21:12:24.349+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-05T21:12:24.349+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 4.0.0.0
2020-11-05T21:12:24.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRT
bootStart
2020-11-05T21:12:24.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-05T21:12:24.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-05T21:12:24.450+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-05T21:12:24.450+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-05T21:12:24.550+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinNat manual
2020-11-05T21:12:24.550+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-05T21:12:24.628+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-05T21:12:24.628+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-05T21:12:24.628+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-05T21:12:24.628+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-05T21:12:24.628+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-05T21:12:24.628+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-05T21:12:24.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wisvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss

```
2020-11-05T21:12:24.713+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-05T21:12:24.713+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-05T21:12:24.713+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wlidsvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:12:24.829+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-05T21:12:24.829+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-05T21:12:24.829+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-05T21:12:24.829+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wmiApSrv' [%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-05T21:12:24.913+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-05T21:12:24.913+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-05T21:12:24.913+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
2020-11-05T21:12:24.913+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WPDBusEnum' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:24.945+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WpdUpFltr manual
2020-11-05T21:12:24.945+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnService' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-05T21:12:24.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnUserService' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-05T21:12:25.014+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-05T21:12:25.014+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WSearch' [%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-05T21:12:25.098+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-05T21:12:25.098+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi
```

2020-11-05T21:12:25.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wuauaserv'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:12:25.199+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WudfPf manual
2020-11-05T21:12:25.199+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WUDFRd manual
2020-11-05T21:12:25.199+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wudfsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-05T21:12:25.245+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblAuthManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:25.314+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblGameSave'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-05T21:12:25.383+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xboxgip manual
2020-11-05T21:12:25.383+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xinpuhid manual
2020-11-05T21:12:25.383+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov
2020-11-05T21:12:25.383+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov
2020-11-05T21:12:25.383+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-05T21:12:25.383+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-05T21:12:25.383+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-05T21:12:25.383+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-05T21:12:25.383+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi406762739630847919
2020-11-05T21:12:25.383+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:25.468+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi129.
2020-11-05T21:12:28.006+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi129\SOFTWARE is
loaded under the name mntApi420002946230847919
2020-11-05T21:12:28.006+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi420002946230847919\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:12:28.006+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:12:28.006+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:12:28.006+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-05T21:12:28.006+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-05T21:12:28.022+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi53.
2020-11-05T21:12:28.475+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi53\SYSTEM is
loaded under the name mntApi422556824030847919
2020-11-05T21:12:28.475+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi422556824030847919\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:12:28.475+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-05T21:12:28.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi422556824030847919
2020-11-05T21:12:28.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:28.535+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi420002946230847919
2020-11-05T21:12:28.545+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:28.555+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi163.
2020-11-05T21:12:28.884+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi163\SYSTEM is
loaded under the name mntApi423089930630847919
2020-11-05T21:12:28.931+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi423089930630847919
2020-11-05T21:12:28.931+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:12:28.931+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get mountpoints for volume :1307/710000010000000000: 4146 (type = 2, code=259)
2020-11-05T21:12:29.100+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155.
2020-11-05T21:12:31.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155\SOFTWARE is loaded under the name mntApi423635157330847919
2020-11-05T21:12:31.658+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi423635157330847919\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:12:31.658+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:12:31.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:12:31.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-05T21:12:31.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-05T21:12:31.673+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi5.
2020-11-05T21:12:32.073+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi5\SYSTEM is loaded under the name mntApi426208194430847919
2020-11-05T21:12:32.073+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi426208194430847919\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:12:32.073+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-05T21:12:32.158+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi426208194430847919
2020-11-05T21:12:32.158+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:12:32.173+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi423635157330847919
2020-11-05T21:12:32.173+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.

```

2020-11-05T21:12:32.189+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi175.
2020-11-05T21:12:32.521+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi175\SYSTEM is
loaded under the name mntApi426723788630847919
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi426723788630847919
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key
QueryManagerImpl::Query=12ff5fa43de6b550c55364babf3841bb6d88668
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ===
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:
--> (converter.info.ComputerInfo) {
-->   hardwareInfo = (converter.info.ComputerHardwareInfo) {
-->     storage = (converter.info.StorageInfo) {
-->       disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-5",
-->           capacityInBytes = 42949672960,
-->           diskUsageInBytes = 42949672960,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 402064154,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->         }
-->       },
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->       (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":\1307\710000010000000000",

```

```

-->         diskId = (string) [
-->             "disk-5"
-->         ],
-->         partitionNumber = 1,
-->         primary = true,
-->         active = true,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "Réservé au système",
-->         capacityInBytes = 524288000,
-->         spaceUsedInBytes = 354910208,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":1307/71000005?100000000",
-->         diskId = (string) [
-->             "disk-5"
-->         ],
-->         partitionNumber = 2,
-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "",
-->         capacityInBytes = 42423287808,
-->         spaceUsedInBytes = 18347954176,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [

```

```

-->         (converter.info.NetworkInfo.HostedNicInfo) {
-->             nicId = "ethernet-6",
-->             connected = true,
-->             label = "ethernet0",
-->             connectionType = <unset>
-->         }
-->     ]
--> },
--> basicHardware = (converter.info.BasicHardwareInfo) {
-->     numCPUs = 2,
-->     numCoresPerSocket = 1,
-->     memoryMB = 4096
--> },
--> configInfo = (vim.vm.ConfigInfo) {
-->     changeVersion = "",
-->     modified = "1970-01-01T00:00:00Z",
-->     name = "SRV-NHFAD1",
-->     guestFullName = "",
-->     version = "vmx-13",
-->     uuid = "56 4d 1f 72 fd 71 57 73-fa e8 6e 86 0b 9c fd 9c",
-->     instanceUuid = <unset>,
-->     npivWorldWideNameType = <unset>,
-->     npivDesiredNodeWwns = <unset>,
-->     npivDesiredPortWwns = <unset>,
-->     npivTemporaryDisabled = <unset>,
-->     npivOnNonRdmDisks = <unset>,
-->     locationId = "56 4d 19 98 72 4a e4 e3-15 97 55 f0 6f d8 2e
09",
-->     template = false,
-->     guestId = "windows9Server64Guest",
-->     alternateGuestName = "",
-->     annotation = <unset>,
-->     files = (vim.vm.FileInfo) {
-->         vmPathName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",
-->
-->         snapshotDirectory = <unset>,
-->         suspendDirectory = <unset>,
-->         logDirectory = <unset>,
-->         ftMetadataDirectory = <unset>
-->     },
-->     tools = (vim.vm.ToolsConfigInfo) {
-->         toolsVersion = <unset>,
-->         afterPowerOn = true,
-->         afterResume = true,
-->         beforeGuestStandby = true,
-->         beforeGuestShutdown = true,
-->         beforeGuestReboot = <unset>,
-->         toolsUpgradePolicy = "manual",

```



```

-->         pendingCustomization = <unset>,
-->         syncTimeWithHost = false,
-->         lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->         upgradeRebootPredict = <unset>
-->     },
-->     flags = (vim.vm.FlagInfo) {
-->         disableAcceleration = false,
-->         enableLogging = true,
-->         useToe = <unset>,
-->         runWithDebugInfo = <unset>,
-->         monitorType = "release",
-->         htSharing = <unset>,
-->         snapshotDisabled = <unset>,
-->         snapshotLocked = <unset>,
-->         diskUuidEnabled = <unset>,
-->         virtualMmuUsage = <unset>,
-->         virtualExecUsage = <unset>,
-->         snapshotPowerOffBehavior = <unset>,
-->         recordReplayEnabled = <unset>,
-->         faultToleranceType = <unset>
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = <unset>,
-->         suspendType = "soft",
-->         resetType = <unset>,
-->         defaultPowerOffType = <unset>,
-->         defaultSuspendType = <unset>,
-->         defaultResetType = <unset>,
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,

```

```

-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualIDEController) {
-->         key = 2,
-->         deviceInfo = (vim.Description) {
-->             label = "ide1",
-->             summary = "IDE Controller 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 1,
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 3,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,

```

```

-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = <unset>,
-->             unitNumber = <unset>,
-->             busNumber = 0,
-->         },
-->         (vim.vm.device.VirtualDisk) {
-->             key = 5,
-->             deviceInfo = (vim.Description) {
-->                 label = "scsi0:0",
-->                 summary = "Hard Disk 1"
-->             },
-->             backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->                 fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk"
,
-->                 datastore = <unset>,
-->                 backingObjectId = <unset>
-->             },
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = 3,
-->             unitNumber = 0,
-->             capacityInKB = 41943040,
-->             capacityInBytes = 42949672960,
-->             shares = (vim.SharesInfo) {
-->                 shares = 0,
-->                 level = "normal"
-->             },
-->             storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->             diskObjectId = <unset>,
-->             vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->         },
-->         (vim.vm.device.VirtualE1000) {
-->             key = 6,
-->             deviceInfo = (vim.Description) {
-->                 label = "ethernet0",
-->                 summary = "Ethernet 0"
-->             },
-->             backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->                 deviceName = "",

```

```

-->         useAutoDetect = <unset>,
-->         network = <unset>,
-->         inPassthroughMode = <unset>
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->         startConnected = true,
-->         allowGuestControl = true,
-->         connected = false,
-->         status = <unset>
-->     },
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = <unset>,
-->     unitNumber = <unset>,
-->     addressType = "generated",
-->     macAddress = "00:0c:29:9c:fd:9c",
-->     wakeOnLanEnabled = true,
-->     resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->     externalId = <unset>,
-->     uptCompatibilityEnabled = <unset>,
--> },
-->     (vim.vm.device.VirtualUSBController) {
-->         key = 7,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         autoConnectDevices = true,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 8,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,

```

```

-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 9,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     }
--> ]
--> },
-->     cpuAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = <unset>,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>

```

```

-->     },
-->     latencySensitivity = (vim.LatencySensitivity) null,
-->     memoryHotAddEnabled = false,
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "config.readOnly",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "bios.bootRetry.delay",
-->             value = "10"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.mem.min",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
--> -90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.syncTime",
-->             value = "false"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.guest.desktop.autolock",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.remindInstall",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.speed",
-->             value = "2"
-->         },
-->     ],

```

```
-->         (vim.option.OptionValue) {
-->             key = "usb:1.port",
-->             value = "1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.parent",
-->             value = "-1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.ctkEnabled",
-->             value = "True"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "ethernet0.shares",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "vc.uuid",
-->             value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2
db"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "nvram",
-->             value = "SRV-NHFAD1.nvram"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.present",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.guestBackedPrimaryAware",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "hpet0.present",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "RemoteDisplay.maxConnections",
-->             value = "-1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "numa.autosize.vcpu.maxPerVirtualNode",
-->             value = "2"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "numa.autosize.cookie",
-->             value = "20001"
-->         },
-->     },
```

```
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-3854021677028181693"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "-4577512143103774999"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = "0"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmttools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
```



```

-->         key = "guestinfo.vmtools.description",
-->         value = "VMware Tools 11.1.1 build 16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionNumber",
-->         value = "11297"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestOS.detailed.data",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
-->         value = "-1"
-->     }
--> ],
--> cpuFeatureMask = (vim.host.CpuIdInfo) [
-->     (vim.host.CpuIdInfo) {
-->         level = 0,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 0,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },

```

```
--> (vim.host.CpuIdInfo) {
-->     level = 1,
-->     vendor = <unset>,
-->     eax = <unset>,
-->     ebx = <unset>,
-->     ecx = <unset>,
-->     edx = <unset>
--> },
--> (vim.host.CpuIdInfo) {
-->     level = 1,
-->     vendor = "amd",
-->     eax = <unset>,
-->     ebx = <unset>,
-->     ecx = <unset>,
-->     edx = <unset>
--> },
--> (vim.host.CpuIdInfo) {
-->     level = -2147483648,
-->     vendor = <unset>,
-->     eax = <unset>,
-->     ebx = <unset>,
-->     ecx = <unset>,
-->     edx = <unset>
--> },
--> (vim.host.CpuIdInfo) {
-->     level = -2147483648,
-->     vendor = "amd",
-->     eax = <unset>,
-->     ebx = <unset>,
-->     ecx = <unset>,
-->     edx = <unset>
--> },
--> (vim.host.CpuIdInfo) {
-->     level = -2147483647,
-->     vendor = <unset>,
-->     eax = <unset>,
-->     ebx = <unset>,
-->     ecx = <unset>,
-->     edx = <unset>
--> },
--> (vim.host.CpuIdInfo) {
-->     level = -2147483647,
-->     vendor = "amd",
-->     eax = <unset>,
-->     ebx = <unset>,
-->     ecx = <unset>,
-->     edx = <unset>
--> },
--> (vim.host.CpuIdInfo) {
```

```

-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>,
--> maxMksConnections = <unset>,
--> guestAutoLockEnabled = <unset>,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = <unset>,
--> initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
--> nestedHVEEnabled = <unset>,
--> vPMCEnabled = <unset>,
--> scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
--> forkConfigInfo = (vim.vm.ForkConfigInfo) null,
--> vFlashCacheReservation = <unset>,
--> vmxConfigChecksum = <unset>,
--> messageBusQueuePattern = <unset>,
--> messageBusTunnelEnabled = <unset>,
--> vmStorageObjectId = <unset>,
--> swapStorageObjectId = <unset>,
--> },

```

```

-->     currentEfiBootEntry = <unset>
--> },
--> osInfo = (converter.info.ComputerOsInfo) {
-->     osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->         guestOsId = "windows8srv-64",
-->         displayName = "Windows Server 2012 (64-bit)",
-->         osType = "windowsOs",
-->         osEdition = "Server",
-->         distribution = <unset>,
-->         majorVersion = 6,
-->         minorVersion = 3,
-->         kernelVersion = <unset>,
-->         os64Bit = true,
-->         spLevel = <unset>
-->     },
-->     hostname = "SRV-NHFAD1",
-->     activeVolumeId = ":1307/710000010000000000",
-->     systemVolumeId = ":1307/71000005?100000000",
-->     logicalVolumeInfo =
(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/710000010000000000",
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 459767808,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             },
-->         },
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/71000005?100000000",
-->             mountPoint = (string) [
-->                 "C:"
-->             ],
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 20182749593,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             }
-->         }
-->     ],
-->     reconfigPrerequisites = (converter.info.ReconfigPrerequisites)

```

```

null,
-->     services = (converter.info.ServiceInfo) [
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ADWS",
-->             displayName = "Services Web Active Directory",
-->             description = "Ce service fournit une interface de
service Web aux instances de service d'annuaire (AD DS and AD LDS) qui
s'exécutent localement sur le serveur. Si ce service est arrêté ou
désactivé, les applications clientes, comme Active Directory PowerShell,
ne pourront pas accéder ou gérer les instances de service d'annuaire qui
s'exécutent localement sur le serveur.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "AJRouter",
-->             displayName = "Service de routeur AllJoyn",
-->             description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ALG",
-->             displayName = "Service de la passerelle de la couche
Application",
-->             description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "AppIDSvc",
-->             displayName = "Identité de l'application",
-->             description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Appinfo",
-->             displayName = "Informations d'application",
-->             description = "Permet d'exécuter les applications

```

interactives avec des droits d'administration supplémentaires. Si ce service est arrêté, les utilisateurs ne pourront pas lancer les applications avec les droits d'administration supplémentaires nécessaires pour effectuer les tâches utilisateur souhaitées.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AudioEndpointBuilder",
-->         displayName = "Générateur de points de terminaison du
service Audio Windows",
-->         description =
"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Audiosrv",
-->         displayName = "Audio Windows",
-->         description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AxInstSV",
-->         displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->         description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la
stratégie de groupe. Ce service est démarré sur demande et, s'il est
désactivé, l'installation des contrôles ActiveX se comporte conformément
aux paramètres par défaut du navigateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BFE",
-->         displayName = "Moteur de filtrage de base",
-->         description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),
et qui implémente le filtrage en mode utilisateur. L'arrêt ou la
désactivation du service Moteur de filtrage de base diminue
significativement la sécurité du système et aboutit également à un
fonctionnement imprévisible des applications de gestion et de pare-feu
IPsec.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BITS",
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",
-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils

```



```

connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le
minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ClipSVC",
-->         displayName = "Service de licences de client (ClipSVC)",
-->
-->         description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "COMSysApp",
-->         displayName = "Application système COM+",
-->         description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CoreMessagingRegistrar",
-->         displayName = "CoreMessaging",
-->         description = "Manages communication between system
components.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CryptSvc",
-->         displayName = "Services de chiffrement",
-->         description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de
gestion ne fonctionneront pas correctement. Si ce service est désactivé,
les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CscService",
-->         displayName = "Fichiers hors connexion",
-->         description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service

```

est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne fonctionnent pas correctement. Il est fortement recommandé d'exécuter le service DCOMLAUNCH.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques
câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
```

```

-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dfs",
-->         displayName = "Espace de noms DFS",
-->         description = "Permet de grouper les dossiers partagés
et situés sur différents serveurs en un ou plusieurs espaces de noms
logiquement structurés. Chaque espace de nom apparaît auprès des
utilisateurs sous forme d'un dossier partagé unique contenant une série
de sous-dossiers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DFSR",
-->         displayName = "Réplication DFS",
-->         description = "Vous permet de synchroniser des dossiers
de plusieurs serveurs sur des connexions réseau de type réseau local ou
étendu. Ce service utilise le protocole RDC (Remote Differential
Compression) pour mettre à jour uniquement les parties des fichiers
ayant été modifiées depuis la dernière réplication.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DHCP Server",
-->         displayName = "Serveur DHCP",
-->         description = "Effectue la configuration TCP/IP des
clients DHCP, notamment les attributions dynamiques d'adresses IP et la
spécification des serveurs WINS et DNS et des noms DNS spécifiques à la
connexion. Si ce service est arrêté, le serveur DHCP n'effectue pas la

```

```

configuration TCP/IP des clients. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne peuvent plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
téléométrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de téléométrie offre des fonctionnalités qui prennent en
charge les expériences des utilisateurs connectés et in-app. En outre,
ce service gère la collecte et la transmission des informations de
diagnostic et d'utilisation en fonction des événements (afin d'améliorer
l'expérience et la qualité de la plateforme Windows) lorsque les
paramètres des options de confidentialité des diagnostics et de
l'utilisation sont activés sous Commentaires & diagnostics.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des
périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DNS",
-->         displayName = "Serveur DNS",
-->         description = "Permet aux clients DNS de résoudre les
noms DNS en répondant aux requêtes DNS et aux requêtes de mise à jour
DNS dynamiques. Si ce service est arrêté, les mises à jour DNS n'auront
pas lieu. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dnscache",
-->         displayName = "Client DNS",
-->         description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dot3svc",
-->         displayName = "Configuration automatique de réseau
câblé",
-->         description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DPS",
-->         displayName = "Service de stratégie de diagnostic",
-->         description = "Le service de stratégie de diagnostic

```

permet la détection, le dépannage et la résolution de problèmes pour les composants de Windows. Si ce service est arrêté, les diagnostics ne fonctionnent plus.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsmSvc",
-->         displayName = "Gestionnaire d'installation de
périphérique",
-->         description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsRoleSvc",
-->         displayName = "Serveur de rôles DS",
-->         description = "Ce service héberge le serveur de rôles DS
utilisé pour la promotion, la régression et le clonage de contrôleur de
domaine. Si le service est désactivé, ces opérations échouent.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsSvc",
-->         displayName = "Service de partage des données",
-->         description = "Fournit l'intermédiation des données
entre les applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Eaphost",
-->         displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->         description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
```

```
nécessitent l'authentification EAP.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EFS",
-->         displayName = "Système de fichiers EFS (Encrypting File
System)",
-->         description = "Fournit la technologie de chiffrement des
fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "embeddedmode",
-->         displayName = "Mode incorporé",
-->         description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EntAppSvc",
-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
```



```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventSystem",
-->         displayName = "Système d'événement COM+",
-->         description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations
d'ouverture et de fermeture de session. Si ce service est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "fdPHost",
-->         displayName = "Hôte du fournisseur de découverte de
fonctions",
-->         description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery
Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la
désactivation du service FDPHOST désactivera la découverte de réseau
pour ces protocoles lors de l'utilisation de la découverte de fonction.
Lorsque ce service n'est pas disponible, les services réseau qui
utilisent la découverte de fonction et qui dépendent de ces protocoles
de découverte ne pourront pas trouver des périphériques ou des
ressources réseau.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FDResPub",
-->         displayName = "Publication des ressources de découverte
de fonctions",
-->         description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "FontCache",
-->         displayName = "Service de cache de police Windows",
-->         description = "Optimise les performances des
applications en mettant en cache les données des polices communément
utilisées. Les applications démarrent ce service s'il n'est pas déjà en
fonctionnement. Il peut être désactivé ; il en résulte cependant une
dégradation des performances des applications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
l'application des paramètres configurés par les administrateurs pour
l'ordinateur et pour les utilisateurs via le composant de stratégie de
groupe. Si le service est désactivé, les paramètres ne seront pas
appliqués, et les applications et les composants ne seront pas gérables
par la stratégie de groupe. Tout composant ou application qui dépend du
composant de stratégie de groupe risque de ne pas fonctionner si le
service est désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",
-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",

```

```

-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
Internet Protocol). Ces modules de génération de clés sont utilisés pour
l'authentification et l'échange de clés dans la sécurité IP (IPsec).
L'arrêt ou la désactivation du service IKEEXT entraînera la
désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs
homologues. IPsec est généralement configuré pour utiliser IKE ou
AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT
risque de conduire à la défaillance d'IPsec et de compromettre la
sécurité du système. Il est fortement recommandé d'activer l'exécution
du service IKEEXT.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "iphlpsvc",
-->         displayName = "Assistance IP",
-->         description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPv6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "IsmServ",
-->             displayName = "Messagerie intersite",
-->             description = "Permet l'échange des messages entre
ordinateurs fonctionnant sur des sites Windows Server. Si ce service est
arrêté, les messages ne seront pas échangés et les informations de
routage du site ne seront pas calculées pour d'autres services. Si ce
service est désactivé, tout service en dépendant explicitement ne
démarrera pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Kdc",
-->             displayName = "Centre de distribution de clés Kerberos",
-->
-->             description = "Ce service, qui s'exécute sur les
contrôleurs de domaine, permet aux utilisateurs d'ouvrir une session sur
le réseau en utilisant le protocole d'authentification Kerberos. Si ce
service est arrêté, les utilisateurs ne pourront plus ouvrir de session
sur le réseau. Si ce service est désactivé, les services qui en
dépendent explicitement ne démarreront pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "KdsSvc",
-->             displayName = "Service de distribution de clés
Microsoft",
-->             description = "Ce service permet de protéger les données
à l'aide de l'API de protection des données de groupe. Il permet
également de prendre en charge différentes fonctionnalités système,
notamment BitLocker sur les volumes en cluster, les comptes de services
administrés et le DNS sécurisé. Si ce service est arrêté, ces
fonctionnalités ne fonctionnent plus.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "KeyIso",
-->             displayName = "Isolation de clé CNG",
-->             description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de
processus de clé aux clés privés et aux opérations de chiffrement
associées, conformément aux critères communs. Le service stocke et
utilise des clés à long terme dans le cadre d'un processus sécurisé

```

```

répondant aux exigences des critères communs.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KPSSVC",
-->         displayName = "Service Serveur proxy KDC",
-->         description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KtmRm",
-->         displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->         description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce
service automatiquement. Si ce service est désactivé, toute transaction
MSDTC interagissant avec un gestionnaire de transactions du noyau échoue
et tout service qui en dépend de façon explicite ne parvient pas à
démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanServer",
-->         displayName = "Serveur",
-->         description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanWorkstation",
-->         displayName = "Station de travail",
-->         description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce

```

service est arrêté, ces connexions ne seront pas disponibles. Si ce service est désactivé, les services qui en dépendent explicitement ne pourront pas démarrer.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lfsvc",
-->         displayName = "Service de géolocalisation",
-->         description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LicenseManager",
-->         displayName = "Serveur Gestionnaire de licences
Windows",
-->         description = "Permet la prise en charge de
l'infrastructure du Windows Store. Ce service démarre à la demande. S'il
est désactivé, le contenu acheté via le Windows Store ne se comporte pas
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lltdsvc",
-->         displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->         description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lmhosts",
-->         displayName = "Assistance NetBIOS sur TCP/IP",
-->         description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
```

présents sur le réseau, ce qui permet aux utilisateurs de partager des fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce service est arrêté, ces fonctions risquent de ne pas être disponibles. Si ce service est désactivé, les services qui en dépendent explicitement ne pourront pas démarrer.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LSM",
-->         displayName = "@%windir%\system32\lsm.dll,-1001",
-->         description = "@%windir%\system32\lsm.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MapsBroker",
-->         displayName = "Gestionnaire des cartes téléchargées",
-->         description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
cartes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MpsSvc",
-->         displayName = "Pare-feu Windows",
-->         description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSDTC",
-->         displayName = "Coordinateur de transactions
distribuées",
-->         description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
```

```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSiSCSI",
-->         displayName = "Service Initiateur iSCSI de Microsoft",
-->         description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur
les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui
dépendent explicitement de lui ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "msiserver",
-->         displayName = "Windows Installer",
-->         description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcaSvc",
-->         displayName = "Assistant Connectivité réseau",
-->         description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcbService",
-->         displayName = "Service Broker pour les connexions
réseau",
-->         description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
notifications d'Internet.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netlogon",
-->         displayName = "NetLogon",

```



```

-->         description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur
peut ne pas authentifier les utilisateurs et les services et le
contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si
ce service est désactivé, tout service qui en dépend explicitement ne
pourra pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",
-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetSetupSvc",
-->         displayName = "Service Configuration du réseau",
-->         description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetTcpPortSharing",
-->         displayName = "Service de partage de ports Net.Tcp",
-->         description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",

```

```

-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcCtnrSvc",
-->         displayName = "Conteneur Microsoft Passport",
-->         description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcSvc",
-->         displayName = "Microsoft Passport",
-->         description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les
fonctions d'utilisation et de gestion de ces clés, telles que
l'ouverture de session et l'authentification unique pour les
applications et les sites web, ne seront pas disponibles. Ce service
démontre et s'arrête automatiquement. Il est recommandé de ne pas le
reconfigurer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NlaSvc",
-->         displayName = "Connaissance des emplacements réseau",
-->         description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "nsi",
-->         displayName = "Service Interface du magasin réseau",

```

```

-->         description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité
réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NTDS",
-->         displayName = "Services de domaine Active Directory",
-->         description = "Service de contrôleur de domaine des
services de domaine Active Directory. Si ce service est arrêté, les
utilisateurs ne peuvent plus se connecter au réseau. Si ce service est
désactivé, tous les services qui en dépendent explicitement ne peuvent
plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NtFrs",
-->         displayName = "Réplication de fichiers",
-->         description = "Synchronise les dossiers avec les
serveurs de fichiers qui utilisent le service FRS au lieu du service de
réplication DFS plus récent.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "OneSyncSvc",
-->         displayName = "Hôte de synchronisation",
-->         description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des
programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les

```

```

programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhst.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",
-->
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PimIndexMaintenanceSvc",
-->         displayName = "Données de contacts",
-->         description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce
service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "pla",
-->         displayName = "Journaux & alertes de performance",
-->         description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
--> },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "PlugPlay",
-->             displayName = "Plug-and-Play",
-->             description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "PolicyAgent",
-->             displayName = "Agent de stratégie IPsec",
-->             description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Power",
-->             displayName = "Alimentation",
-->             description = "Gère la stratégie d'alimentation et la
remise de notification de stratégie d'alimentation.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "PrintNotify",
-->             displayName =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->             description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ProfSvc",
-->             displayName = "Service de profil utilisateur",
-->             description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir
les données des utilisateurs, et les composants inscrits pour recevoir
les notifications d'événements de profils ne les recevront pas.",
-->             currentState = "stopped",

```

```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "QWAVE",
-->         displayName = "Expérience audio-vidéo haute qualité
Windows",
-->         description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasAuto",
-->         displayName = "Gestionnaire des connexions automatiques
d'accès à distance",
-->         description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasMan",
-->         displayName = "Gestionnaire des connexions d'accès à
distance",
-->         description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteAccess",
-->         displayName = "Routage et accès distant",
-->         description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->         currentState = "stopped",

```

```

-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteRegistry",
-->         displayName = "Registre à distance",
-->         description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RmSvc",
-->         displayName = "Service de gestion radio",
-->         description = "Service de gestion radio et de mode
Avion",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcEptMapper",
-->         displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->         description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcLocator",
-->         displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->         description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure
distante (RPC) gère la base de données du service de nom RPC. Dans
Windows Vista et les versions ultérieures de Windows, ce service ne
fournit aucune fonctionnalité et est présent à des fins de compatibilité
applicative.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcSs",
-->         displayName = "Appel de procédure distante (RPC)",

```

```

-->         description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets
et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM.
Si ce service est arrêté ou désactivé, les programmes utilisant COM ou
DCOM ne fonctionnent pas correctement. Il est fortement recommandé
d'exécuter le service RPCSS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RSOPProv",
-->         displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->         description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sacsvr",
-->         displayName = "Application d'assistance de la Console
d'administration spéciale",
-->         description = "Permet aux administrateurs d'accéder à
distance à une invite de commandes en utilisant les services de gestion
d'urgence.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SamSs",
-->         displayName = "Gestionnaire de comptes de sécurité",
-->         description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```



```
-->         serviceName = "SAVAdminService",
-->         displayName = "Sophos Anti-Virus status reporter",
-->         description = "Fournit au Windows Security Center des
informations sur l'état de mise à jour de Sophos Anti-Virus et sur
l'état actif ou non du contrôle sur accès.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVService",
-->         displayName = "Sophos Anti-Virus",
-->         description = "Effectue des opérations de contrôle des
menaces et de nettoyage.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCardSvr",
-->         displayName = "Carte à puce",
-->         description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ScDeviceEnum",
-->         displayName = "Service d'énumération de périphériques de
carte à puce",
-->         description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Schedule",
-->         displayName = "Planificateur de tâches",
-->         description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
```

```

explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCPolicySvc",
-->         displayName = "Stratégie de retrait de la carte à puce",
-->
-->         description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "seclogon",
-->         displayName = "Ouverture de session secondaire",
-->         description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SENS",
-->         displayName = "Service de notification d'événements
système",
-->         description = "Analyse les événements système et notifie
leur existence aux abonnés du système d'événements COM+.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorDataService",
-->         displayName = "Service Données de capteur",
-->         description = "Fournit les données d'une variété de
capteurs",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorService",
-->         displayName = "Service de capteur",

```

```

-->         description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de
périphérique simple rapportant les changements d'orientation du
périphérique. Si le service est interrompu ou désactivé, le capteur
d'orientation de périphérique simple ne sera pas chargé et la rotation
automatique n'aura pas lieu. La collecte d'historiques des capteurs sera
également interrompue.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensrSvc",
-->         displayName = "Service de surveillance des capteurs",
-->         description = "Surveillance plusieurs capteurs pour exposer
les données et s'adapter aux divers états utilisateur et du système. Si
le service est arrêté ou désactivé, la brillance de l'affichage ne
s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut
également affecter d'autres fonctionnalités du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SessionEnv",
-->         displayName = "Configuration des services Bureau à
distance",
-->         description = "Le service Configuration des services
Bureau à distance (RDCS) est responsable de toutes les activités de
maintenance de session et de configuration du Bureau à distance et des
services Bureau à distance nécessitant un contexte SYSTEM. Il faut y
inclure les dossiers temporaires par session, ainsi que les thèmes et
certificats des services Bureau à distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SharedAccess",
-->         displayName = "Partage de connexion Internet (ICS)",
-->         description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "ShellHWDetection",
-->             displayName = "Détection matériel noyau",
-->             description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "smphost",
-->             displayName = "SMP de l'Espace de stockages Microsoft",
-->             description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SNMPTRAP",
-->             displayName = "Interruption SNMP",
-->             description = "Reçoit les messages d'interception
générés par les agents SNMP (Simple Network Management Protocol) locaux
ou distants et transmet les messages aux programmes de gestion SNMP
s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes
à base SNMP sur cet ordinateur ne recevront pas les messages
d'interception SNMP. Si ce service est désactivé, tous les services qui
en dépendent explicitement ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Sophos Agent",
-->             displayName = "Sophos Agent",
-->             description = "Management Agent for Sophos
applications",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Sophos AutoUpdate Service",
-->             displayName = "Sophos AutoUpdate Service",
-->             description = "Partie du système de mise à jour
concernant la description du Service des composants Sophos",
-->             currentState = "stopped",
-->             startType = "autoStart",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Endpoint Defense Service",
-->         displayName = "Sophos Endpoint Defense Service",
-->         description = "Sophos Endpoint Defense Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Message Router",
-->         displayName = "Sophos Message Router",
-->         description = "Message router for Sophos applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos System Protection Service",
-->         displayName = "Sophos System Protection Service",
-->         description = "Sophos System Protection Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Web Control Service",
-->         displayName = "Sophos Web Control Service",
-->         description = "Manages Web Control policy.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sppsvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications

```

Windows. Si le service est désactivé, le système d'exploitation et les applications sous licence peuvent s'exécuter dans un mode de notification. Et il est instamment recommandé de ne pas désactiver le service de protection logicielle.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDPsrv",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les
périphériques SSDP ne seront pas découverts. S'il est désactivé, tous
les services qui dépendent explicitement de lui ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
-->         displayName = "Service SSTP (Secure Socket Tunneling
Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_filter",
-->         displayName = "Sophos Web Filter",
-->         description = "Garantit que l'utilisation du Web est
conforme à la stratégie de sécurité. ",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_service",
-->         displayName = "Sophos Web Intelligence Service",
-->         description = "Protège contre les menaces de sites Web
malveillants.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stylet et
d'entrée manuscrite du clavier tactile et du volet d'écriture
manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter

```


de manière interactive à un ordinateur distant. Le Bureau à distance et le serveur hôte de session Bureau à distance dépendent de ce service. Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les cases à cocher situées sous l'onglet Utilisation à distance des Propriétés système via l'élément Système du Panneau de configuration.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",
-->         description = "Serveur de vignettes pour la mise à jour
des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =
"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
```

```

-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du
fuseau horaire",
-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UALSVC",
-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;

```

l'utilisation du service et des données UAL ne décharge pas de cette obligation.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être
perdu. Si ce service est désactivé, les notifications des nouvelles
boîtes de dialogue de services interactifs ainsi que leur accès ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UmRdpService",
-->         displayName = "Redirection de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserManager",
-->         displayName = "Gestionnaire des utilisateurs",
-->         description = "Le Gestionnaire des utilisateurs fournit
les composants d'exécution requis pour une interaction
multi-utilisateur. Si ce service est arrêté, certaines applications
risquent de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UsoSvc",
-->         displayName = "Service Update Orchestrator pour Windows
Update",
-->         description = "UsoSvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "VaultSvc",
-->             displayName = "Gestionnaire d'informations
d'identification",
-->             description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vds",
-->             displayName = "Disque virtuel",
-->             description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "VGAuthService",
-->             displayName = "VMware Alias Manager and Ticket Service",
-->
-->             description = "Alias Manager and Ticket Service",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vm3dservice",
-->             displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->             description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmicguestinterface",
-->             displayName = "Interface de services d'invité Hyper-V",
-->             description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->             currentState = "stopped",
-->             startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicrdv",
-->         displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->         description = "Fournit une plateforme pour la
communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicshutdown",
-->         displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->         description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmictimesync",
-->         displayName = "Service Synchronisation date/heure

```

```

Microsoft Hyper-V",
-->         description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvmsession",
-->         displayName = "Service Hyper-V PowerShell Direct",
-->         description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvss",
-->         displayName = "Requête du service VSS Microsoft
Hyper-V",
-->         description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation
de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VMTools",
-->         displayName = "VMware Tools",
-->         description = "Fournit un support pour la
synchronisation des objets entre les systèmes d'exploitation hôte et
invité.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmvss",
-->         displayName = "VMware Snapshot Provider",
-->         description = "VMware Snapshot Provider",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VSS",

```

```

-->         displayName = "Cliché instantané des volumes",
-->         description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si
ce service est arrêté, les clichés instantanés ne seront pas disponibles
pour la sauvegarde et la sauvegarde échouera. Si ce service est
désactivé, les services en dépendant explicitement ne démarreront pas.",

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W32Time",
-->         displayName = "Temps Windows",
-->         description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WalletService",
-->         displayName = "WalletService",
-->         description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WbioSrv",
-->         displayName = "Service de biométrie Windows",
-->         description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wcmsvc",
-->         displayName = "Gestionnaire des connexions Windows",
-->         description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau

```


actuellement disponibles à l'ordinateur, et active la gestion de la connectivité réseau en fonction des paramètres de la stratégie de groupe.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiServiceHost",
-->         displayName = "Service hôte WDIServiceHost",
-->         description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiSystemHost",
-->         displayName = "Hôte système de diagnostics",
-->         description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de système local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",
-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Weccsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
persistants à des événements de sources distantes prenant en charge le
protocole Gestion de services Web. Cela inclut les journaux d'événements
de Windows Vista, les sources d'événements matériels et IPMI. Le service
```

stocke les événements transférés dans un journal d'événements local. Si ce service est arrêté ou désactivé, des abonnements aux événements ne peuvent pas être créés et les événements transférés ne peuvent pas être acceptés.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de
configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de
diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
```

```

-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",

-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client
et fournit aux développeurs une API Win32 et un composant
d'automatisation COM pour l'envoi des demandes HTTP et la réception des
réponses. En outre, WinHTTP prend en charge la découverte automatique
d'une configuration de proxy via son implémentation du protocole WPAD
(Web Proxy Auto-Discovery).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",
-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion

```

```

WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à
distance. La Gestion des services Web est un protocole standard utilisé
pour la gestion à distance de logiciels et de matériels. Le service
Gestion à distance de Windows traite les demandes Gestion des services
Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la
stratégie de groupe. Ce service donne accès aux données WMI et permet le
recueil d'événements. Le recueil d'événements et l'abonnement exigent
que ce service s'exécute. Les messages du service Gestion à distance de
Windows utilisent HTTP et HTTPS. Le service Gestion à distance de
Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même
machine. Le service Gestion à distance de Windows réserve le préfixe
d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites
Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",
-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs
par le biais des services d'identité de compte Microsoft. Si ce service
est arrêté, les utilisateurs ne pourront pas ouvrir une session sur
l'ordinateur avec leur compte Microsoft.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la
bibliothèque de performance à partir des fournisseurs HiPerf WMI
(Windows Management Instrumentation) à des clients sur le réseau. Ce
service s'exécute uniquement quand l'assistant de performance des
données est activé.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnUserService",
-->         displayName = "Service utilisateur de notifications Push
Windows",
-->         description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
raw.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WSearch",
-->         displayName = "Windows Search",
-->         description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wuaserv",

```

```

-->         displayName = "Windows Update",
-->         description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce
service est désactivé, les utilisateurs de cet ordinateur ne pourront
pas utiliser Windows Update ou sa fonctionnalité de mise à jour
automatique, et les programmes ne pourront pas utiliser l'API de l'Agent
de mise à jour automatique Windows Update (WUA).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wudfsvc",
-->         displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->         description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox
Live",
-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,

```

```

-->         canSkipUnwantedFiles = false,
-->         canReconfig = true,
-->         canCustomize = true,
-->         canInstallTools = true,
-->         defaultCloningMode = "diskBasedCloning",
-->         supportedCloningMode = (string) [
-->             "diskBasedCloning",
-->             "volumeBasedCloning"
-->         ]
-->     },
-->     bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
-->     dracut = <unset>
--> }
--> }
--> =====
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[07684]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:32.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F71700001000000000003000000\
2020-11-05T21:12:32.609+01:00 info vmware-converter-worker[07100]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:32.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000004000000\
2020-11-05T21:12:32.624+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:12:32.624+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:12:32.624+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:12:32.640+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:12:32.640+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:12:32.678+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:12:32.678+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-05T21:12:32.678+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-05T21:12:32.678+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated

```

```
administrator 'CLEMESSY\CLBRUNEL'
2020-11-05T21:12:32.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-05T21:12:32.678+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:12:32.678+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:12:32.693+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:12:32.693+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:12:32.740+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:32.740+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-05T21:12:32.740+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:12:32.762+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:12:32.762+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:12:32.762+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:32.762+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:12:32.809+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'
2020-11-05T21:12:32.809+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:32.809+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:12:32.825+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:32.825+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
```


vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:12:33.157+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:33.157+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:12:33.164+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] DefaultValues::SetDefaultCPUAndMemory:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-05T21:12:33.164+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:33.164+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:12:33.195+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type vim.vm.device.ParaVirtualSCSIController
2020-11-05T21:12:33.195+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type VirtualNVMEController
2020-11-05T21:12:33.195+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] DefaultValues::SetDefaultDiskController:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-05T21:12:33.195+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default]
DefaultValues::AddKeepSourceIfAllControllersSupported: The target
supports all source disk controllers, adding keepSource and making it
the default
2020-11-05T21:12:33.242+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-05T21:12:33.242+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-05T21:12:33.279+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] The default datastore for
vim.HostSystem:host-183 is vim.Datastore:datastore-184
2020-11-05T21:12:33.279+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Caching DefaultConversionParamsResult with
key
DefaultValues::GetDefaultsForConvert=/converter.ComputerSpec=12ff5fa43de
6b550c55364babf3841bb6d88668/converter.info.ComputerOsInfo=9ac919bc4add
805be79ef8058bd86c5d9fe8680/converter.params.TargetVmSpec=5dbbb960eb4363

6d88297e598ba74a667d4d60f4/int[]=e170d1974aee0e5565f00afc30da8cb74c67972
a
2020-11-05T21:12:33.279+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:12:33.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:12:33.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-05T21:12:33.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-05T21:12:33.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
CLEMESSY\Administrateur
2020-11-05T21:12:33.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:12:33.395+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Task Added : task-1
2020-11-05T21:12:33.395+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:33.395+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] [BaseParserImpl::Parse] Config info is not
cached
2020-11-05T21:12:33.395+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:12:33.395+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] localVersion is: vim.version.version10
2020-11-05T21:12:33.411+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Remote version is: unrecognized
2020-11-05T21:12:33.411+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Authenticating user CLEMESSY\Administrateur
2020-11-05T21:12:33.458+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Getting ConfigInfo for
vim.VirtualMachine:vm-403
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Filtering out invalid extra config options
...
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge0.present is
removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge4.present is
removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge4.virtualDev
is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge4.functions is

removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge5.present is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge5.virtualDev is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge5.functions is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge6.present is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge6.virtualDev is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge6.functions is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge7.present is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge7.virtualDev is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option pciBridge7.functions is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option
vmware.tools.internalversion is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option
vmware.tools.requiredversion is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Extra config option migrate.hostLog is removed
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] [BaseDiskSetComputer::OpenDiskSet] Will use open retries count 3
2020-11-05T21:12:33.464+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Reusing existing VIM connection to 192.168.1.5
2020-11-05T21:12:33.480+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: Get virtual disk filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-05T21:12:33.480+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: updating nfc port as 902

```
2020-11-05T21:12:33.480+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-05T21:12:33.480+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 01 e6 0e 11
0a 0e fc-0b 8d 79 9a c0 af d1 69
2020-11-05T21:12:34.699+01:00 warning vmware-converter-worker[09584]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table
2020-11-05T21:12:34.706+01:00 warning vmware-converter-worker[09584]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-05T21:12:34.706+01:00 warning vmware-converter-worker[09584]
[Originator@6876 sub=task-1] [MoveActiveDiskIfNeeded] GetFirstBootDisk
failed, mntapi error: 176
2020-11-05T21:12:35.357+01:00 warning vmware-converter-worker[09584]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-05T21:12:35.357+01:00 warning vmware-converter-worker[09584]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:12:35.357+01:00 warning vmware-converter-worker[09584]
[Originator@6876 sub=task-1] [PopulateCapabilities] Volume-based cloning
was disabled due to: <no volumes are recognized>
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] [LogMessagesForQA] System volume is not
detected.
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] [BaseComputerImpl::Open] Config file:
[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] CloneTask: AgentCloningParams:
(converter.agent.params.AgentCloningParams) {
-->     source = (converter.ComputerSpec) {
-->         location = (converter.ComputerSpec.VMwareHostedVmLocation) {
-->             configFilePath =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",

-->             password = <unset>,
-->             networkUsername = <unset>,
-->             networkPassword = <unset>,
-->             type = "vmwareVM"
-->         }
-->     },
-->     targetHardwareInfo = (converter.info.ComputerHardwareInfo) {
-->         storage = (converter.info.StorageInfo) {
```

```

-->     disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->             diskId = "disk-2000",
-->             capacityInBytes = 42949672960,
-->             diskUsageInBytes = 42949672960,
-->             biosNumber = <unset>,
-->             lvg = false,
-->             lvgName = <unset>,
-->             gpt = false,
-->             signature = 0,
-->             diskGuid = <unset>,
-->             sectorSize = <unset>
-->         }
-->     ],
-->     bootConfig = (converter.info.BootConfigInfo) null,
--> },
--> network = (converter.info.NetworkInfo) {
-->     nic = (converter.info.NetworkInfo.NicInfo) [
-->         (converter.info.NetworkInfo.ManagedNicInfo) {
-->             nicId = "ethernet-4000",
-->             connected = true,
-->             label = "Network adapter 1",
-->             network = "API",
-->             controllerType = ""
-->         }
-->     ]
--> },
--> basicHardware = (converter.info.BasicHardwareInfo) {
-->     numCPUs = 2,
-->     numCoresPerSocket = 1,
-->     memoryMB = 4096
--> },
--> configInfo = (vim.vm.ConfigInfo) {
-->     changeVersion = "2020-11-05T20:11:18.028957Z",
-->     modified = "1970-01-01T00:00:00Z",
-->     name = "SRV-NHFAD1",
-->     guestFullName = "Microsoft Windows Server 2012 (64-bit)",
-->     version = "vmx-14",
-->     uuid = "420dc780-01c3-dda9-e5c9-f2d880a34629",
-->     instanceUuid = "500db657-4f19-a11d-cc96-629f0a005102",
-->     npivWorldWideNameType = <unset>,
-->     npivDesiredNodeWwns = <unset>,
-->     npivDesiredPortWwns = <unset>,
-->     npivTemporaryDisabled = true,
-->     npivOnNonRdmDisks = <unset>,
-->     locationId = "",
-->     template = false,
-->     guestId = "windows8Server64Guest",
-->     alternateGuestName = "",

```

```
-->     annotation = "",
-->     files = (vim.vm.FileInfo) {
-->         vmPathName = "[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx",
-->         snapshotDirectory = "[DATASTORE1] SRV-NHFAD1/",
-->         suspendDirectory = "[DATASTORE1] SRV-NHFAD1/",
-->         logDirectory = "[DATASTORE1] SRV-NHFAD1/",
-->         ftMetadataDirectory = <unset>
-->     },
-->     tools = (vim.vm.ToolsConfigInfo) {
-->         toolsVersion = 0,
-->         afterPowerOn = true,
-->         afterResume = true,
-->         beforeGuestStandby = true,
-->         beforeGuestShutdown = true,
-->         beforeGuestReboot = <unset>,
-->         toolsUpgradePolicy = "manual",
-->         pendingCustomization = <unset>,
-->         syncTimeWithHost = false,
-->         lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) {
-->             counter = 3,
-->             fault = (vmodl.MethodFault) null
-->         },
-->         upgradeRebootPredict = <unset>
-->     },
-->     flags = (vim.vm.FlagInfo) {
-->         disableAcceleration = false,
-->         enableLogging = true,
-->         useToe = false,
-->         runWithDebugInfo = false,
-->         monitorType = "release",
-->         htSharing = "any",
-->         snapshotDisabled = false,
-->         snapshotLocked = false,
-->         diskUuidEnabled = true,
-->         virtualMmuUsage = "automatic",
-->         virtualExecUsage = "hvAuto",
-->         snapshotPowerOffBehavior = "powerOff",
-->         recordReplayEnabled = false,
-->         faultToleranceType = "unset"
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = "soft",
-->         suspendType = "soft",
-->         resetType = "soft",
-->         defaultPowerOffType = "soft",
-->         defaultSuspendType = "hard",
-->         defaultResetType = "soft",
```

```

-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = false,
-->         virtualSMCPresent = false,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 200,
-->                 deviceInfo = (vim.Description) {
-->                     label = "IDE 0",
-->                     summary = "IDE 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,
-->             },
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 201,
-->                 deviceInfo = (vim.Description) {
-->                     label = "IDE 1",
-->                     summary = "IDE 1"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 1,
-->             },
-->             (vim.vm.device.VirtualPS2Controller) {
-->                 key = 300,
-->                 deviceInfo = (vim.Description) {
-->                     label = "PS2 controller 0",
-->                     summary = "PS2 controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,

```

```

-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = <unset>,
-->             unitNumber = <unset>,
-->             busNumber = 0,
-->             device = (int) [
-->                 600,
-->                 700
-->             ]
-->     },
-->     (vim.vm.device.VirtualPCIController) {
-->         key = 100,
-->         deviceInfo = (vim.Description) {
-->             label = "PCI controller 0",
-->             summary = "PCI controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         device = (int) [
-->             500,
-->             12000,
-->             7000,
-->             1000,
-->             4000
-->         ]
-->     },
-->     (vim.vm.device.VirtualSIOController) {
-->         key = 400,
-->         deviceInfo = (vim.Description) {
-->             label = "SIO controller 0",
-->             summary = "SIO controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,

```



```

-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualKeyboard) {
-->         key = 600,
-->         deviceInfo = (vim.Description) {
-->             label = "Keyboard ",
-->             summary = "Keyboard"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 300,
-->         unitNumber = 0
-->     },
-->     (vim.vm.device.VirtualPointingDevice) {
-->         key = 700,
-->         deviceInfo = (vim.Description) {
-->             label = "Pointing device",
-->             summary = "Pointing device; Device"
-->         },
-->         backing =
(vim.vm.device.VirtualPointingDevice.DeviceBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = false,
-->             hostPointingDevice = "autodetect"
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 300,
-->         unitNumber = 1
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 500,
-->         deviceInfo = (vim.Description) {
-->             label = "Video card ",
-->             summary = "Video card"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,

```

```

-->         unitNumber = 0,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = "automatic",
-->         graphicsMemorySizeInKB = 262144
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 12000,
-->         deviceInfo = (vim.Description) {
-->             label = "VMCI device",
-->             summary = "Device on the virtual machine PCI
bus that provides support for the virtual machine communication
interface"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 17,
-->         id = -1,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = true,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     },
-->     (vim.vm.device.VirtualUSBController) {
-->         key = 7000,
-->         deviceInfo = (vim.Description) {
-->             label = "USB controller ",
-->             summary = "Auto connect Disabled"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualUSBController.PciBusSlotInfo) {
-->             pciSlotNumber = -1,
-->             ehciPciSlotNumber = -1
-->         },
-->         controllerKey = 100,
-->         unitNumber = 22,
-->         busNumber = 0,

```

```

-->         autoConnectDevices = false,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 1000,
-->         deviceInfo = (vim.Description) {
-->             label = "SCSI controller 0",
-->             summary = "LSI Logic SAS"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 3,
-->         busNumber = 0,
-->         device = (int) [
-->             2000
-->         ],
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 2000,
-->         deviceInfo = (vim.Description) {
-->             label = "Hard disk 1",
-->             summary = "41,943,040 KB"
-->         },
-->         backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->             fileName = "[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk",
-->             datastore = 'vim.Datastore:datastore-184',
-->             backingObjectId = "",
-->             diskMode = "persistent",
-->             split = false,
-->             writeThrough = false,
-->             thinProvisioned = true,
-->             eagerlyScrub = <unset>,
-->             uuid = "6000C29f-16ed-ae6d-e341-3bc6be60007e",
-->             contentId = "be8bfd65f5fc1a133865a278fffffffe",

-->             changeId = <unset>,
-->             parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->             deltaDiskFormat = <unset>,

```

```

-->         digestEnabled = false,
-->         deltaGrainSize = <unset>,
-->         deltaDiskFormatVariant = <unset>,
-->         sharing = "sharingNone"
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 1000,
-->     unitNumber = 0,
-->     capacityInKB = 41943040,
-->     capacityInBytes = 42949672960,
-->     shares = (vim.SharesInfo) {
-->         shares = 1000,
-->         level = "normal"
-->     },
-->     storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) {
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 1000,
-->             level = "normal"
-->         },
-->         reservation = 0
-->     },
-->     diskObjectId = "132-2000",
-->     vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualE1000e) {
-->         key = 4000,
-->         deviceInfo = (vim.Description) {
-->             label = "Network adapter 1",
-->             summary = "API"
-->         },
-->     },
-->     backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->         deviceName = "API",
-->         useAutoDetect = false,
-->         network = 'vim.Network:network-189',
-->         inPassthroughMode = <unset>
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->         startConnected = true,
-->         allowGuestControl = true,
-->         connected = false,
-->         status = "untried"

```

```

-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 7,
-->         addressType = "assigned",
-->         macAddress = "00:50:56:8d:de:55",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) {
-->             reservation = 0,
-->             share = (vim.SharesInfo) {
-->                 shares = 50,
-->                 level = "normal"
-->             },
-->             limit = -1
-->         },
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = false,
-->     }
--> ]
--> },
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 2000,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> memoryAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 40960,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> latencySensitivity = (vim.LatencySensitivity) {
-->     level = "normal",
-->     sensitivity = <unset>
--> },
--> memoryHotAddEnabled = false,
--> cpuHotAddEnabled = false,
--> cpuHotRemoveEnabled = false,

```

```

-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "disk.EnableUUID",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
--> -90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.guest.desktop.autolock",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.remindInstall",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.speed",
-->             value = "2"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.port",
-->             value = "1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.parent",
-->             value = "-1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.ctkEnabled",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "nvram",
-->             value = "SRV-NHFAD1.nvram"
-->         },
-->         (vim.option.OptionValue) {

```

```
-->         key = "svga.present",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "svga.guestBackedPrimaryAware",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "hpet0.present",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "RemoteDisplay.maxConnections",
-->         value = "-1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "numa.autosize.vcpu.maxPerVirtualNode",
-->         value = "2"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "numa.autosize.cookie",
-->         value = "20001"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vm.genid",
-->         value = "-3854021677028181693"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vm.genidX",
-->         value = "-4577512143103774999"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "monitor.phys_bits_used",
-->         value = "43"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vmotion.checkpointFBSize",
-->         value = "4194304"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vmotion.checkpointSVGAPrimarySize",
-->         value = "134217728"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "softPowerOff",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "toolsInstallManager.lastInstallError",
```

```
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "toolsInstallManager.updateCounter",
-->         value = "3"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.toolsInstallErrCode",
-->         value = "1641"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.buildNumber",
-->         value = "16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.description",
-->         value = "VMware Tools 11.1.1 build 16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionNumber",
-->         value = "11297"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
-->         value = "-1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "migrate.hostLogState",
-->         value = "none"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "migrate.migrationId",
-->         value = "0"
```



```

-->     }
--> ],
-->     datastoreUrl = (vim.vm.ConfigInfo.DatastoreUrlPair) [
-->         (vim.vm.ConfigInfo.DatastoreUrlPair) {
-->             name = "DATASTORE1",
-->             url =
"/vmfs/volumes/5ddeb71-36944c32-5cdb-dcf401e578d2"
-->         }
--> ],
-->     swapPlacement = "inherit",
-->     swapDirectory = <unset>,
-->     preserveSwapOnPowerOff = <unset>,
-->     bootOptions = (vim.vm.BootOptions) {
-->         bootDelay = 0,
-->         enterBIOSSetup = false,
-->         bootRetryEnabled = false,
-->         bootRetryDelay = 10000,
-->         networkBootProtocol = "ipv4",
-->     },
-->     ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
-->     repConfig = (vim.vm.ReplicationConfigSpec) null,
-->     vAppConfig = (vim.vApp.VmConfigInfo) null,
-->     vAssertsEnabled = false,
-->     changeTrackingEnabled = true,
-->     firmware = "bios",
-->     maxMksConnections = -1,
-->     guestAutoLockEnabled = false,
-->     managedBy = (vim.ext.ManagedByInfo) null,
-->     memoryReservationLockedToMax = false,
-->     initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) {
-->         initialMemoryReservation = 61349888,
-->         initialSwapReservation = 741507072
-->     },
-->     nestedHVEEnabled = false,
-->     vPMCEEnabled = false,
-->     scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) {
-->         upgradePolicy = "never",
-->         versionKey = <unset>,
-->         scheduledHardwareUpgradeStatus = "none",
-->         fault = (vmodl.MethodFault) null
-->     },
-->     forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->     vFlashCacheReservation = 0,
-->     vmxConfigChecksum =
-->         58cdf4c3 743e3ed6 ee923873 90ca5ba4
-->         9bb8c327,
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = false,

```

```

-->         vmStorageObjectId = <unset>,
-->         swapStorageObjectId = <unset>,
-->     },
-->     currentEfiBootEntry = <unset>
--> },
-->     storageMapping = (converter.agent.params.StorageMapping) {
-->         diskMapping =
(converter.agent.params.StorageMapping.DiskMapping) [
-->             (converter.agent.params.StorageMapping.DiskMapping) {
-->                 sourceDiskId = "disk-5",
-->                 targetDiskId = "disk-2000",
-->                 diskCreateType = "vmfsMonolithicFlatThinProvisioned",
-->                 lvg = false,
-->                 gpt = false,
-->                 diskSignature = 402064154,
-->                 diskGuid = <unset>,
-->                 sectorSize = <unset>
-->             }
-->         ],
-->     },
-->     nextBitmapId = <unset>,
-->     snapshotSource = true,
-->     doPersistNextBitmapId = false,
-->     cloningMode = "diskBasedCloning",
-->     throttlingParams = (converter.params.ThrottlingParams) {
-->         cpuThrottling = "none",
-->         networkBandwidthThrottlingInMB = <unset>
-->     },
-->     skipCopyingRestoreCheckpointData = true,
-->     skipUnwantedFiles = <unset>,
-->     doReconfig = true,
-->     helperVmNetworkParams = (converter.params.HelperVmNetworkParams)
null,
-->     optimizedPartitionAlignment = <unset>,
-->     useProxyMode = false,
--> }

```

```

2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Task Added : task-2
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=task-2] Cloning mode diskBasedCloning
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=task-2] CloneTask: adding subtask for cloning
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CloneTask::SetupTask
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CloneTask::InitializeSourceComputer
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[06244]

```

```
[Originator@6876 sub=task-2] Creating vmx file parser
2020-11-05T21:12:35.357+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [BaseParserImpl::Parse] Config info is not
cached
2020-11-05T21:12:35.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-05T21:12:35.388+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Non-standard disk type 11
2020-11-05T21:12:35.403+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [BaseDiskSetComputer::OpenDiskSet] Will use
open retries count 3
2020-11-05T21:12:35.504+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512
2020-11-05T21:12:35.510+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-05T21:12:35.510+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-05T21:12:35.510+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Disk with signature 402064154, recognized
partitions 2
2020-11-05T21:12:35.526+01:00 info vmware-converter-worker[09336]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:35.626+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000005000000\ FS:<NTFS>
2020-11-05T21:12:35.642+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000005000000\
2020-11-05T21:12:35.642+01:00 info vmware-converter-worker[09336]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:35.642+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000005000000\
2020-11-05T21:12:35.642+01:00 info vmware-converter-worker[06664]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:35.689+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000005000000\ FS:<NTFS>
2020-11-05T21:12:35.689+01:00 info vmware-converter-worker[06664]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:35.689+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000005000000\
```

2020-11-05T21:12:35.689+01:00 info vmware-converter-worker[09728]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:35.989+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000006000000\ FS:<NTFS>
2020-11-05T21:12:36.376+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] CloneTask: Agent task moid=task-2
2020-11-05T21:12:36.376+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 0, xfer rate (Bps): <unknown>
2020-11-05T21:12:37.010+01:00 info vmware-converter-worker[09728]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:12:37.010+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000006000000\
2020-11-05T21:12:37.010+01:00 info vmware-converter-worker[05208]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:37.094+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F71700001000000000005000000\ FS:<NTFS>
2020-11-05T21:12:37.126+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi31.
2020-11-05T21:12:37.132+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi31\BCD is loaded
under the name mntApi2163795230847920
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\El
ements\12000002
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\El
ements\12000002
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\El
ements\12000002
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\El
ements\12000002
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\El
ements\26000022.
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from

key
mntApi2163795230847920\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\Elements\24000001
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\Elements\26000022.
2020-11-05T21:12:37.132+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi2163795230847920\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\Elements\26000022.
2020-11-05T21:12:37.132+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-05T21:12:37.132+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Unloaded hive mntApi2163795230847920
2020-11-05T21:12:37.132+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-05T21:12:37.132+01:00 info vmware-converter-worker[06536]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:12:37.326+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000006000000\ FS:<NTFS>
2020-11-05T21:12:41.591+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi249.
2020-11-05T21:12:44.130+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi249\SOFTWARE is
loaded under the name mntApi6629244330847920
2020-11-05T21:12:44.130+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi6629244330847920\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:12:44.130+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:12:44.130+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:12:44.130+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-05T21:12:44.130+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-05T21:12:44.800+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi107.
2020-11-05T21:12:45.248+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive

C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi107\SYSTEM is loaded under the name mntApi9838326430847920
2020-11-05T21:12:45.248+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=Default] ERROR: Error reading from mntApi9838326430847920\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:12:45.248+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-05T21:12:45.308+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] Unloaded hive mntApi9838326430847920
2020-11-05T21:12:45.308+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:12:45.316+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] Unloaded hive mntApi6629244330847920
2020-11-05T21:12:45.318+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:12:45.338+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi111.
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi111\SYSTEM is loaded under the name mntApi10376341030847920
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'startType' for .NET CLR Data
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'Type' for .NET CLR Data
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'startType' for .NET CLR Networking
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'Type' for .NET CLR Networking
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'startType' for .NET CLR Networking 4.0.0.0
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'Type' for .NET CLR Networking 4.0.0.0
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'startType' for .NET Data Provider for Oracle
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] Error 2 reading 'Type' for .NET Data Provider for Oracle
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Error 2 reading 'startType' for .NET Data Provider for SqlServer
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for .NET Data Provider for SqlServer
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for .NET Memory Cache 4.0
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for .NET Memory Cache 4.0
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for .NETFramework
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for .NETFramework
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver 1394ohci manual
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver 3ware bootStart
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ACPI bootStart
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AcpiDev manual
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver acpiex bootStart
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver acpipagr manual
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AcpiPmi manual
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver acpitime manual
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for ADOVMPPackage
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for ADOVMPPackage
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ADP80XX bootStart
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for adsi
2020-11-05T21:12:45.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for adsi
2020-11-05T21:12:45.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-05T21:12:45.725+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AFD systemStart

2020-11-05T21:12:45.725+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ahcache systemStart
2020-11-05T21:12:45.725+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:45.826+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AmdK8 manual
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AmdPPM manual
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver amdpsata bootStart
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver amdpsbs bootStart
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver amdpxata bootStart
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AppID manual
2020-11-05T21:12:45.857+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-05T21:12:45.895+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-05T21:12:45.926+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver applockerfltr manual
2020-11-05T21:12:45.926+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:45.979+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-05T21:12:46.080+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-05T21:12:46.127+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AppvStrm manual
2020-11-05T21:12:46.127+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AppvVemgr manual
2020-11-05T21:12:46.127+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AppvVfs manual

2020-11-05T21:12:46.127+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AppXSvc'[%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-05T21:12:46.259+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver arcsas bootStart
2020-11-05T21:12:46.259+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver AsyncMac manual
2020-11-05T21:12:46.259+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver atapi bootStart
2020-11-05T21:12:46.259+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AudioEndpointBuilder'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:46.311+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Audiosrv'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-05T21:12:46.358+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'AxInstSV'[%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver b06bdrv bootStart
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver BasicDisplay
systemStart
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver BasicRender systemStart
2020-11-05T21:12:46.396+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for BattC
2020-11-05T21:12:46.396+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for BattC
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bcmfn manual
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bcmfn2 manual
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Beep manual
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bfadfcoei bootStart
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bfadi bootStart
2020-11-05T21:12:46.396+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'BFE'[%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-05T21:12:46.481+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Found service
'BITS' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-05T21:12:46.597+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bowser manual
2020-11-05T21:12:46.597+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'BrokerInfrastructure' [%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-05T21:12:46.597+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-05T21:12:46.597+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Browser' [%SystemRoot%\System32\svchost.exe -k smbsvcs]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-05T21:12:46.659+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for BTHPORT
2020-11-05T21:12:46.659+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for BTHPORT
2020-11-05T21:12:46.659+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'bthserv' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-05T21:12:46.713+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver buttonconverter manual
2020-11-05T21:12:46.713+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bxfcoe bootStart
2020-11-05T21:12:46.713+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver bxois bootStart
2020-11-05T21:12:46.713+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver CapImg manual
2020-11-05T21:12:46.713+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver cdfs disabled
2020-11-05T21:12:46.713+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:12:46.782+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-05T21:12:46.875+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver cdrom systemStart
2020-11-05T21:12:46.875+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:46.929+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Found device driver cht4iscsi manual
2020-11-05T21:12:46.929+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver cht4vbd manual
2020-11-05T21:12:46.929+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver CLFS bootStart
2020-11-05T21:12:46.929+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'ClipSVC'[%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-05T21:12:47.013+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver clreg autoStart
2020-11-05T21:12:47.013+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-05T21:12:47.013+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-05T21:12:47.013+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-05T21:12:47.013+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-05T21:12:47.013+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver CmBatt manual
2020-11-05T21:12:47.013+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver CNG bootStart
2020-11-05T21:12:47.013+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver cnghwassist disabled
2020-11-05T21:12:47.013+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver CompositeBus manual
2020-11-05T21:12:47.013+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'COMSysApp'[%SystemRoot%\system32\dllhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-05T21:12:47.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver condrv manual
2020-11-05T21:12:47.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'CoreMessagingRegistrar'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-05T21:12:47.198+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for CoreUI
2020-11-05T21:12:47.198+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for CoreUI
2020-11-05T21:12:47.198+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for crypt32
2020-11-05T21:12:47.198+01:00 warning vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Error 2 reading 'Type' for crypt32
2020-11-05T21:12:47.198+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'CryptSvc'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-05T21:12:47.245+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver CSC disabled
2020-11-05T21:12:47.245+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'CscService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-05T21:12:47.314+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver dam systemStart
2020-11-05T21:12:47.314+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for DCLocator
2020-11-05T21:12:47.314+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for DCLocator
2020-11-05T21:12:47.314+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-05T21:12:47.477+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:47.477+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-05T21:12:47.562+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:47.662+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-05T21:12:47.762+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:47.784+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:
LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry
2020-11-05T21:12:47.863+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Dfsc systemStart
2020-11-05T21:12:47.863+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver DfsDriver systemStart

2020-11-05T21:12:47.863+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS
2020-11-05T21:12:47.885+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver DfsrRo bootStart
2020-11-05T21:12:47.885+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-05T21:12:47.985+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DHCPserver'[%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart
depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem
2020-11-05T21:12:48.101+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'diagnosticshub.standardcollector.service'[%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-05T21:12:48.148+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DiagTrack'[%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-05T21:12:48.248+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
DirectoryServices
2020-11-05T21:12:48.248+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for
DirectoryServices
2020-11-05T21:12:48.248+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Disk bootStart
2020-11-05T21:12:48.248+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DmEnrollmentSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-05T21:12:48.348+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver dmvc manual
2020-11-05T21:12:48.348+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'dmwappushservice'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-05T21:12:48.402+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DNS'[%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS
2020-11-05T21:12:48.549+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Dnscache'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-05T21:12:48.618+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Found service
'dot3svc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-05T21:12:48.687+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DPS' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-05T21:12:48.734+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DsmSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:12:48.781+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DsRoleSvc' [%SystemRoot%\System32\lsass.exe]/manual depends: <none>
2020-11-05T21:12:48.834+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'DsSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:48.888+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver DXGKrn1 manual
2020-11-05T21:12:48.888+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver eliexpress manual
2020-11-05T21:12:48.888+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Eaphost' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-05T21:12:48.919+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ebdrv bootStart
2020-11-05T21:12:48.919+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'EFS' [%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-05T21:12:48.950+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver EhStorClass bootStart
2020-11-05T21:12:48.950+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver EhStorTcgDrv bootStart
2020-11-05T21:12:48.950+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver elxfcoe bootStart
2020-11-05T21:12:48.950+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver elxstor bootStart
2020-11-05T21:12:48.950+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-05T21:12:49.003+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-05T21:12:49.066+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ErrDev manual

2020-11-05T21:12:49.066+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for ESENT
2020-11-05T21:12:49.066+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for ESENT
2020-11-05T21:12:49.066+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-05T21:12:49.166+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-05T21:12:49.166+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver exfat manual
2020-11-05T21:12:49.166+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver fastfat manual
2020-11-05T21:12:49.166+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver fcvsd manual
2020-11-05T21:12:49.166+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver fdc manual
2020-11-05T21:12:49.166+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-05T21:12:49.204+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-05T21:12:49.220+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver FileCrypt systemStart
2020-11-05T21:12:49.220+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver FileInfo manual
2020-11-05T21:12:49.220+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Filetrace manual
2020-11-05T21:12:49.220+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver flpydisk manual
2020-11-05T21:12:49.220+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver FltMgr bootStart
2020-11-05T21:12:49.220+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:12:49.320+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-05T21:12:49.405+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver FsDepends manual
2020-11-05T21:12:49.405+01:00 info vmware-converter-worker[06244]

```
[Originator@6876 sub=task-2] Found device driver Fs_Rec bootStart
2020-11-05T21:12:49.405+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver gencounter manual
2020-11-05T21:12:49.405+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver genericusbfn manual
2020-11-05T21:12:49.405+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver GPIOClx0101 manual
2020-11-05T21:12:49.405+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'gpsvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-05T21:12:49.467+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver GpuEnergyDrv
systemStart
2020-11-05T21:12:49.467+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver HDAudBus manual
2020-11-05T21:12:49.467+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver HidBatt manual
2020-11-05T21:12:49.467+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver HidBth manual
2020-11-05T21:12:49.467+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver hidinterrupt manual
2020-11-05T21:12:49.467+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'hidserv'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:49.505+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver HidUsb manual
2020-11-05T21:12:49.505+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
HomeGroupListener
2020-11-05T21:12:49.505+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for
HomeGroupListener
2020-11-05T21:12:49.505+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver HpSAMD bootStart
2020-11-05T21:12:49.505+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver HTTP manual
2020-11-05T21:12:49.505+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver hvservice manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver hwpolicy bootStart
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver hyperkbd manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
```


[Originator@6876 sub=task-2] Found device driver HyperVideo manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver i8042prt manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver iaLPSSi_GPIO manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver iaLPSSi_I2C manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver iaStorAV bootStart
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver iaStorV bootStart
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ibbus manual
2020-11-05T21:12:49.567+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'icssvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-05T21:12:49.652+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'IKEEXT' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-05T21:12:49.721+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver IndirectKmd manual
2020-11-05T21:12:49.721+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for inetaccs
2020-11-05T21:12:49.721+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for inetaccs
2020-11-05T21:12:49.721+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver intelide bootStart
2020-11-05T21:12:49.721+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver intelpep bootStart
2020-11-05T21:12:49.721+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver intelppm manual
2020-11-05T21:12:49.721+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for iorate
2020-11-05T21:12:49.721+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for iorate
2020-11-05T21:12:49.721+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver IpFilterDriver manual
2020-11-05T21:12:49.721+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'iphlpvc' [%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-05T21:12:49.806+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver IPMIDRV manual
2020-11-05T21:12:49.806+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver IPNAT manual
2020-11-05T21:12:49.806+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver IPsecGW manual

2020-11-05T21:12:49.806+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver isapnp bootStart
2020-11-05T21:12:49.806+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver iScsiPrt manual
2020-11-05T21:12:49.806+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'IsmServ'[%SystemRoot%\System32\ismserv.exe]/autoStart depends:
SamSS;NTDS
2020-11-05T21:12:49.868+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver kbdclass manual
2020-11-05T21:12:49.868+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver kbdhid manual
2020-11-05T21:12:49.868+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Kdc'[%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-05T21:12:49.953+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver kdnic manual
2020-11-05T21:12:49.953+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-05T21:12:49.991+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-05T21:12:50.022+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-05T21:12:50.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver KSecDD bootStart
2020-11-05T21:12:50.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver KSecPkg bootStart
2020-11-05T21:12:50.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ksthunk manual
2020-11-05T21:12:50.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-05T21:12:50.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-05T21:12:50.153+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-05T21:12:50.222+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for ldap
2020-11-05T21:12:50.222+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for ldap

2020-11-05T21:12:50.222+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:12:50.254+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-05T21:12:50.285+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver lltdio autoStart
2020-11-05T21:12:50.291+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-05T21:12:50.307+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-05T21:12:50.323+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for Lsa
2020-11-05T21:12:50.323+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for Lsa
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver LSI_SAS bootStart
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver LSI_SAS2i bootStart
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver LSI_SAS3i bootStart
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver LSI_SSS bootStart
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-05T21:12:50.323+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver luafv autoStart
2020-11-05T21:12:50.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver megasas bootStart
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver megasas2i bootStart
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver megasr bootStart

2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mlx4_bus manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver MMCSS manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Modem manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver monitor manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mouclass manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mouhid manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mountmgr bootStart
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mpsdrv manual
2020-11-05T21:12:50.370+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'MpsSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mrxsmb manual
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mrxsmb10 autoStart
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mrxsmb20 manual
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver MsBridge manual
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'MSDTC' [%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-05T21:12:50.454+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-05T21:12:50.454+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Msfs systemStart
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver msgpiowin32 manual
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mshidkmdf manual
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mshidumdf manual
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver msisadv bootStart
2020-11-05T21:12:50.454+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

```
'MSiSCSI' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:50.486+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'msiserver' [%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver MsLbfoProvider manual
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver MsLldp autoStart
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver MsRPC manual
2020-11-05T21:12:50.508+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for MSSCNTRS
2020-11-05T21:12:50.508+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for MSSCNTRS
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mssmbios systemStart
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver MTConfig manual
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Mup bootStart
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver mvumis bootStart
2020-11-05T21:12:50.508+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for napagent
2020-11-05T21:12:50.508+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for napagent
2020-11-05T21:12:50.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NcaSvc' [%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-05T21:12:50.539+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NcbService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ndfltr manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NDIS bootStart
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NdisCap manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NdisImPlatform manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NdisTapi manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Ndisuio manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NdisVirtualBus manual
```

2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NdisWan manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ndiswanlegacy manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ndproxy manual
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NetBIOS systemStart
2020-11-05T21:12:50.640+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for NetbiosSmb
2020-11-05T21:12:50.640+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for NetbiosSmb
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NetBT systemStart
2020-11-05T21:12:50.640+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Netlogon'[%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation;LanmanServer
2020-11-05T21:12:50.693+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Netman'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-05T21:12:50.724+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'netprofm'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-05T21:12:50.793+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NetSetupSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:50.840+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NetTcpPortSharing'[%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/disabled depends: <none>
2020-11-05T21:12:50.924+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver netvsc manual
2020-11-05T21:12:50.924+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for netvscvfpf
2020-11-05T21:12:50.924+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for netvscvfpf
2020-11-05T21:12:50.924+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NgcCtnrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:50.987+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NgcSvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:51.072+01:00 info vmware-converter-worker[06244]

```
[Originator@6876 sub=task-2] Found service
'NlaSvc'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-05T21:12:51.141+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Npfs systemStart
2020-11-05T21:12:51.141+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver npsvctrig systemStart
2020-11-05T21:12:51.141+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-05T21:12:51.172+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver nsiproxy systemStart
2020-11-05T21:12:51.172+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NTDS'[%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>
2020-11-05T21:12:51.210+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'NtFrs'[%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-05T21:12:51.241+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver NTFS manual
2020-11-05T21:12:51.241+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Null systemStart
2020-11-05T21:12:51.241+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver nvraid bootStart
2020-11-05T21:12:51.241+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver nvstor bootStart
2020-11-05T21:12:51.241+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-05T21:12:51.272+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Parport manual
2020-11-05T21:12:51.272+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver partmgr bootStart
2020-11-05T21:12:51.272+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver pci bootStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver pciide bootStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver pcmcia bootStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver pcw bootStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
```

[Originator@6876 sub=task-2] Found device driver pdc bootStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver PEAUTH autoStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver percsas2i bootStart
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver percsas3i bootStart
2020-11-05T21:12:51.372+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for PerfDisk
2020-11-05T21:12:51.372+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for PerfDisk
2020-11-05T21:12:51.372+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PerfHost' [%SystemRoot%\SysWow64\perfhost.exe]/manual depends: RPCSS
2020-11-05T21:12:51.495+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for PerfNet
2020-11-05T21:12:51.495+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for PerfNet
2020-11-05T21:12:51.495+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for PerfOS
2020-11-05T21:12:51.495+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for PerfOS
2020-11-05T21:12:51.495+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for PerfProc
2020-11-05T21:12:51.495+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for PerfProc
2020-11-05T21:12:51.495+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PhoneSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-05T21:12:51.526+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PimIndexMaintenanceSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-05T21:12:51.573+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'pla' [%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-05T21:12:51.673+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PlugPlay' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-05T21:12:51.673+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PolicyAgent' [%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-05T21:12:51.727+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for PortProxy
2020-11-05T21:12:51.727+01:00 warning vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Error 2 reading 'Type' for PortProxy
2020-11-05T21:12:51.727+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-05T21:12:51.773+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver PptpMiniport manual
2020-11-05T21:12:51.773+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-05T21:12:51.773+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000006000000\c:\windows\sys
stem32\spool\drivers\x64\3\printconfig.dll
2020-11-05T21:12:51.773+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Processor manual
2020-11-05T21:12:51.773+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-05T21:12:51.874+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Psched systemStart
2020-11-05T21:12:51.874+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for pvscsi
2020-11-05T21:12:51.874+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for pvscsi
2020-11-05T21:12:51.874+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ql2300i bootStart
2020-11-05T21:12:51.874+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ql40xx2i bootStart
2020-11-05T21:12:51.874+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver qlfcoei bootStart
2020-11-05T21:12:51.874+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'QWAVE'[%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-05T21:12:51.943+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver QWAVEdrv manual
2020-11-05T21:12:51.943+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver RasAcD manual
2020-11-05T21:12:51.943+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver RasAgileVpn manual
2020-11-05T21:12:51.943+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-05T21:12:51.990+01:00 info vmware-converter-worker[06244]

```
[Originator@6876 sub=task-2] Found device driver RasGre manual
2020-11-05T21:12:51.990+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Rasl2tp manual
2020-11-05T21:12:51.990+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RasMan'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver RasPppoe manual
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver RasSstp manual
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver rdbss systemStart
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for RDMANDK
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for RDMANDK
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver rdpbus manual
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver RDPDR manual
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for RDPNP
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for RDPNP
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for RDPUDD
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for RDPUDD
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver RdpVideoMiniport manual
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ReFS manual
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ReFSv1 manual
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for RegFilter
2020-11-05T21:12:52.074+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for RegFilter
2020-11-05T21:12:52.074+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RemoteAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-05T21:12:52.128+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RemoteRegistry'[%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-05T21:12:52.175+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
```

```
'RmSvc' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:52.212+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RpcEptMapper' [%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-05T21:12:52.212+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-05T21:12:52.212+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RpcLocator' [%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-05T21:12:52.244+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RpcSs' [%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-05T21:12:52.244+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'RSOProv' [%SystemRoot%\system32\RSOProv.exe]/manual depends: RPCSS
2020-11-05T21:12:52.244+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver rspndr autoStart
2020-11-05T21:12:52.244+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver s3cap manual
2020-11-05T21:12:52.244+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sacdrv bootStart
2020-11-05T21:12:52.244+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'sacsrv' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:52.275+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SamSs' [%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-05T21:12:52.375+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'SAVAdminService' ["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SAVAdminService.exe"]/autoStart
depends: <none>
2020-11-05T21:12:52.375+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SAVOnAccess systemStart
2020-11-05T21:12:52.375+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'SAVService' ["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:
RPCSS
2020-11-05T21:12:52.375+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sbp2port bootStart
2020-11-05T21:12:52.375+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SCardSvr' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-05T21:12:52.429+01:00 info vmware-converter-worker[06244]
```

[Originator@6876 sub=task-2] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:52.475+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver scfilter manual
2020-11-05T21:12:52.475+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver scmbus bootStart
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver scmdisk0101 manual
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sdbus manual
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sdcfilter manual
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sdstor manual
2020-11-05T21:12:52.560+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-05T21:12:52.598+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SENS'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-05T21:12:52.629+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SensorDataService'[%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-05T21:12:52.729+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SensorService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:52.814+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SensrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-05T21:12:52.845+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SerCx manual
2020-11-05T21:12:52.845+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SerCx2 manual
2020-11-05T21:12:52.845+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Serenum manual

2020-11-05T21:12:52.845+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Serial manual
2020-11-05T21:12:52.845+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sermouse manual
2020-11-05T21:12:52.845+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-05T21:12:52.930+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver sfloppy manual
2020-11-05T21:12:52.930+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-05T21:12:53.015+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-05T21:12:53.099+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SiSRaid2 bootStart
2020-11-05T21:12:53.099+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SiSRaid4 bootStart
2020-11-05T21:12:53.099+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver smbdirect manual
2020-11-05T21:12:53.099+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-05T21:12:53.131+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-05T21:12:53.131+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-05T21:12:53.131+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Sophos ELAM bootStart
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Found device driver Sophos Endpoint Defense bootStart
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Sophos Endpoint Defense Service'["C:\Program Files\Sophos\Endpoint Defense\SEDSservice.exe"]/autoStart depends: <none>
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Sophos Message Router'["C:\Program Files (x86)\Sophos\Remote Management System\RouterNT.exe" -service -name Router -ORBListenEndpoints iioport://8193/ssl_port=8194]/autoStart depends: <none>
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Sophos System Protection Service'["C:\Program Files\Sophos\Endpoint Defense\SSPSservice.exe"]/autoStart depends: <none>
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Sophos Web Control Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web Control\swc_service.exe"]/autoStart depends: RPCSS
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SophosBootDriver disabled
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver spaceport bootStart
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver SpbCx manual
2020-11-05T21:12:53.177+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends: RPCSS;http
2020-11-05T21:12:53.231+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-05T21:12:53.447+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver srv autoStart
2020-11-05T21:12:53.447+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver srv2 manual
2020-11-05T21:12:53.447+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver srvnet manual
2020-11-05T21:12:53.447+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'SSDPSRV'[%SystemRoot%\system32\svchost.exe -k LocalServiceAndNoImpersonation]/disabled depends: HTTP
2020-11-05T21:12:53.516+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'SstpSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual depends: <none>
2020-11-05T21:12:53.563+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

'StateRepository' [%SystemRoot%\system32\svchost.exe -k appmodel]/manual depends: rpcss

2020-11-05T21:12:53.663+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver stexstor bootStart

2020-11-05T21:12:53.663+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

'stisvc' [%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs

2020-11-05T21:12:53.764+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver storahci bootStart

2020-11-05T21:12:53.764+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver storflt bootStart

2020-11-05T21:12:53.764+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver stornvme bootStart

2020-11-05T21:12:53.764+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver storqosflt autoStart

2020-11-05T21:12:53.764+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

'StorSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-05T21:12:53.848+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver storufs bootStart

2020-11-05T21:12:53.848+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver storvsc bootStart

2020-11-05T21:12:53.848+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

'svsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-05T21:12:53.879+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver swenum manual

2020-11-05T21:12:53.879+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver swi_callout systemStart

2020-11-05T21:12:53.879+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'swi_filter' ["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web

Intelligence\swi_filter.exe"]/autoStart depends: swi_callout

2020-11-05T21:12:53.879+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'swi_service' ["C:\Program

Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_service.exe"]/autoStart depends: <none>

2020-11-05T21:12:53.879+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

'swprv' [%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS

2020-11-05T21:12:53.917+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Synth3dVsc manual

2020-11-05T21:12:53.917+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service

'SysMain' [%systemroot%\system32\svchost.exe -k

LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-05T21:12:54.002+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-05T21:12:54.002+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-05T21:12:54.002+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:54.049+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-05T21:12:54.102+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Tcpip bootStart
2020-11-05T21:12:54.102+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Tcpip6 manual
2020-11-05T21:12:54.102+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-05T21:12:54.102+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-05T21:12:54.102+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver tcpipreg autoStart
2020-11-05T21:12:54.102+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for TCPIPTUNNEL
2020-11-05T21:12:54.102+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-05T21:12:54.102+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver tdx systemStart
2020-11-05T21:12:54.102+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver terminpt manual
2020-11-05T21:12:54.102+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TermService'[%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-05T21:12:54.202+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Themes'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-05T21:12:54.234+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TieringEngineService'[%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-05T21:12:54.265+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service


```
'tiledatamodelsvc'[%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-05T21:12:54.350+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TimeBrokerSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:54.350+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-05T21:12:54.350+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver TPM manual
2020-11-05T21:12:54.350+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TrkWks'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:54.381+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'TrustedInstaller'[%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-05T21:12:54.450+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for TSDDD
2020-11-05T21:12:54.450+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for TSDDD
2020-11-05T21:12:54.450+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver TsUsbFlt manual
2020-11-05T21:12:54.450+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver TsUsbGD manual
2020-11-05T21:12:54.450+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver tsusbhub manual
2020-11-05T21:12:54.450+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver tunnel manual
2020-11-05T21:12:54.450+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'tzautoupdate'[%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-05T21:12:54.481+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UALSVC'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UASPStor manual
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UcmCx0101 manual
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UcmTcpciCx0101 manual
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UcmUcsi manual
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Ucx01000 manual
```

2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UdeCx manual
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver udfs disabled
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UEFI manual
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UevAgentDriver disabled
2020-11-05T21:12:54.534+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UevAgentService' [%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-05T21:12:54.619+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Ufx01000 manual
2020-11-05T21:12:54.619+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UfxChipidea manual
2020-11-05T21:12:54.619+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ufxsynopsys manual
2020-11-05T21:12:54.619+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for UGatherer
2020-11-05T21:12:54.619+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for UGatherer
2020-11-05T21:12:54.619+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for UGTHRSVC
2020-11-05T21:12:54.619+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for UGTHRSVC
2020-11-05T21:12:54.619+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UI0Detect' [%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-05T21:12:54.650+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver umbus manual
2020-11-05T21:12:54.650+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UmPass manual
2020-11-05T21:12:54.650+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UmRdpService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-05T21:12:54.719+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UnistoreSvc' [%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-05T21:12:54.719+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'upnphost' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UrsChipidea manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UrsCx01000 manual

```
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver UrsSynopsys manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbccgp manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbehci manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbhub manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver USBHUB3 manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbohci manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbprint manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbser manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver USBSTOR manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver usbuhci manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver USBXHCI manual
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-05T21:12:54.798+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-05T21:12:54.851+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'UsSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:12:54.935+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-05T21:12:54.982+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vdrvroot bootStart
2020-11-05T21:12:54.982+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver VerifierExt manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'VGAAuthService' ["C:\Program
Files\VMware\VMware Tools\VMware VGAAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
```

```
[Originator@6876 sub=task-2] Found device driver vhdmp manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vhf manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vm3dmp manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vm3dmp-debug manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vm3dmp-stats manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vm3dmp_loader manual
2020-11-05T21:12:55.067+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vm3dservice' [%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-05T21:12:55.083+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000006000000\Windows\system32\oem7.inf
2020-11-05T21:12:55.083+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vmbus bootStart
2020-11-05T21:12:55.083+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver VMBusHID manual
2020-11-05T21:12:55.083+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vmci bootStart
2020-11-05T21:12:55.083+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vmgid manual
2020-11-05T21:12:55.083+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmicguestinterface' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:55.152+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmicheartbeat' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-05T21:12:55.152+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmickvpexchange' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:55.152+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmicrdv' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmicshutdown' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
```

```
'vmictimesync'[%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver VMMemCtl autoStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vmmouse manual
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vmusbmouse manual
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-05T21:12:55.236+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for vmwefifw
2020-11-05T21:12:55.236+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for vmwefifw
2020-11-05T21:12:55.236+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-05T21:12:55.236+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver volmgr bootStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver volmgrx bootStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver volsnap bootStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver volume bootStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vpci manual
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vsmraid bootStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vsock bootStart
2020-11-05T21:12:55.236+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
```

2020-11-05T21:12:55.368+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver VSTXRAID bootStart
2020-11-05T21:12:55.368+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver vwifibus manual
2020-11-05T21:12:55.368+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-05T21:12:55.437+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WacomPen manual
2020-11-05T21:12:55.437+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-05T21:12:55.537+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver wanarp autoStart
2020-11-05T21:12:55.537+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver wanarpv6 manual
2020-11-05T21:12:55.537+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-05T21:12:55.622+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver wcifs autoStart
2020-11-05T21:12:55.622+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-05T21:12:55.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for wcnscvc
2020-11-05T21:12:55.669+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for wcnscvc
2020-11-05T21:12:55.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver wcnfs manual
2020-11-05T21:12:55.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WdBoot bootStart
2020-11-05T21:12:55.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Wdf01000 bootStart
2020-11-05T21:12:55.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WdFilter bootStart
2020-11-05T21:12:55.669+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-05T21:12:55.706+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-05T21:12:55.706+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Found device driver WdNisDrv manual
2020-11-05T21:12:55.706+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WdNisSvc' ["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-05T21:12:55.753+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Wecsvc' [%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-05T21:12:55.807+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WEPHOSTSVC' [%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-05T21:12:55.822+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'wercplsupport' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-05T21:12:55.869+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WerSvc' [%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-05T21:12:55.907+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WFPLWFS bootStart
2020-11-05T21:12:55.907+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WiaRpc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:55.954+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WIMMount manual
2020-11-05T21:12:55.954+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WinDefend' ["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-05T21:12:55.954+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-05T21:12:55.954+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for Windows Workflow
Foundation 4.0.0.0
2020-11-05T21:12:55.954+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WindowsTrustedRT
bootStart
2020-11-05T21:12:55.954+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-05T21:12:55.954+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp

```
2020-11-05T21:12:56.039+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WinMad manual
2020-11-05T21:12:56.039+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'Winmgmt'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-05T21:12:56.170+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WinNat manual
2020-11-05T21:12:56.170+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WinRM'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-05T21:12:56.254+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for Winsock
2020-11-05T21:12:56.254+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for Winsock
2020-11-05T21:12:56.254+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for WinSock2
2020-11-05T21:12:56.254+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for WinSock2
2020-11-05T21:12:56.254+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WINUSB manual
2020-11-05T21:12:56.254+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WinVerbs manual
2020-11-05T21:12:56.254+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'wisvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:12:56.323+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for WlanSvc
2020-11-05T21:12:56.323+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for WlanSvc
2020-11-05T21:12:56.323+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'wlidsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-05T21:12:56.439+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WmiAcpi manual
2020-11-05T21:12:56.439+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for WmiApRp1
2020-11-05T21:12:56.439+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for WmiApRp1
2020-11-05T21:12:56.439+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'wmiApSrv'[%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-05T21:12:56.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver Wof bootStart
2020-11-05T21:12:56.508+01:00 warning vmware-converter-worker[06244]
```


[Originator@6876 sub=task-2] Error 2 reading 'startType' for workerdd
2020-11-05T21:12:56.508+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for workerdd
2020-11-05T21:12:56.508+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WPDBusEnum' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-05T21:12:56.540+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WpdUpFiltr manual
2020-11-05T21:12:56.540+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WpnService' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-05T21:12:56.602+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WpnUserService' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-05T21:12:56.609+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver ws2ifsl systemStart
2020-11-05T21:12:56.609+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'WSearch' [%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-05T21:12:56.671+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-05T21:12:56.671+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for WSearchIdxPi
2020-11-05T21:12:56.671+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'wuauserv' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-05T21:12:56.787+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WudfPf manual
2020-11-05T21:12:56.787+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver WUDFRd manual
2020-11-05T21:12:56.787+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'wudfsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-05T21:12:56.825+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'XblAuthManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-05T21:12:56.903+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found service
'XblGameSave' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-05T21:12:56.956+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] Found device driver xboxgip manual
2020-11-05T21:12:56.956+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Found device driver xinputhid manual
2020-11-05T21:12:56.956+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for xmlprov
2020-11-05T21:12:56.956+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for xmlprov
2020-11-05T21:12:56.956+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-05T21:12:56.956+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-05T21:12:56.956+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'startType' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-05T21:12:56.956+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Error 2 reading 'Type' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-05T21:12:56.972+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Unloaded hive mntApi10376341030847920
2020-11-05T21:12:56.972+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-05T21:12:57.057+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi245.
2020-11-05T21:12:59.595+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi245\SOFTWARE is
loaded under the name mntApi22094670530847920
2020-11-05T21:12:59.595+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi22094670530847920\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:12:59.595+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:12:59.595+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:12:59.595+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-05T21:12:59.595+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-05T21:12:59.617+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi223.
2020-11-05T21:13:00.052+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive

C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi223\SYSTEM is loaded under the name mntApi24655557430847920
2020-11-05T21:13:00.052+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=Default] ERROR: Error reading from mntApi24655557430847920\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:13:00.052+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-05T21:13:00.092+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] Unloaded hive mntApi24655557430847920
2020-11-05T21:13:00.092+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:13:00.100+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] Unloaded hive mntApi22094670530847920
2020-11-05T21:13:00.112+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:13:00.122+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi61.
2020-11-05T21:13:00.457+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi61\SYSTEM is loaded under the name mntApi25160549030847920
2020-11-05T21:13:00.504+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] Unloaded hive mntApi25160549030847920
2020-11-05T21:13:00.504+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:13:00.504+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=task-2] [PopulateVolumeMountPoints] Failed to get mountpoints for volume :1307/710000010000000000: 4146 (type = 2, code=259)
2020-11-05T21:13:00.589+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi1.
2020-11-05T21:13:03.149+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi1\SOFTWARE is loaded under the name mntApi25627000730847920
2020-11-05T21:13:03.149+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi25627000730847920\Microsoft\Windows NT\CurrentVersion
2020-11-05T21:13:03.149+01:00 warning vmware-converter-worker[06244] [Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-05T21:13:03.149+01:00 info vmware-converter-worker[06244] [Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-05T21:13:03.149+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-05T21:13:03.149+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-05T21:13:03.165+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi157.
2020-11-05T21:13:03.554+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi157\SYSTEM is loaded under the name mntApi28203199530847920
2020-11-05T21:13:03.554+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi28203199530847920\ControlSet001\Services\vmxnet - 2.
2020-11-05T21:13:03.554+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-05T21:13:03.653+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Unloaded hive mntApi28203199530847920
2020-11-05T21:13:03.653+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:13:03.653+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Unloaded hive mntApi25627000730847920
2020-11-05T21:13:03.668+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:13:03.684+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23.
2020-11-05T21:13:04.016+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23\SYSTEM is loaded under the name mntApi28722033430847920
2020-11-05T21:13:04.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Unloaded hive mntApi28722033430847920
2020-11-05T21:13:04.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-05T21:13:04.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [LogMessagesForQA] MNTAPI OS Info: Microsoft Windows Server 2016 Datacenter edition: Server root: Windows Service Pack: 0 Ver: 6.3
2020-11-05T21:13:04.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [LogMessagesForQA] snapshot type: <none>, OS resides on partition 2 disk path \\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-05T21:13:04.069+01:00 info vmware-converter-worker[06244]

[Originator@6876 sub=task-2] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-05T21:13:04.069+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Create SingleDiskCloneTask subtask with
disk capacity 42949672960 bytes contribution 100
2020-11-05T21:13:04.148+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] H2MDiskCloneMgr: Estimated bytes to read =
42949672960
2020-11-05T21:13:04.148+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] H2MDiskCloneMgr: Estimated bytes to write =
42949672960
2020-11-05T21:13:04.148+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] H2MDiskCloneMgr: estimated time to clone
disk in seconds = 4995
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CloneTask::InitializeTargetComputer
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Not a Windows P2V. Skipping reconfig data
writing.
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): <unknown>
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [BaseDiskSetComputer::OpenDiskSet] Will use
open retries count 3
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: updating nfc port as
902
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-05T21:13:04.154+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 05 43 ae 56
84 8c 35-c3 44 3c 1c 1c 9b cc 7f
2020-11-05T21:13:05.375+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table
2020-11-05T21:13:05.375+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-05T21:13:05.375+01:00 warning vmware-converter-worker[06244]

```
[Originator@6876 sub=task-2] [MoveActiveDiskIfNeeded] GetFirstBootDisk
failed, mntapi error: 176
2020-11-05T21:13:06.027+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-05T21:13:06.027+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-05T21:13:06.027+01:00 warning vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [PopulateCapabilities] Volume-based cloning
was disabled due to: <no volumes are recognized>
2020-11-05T21:13:06.027+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [LogMessagesForQA] System volume is not
detected.
2020-11-05T21:13:06.027+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] [BaseComputerImpl::Open] Config file:
[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx
2020-11-05T21:13:06.027+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 0, xfer rate (Bps): <unknown>
2020-11-05T21:13:06.027+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CompositeTask::DoRun using 1 parallel
connections for 1 tasks
2020-11-05T21:13:06.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 0, xfer rate (Bps): <unknown>
2020-11-05T21:13:06.080+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Source logical geometry not found in DDB.
Guessing from MBR: cyl: 5221 heads: 255 sectors: 63
2020-11-05T21:13:06.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Connecting to host 192.168.1.5 on port 443
2020-11-05T21:13:06.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] localVersion is: vim.version.version10
2020-11-05T21:13:06.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Remote version is: unrecognized
2020-11-05T21:13:06.096+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Authenticating user CLEMESSY\Administrateur
2020-11-05T21:13:06.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] updating nfc hostname as
srvclyesx01.clemessy.loc
2020-11-05T21:13:06.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] updating nfc ssl thumbprint as
8C:D5:A2:AC:42:57:0A:2E:32:70:04:A2:CF:3F:00:C6:57:1B:84:20 from ticket
2020-11-05T21:13:06.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] updating nfc port as 902
-->
2020-11-05T21:13:06.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] establishing nfc connection to host
srvclyesx01.clemessy.loc port 902
```

2020-11-05T21:13:06.723+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Sysimgbase_Nfc_PutFile source disk:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk,
target disk [DATASTORE1] SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1\SRV-NHFAD1.vmdk
updates, state: 1, percentage: 0, xfer rate (Bps): 60552196
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 0, xfer rate (Bps): 60552196
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): 60552196
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1\SRV-NHFAD1.vmdk
updates, state: 1, percentage: 1, xfer rate (Bps): 60552196
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 1, xfer rate (Bps): 60552196
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 60552196
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): <unknown>
2020-11-05T21:13:13.816+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): 60552192
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1\SRV-NHFAD1.vmdk
updates, state: 1, percentage: 1, xfer rate (Bps): 60749183
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 1, xfer rate (Bps): 60749183
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 60749183
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1\SRV-NHFAD1.vmdk
updates, state: 1, percentage: 2, xfer rate (Bps): 60749183
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 2, xfer rate (Bps): 60749183
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 60749183
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 60552192
2020-11-05T21:13:20.863+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 60748800
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 2, xfer rate (Bps): 57289146
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 2, xfer rate (Bps): 57289146
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 57289146
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 3, xfer rate (Bps): 57289146
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 3, xfer rate (Bps): 57289146
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 57289146
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 60748800
2020-11-05T21:13:29.215+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 57288704
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 3, xfer rate (Bps): 58952265
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 3, xfer rate (Bps): 58952265
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 3,

xfer rate (Bps): 58952265
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 4, xfer rate (Bps): 58952265
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 4, xfer rate (Bps): 58952265
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 58952265
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 57288704
2020-11-05T21:13:35.865+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 58951680
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 4, xfer rate (Bps): 62548674
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 4, xfer rate (Bps): 62548674
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 62548674
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 5, xfer rate (Bps): 62548674
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 5, xfer rate (Bps): 62548674
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 62548674
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 58951680
2020-11-05T21:13:41.056+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 62547968
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-

NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 5, xfer rate (Bps): 62985295
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 5, xfer rate (Bps): 62985295
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 62985295
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 6, xfer rate (Bps): 62985295
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 6, xfer rate (Bps): 62985295
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 62985295
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 62547968
2020-11-05T21:13:47.637+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 62985216
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 6, xfer rate (Bps): 63322249
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 6, xfer rate (Bps): 63322249
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 63322249
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 7, xfer rate (Bps): 63322249
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 7, xfer rate (Bps): 63322249
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 7,
xfer rate (Bps): 63322249
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,

percentage: 7, xfer rate (Bps): 62985216
2020-11-05T21:13:54.202+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 7, xfer rate (Bps): 63322112
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 7, xfer rate (Bps): 62129971
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 7, xfer rate (Bps): 62129971
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 7,
xfer rate (Bps): 62129971
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 8, xfer rate (Bps): 62129971
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 8, xfer rate (Bps): 62129971
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 62129971
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 63322112
2020-11-05T21:14:02.027+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 62129152
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 8, xfer rate (Bps): 61013836
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 8, xfer rate (Bps): 61013836
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 61013836
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 61013836
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 9, xfer rate (Bps): 61013836
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 9,
xfer rate (Bps): 61013836
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 62129152
2020-11-05T21:14:10.077+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 61012992
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 61094840
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 9, xfer rate (Bps): 61094840
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 9,
xfer rate (Bps): 61094840
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 10, xfer rate (Bps): 61094840
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 10, xfer rate (Bps): 61094840
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
10, xfer rate (Bps): 61094840
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 10, xfer rate (Bps): 61012992
2020-11-05T21:14:17.023+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 10, xfer rate (Bps): 61093888
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 10, xfer rate (Bps): 61552524
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 10, xfer rate (Bps): 61552524
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:

10, xfer rate (Bps): 61552524
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 11, xfer rate (Bps): 61552524
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 11, xfer rate (Bps): 61552524
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
11, xfer rate (Bps): 61552524
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 11, xfer rate (Bps): 61093888
2020-11-05T21:14:23.478+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 11, xfer rate (Bps): 61551616
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 11, xfer rate (Bps): 60917921
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 11, xfer rate (Bps): 60917921
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
11, xfer rate (Bps): 60917921
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 12, xfer rate (Bps): 60917921
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 12, xfer rate (Bps): 60917921
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
12, xfer rate (Bps): 60917921
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 12, xfer rate (Bps): 61551616
2020-11-05T21:14:31.328+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 12, xfer rate (Bps): 60917760
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-

NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 12, xfer rate (Bps): 60615961
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 12, xfer rate (Bps): 60615961
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
12, xfer rate (Bps): 60615961
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 13, xfer rate (Bps): 60615961
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 13, xfer rate (Bps): 60615961
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
13, xfer rate (Bps): 60615961
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 13, xfer rate (Bps): 60917760
2020-11-05T21:14:38.835+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 13, xfer rate (Bps): 60615680
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 13, xfer rate (Bps): 60546099
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 13, xfer rate (Bps): 60546099
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
13, xfer rate (Bps): 60546099
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 14, xfer rate (Bps): 60546099
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 14, xfer rate (Bps): 60546099
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
14, xfer rate (Bps): 60546099
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,

percentage: 14, xfer rate (Bps): 60615680
2020-11-05T21:14:46.035+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 14, xfer rate (Bps): 60546048
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 14, xfer rate (Bps): 58835168
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 14, xfer rate (Bps): 58835168
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
14, xfer rate (Bps): 58835168
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 15, xfer rate (Bps): 58835168
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 15, xfer rate (Bps): 58835168
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 58835168
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 60546048
2020-11-05T21:14:56.223+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 58834944
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 15, xfer rate (Bps): 58967441
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 15, xfer rate (Bps): 58967441
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 58967441
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 16, xfer rate (Bps): 58967441
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 16, xfer rate (Bps): 58967441
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 58967441
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 58834944
2020-11-05T21:15:03.261+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 58967040
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 16, xfer rate (Bps): 56695275
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 16, xfer rate (Bps): 56695275
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 56695275
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 17, xfer rate (Bps): 56695275
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 17, xfer rate (Bps): 56695275
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
17, xfer rate (Bps): 56695275
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 58967040
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 56694784
2020-11-05T21:15:15.507+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 17, xfer rate (Bps): 56641495
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 17, xfer rate (Bps): 56641495

2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
17, xfer rate (Bps): 56641495
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 18, xfer rate (Bps): 56641495
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 18, xfer rate (Bps): 56641495
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 56641495
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 18, xfer rate (Bps): 56694784
2020-11-05T21:15:23.213+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 18, xfer rate (Bps): 56640512
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 18, xfer rate (Bps): 56824000
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 18, xfer rate (Bps): 56824000
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 56824000
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 19, xfer rate (Bps): 56824000
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 19, xfer rate (Bps): 56824000
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
19, xfer rate (Bps): 56824000
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 19, xfer rate (Bps): 56640512
2020-11-05T21:15:30.332+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 19, xfer rate (Bps): 56823808
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 19, xfer rate (Bps): 57126841
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 19, xfer rate (Bps): 57126841
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 19, xfer rate (Bps): 57126841
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 20, xfer rate (Bps): 57126841
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 20, xfer rate (Bps): 57126841
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 57126841
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 56823808
2020-11-05T21:15:37.089+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 57125888
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 20, xfer rate (Bps): 56411286
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 20, xfer rate (Bps): 56411286
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 56411286
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 21, xfer rate (Bps): 56411286
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 21, xfer rate (Bps): 56411286
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 56411286

2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 21, xfer rate (Bps): 57125888
2020-11-05T21:15:46.611+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 21, xfer rate (Bps): 56411136
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 21, xfer rate (Bps): 56619057
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 21, xfer rate (Bps): 56619057
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
21, xfer rate (Bps): 56619057
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 22, xfer rate (Bps): 56619057
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 22, xfer rate (Bps): 56619057
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 56619057
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 56411136
2020-11-05T21:15:53.609+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 56619008
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 22, xfer rate (Bps): 57255609
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 22, xfer rate (Bps): 57255609
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 57255609
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 23, xfer rate (Bps): 57255609
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 23, xfer rate (Bps): 57255609
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
23, xfer rate (Bps): 57255609
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 23, xfer rate (Bps): 56619008
2020-11-05T21:15:59.255+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 23, xfer rate (Bps): 57254912
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 23, xfer rate (Bps): 57444628
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 23, xfer rate (Bps): 57444628
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
23, xfer rate (Bps): 57444628
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 24, xfer rate (Bps): 57444628
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 24, xfer rate (Bps): 57444628
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
24, xfer rate (Bps): 57444628
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 24, xfer rate (Bps): 57254912
2020-11-05T21:16:06.164+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 24, xfer rate (Bps): 57444352
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 24, xfer rate (Bps): 57416987
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 24, xfer rate (Bps): 57416987

2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
24, xfer rate (Bps): 57416987
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 26, xfer rate (Bps): 57416987
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 26, xfer rate (Bps): 57416987
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 57416987
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 26, xfer rate (Bps): 57444352
2020-11-05T21:16:21.211+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 26, xfer rate (Bps): 57416704
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 26, xfer rate (Bps): 58522809
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 26, xfer rate (Bps): 58522809
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 58522809
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 27, xfer rate (Bps): 58522809
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 27, xfer rate (Bps): 58522809
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
27, xfer rate (Bps): 58522809
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 57416704
2020-11-05T21:16:24.876+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 58522624
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 27, xfer rate (Bps): 59792016
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 27, xfer rate (Bps): 59792016
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 27, xfer rate (Bps): 59792016
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 28, xfer rate (Bps): 59792016
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 28, xfer rate (Bps): 59792016
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 28, xfer rate (Bps): 59792016
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 28, xfer rate (Bps): 58522624
2020-11-05T21:16:27.852+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 28, xfer rate (Bps): 59791360
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 28, xfer rate (Bps): 59372805
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 28, xfer rate (Bps): 59372805
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 28, xfer rate (Bps): 59372805
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 29, xfer rate (Bps): 59372805
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 29, xfer rate (Bps): 59372805
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 29, xfer rate (Bps): 59372805

2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 29, xfer rate (Bps): 59791360
2020-11-05T21:16:36.506+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 29, xfer rate (Bps): 59372544
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 29, xfer rate (Bps): 59288358
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 29, xfer rate (Bps): 59288358
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
29, xfer rate (Bps): 59288358
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 30, xfer rate (Bps): 59288358
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 30, xfer rate (Bps): 59288358
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
30, xfer rate (Bps): 59288358
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 30, xfer rate (Bps): 59372544
2020-11-05T21:16:44.049+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 30, xfer rate (Bps): 59287552
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 30, xfer rate (Bps): 59688960
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 30, xfer rate (Bps): 59688960
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
30, xfer rate (Bps): 59688960
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 31, xfer rate (Bps): 59688960
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 31, xfer rate (Bps): 59688960
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
31, xfer rate (Bps): 59688960
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 31, xfer rate (Bps): 59287552
2020-11-05T21:16:49.786+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 31, xfer rate (Bps): 59688960
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 31, xfer rate (Bps): 59274397
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 31, xfer rate (Bps): 59274397
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
31, xfer rate (Bps): 59274397
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 32, xfer rate (Bps): 59274397
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 32, xfer rate (Bps): 59274397
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
32, xfer rate (Bps): 59274397
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 32, xfer rate (Bps): 59688960
2020-11-05T21:16:58.593+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 32, xfer rate (Bps): 59274240
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 32, xfer rate (Bps): 59460437
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 32, xfer rate (Bps): 59460437

2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
32, xfer rate (Bps): 59460437
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 34, xfer rate (Bps): 59460437
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 34, xfer rate (Bps): 59460437
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
34, xfer rate (Bps): 59460437
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 34, xfer rate (Bps): 59274240
2020-11-05T21:17:12.313+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 34, xfer rate (Bps): 59459584
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 34, xfer rate (Bps): 60565858
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 34, xfer rate (Bps): 60565858
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
34, xfer rate (Bps): 60565858
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 35, xfer rate (Bps): 60565858
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 35, xfer rate (Bps): 60565858
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
35, xfer rate (Bps): 60565858
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 35, xfer rate (Bps): 59459584
2020-11-05T21:17:14.922+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 35, xfer rate (Bps): 60565504
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 35, xfer rate (Bps): 61427609
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 35, xfer rate (Bps): 61427609
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 35, xfer rate (Bps): 61427609
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 36, xfer rate (Bps): 61427609
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 36, xfer rate (Bps): 61427609
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 36, xfer rate (Bps): 61427609
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 36, xfer rate (Bps): 60565504
2020-11-05T21:17:18.432+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 36, xfer rate (Bps): 61426688
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 36, xfer rate (Bps): 61714572
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 36, xfer rate (Bps): 61714572
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 36, xfer rate (Bps): 61714572
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 37, xfer rate (Bps): 61714572
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 37, xfer rate (Bps): 61714572
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 37, xfer rate (Bps): 61714572

2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 37, xfer rate (Bps): 61426688
2020-11-05T21:17:24.222+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 37, xfer rate (Bps): 61714432
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 37, xfer rate (Bps): 61685743
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 37, xfer rate (Bps): 61685743
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
37, xfer rate (Bps): 61685743
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 38, xfer rate (Bps): 61685743
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 38, xfer rate (Bps): 61685743
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
38, xfer rate (Bps): 61685743
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 38, xfer rate (Bps): 61714432
2020-11-05T21:17:31.304+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 38, xfer rate (Bps): 61684736
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 38, xfer rate (Bps): 61660460
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 38, xfer rate (Bps): 61660460
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
38, xfer rate (Bps): 61660460
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 39, xfer rate (Bps): 61660460
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 39, xfer rate (Bps): 61660460
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
39, xfer rate (Bps): 61660460
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 39, xfer rate (Bps): 61684736
2020-11-05T21:17:38.378+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 39, xfer rate (Bps): 61660160
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 39, xfer rate (Bps): 61829005
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 39, xfer rate (Bps): 61829005
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
39, xfer rate (Bps): 61829005
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 40, xfer rate (Bps): 61829005
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 40, xfer rate (Bps): 61829005
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
40, xfer rate (Bps): 61829005
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 40, xfer rate (Bps): 61660160
2020-11-05T21:17:44.584+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 40, xfer rate (Bps): 61828096
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 40, xfer rate (Bps): 61664568
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 40, xfer rate (Bps): 61664568

2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
40, xfer rate (Bps): 61664568
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 41, xfer rate (Bps): 61664568
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 41, xfer rate (Bps): 61664568
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
41, xfer rate (Bps): 61664568
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 41, xfer rate (Bps): 61828096
2020-11-05T21:17:52.290+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 41, xfer rate (Bps): 61664256
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 41, xfer rate (Bps): 61665422
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 41, xfer rate (Bps): 61665422
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
41, xfer rate (Bps): 61665422
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 42, xfer rate (Bps): 61665422
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 42, xfer rate (Bps): 61665422
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
42, xfer rate (Bps): 61665422
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 42, xfer rate (Bps): 61664256
2020-11-05T21:17:59.252+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 42, xfer rate (Bps): 61665280
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 42, xfer rate (Bps): 61589529
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 42, xfer rate (Bps): 61589529
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 42, xfer rate (Bps): 61589529
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 43, xfer rate (Bps): 61589529
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 43, xfer rate (Bps): 61589529
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 43, xfer rate (Bps): 61589529
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 43, xfer rate (Bps): 61665280
2020-11-05T21:18:06.585+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 43, xfer rate (Bps): 61589504
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 43, xfer rate (Bps): 61571977
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 43, xfer rate (Bps): 61571977
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 43, xfer rate (Bps): 61571977
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 44, xfer rate (Bps): 61571977
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 44, xfer rate (Bps): 61571977
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 44, xfer rate (Bps): 61571977

2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 44, xfer rate (Bps): 61589504
2020-11-05T21:18:13.646+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 44, xfer rate (Bps): 61571072
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 44, xfer rate (Bps): 61609961
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 44, xfer rate (Bps): 61609961
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
44, xfer rate (Bps): 61609961
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 45, xfer rate (Bps): 61609961
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 45, xfer rate (Bps): 61609961
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
45, xfer rate (Bps): 61609961
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 45, xfer rate (Bps): 61571072
2020-11-05T21:18:20.428+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 45, xfer rate (Bps): 61608960
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 45, xfer rate (Bps): 61769688
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 45, xfer rate (Bps): 61769688
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
45, xfer rate (Bps): 61769688
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 46, xfer rate (Bps): 61769688
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 46, xfer rate (Bps): 61769688
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
46, xfer rate (Bps): 61769688
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 46, xfer rate (Bps): 61608960
2020-11-05T21:18:26.570+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 46, xfer rate (Bps): 61768704
2020-11-05T21:18:34.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 46, xfer rate (Bps): 61677812
2020-11-05T21:18:34.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 46, xfer rate (Bps): 61677812
2020-11-05T21:18:34.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
46, xfer rate (Bps): 61677812
2020-11-05T21:18:34.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 47, xfer rate (Bps): 61677812
2020-11-05T21:18:34.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 47, xfer rate (Bps): 61677812
2020-11-05T21:18:34.010+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
47, xfer rate (Bps): 61677812
2020-11-05T21:18:34.026+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 47, xfer rate (Bps): 61768704
2020-11-05T21:18:34.026+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 47, xfer rate (Bps): 61677568
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 47, xfer rate (Bps): 61507332
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 47, xfer rate (Bps): 61507332

2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
47, xfer rate (Bps): 61507332
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 48, xfer rate (Bps): 61507332
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 48, xfer rate (Bps): 61507332
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
48, xfer rate (Bps): 61507332
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 48, xfer rate (Bps): 61677568
2020-11-05T21:18:41.901+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 48, xfer rate (Bps): 61506560
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 48, xfer rate (Bps): 61497240
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 48, xfer rate (Bps): 61497240
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
48, xfer rate (Bps): 61497240
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 49, xfer rate (Bps): 61497240
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 49, xfer rate (Bps): 61497240
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
49, xfer rate (Bps): 61497240
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 49, xfer rate (Bps): 61506560
2020-11-05T21:18:48.939+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 49, xfer rate (Bps): 61496320
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 49, xfer rate (Bps): 61587364
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 49, xfer rate (Bps): 61587364
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 49, xfer rate (Bps): 61587364
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 50, xfer rate (Bps): 61587364
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 50, xfer rate (Bps): 61587364
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 50, xfer rate (Bps): 61587364
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 50, xfer rate (Bps): 61496320
2020-11-05T21:18:55.412+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 50, xfer rate (Bps): 61586432
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 50, xfer rate (Bps): 61531445
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 50, xfer rate (Bps): 61531445
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 50, xfer rate (Bps): 61531445
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 51, xfer rate (Bps): 61531445
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 51, xfer rate (Bps): 61531445
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 51, xfer rate (Bps): 61531445

2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 51, xfer rate (Bps): 61586432
2020-11-05T21:19:02.709+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 51, xfer rate (Bps): 61531136
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 51, xfer rate (Bps): 61587119
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 51, xfer rate (Bps): 61587119
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
51, xfer rate (Bps): 61587119
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 52, xfer rate (Bps): 61587119
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 52, xfer rate (Bps): 61587119
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
52, xfer rate (Bps): 61587119
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 52, xfer rate (Bps): 61531136
2020-11-05T21:19:09.361+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 52, xfer rate (Bps): 61586432
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 52, xfer rate (Bps): 61560106
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 52, xfer rate (Bps): 61560106
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
52, xfer rate (Bps): 61560106
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 53, xfer rate (Bps): 61560106
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 53, xfer rate (Bps): 61560106
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
53, xfer rate (Bps): 61560106
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 53, xfer rate (Bps): 61586432
2020-11-05T21:19:16.497+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 53, xfer rate (Bps): 61559808
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 53, xfer rate (Bps): 61847924
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 53, xfer rate (Bps): 61847924
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
53, xfer rate (Bps): 61847924
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 55, xfer rate (Bps): 61847924
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 55, xfer rate (Bps): 61847924
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
55, xfer rate (Bps): 61847924
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 55, xfer rate (Bps): 61559808
2020-11-05T21:19:28.666+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 55, xfer rate (Bps): 61847552
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 55, xfer rate (Bps): 62758331
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 55, xfer rate (Bps): 62758331

2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
55, xfer rate (Bps): 62758331
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 56, xfer rate (Bps): 62758331
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 56, xfer rate (Bps): 62758331
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
56, xfer rate (Bps): 62758331
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 56, xfer rate (Bps): 61847552
2020-11-05T21:19:29.969+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 56, xfer rate (Bps): 62757888
2020-11-05T21:19:35.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 56, xfer rate (Bps): 63016099
2020-11-05T21:19:35.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 56, xfer rate (Bps): 63016099
2020-11-05T21:19:35.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
56, xfer rate (Bps): 63016099
2020-11-05T21:19:35.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 57, xfer rate (Bps): 63016099
2020-11-05T21:19:35.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 57, xfer rate (Bps): 63016099
2020-11-05T21:19:35.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
57, xfer rate (Bps): 63016099
2020-11-05T21:19:35.232+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 57, xfer rate (Bps): 62757888
2020-11-05T21:19:35.232+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 57, xfer rate (Bps): 63015936
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 57, xfer rate (Bps): 62847841
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 57, xfer rate (Bps): 62847841
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 57, xfer rate (Bps): 62847841
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 58, xfer rate (Bps): 62847841
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 58, xfer rate (Bps): 62847841
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 58, xfer rate (Bps): 62847841
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 58, xfer rate (Bps): 63015936
2020-11-05T21:19:43.091+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 58, xfer rate (Bps): 62846976
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 58, xfer rate (Bps): 63121164
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 58, xfer rate (Bps): 63121164
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 58, xfer rate (Bps): 63121164
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 59, xfer rate (Bps): 63121164
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 59, xfer rate (Bps): 63121164
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 59, xfer rate (Bps): 63121164

2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 59, xfer rate (Bps): 62846976
2020-11-05T21:19:48.178+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 59, xfer rate (Bps): 63120384
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 59, xfer rate (Bps): 63058658
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 59, xfer rate (Bps): 63058658
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
59, xfer rate (Bps): 63058658
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 60, xfer rate (Bps): 63058658
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 60, xfer rate (Bps): 63058658
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
60, xfer rate (Bps): 63058658
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 60, xfer rate (Bps): 63120384
2020-11-05T21:19:55.387+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 60, xfer rate (Bps): 63057920
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 60, xfer rate (Bps): 62895026
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 60, xfer rate (Bps): 62895026
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
60, xfer rate (Bps): 62895026
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 61, xfer rate (Bps): 62895026
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 61, xfer rate (Bps): 62895026
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
61, xfer rate (Bps): 62895026
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 61, xfer rate (Bps): 63057920
2020-11-05T21:20:03.279+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 61, xfer rate (Bps): 62894080
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 61, xfer rate (Bps): 62892914
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 61, xfer rate (Bps): 62892914
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
61, xfer rate (Bps): 62892914
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 62, xfer rate (Bps): 62892914
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 62, xfer rate (Bps): 62892914
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
62, xfer rate (Bps): 62892914
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 62, xfer rate (Bps): 62894080
2020-11-05T21:20:10.122+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 62, xfer rate (Bps): 62892032
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 62, xfer rate (Bps): 62851719
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 62, xfer rate (Bps): 62851719

2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
62, xfer rate (Bps): 62851719
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 63, xfer rate (Bps): 62851719
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 63, xfer rate (Bps): 62851719
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
63, xfer rate (Bps): 62851719
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 63, xfer rate (Bps): 62892032
2020-11-05T21:20:17.233+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 63, xfer rate (Bps): 62851072
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 63, xfer rate (Bps): 62841014
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 63, xfer rate (Bps): 62841014
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
63, xfer rate (Bps): 62841014
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 64, xfer rate (Bps): 62841014
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 64, xfer rate (Bps): 62841014
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
64, xfer rate (Bps): 62841014
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 64, xfer rate (Bps): 62851072
2020-11-05T21:20:24.141+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 64, xfer rate (Bps): 62840832
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 64, xfer rate (Bps): 62779352
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 64, xfer rate (Bps): 62779352
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 64, xfer rate (Bps): 62779352
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 65, xfer rate (Bps): 62779352
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 65, xfer rate (Bps): 62779352
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 65, xfer rate (Bps): 62779352
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 65, xfer rate (Bps): 62840832
2020-11-05T21:20:31.412+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 65, xfer rate (Bps): 62778368
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 65, xfer rate (Bps): 62813764
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 65, xfer rate (Bps): 62813764
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 65, xfer rate (Bps): 62813764
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 66, xfer rate (Bps): 62813764
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 66, xfer rate (Bps): 62813764
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 66, xfer rate (Bps): 62813764

2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 66, xfer rate (Bps): 62778368
2020-11-05T21:20:38.007+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 66, xfer rate (Bps): 62813184
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 66, xfer rate (Bps): 62629973
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 66, xfer rate (Bps): 62629973
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
66, xfer rate (Bps): 62629973
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 67, xfer rate (Bps): 62629973
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 67, xfer rate (Bps): 62629973
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
67, xfer rate (Bps): 62629973
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 67, xfer rate (Bps): 62813184
2020-11-05T21:20:46.188+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 67, xfer rate (Bps): 62629888
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 67, xfer rate (Bps): 62504533
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 67, xfer rate (Bps): 62504533
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
67, xfer rate (Bps): 62504533
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 69, xfer rate (Bps): 62504533
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 69, xfer rate (Bps): 62504533
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
69, xfer rate (Bps): 62504533
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 69, xfer rate (Bps): 62629888
2020-11-05T21:21:00.854+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 69, xfer rate (Bps): 62503936
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 69, xfer rate (Bps): 63101554
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 69, xfer rate (Bps): 63101554
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
69, xfer rate (Bps): 63101554
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 71, xfer rate (Bps): 63101554
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 71, xfer rate (Bps): 63101554
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
71, xfer rate (Bps): 63101554
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 71, xfer rate (Bps): 62503936
2020-11-05T21:21:09.980+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 71, xfer rate (Bps): 63100928
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 71, xfer rate (Bps): 63715003
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 71, xfer rate (Bps): 63715003

2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
71, xfer rate (Bps): 63715003
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 73, xfer rate (Bps): 63715003
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 73, xfer rate (Bps): 63715003
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
73, xfer rate (Bps): 63715003
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 73, xfer rate (Bps): 63100928
2020-11-05T21:21:18.809+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 73, xfer rate (Bps): 63714304
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 73, xfer rate (Bps): 64353463
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 73, xfer rate (Bps): 64353463
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
73, xfer rate (Bps): 64353463
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 75, xfer rate (Bps): 64353463
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 75, xfer rate (Bps): 64353463
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
75, xfer rate (Bps): 64353463
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 75, xfer rate (Bps): 63714304
2020-11-05T21:21:27.275+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 75, xfer rate (Bps): 64353280
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 75, xfer rate (Bps): 64933308
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 75, xfer rate (Bps): 64933308
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 75, xfer rate (Bps): 64933308
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 77, xfer rate (Bps): 64933308
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 77, xfer rate (Bps): 64933308
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 77, xfer rate (Bps): 64933308
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 77, xfer rate (Bps): 64353280
2020-11-05T21:21:36.034+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 77, xfer rate (Bps): 64932864
2020-11-05T21:21:44.117+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 77, xfer rate (Bps): 65579116
2020-11-05T21:21:44.117+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 77, xfer rate (Bps): 65579116
2020-11-05T21:21:44.117+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 77, xfer rate (Bps): 65579116
2020-11-05T21:21:44.117+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 79, xfer rate (Bps): 65579116
2020-11-05T21:21:44.117+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 79, xfer rate (Bps): 65579116
2020-11-05T21:21:44.117+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 79, xfer rate (Bps): 65579116

2020-11-05T21:21:44.132+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 79, xfer rate (Bps): 64932864
2020-11-05T21:21:44.132+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 79, xfer rate (Bps): 65579008
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 79, xfer rate (Bps): 66157593
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 79, xfer rate (Bps): 66157593
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
79, xfer rate (Bps): 66157593
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 81, xfer rate (Bps): 66157593
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 81, xfer rate (Bps): 66157593
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
81, xfer rate (Bps): 66157593
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 81, xfer rate (Bps): 65579008
2020-11-05T21:21:52.577+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 81, xfer rate (Bps): 66157568
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 81, xfer rate (Bps): 66680686
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 81, xfer rate (Bps): 66680686
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
81, xfer rate (Bps): 66680686
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 83, xfer rate (Bps): 66680686
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 83, xfer rate (Bps): 66680686
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
83, xfer rate (Bps): 66680686
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 83, xfer rate (Bps): 66157568
2020-11-05T21:22:01.335+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 83, xfer rate (Bps): 66679808
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 83, xfer rate (Bps): 67178265
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 83, xfer rate (Bps): 67178265
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
83, xfer rate (Bps): 67178265
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 85, xfer rate (Bps): 67178265
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 85, xfer rate (Bps): 67178265
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
85, xfer rate (Bps): 67178265
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 85, xfer rate (Bps): 66679808
2020-11-05T21:22:10.161+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 85, xfer rate (Bps): 67177472
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 85, xfer rate (Bps): 67609010
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 85, xfer rate (Bps): 67609010

2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
85, xfer rate (Bps): 67609010
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 87, xfer rate (Bps): 67609010
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 87, xfer rate (Bps): 67609010
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
87, xfer rate (Bps): 67609010
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 87, xfer rate (Bps): 67177472
2020-11-05T21:22:19.405+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 87, xfer rate (Bps): 67608576
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 87, xfer rate (Bps): 68156093
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 87, xfer rate (Bps): 68156093
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
87, xfer rate (Bps): 68156093
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 89, xfer rate (Bps): 68156093
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 89, xfer rate (Bps): 68156093
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
89, xfer rate (Bps): 68156093
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 89, xfer rate (Bps): 67608576
2020-11-05T21:22:27.571+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 89, xfer rate (Bps): 68155392
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 89, xfer rate (Bps): 68645731
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 89, xfer rate (Bps): 68645731
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 89, xfer rate (Bps): 68645731
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 91, xfer rate (Bps): 68645731
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 91, xfer rate (Bps): 68645731
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 91, xfer rate (Bps): 68645731
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 91, xfer rate (Bps): 68155392
2020-11-05T21:22:36.084+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1, percentage: 91, xfer rate (Bps): 68644864
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 91, xfer rate (Bps): 69085675
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 91, xfer rate (Bps): 69085675
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 91, xfer rate (Bps): 69085675
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 93, xfer rate (Bps): 69085675
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 93, xfer rate (Bps): 69085675
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage: 93, xfer rate (Bps): 69085675

2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 93, xfer rate (Bps): 68644864
2020-11-05T21:22:44.893+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 93, xfer rate (Bps): 69085184
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 93, xfer rate (Bps): 69504363
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 93, xfer rate (Bps): 69504363
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
93, xfer rate (Bps): 69504363
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 95, xfer rate (Bps): 69504363
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 95, xfer rate (Bps): 69504363
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
95, xfer rate (Bps): 69504363
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 95, xfer rate (Bps): 69085184
2020-11-05T21:22:53.768+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 95, xfer rate (Bps): 69504000
2020-11-05T21:23:03.779+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 95, xfer rate (Bps): 69777680
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 95, xfer rate (Bps): 69777680
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
95, xfer rate (Bps): 69777680
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

updates, state: 1, percentage: 97, xfer rate (Bps): 69777680
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 97, xfer rate (Bps): 69777680
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
97, xfer rate (Bps): 69777680
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 97, xfer rate (Bps): 69504000
2020-11-05T21:23:03.794+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 97, xfer rate (Bps): 69777408
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 97, xfer rate (Bps): 69946464
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 97, xfer rate (Bps): 69946464
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
97, xfer rate (Bps): 69946464
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 99, xfer rate (Bps): 69946464
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 99, xfer rate (Bps): 69946464
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
99, xfer rate (Bps): 69946464
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 99, xfer rate (Bps): 69777408
2020-11-05T21:23:14.619+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 99, xfer rate (Bps): 69946368
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 99, xfer rate (Bps): 69953227
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 99, xfer rate (Bps): 69953227

2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
99, xfer rate (Bps): 69953227
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1\SRV-NHFAD1.vmdk
updates, state: 1, percentage: 100, xfer rate (Bps): 69953227
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 100, xfer rate (Bps): 69953227
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] CloneTask updates, state: 1, percentage:
100, xfer rate (Bps): 69953227
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 100, xfer rate (Bps): 69946368
2020-11-05T21:23:20.700+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 1,
percentage: 100, xfer rate (Bps): 69952512
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNetTcpWrite: bWritten:
-1
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcFile_SendMessage: data
send failed:
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] The operation experienced
a network error -- Failed to send data message
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcSendFile: Failed to
send block track file
'\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1-ctk.v
mdk': 3
2020-11-05T21:23:21.121+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Sysimgbase_Nfc_PutFile failed in
H2MDiskCloneMgr with nfcError 'The operation experienced a network
error' (error code:3)
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] SSL: Unknown SSL Error
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNetTcpWrite: bWritten:
-1
2020-11-05T21:23:21.121+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcSendMessage: send
failed: NFC_NETWORK_ERROR
2020-11-05T21:23:21.121+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=task-2] hosted to managed disk clone failed: The
operation experienced a network error

2020-11-05T21:23:21.121+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=task-2] Disk clone failed with clone error The
operation experienced a network error
2020-11-05T21:23:21.121+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=task-2] TaskImpl has failed with
MethodFault::Exception: converter.fault.CloneFault
2020-11-05T21:23:21.121+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 4, percentage: 100, xfer rate (Bps): 69953227
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CompositeTask canceling #1 subtasks
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] TaskImpl issuing Cancel command
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 4, percentage: 100, xfer rate (Bps): 69953227
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 4, percentage: 100, xfer rate (Bps): 69953227
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CloneTask updates, state: 4, percentage:
100, xfer rate (Bps): 69953227
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] CloneTask failed
2020-11-05T21:23:21.183+01:00 error vmware-converter-worker[06244]
[Originator@6876 sub=Default] Task failed:
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[05208]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000005000000\
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06536]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:23:21.183+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000006000000\
2020-11-05T21:23:21.268+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=task-2] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:23:21.268+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=Default] Task Completed : task-2
2020-11-05T21:23:21.268+01:00 info vmware-converter-worker[06244]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:23:21.268+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Worker CloneTask updates, state: 4,

percentage: 100, xfer rate (Bps): 69952512
2020-11-05T21:23:21.268+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] TargetVmManagerImpl::DeleteVM
2020-11-05T21:23:21.268+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Reusing existing VIM connection to
192.168.1.5
2020-11-05T21:23:21.283+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Destroying vim.VirtualMachine:vm-403 on
192.168.1.5
2020-11-05T21:23:21.378+01:00 error vmware-converter-worker[09584]
[Originator@6876 sub=Default] Task failed:
2020-11-05T21:23:21.378+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=task-1] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-05T21:23:21.386+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=Default] Task Completed : task-1
2020-11-05T21:23:21.386+01:00 info vmware-converter-worker[09584]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-05T21:23:21.408+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default]
[Converter.Worker.DiagnosticManagerImpl][task-1] Generating task log
bundle.
2020-11-05T21:23:21.701+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Created log bundle "task-1-moejmrmz.zip" with size "772135" and CRC
"881619612"
2020-11-05T21:23:21.701+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Adjusted log bundle "task-1-moejmrmz.zip" with size "772135" and CRC
"881619612"
2020-11-05T21:23:21.711+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Retrieving log bundle with key "task-1-moejmrmz.zip" at offset = "0" and
max size = "772135".
2020-11-05T21:23:21.822+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Deleting log bundle with key "task-1-moejmrmz.zip"
2020-11-05T21:23:21.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Stopped impersonating in session
528bf7fb-24cd-8867-5387-7473e293a490
2020-11-05T21:23:21.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects
2020-11-05T21:23:21.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded
2020-11-05T21:31:47.285+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x01dced7c, h:-1, <pipe

```
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-05T21:32:07.326+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x01dcf01c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-05T21:43:03.541+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x01dcf32c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-05T21:43:23.578+01:00 error vmware-converter-worker[10196]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x01dcefac, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T07:27:09.651+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in
session 52c53c23-e3a9-a84a-1df8-90eeaf16a902
2020-11-07T07:27:19.593+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T07:27:19.593+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T07:27:19.593+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T07:27:19.593+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one
2020-11-07T07:27:19.594+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-07T07:27:19.594+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T07:27:19.595+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T07:27:20.567+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T07:27:20.583+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
```


2020-11-07T07:27:20.679+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512
2020-11-07T07:27:20.680+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T07:27:20.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T07:27:20.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk with signature 402064154, recognized
partitions 2
2020-11-07T07:27:20.686+01:00 info vmware-converter-worker[08068]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T07:27:21.175+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000007000000\ FS:<NTFS>
2020-11-07T07:27:21.181+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000007000000\
2020-11-07T07:27:21.181+01:00 info vmware-converter-worker[08068]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T07:27:21.181+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000007000000\
2020-11-07T07:27:21.187+01:00 info vmware-converter-worker[07852]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T07:27:21.222+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000007000000\ FS:<NTFS>
2020-11-07T07:27:21.222+01:00 info vmware-converter-worker[07852]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T07:27:21.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000007000000\
2020-11-07T07:27:21.223+01:00 info vmware-converter-worker[07844]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T07:27:21.500+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000008000000\ FS:<NTFS>
2020-11-07T07:27:22.511+01:00 info vmware-converter-worker[07844]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T07:27:22.511+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000008000000\
2020-11-07T07:27:22.512+01:00 info vmware-converter-worker[08660]
[Originator@6876 sub=ThreadPool] Thread enlisted

2020-11-07T07:27:22.555+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F71700001000000000007000000\ FS:<NTFS>
2020-11-07T07:27:22.590+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi183.
2020-11-07T07:27:22.599+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi183\BCD is loaded
under the name mntApi22066887830848207
2020-11-07T07:27:22.599+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\E
lements\12000002
2020-11-07T07:27:22.599+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\E
lements\12000002
2020-11-07T07:27:22.599+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\E
lements\12000002
2020-11-07T07:27:22.599+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\E
lements\12000002
2020-11-07T07:27:22.599+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\E
lements\26000022.
2020-11-07T07:27:22.599+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from
key
mntApi22066887830848207\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\E
lements\24000001
2020-11-07T07:27:22.600+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\E
lements\26000022.
2020-11-07T07:27:22.600+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi22066887830848207\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\E
lements\26000022.
2020-11-07T07:27:22.600+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-07T07:27:22.603+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi22066887830848207
2020-11-07T07:27:22.604+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on cleanup.
2020-11-07T07:27:22.605+01:00 info vmware-converter-worker[08320]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T07:27:22.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000008000000\ FS:<NTFS>
2020-11-07T07:27:25.898+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161.
2020-11-07T07:27:28.618+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161\SOFTWARE is
loaded under the name mntApi25375304730848207
2020-11-07T07:27:28.618+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi25375304730848207\Microsoft\Windows NT\CurrentVersion
2020-11-07T07:27:28.618+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T07:27:28.618+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T07:27:28.618+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T07:27:28.618+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T07:27:29.156+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi13.
2020-11-07T07:27:29.555+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi13\SYSTEM is
loaded under the name mntApi28632411430848207
2020-11-07T07:27:29.555+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi28632411430848207\ControlSet001\Services\vmxnet - 2.
2020-11-07T07:27:29.555+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T07:27:29.655+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi28632411430848207
2020-11-07T07:27:29.658+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T07:27:29.683+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi25375304730848207
2020-11-07T07:27:29.693+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on

cleanup.

```
2020-11-07T07:27:29.710+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi205.
2020-11-07T07:27:30.052+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi205\SYSTEM is
loaded under the name mntApi29187013630848207
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Data
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking 4.0.0.0
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking 4.0.0.0
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for Oracle
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for Oracle
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for SqlServer
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for SqlServer
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET
Memory Cache 4.0
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory
Cache 4.0
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
.NETFramework
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
```

```
[Originator@6876 sub=Default] Found device driver 1394ohci manual
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 3ware bootStart
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ADOVMPPackage
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage
2020-11-07T07:27:30.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-07T07:27:30.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-07T07:27:30.054+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-07T07:27:30.138+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-07T07:27:30.139+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-07T07:27:30.139+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:30.267+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdSata bootStart
2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdSbs bootStart
```

2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdxta bootStart
2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-07T07:27:30.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T07:27:30.364+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T07:27:30.407+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-07T07:27:30.407+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T07:27:30.465+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T07:27:30.567+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T07:27:30.638+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-07T07:27:30.638+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-07T07:27:30.638+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-07T07:27:30.638+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppXSvc' [%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T07:27:30.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver arcsas bootStart
2020-11-07T07:27:30.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AsyncMac manual
2020-11-07T07:27:30.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver atapi bootStart
2020-11-07T07:27:30.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:30.844+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k

```
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T07:27:30.906+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AxInstSV'[%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T07:27:30.953+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-07T07:27:30.953+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-07T07:27:30.953+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-07T07:27:30.953+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-07T07:27:30.953+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-07T07:27:30.953+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn manual
2020-11-07T07:27:30.953+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-07T07:27:30.954+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-07T07:27:30.954+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-07T07:27:30.954+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-07T07:27:30.954+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BFE'[%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T07:27:31.025+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BITS'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-07T07:27:31.151+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bowser manual
2020-11-07T07:27:31.151+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T07:27:31.151+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T07:27:31.151+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Browser'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/disabled
depends: LanmanWorkstation;LanmanServer
```

2020-11-07T07:27:31.209+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-07T07:27:31.209+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-07T07:27:31.209+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'bthserv'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T07:27:31.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-07T07:27:31.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-07T07:27:31.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-07T07:27:31.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-07T07:27:31.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-07T07:27:31.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T07:27:31.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPUserSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T07:27:31.446+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-07T07:27:31.446+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CertPropSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T07:27:31.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-07T07:27:31.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-07T07:27:31.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CLFS bootStart
2020-11-07T07:27:31.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ClipSVC'[%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-07T07:27:31.616+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-07T07:27:31.616+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T07:27:31.616+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for

clr_optimization_v4.0.30319_32
2020-11-07T07:27:31.616+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T07:27:31.616+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-07T07:27:31.616+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-07T07:27:31.616+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-07T07:27:31.616+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-07T07:27:31.616+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-07T07:27:31.616+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'COMSysApp' [%SystemRoot%\system32\dlhst.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-07T07:27:31.698+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-07T07:27:31.699+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-07T07:27:31.717+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-07T07:27:31.717+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-07T07:27:31.718+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-07T07:27:31.718+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-07T07:27:31.718+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T07:27:31.767+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CSC disabled
2020-11-07T07:27:31.767+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CscService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T07:27:31.856+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dam systemStart
2020-11-07T07:27:31.856+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-07T07:27:31.856+01:00 warning vmware-converter-worker[02044]

[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-07T07:27:31.856+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T07:27:32.012+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T07:27:32.032+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-07T07:27:32.118+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:32.210+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T07:27:32.302+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:32.347+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:
LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry
2020-11-07T07:27:32.426+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-07T07:27:32.426+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsDriver systemStart
2020-11-07T07:27:32.427+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS
2020-11-07T07:27:32.468+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsrRo bootStart
2020-11-07T07:27:32.468+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-07T07:27:32.562+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DHCPserver'[%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart
depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem
2020-11-07T07:27:32.682+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'diagnosticshub.standardcollector.service' [%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-07T07:27:32.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DiagTrack' [%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-07T07:27:32.839+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
DirectoryServices
2020-11-07T07:27:32.839+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
DirectoryServices
2020-11-07T07:27:32.839+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-07T07:27:32.839+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T07:27:32.952+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dmvsc manual
2020-11-07T07:27:32.952+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dmwappushservice' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T07:27:33.005+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DNS' [%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS
2020-11-07T07:27:33.123+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dnscache' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-07T07:27:33.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dot3svc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-07T07:27:33.266+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DPS' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-07T07:27:33.317+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsmSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T07:27:33.383+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsRoleSvc' [%SystemRoot%\System32\lsass.exe]/manual depends: <none>
2020-11-07T07:27:33.464+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

```
'DsSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:33.535+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DXGKrn1 manual
2020-11-07T07:27:33.535+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver eliexpress manual
2020-11-07T07:27:33.535+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Eaphost' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-07T07:27:33.576+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ebdrv bootStart
2020-11-07T07:27:33.576+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EFS' [%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-07T07:27:33.612+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorClass bootStart
2020-11-07T07:27:33.612+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart
2020-11-07T07:27:33.612+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxfcoe bootStart
2020-11-07T07:27:33.612+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxstor bootStart
2020-11-07T07:27:33.612+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-07T07:27:33.661+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T07:27:33.718+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ErrDev manual
2020-11-07T07:27:33.718+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT
2020-11-07T07:27:33.718+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT
2020-11-07T07:27:33.718+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-07T07:27:33.830+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-07T07:27:33.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver exfat manual
2020-11-07T07:27:33.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fastfat manual
```

2020-11-07T07:27:33.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fcvsc manual
2020-11-07T07:27:33.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fdc manual
2020-11-07T07:27:33.832+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-07T07:27:33.875+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T07:27:33.900+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-07T07:27:33.900+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileInfo manual
2020-11-07T07:27:33.900+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-07T07:27:33.900+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver flpydisk manual
2020-11-07T07:27:33.900+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-07T07:27:33.900+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T07:27:34.006+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T07:27:34.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-07T07:27:34.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-07T07:27:34.084+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-07T07:27:34.085+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-07T07:27:34.085+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-07T07:27:34.085+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T07:27:34.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv
systemStart
2020-11-07T07:27:34.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HDAudBus manual

2020-11-07T07:27:34.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-07T07:27:34.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-07T07:27:34.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-07T07:27:34.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'hidserv' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:34.170+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-07T07:27:34.170+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T07:27:34.170+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T07:27:34.170+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart
2020-11-07T07:27:34.170+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-07T07:27:34.170+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'HvHost' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-07T07:27:34.223+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ibbus manual
2020-11-07T07:27:34.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'icssvc' [%SystemRoot%\system32\svchost.exe -k

LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T07:27:34.313+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IKEEXT' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T07:27:34.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-07T07:27:34.400+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-07T07:27:34.400+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-07T07:27:34.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-07T07:27:34.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-07T07:27:34.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelppm manual
2020-11-07T07:27:34.400+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-07T07:27:34.400+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-07T07:27:34.400+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-07T07:27:34.401+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'iphlpSvc' [%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T07:27:34.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-07T07:27:34.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-07T07:27:34.504+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-07T07:27:34.505+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-07T07:27:34.505+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-07T07:27:34.505+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IsmServ' [%SystemRoot%\System32\ismserv.exe]/autoStart depends:
SamSS;NTDS
2020-11-07T07:27:34.564+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-07T07:27:34.564+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-07T07:27:34.564+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Kdc' [%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-07T07:27:34.663+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-07T07:27:34.663+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T07:27:34.699+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T07:27:34.734+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T07:27:34.787+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-07T07:27:34.787+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-07T07:27:34.787+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ksthunk manual
2020-11-07T07:27:34.787+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T07:27:34.788+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-07T07:27:34.866+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-07T07:27:34.936+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-07T07:27:34.936+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-07T07:27:34.936+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T07:27:34.966+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-07T07:27:35.002+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-07T07:27:35.002+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T07:27:35.036+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service


```
'lmhosts' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T07:27:35.052+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-07T07:27:35.052+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-07T07:27:35.052+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-07T07:27:35.052+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-07T07:27:35.052+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-07T07:27:35.052+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-07T07:27:35.052+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LSM' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T07:27:35.053+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-07T07:27:35.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver luafv autoStart
2020-11-07T07:27:35.053+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MapsBroker' [%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver monitor manual
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-07T07:27:35.111+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-07T07:27:35.112+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
```

2020-11-07T07:27:35.112+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T07:27:35.186+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-07T07:27:35.186+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-07T07:27:35.186+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-07T07:27:35.186+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-07T07:27:35.186+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T07:27:35.187+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T07:27:35.187+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-07T07:27:35.187+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Msfs systemStart
2020-11-07T07:27:35.187+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual
2020-11-07T07:27:35.187+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual
2020-11-07T07:27:35.187+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidumdf manual
2020-11-07T07:27:35.187+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msisadv bootStart
2020-11-07T07:27:35.187+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSiSCSI'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T07:27:35.229+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'msiserver'[%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T07:27:35.246+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLldp autoStart
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsRPC manual
2020-11-07T07:27:35.247+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T07:27:35.247+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver mssmbios systemStart
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MTConfig manual
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Mup bootStart
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mvumis bootStart
2020-11-07T07:27:35.247+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent
2020-11-07T07:27:35.247+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent
2020-11-07T07:27:35.247+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NcaSvc' [%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dncache;NSI;iphlpvc
2020-11-07T07:27:35.297+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NcbService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart
2020-11-07T07:27:35.402+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T07:27:35.402+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-07T07:27:35.402+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'Netlogon' [%systemroot%\system32\lsass.exe]/autoStart depends: LanmanWorkstation;LanmanServer
2020-11-07T07:27:35.473+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netman' [%SystemRoot%\System32\svchost.exe -k LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T07:27:35.532+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'netprofm' [%SystemRoot%\System32\svchost.exe -k LocalService]/manual depends: RpcSs;nlasvc
2020-11-07T07:27:35.596+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends: RpcSs
2020-11-07T07:27:35.647+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM SvcHost.exe]/disabled depends: <none>
2020-11-07T07:27:35.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver netvsc manual
2020-11-07T07:27:35.748+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfpf
2020-11-07T07:27:35.748+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfpf
2020-11-07T07:27:35.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc' [%SystemRoot%\system32\svchost.exe -k LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T07:27:35.819+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcSvc' [%SystemRoot%\system32\svchost.exe -k LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T07:27:35.917+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NlaSvc' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T07:27:35.989+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-07T07:27:35.989+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver npsvc trig systemStart
2020-11-07T07:27:35.989+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'nsi' [%systemroot%\system32\svchost.exe -k LocalService]/autoStart depends: rpcss;nsiproxy
2020-11-07T07:27:36.028+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart
2020-11-07T07:27:36.029+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NTDS' [%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>

2020-11-07T07:27:36.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NtFrs'[%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-07T07:27:36.099+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-07T07:27:36.099+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-07T07:27:36.099+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-07T07:27:36.099+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-07T07:27:36.099+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T07:27:36.132+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-07T07:27:36.132+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver partmgr bootStart
2020-11-07T07:27:36.132+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T07:27:36.225+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-07T07:27:36.226+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-07T07:27:36.226+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-07T07:27:36.226+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PerfHost'[%SystemRoot%\SysWow64\perfhost.exe]/manual depends: RPCSS
2020-11-07T07:27:36.359+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet

2020-11-07T07:27:36.359+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-07T07:27:36.359+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-07T07:27:36.359+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-07T07:27:36.359+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc
2020-11-07T07:27:36.359+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-07T07:27:36.359+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PhoneSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T07:27:36.391+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T07:27:36.458+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'pla'[%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T07:27:36.568+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PlugPlay'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T07:27:36.569+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PolicyAgent'[%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T07:27:36.714+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-07T07:27:36.714+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-07T07:27:36.714+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T07:27:36.763+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-07T07:27:36.763+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T07:27:36.764+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000080000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-07T07:27:36.764+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-07T07:27:36.764+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ProfSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T07:27:36.855+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-07T07:27:36.855+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for pvscsi
2020-11-07T07:27:36.855+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for pvscsi
2020-11-07T07:27:36.855+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-07T07:27:36.855+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-07T07:27:36.855+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart
2020-11-07T07:27:36.855+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'QWAVE' [%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T07:27:36.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-07T07:27:36.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAcD manual
2020-11-07T07:27:36.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-07T07:27:36.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasAuto' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-07T07:27:36.976+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-07T07:27:36.976+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-07T07:27:36.976+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasMan' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
2020-11-07T07:27:37.066+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-07T07:27:37.066+01:00 warning vmware-converter-worker[02044]
```

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-07T07:27:37.066+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-07T07:27:37.066+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-07T07:27:37.066+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPUDD
2020-11-07T07:27:37.066+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPUDD
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-07T07:27:37.066+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
2020-11-07T07:27:37.067+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-07T07:27:37.067+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-07T07:27:37.067+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T07:27:37.116+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteRegistry'[%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T07:27:37.159+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RmSvc'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T07:27:37.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcEptMapper'[%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T07:27:37.208+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-07T07:27:37.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcLocator'[%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T07:27:37.239+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
```


RpcEptMapper;DcomLaunch

2020-11-07T07:27:37.240+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'RSoPProv'[%SystemRoot%\system32\RSoPProv.exe]/manual depends: RPCSS

2020-11-07T07:27:37.240+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver rspndr autoStart

2020-11-07T07:27:37.240+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver s3cap manual

2020-11-07T07:27:37.240+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver sacdrv bootStart

2020-11-07T07:27:37.240+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service

'sacsvr'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:

<none>

2020-11-07T07:27:37.278+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service

'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS

2020-11-07T07:27:37.386+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service

'SAVAdminService'["C:\Program Files (x86)\Sophos\Sophos

Anti-Virus\SAVAdminService.exe"]/autoStart depends: <none>

2020-11-07T07:27:37.386+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver SAVOnAccess

systemStart

2020-11-07T07:27:37.386+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service 'SAVService'["C:\Program

Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:

RPCSS

2020-11-07T07:27:37.386+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver sbp2port bootStart

2020-11-07T07:27:37.386+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service

'SCardSvr'[%SystemRoot%\system32\svchost.exe -k

LocalServiceAndNoImpersonation]/disabled depends: wudfsvc

2020-11-07T07:27:37.439+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service

'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k

LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-07T07:27:37.493+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver scfilter manual

2020-11-07T07:27:37.493+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service

'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart

depends: RPCSS;SystemEventsBroker

2020-11-07T07:27:37.580+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver scmbus bootStart

2020-11-07T07:27:37.580+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver scmdisk0101 manual

2020-11-07T07:27:37.580+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'SCPolicySvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T07:27:37.581+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-07T07:27:37.581+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdcfilter manual
2020-11-07T07:27:37.581+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-07T07:27:37.581+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'seclogon' [%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T07:27:37.621+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SENS' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T07:27:37.661+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorDataService' [%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-07T07:27:37.759+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorService' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:37.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T07:27:37.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-07T07:27:37.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-07T07:27:37.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-07T07:27:37.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-07T07:27:37.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sermouse manual
2020-11-07T07:27:37.887+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SessionEnv' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-07T07:27:37.968+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-07T07:27:37.968+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SharedAccess' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE

2020-11-07T07:27:38.043+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-07T07:27:38.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-07T07:27:38.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-07T07:27:38.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-07T07:27:38.141+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-07T07:27:38.173+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-07T07:27:38.173+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-07T07:27:38.173+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos ELAM bootStart
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos Endpoint
Defense bootStart
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Endpoint Defense
Service'["C:\Program Files\Sophos\Endpoint
Defense\SEDSvc.exe"]/autoStart depends: <none>
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Message
Router'["C:\Program Files (x86)\Sophos\Remote Management
System\RouterNT.exe" -service -name Router -ORBListenEndpoints
iiop://:8193/ssl_port=8194]/autoStart depends: <none>
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos System Protection
Service'["C:\Program Files\Sophos\Endpoint

Defense\SSPService.exe"]/autoStart depends: <none>
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Web Control
Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web
Control\swc_service.exe"]/autoStart depends: RPCSS
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SophosBootDriver
disabled
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver spaceport bootStart
2020-11-07T07:27:38.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SpbCx manual
2020-11-07T07:27:38.232+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-07T07:27:38.285+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-07T07:27:38.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv autoStart
2020-11-07T07:27:38.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv2 manual
2020-11-07T07:27:38.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srvnet manual
2020-11-07T07:27:38.527+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SSDPSRV'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: HTTP
2020-11-07T07:27:38.602+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SstpSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T07:27:38.651+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StateRepository'[%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T07:27:38.734+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stexstor bootStart
2020-11-07T07:27:38.735+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'stisvc'[%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-07T07:27:38.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-07T07:27:38.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-07T07:27:38.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stornvme bootStart

2020-11-07T07:27:38.842+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart
2020-11-07T07:27:38.842+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StorSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:38.920+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-07T07:27:38.920+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-07T07:27:38.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'svsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:38.961+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-07T07:27:38.961+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swi_callout
systemStart
2020-11-07T07:27:38.962+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_filter'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_filter.exe"]/autoStart depends: swi_callout
2020-11-07T07:27:38.962+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_service'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_service.exe"]/autoStart depends: <none>
2020-11-07T07:27:38.962+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-07T07:27:38.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-07T07:27:38.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T07:27:39.088+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-07T07:27:39.088+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-07T07:27:39.088+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T07:27:39.147+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'TapiSrv' [%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-07T07:27:39.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-07T07:27:39.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-07T07:27:39.202+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-07T07:27:39.202+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-07T07:27:39.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart
2020-11-07T07:27:39.202+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIPTUNNEL
2020-11-07T07:27:39.202+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-07T07:27:39.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tdx systemStart
2020-11-07T07:27:39.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver termintpt manual
2020-11-07T07:27:39.202+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TermService' [%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-07T07:27:39.292+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Themes' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-07T07:27:39.329+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TieringEngineService' [%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-07T07:27:39.403+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tiledatamodelsvc' [%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-07T07:27:39.500+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:39.501+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-07T07:27:39.501+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TPM manual
2020-11-07T07:27:39.501+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T07:27:39.543+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-07T07:27:39.645+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD
2020-11-07T07:27:39.645+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSDDD
2020-11-07T07:27:39.645+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-07T07:27:39.645+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-07T07:27:39.645+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tsusbhub manual
2020-11-07T07:27:39.645+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-07T07:27:39.645+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tzautoupdate' [%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T07:27:39.709+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UALSVC' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UASPSstor manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver udfs disabled
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled
2020-11-07T07:27:39.770+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UevAgentService' [%systemroot%\system32\AgentService.exe]/disabled

depends: <none>
2020-11-07T07:27:39.890+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-07T07:27:39.890+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-07T07:27:39.891+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-07T07:27:39.891+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-07T07:27:39.891+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-07T07:27:39.891+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-07T07:27:39.891+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T07:27:39.891+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UI0Detect'[%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T07:27:39.916+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver umbus manual
2020-11-07T07:27:39.916+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-07T07:27:39.916+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UmRdpService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T07:27:39.992+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UnistoreSvc'[%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T07:27:39.993+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'upnphost'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ushub manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbhci manual
2020-11-07T07:27:40.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-07T07:27:40.063+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T07:27:40.063+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T07:27:40.123+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UsSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T07:27:40.205+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T07:27:40.273+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-07T07:27:40.273+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VGAAuthService' ["C:\Program
Files\VMware\VMware Tools\VMware VGAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhf manual
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual
2020-11-07T07:27:40.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual

2020-11-07T07:27:40.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vm3dservice'[%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-07T07:27:40.371+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000080000000\Windows\system32\oem7.inf
2020-11-07T07:27:40.371+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-07T07:27:40.371+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-07T07:27:40.371+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-07T07:27:40.371+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-07T07:27:40.371+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicguestinterface'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:40.459+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicheartbeat'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T07:27:40.459+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmickvpexchange'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:40.460+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicrdv'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T07:27:40.559+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicshutdown'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:40.560+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmictimesync'[%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T07:27:40.561+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:40.562+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-07T07:27:40.563+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-07T07:27:40.563+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-07T07:27:40.563+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-07T07:27:40.563+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-07T07:27:40.563+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-07T07:27:40.564+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T07:27:40.666+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-07T07:27:40.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-07T07:27:40.667+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T07:27:40.749+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-07T07:27:40.750+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T07:27:40.850+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarp autoStart
2020-11-07T07:27:40.850+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-07T07:27:40.850+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T07:27:40.940+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-07T07:27:40.940+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T07:27:41.009+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscsv
2020-11-07T07:27:41.009+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscsv
2020-11-07T07:27:41.009+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-07T07:27:41.009+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-07T07:27:41.009+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-07T07:27:41.009+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-07T07:27:41.009+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T07:27:41.037+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T07:27:41.037+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-07T07:27:41.037+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdNisSvc'["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T07:27:41.088+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Weccsvc'[%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T07:27:41.126+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'WEPHOSTSVC' [%systemroot%\system32\svchost.exe -k WepHostSvcGroup]/manual depends: rpcss
2020-11-07T07:27:41.158+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'wercplsupport' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends: <none>
2020-11-07T07:27:41.199+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'WerSvc' [%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual depends: <none>
2020-11-07T07:27:41.234+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-07T07:27:41.234+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'WiaRpc' [%SystemRoot%\system32\svchost.exe -k LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T07:27:41.285+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-07T07:27:41.285+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'WinDefend' ["C:\ProgramData\Microsoft\Windows Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T07:27:41.285+01:00 warning vmware-converter-worker[02044] [Originator@6876 sub=Default] Error 2 reading 'startType' for Windows Workflow Foundation 4.0.0.0
2020-11-07T07:27:41.285+01:00 warning vmware-converter-worker[02044] [Originator@6876 sub=Default] Error 2 reading 'Type' for Windows Workflow Foundation 4.0.0.0
2020-11-07T07:27:41.286+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found device driver WindowsTrustedRT bootStart
2020-11-07T07:27:41.286+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy bootStart
2020-11-07T07:27:41.286+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual depends: Dhcp
2020-11-07T07:27:41.374+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-07T07:27:41.374+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends: RPCSS
2020-11-07T07:27:41.474+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found device driver WinNat manual
2020-11-07T07:27:41.474+01:00 info vmware-converter-worker[02044] [Originator@6876 sub=Default] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart

depends: RPCSS;HTTP

```
2020-11-07T07:27:41.578+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-07T07:27:41.578+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-07T07:27:41.578+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-07T07:27:41.578+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-07T07:27:41.578+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-07T07:27:41.578+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-07T07:27:41.578+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wisvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
```

```
2020-11-07T07:27:41.674+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-07T07:27:41.674+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-07T07:27:41.674+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wlidsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
```

RpcSs

```
2020-11-07T07:27:41.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-07T07:27:41.785+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-07T07:27:41.785+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-07T07:27:41.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wmiApSrv'[%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
```

<none>

```
2020-11-07T07:27:41.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-07T07:27:41.841+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-07T07:27:41.841+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
2020-11-07T07:27:41.841+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WPDBusEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
```

```
2020-11-07T07:27:41.877+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WpdUpFltr manual
2020-11-07T07:27:41.877+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
```

'WpnService' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T07:27:41.927+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnUserService' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T07:27:41.950+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-07T07:27:41.950+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WSearch' [%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T07:27:42.005+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-07T07:27:42.005+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi
2020-11-07T07:27:42.005+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wuauclt' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T07:27:42.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WudfPf manual
2020-11-07T07:27:42.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WUDFRd manual
2020-11-07T07:27:42.140+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wudfsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-07T07:27:42.181+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblAuthManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T07:27:42.258+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblGameSave' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-07T07:27:42.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xboxgip manual
2020-11-07T07:27:42.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xinpuhid manual
2020-11-07T07:27:42.322+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov
2020-11-07T07:27:42.322+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov
2020-11-07T07:27:42.322+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T07:27:42.322+01:00 warning vmware-converter-worker[02044]

[Originator@6876 sub=Default] Error 2 reading 'Type' for {91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T07:27:42.322+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for {F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T07:27:42.322+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for {F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T07:27:42.326+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi29187013630848207
2020-11-07T07:27:42.328+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T07:27:42.416+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23.
2020-11-07T07:27:45.236+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23\SOFTWARE is loaded under the name mntApi41893547530848207
2020-11-07T07:27:45.236+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi41893547530848207\Microsoft\Windows NT\CurrentVersion
2020-11-07T07:27:45.236+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T07:27:45.236+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T07:27:45.236+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-07T07:27:45.236+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-07T07:27:45.253+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi113.
2020-11-07T07:27:45.665+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi113\SYSTEM is loaded under the name mntApi44729513530848207
2020-11-07T07:27:45.665+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi44729513530848207\ControlSet001\Services\vmxnet - 2.
2020-11-07T07:27:45.665+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-07T07:27:45.758+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi44729513530848207
2020-11-07T07:27:45.760+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T07:27:45.766+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi41893547530848207
2020-11-07T07:27:45.776+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T07:27:45.793+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi177.
2020-11-07T07:27:46.154+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi177\SYSTEM is loaded under the name mntApi45269506030848207
2020-11-07T07:27:46.211+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi45269506030848207
2020-11-07T07:27:46.213+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T07:27:46.213+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get mountpoints for volume :1307/710000010000000000: 4146 (type = 2, code=259)
2020-11-07T07:27:46.300+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi185.
2020-11-07T07:27:49.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi185\SOFTWARE is loaded under the name mntApi45776510030848207
2020-11-07T07:27:49.231+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi45776510030848207\Microsoft\Windows NT\CurrentVersion
2020-11-07T07:27:49.231+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T07:27:49.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T07:27:49.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-07T07:27:49.231+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-07T07:27:49.249+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi63.
2020-11-07T07:27:49.703+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi63\SYSTEM is

loaded under the name mntApi48725773530848207
2020-11-07T07:27:49.703+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi48725773530848207\ControlSet001\Services\vmxnet - 2.
2020-11-07T07:27:49.703+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T07:27:49.797+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi48725773530848207
2020-11-07T07:27:49.799+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T07:27:49.828+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi45776510030848207
2020-11-07T07:27:49.838+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T07:27:49.855+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi27.
2020-11-07T07:27:50.264+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi27\SYSTEM is
loaded under the name mntApi49331774530848207
2020-11-07T07:27:50.322+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi49331774530848207
2020-11-07T07:27:50.325+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T07:27:50.325+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-07T07:27:50.325+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-07T07:27:50.325+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T07:27:50.325+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key
QueryManagerImpl::Query=12ff5fa43de6b550c55364babf3841bb6d88668
2020-11-07T07:27:50.332+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ===
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:
--> (converter.info.ComputerInfo) {
--> hardwareInfo = (converter.info.ComputerHardwareInfo) {
--> storage = (converter.info.StorageInfo) {

```

-->     disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->             diskId = "disk-5",
-->             capacityInBytes = 42949672960,
-->             diskUsageInBytes = 42949672960,
-->             biosNumber = <unset>,
-->             lvg = false,
-->             lvgName = <unset>,
-->             gpt = false,
-->             signature = 402064154,
-->             diskGuid = <unset>,
-->             sectorSize = <unset>
-->         }
-->     ],
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->         (converter.info.StorageInfo.VolumeInfo) {
-->             volumeId = ":1307/710000010000000000",
-->             diskId = (string) [
-->                 "disk-5"
-->             ],
-->             partitionNumber = 1,
-->             primary = true,
-->             active = true,
-->             partitionType = 7,
-->             partitionGuid = <unset>,
-->             partitionUuid = <unset>,
-->             fileSystem = "NTFS",
-->             clusterSizeInBytes = 4096,
-->             firstClusterOffsetInBytes = <unset>,
-->             label = "Réservé au système",
-->             capacityInBytes = 524288000,
-->             spaceUsedInBytes = 354910208,
-->             extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->             xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->             lvName = <unset>
-->         },
-->         (converter.info.StorageInfo.VolumeInfo) {
-->             volumeId = ":1307/71000005?1000000000",
-->             diskId = (string) [
-->                 "disk-5"
-->             ],
-->             partitionNumber = 2,
-->             primary = true,
-->             active = false,
-->             partitionType = 7,
-->             partitionGuid = <unset>,
-->             partitionUuid = <unset>,

```

```

-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "",
-->         capacityInBytes = 42423287808,
-->         spaceUsedInBytes = 18347954176,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [
-->             (converter.info.NetworkInfo.HostedNicInfo) {
-->                 nicId = "ethernet-6",
-->                 connected = true,
-->                 label = "ethernet0",
-->                 connectionType = <unset>
-->             }
-->         ]
-->     },
-->     basicHardware = (converter.info.BasicHardwareInfo) {
-->         numCPUs = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096
-->     },
-->     configInfo = (vim.vm.ConfigInfo) {
-->         changeVersion = "",
-->         modified = "1970-01-01T00:00:00Z",
-->         name = "SRV-NHFAD1",
-->         guestFullName = "",
-->         version = "vmx-13",
-->         uuid = "56 4d 1f 72 fd 71 57 73-fa e8 6e 86 0b 9c fd 9c",
-->         instanceUuid = <unset>,
-->         npivWorldWideNameType = <unset>,
-->         npivDesiredNodeWwns = <unset>,
-->         npivDesiredPortWwns = <unset>,
-->         npivTemporaryDisabled = <unset>,
-->         npivOnNonRdmDisks = <unset>,
-->         locationId = "56 4d 19 98 72 4a e4 e3-15 97 55 f0 6f d8 2e
09",
-->         template = false,
-->         guestId = "windows9Server64Guest",
-->         alternateGuestName = "",
-->         annotation = <unset>,

```

```
-->         files = (vim.vm.FileInfo) {
-->             vmPathName =
--> "\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",
-->
-->             snapshotDirectory = <unset>,
-->             suspendDirectory = <unset>,
-->             logDirectory = <unset>,
-->             ftMetadataDirectory = <unset>
-->         },
-->         tools = (vim.vm.ToolsConfigInfo) {
-->             toolsVersion = <unset>,
-->             afterPowerOn = true,
-->             afterResume = true,
-->             beforeGuestStandby = true,
-->             beforeGuestShutdown = true,
-->             beforeGuestReboot = <unset>,
-->             toolsUpgradePolicy = "manual",
-->             pendingCustomization = <unset>,
-->             syncTimeWithHost = false,
-->             lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->             upgradeRebootPredict = <unset>
-->         },
-->         flags = (vim.vm.FlagInfo) {
-->             disableAcceleration = false,
-->             enableLogging = true,
-->             useToe = <unset>,
-->             runWithDebugInfo = <unset>,
-->             monitorType = "release",
-->             htSharing = <unset>,
-->             snapshotDisabled = <unset>,
-->             snapshotLocked = <unset>,
-->             diskUuidEnabled = <unset>,
-->             virtualMmuUsage = <unset>,
-->             virtualExecUsage = <unset>,
-->             snapshotPowerOffBehavior = <unset>,
-->             recordReplayEnabled = <unset>,
-->             faultToleranceType = <unset>
-->         },
-->         consolePreferences = (vim.vm.ConsolePreferences) null,
-->         defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->             powerOffType = <unset>,
-->             suspendType = "soft",
-->             resetType = <unset>,
-->             defaultPowerOffType = <unset>,
-->             defaultSuspendType = <unset>,
-->             defaultResetType = <unset>,
-->             standbyAction = "checkpoint"
-->         },
-->     },
--> }
```

```

-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,
-->             },
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 2,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide1",
-->                     summary = "IDE Controller 1"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 1,
-->             },
-->             (vim.vm.device.VirtualLsiLogicSASController) {
-->                 key = 3,
-->                 deviceInfo = (vim.Description) {
-->                     label = "scsi0",
-->                     summary = "SCSI Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,

```

```

-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk"
,
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,

```

```

-->         level = "normal"
-->     },
-->     storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->     diskObjectId = <unset>,
-->     vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualE1000) {
-->         key = 6,
-->         deviceInfo = (vim.Description) {
-->             label = "ethernet0",
-->             summary = "Ethernet 0"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "generated",
-->         macAddress = "00:0c:29:9c:fd:9c",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
-->     (vim.vm.device.VirtualUSBController) {
-->         key = 7,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,

```



```

-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         autoConnectDevices = true,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 8,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 9,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     }
--> ]
--> },
-->     cpuAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,

```

```

-->         expandableReservation = <unset>,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     latencySensitivity = (vim.LatencySensitivity) null,
-->     memoryHotAddEnabled = false,
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "config.readOnly",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "bios.bootRetry.delay",
-->             value = "10"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.mem.min",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
"/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
-90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"

```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "tools.syncTime",
-->     value = "false"
--> },
--> (vim.option.OptionValue) {
-->     key = "tools.guest.desktop.autolock",
-->     value = "FALSE"
--> },
--> (vim.option.OptionValue) {
-->     key = "tools.remindInstall",
-->     value = "FALSE"
--> },
--> (vim.option.OptionValue) {
-->     key = "usb:1.speed",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "usb:1.port",
-->     value = "1"
--> },
--> (vim.option.OptionValue) {
-->     key = "usb:1.parent",
-->     value = "-1"
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:0.ctkEnabled",
-->     value = "True"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.shares",
-->     value = "normal"
--> },
--> (vim.option.OptionValue) {
-->     key = "vc.uuid",
-->     value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2
db"
--> },
--> (vim.option.OptionValue) {
-->     key = "nvram",
-->     value = "SRV-NHFAD1.nvram"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.guestBackedPrimaryAware",
-->     value = "TRUE"
```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "RemoteDisplay.maxConnections",
-->     value = "-1"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-3854021677028181693"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "-4577512143103774999"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = "0"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> },
```

```
-->         (vim.option.OptionValue) {
-->             key = "cleanShutdown",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "ctkEnabled",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestinfo.toolsInstallErrCode",
-->             value = "1641"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestinfo.vmtools.buildNumber",
-->             value = "16303738"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestinfo.vmtools.description",
-->             value = "VMware Tools 11.1.1 build 16303738"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestinfo.vmtools.versionNumber",
-->             value = "11297"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestinfo.vmtools.versionString",
-->             value = "11.1.1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "virtualHW.productCompatibility",
-->             value = "hosted"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestOS.detailed.data",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:0.port",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:0.parent",
-->             value = "-1"
-->         }
-->     ],
```

```
-->     cpuFeatureMask = (vim.host.CpuIdInfo) [  
-->         (vim.host.CpuIdInfo) {  
-->             level = 0,  
-->             vendor = <unset>,  
-->             eax = <unset>,  
-->             ebx = <unset>,  
-->             ecx = <unset>,  
-->             edx = <unset>  
-->         },  
-->         (vim.host.CpuIdInfo) {  
-->             level = 0,  
-->             vendor = "amd",  
-->             eax = <unset>,  
-->             ebx = <unset>,  
-->             ecx = <unset>,  
-->             edx = <unset>  
-->         },  
-->         (vim.host.CpuIdInfo) {  
-->             level = 1,  
-->             vendor = <unset>,  
-->             eax = <unset>,  
-->             ebx = <unset>,  
-->             ecx = <unset>,  
-->             edx = <unset>  
-->         },  
-->         (vim.host.CpuIdInfo) {  
-->             level = 1,  
-->             vendor = "amd",  
-->             eax = <unset>,  
-->             ebx = <unset>,  
-->             ecx = <unset>,  
-->             edx = <unset>  
-->         },  
-->         (vim.host.CpuIdInfo) {  
-->             level = -2147483648,  
-->             vendor = <unset>,  
-->             eax = <unset>,  
-->             ebx = <unset>,  
-->             ecx = <unset>,  
-->             edx = <unset>  
-->         },  
-->         (vim.host.CpuIdInfo) {  
-->             level = -2147483648,  
-->             vendor = "amd",  
-->             eax = <unset>,  
-->             ebx = <unset>,  
-->             ecx = <unset>,  
-->             edx = <unset>  
-->         },  
-->     ],
```

```
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483647,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483647,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483640,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483640,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>
```

```

-->         maxMksConnections = <unset>,
-->         guestAutoLockEnabled = <unset>,
-->         managedBy = (vim.ext.ManagedByInfo) null,
-->         memoryReservationLockedToMax = <unset>,
-->         initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
-->         nestedHVENabled = <unset>,
-->         vPMCEnabled = <unset>,
-->         scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
-->         forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->         vFlashCacheReservation = <unset>,
-->         vmxConfigChecksum = <unset>,
-->         messageBusQueuePattern = <unset>,
-->         messageBusTunnelEnabled = <unset>,
-->         vmStorageObjectId = <unset>,
-->         swapStorageObjectId = <unset>,
-->     },
-->     currentEfiBootEntry = <unset>
--> },
--> osInfo = (converter.info.ComputerOsInfo) {
-->     osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->         guestOsId = "windows8srv-64",
-->         displayName = "Windows Server 2012 (64-bit)",
-->         osType = "windowsOs",
-->         osEdition = "Server",
-->         distribution = <unset>,
-->         majorVersion = 6,
-->         minorVersion = 3,
-->         kernelVersion = <unset>,
-->         os64Bit = true,
-->         spLevel = <unset>
-->     },
-->     hostname = "SRV-NHFAD1",
-->     activeVolumeId = ":1307/710000010000000000",
-->     systemVolumeId = ":1307/71000005?100000000",
-->     logicalVolumeInfo =
(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/710000010000000000",
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 459767808,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             },
-->         },
-->     },

```



```

-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/71000005?100000000",
-->             mountPoint = (string) [
-->                 "C:"
-->             ],
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 20182749593,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             }
-->         },
-->     ],
-->     reconfigPrerequisites = (converter.info.ReconfigPrerequisites)
null,
-->     services = (converter.info.ServiceInfo) [
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ADWS",
-->             displayName = "Services Web Active Directory",
-->             description = "Ce service fournit une interface de
service Web aux instances de service d'annuaire (AD DS and AD LDS) qui
s'exécutent localement sur le serveur. Si ce service est arrêté ou
désactivé, les applications clientes, comme Active Directory PowerShell,
ne pourront pas accéder ou gérer les instances de service d'annuaire qui
s'exécutent localement sur le serveur.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "AJRouter",
-->             displayName = "Service de routeur AllJoyn",
-->             description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ALG",
-->             displayName = "Service de la passerelle de la couche
Application",
-->             description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->             currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppIDSvc",
-->         displayName = "Identité de l'application",
-->         description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Appinfo",
-->         displayName = "Informations d'application",
-->         description = "Permet d'exécuter les applications
interactives avec des droits d'administration supplémentaires. Si ce
service est arrêté, les utilisateurs ne pourront pas lancer les
applications avec les droits d'administration supplémentaires
nécessaires pour effectuer les tâches utilisateur souhaitées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AudioEndpointBuilder",
-->         displayName = "Générateur de points de terminaison du
service Audio Windows",
-->         description =
"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Audiosrv",
-->         displayName = "Audio Windows",
-->         description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AxInstSV",
-->         displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->         description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la
stratégie de groupe. Ce service est démarré sur demande et, s'il est
désactivé, l'installation des contrôles ActiveX se comporte conformément
aux paramètres par défaut du navigateur.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BFE",
-->         displayName = "Moteur de filtrage de base",
-->         description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),
et qui implémente le filtrage en mode utilisateur. L'arrêt ou la
désactivation du service Moteur de filtrage de base diminue
significativement la sécurité du système et aboutit également à un
fonctionnement imprévisible des applications de gestion et de pare-feu
IPsec.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BITS",
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",
-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils
connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le
minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ClipSVC",
-->         displayName = "Service de licences de client (ClipSVC)",

```

```

-->         description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "COMSysApp",
-->         displayName = "Application système COM+",
-->         description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CoreMessagingRegistrar",
-->         displayName = "CoreMessaging",
-->         description = "Manages communication between system
components.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CryptSvc",
-->         displayName = "Services de chiffrement",
-->         description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de
gestion ne fonctionneront pas correctement. Si ce service est désactivé,
les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CscService",

```

```

-->         displayName = "Fichiers hors connexion",
-->         description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service
est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne
fonctionnent pas correctement. Il est fortement recommandé d'exécuter le
service DCOMLAUNCH.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques
câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dfs",
-->         displayName = "Espace de noms DFS",
-->         description = "Permet de grouper les dossiers partagés
et situés sur différents serveurs en un ou plusieurs espaces de noms
logiquement structurés. Chaque espace de nom apparaît auprès des
utilisateurs sous forme d'un dossier partagé unique contenant une série
de sous-dossiers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DFSR",
-->         displayName = "Réplication DFS",
-->         description = "Vous permet de synchroniser des dossiers
de plusieurs serveurs sur des connexions réseau de type réseau local ou
étendu. Ce service utilise le protocole RDC (Remote Differential
Compression) pour mettre à jour uniquement les parties des fichiers
ayant été modifiées depuis la dernière réplication.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
```



```
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DHCP Server",
-->         displayName = "Serveur DHCP",
-->         description = "Effectue la configuration TCP/IP des
clients DHCP, notamment les attributions dynamiques d'adresses IP et la
spécification des serveurs WINS et DNS et des noms DNS spécifiques à la
connexion. Si ce service est arrêté, le serveur DHCP n'effectue pas la
configuration TCP/IP des clients. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne peuvent plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
téléométrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de téléométrie offre des fonctionnalités qui prennent en
charge les expériences des utilisateurs connectés et in-app. En outre,
ce service gère la collecte et la transmission des informations de
diagnostic et d'utilisation en fonction des événements (afin d'améliorer
l'expérience et la qualité de la plateforme Windows) lorsque les
paramètres des options de confidentialité des diagnostics et de
l'utilisation sont activés sous Commentaires & diagnostics.",
-->         currentState = "stopped",
-->         startType = "autoStart",
```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des
périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DNS",
-->         displayName = "Serveur DNS",
-->         description = "Permet aux clients DNS de résoudre les
noms DNS en répondant aux requêtes DNS et aux requêtes de mise à jour
DNS dynamiques. Si ce service est arrêté, les mises à jour DNS n'auront
pas lieu. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dnscache",
-->         displayName = "Client DNS",
-->         description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dot3svc",
-->         displayName = "Configuration automatique de réseau

```

```

câblé",
-->         description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DPS",
-->         displayName = "Service de stratégie de diagnostic",
-->         description = "Le service de stratégie de diagnostic
permet la détection, le dépannage et la résolution de problèmes pour les
composants de Windows. Si ce service est arrêté, les diagnostics ne
fonctionnent plus.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsmSvc",
-->         displayName = "Gestionnaire d'installation de
périphérique",
-->         description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsRoleSvc",
-->         displayName = "Serveur de rôles DS",
-->         description = "Ce service héberge le serveur de rôles DS
utilisé pour la promotion, la régression et le clonage de contrôleur de
domaine. Si le service est désactivé, ces opérations échouent.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsSvc",
-->         displayName = "Service de partage des données",

```

```
-->         description = "Fournit l'intermédiation des données
entre les applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Eaphost",
-->         displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->         description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
nécessitent l'authentification EAP.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EFS",
-->         displayName = "Système de fichiers EFS (Encrypting File
System)",
-->         description = "Fournit la technologie de chiffrement des
fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "embeddedmode",
-->         displayName = "Mode incorporé",
-->         description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EntAppSvc",
-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
```

```

d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventSystem",
-->         displayName = "Système d'événement COM+",
-->         description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations
d'ouverture et de fermeture de session. Si ce service est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "fdPHost",
-->         displayName = "Hôte du fournisseur de découverte de
fonctions",
-->         description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery
Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la
désactivation du service FDPHOST désactivera la découverte de réseau
pour ces protocoles lors de l'utilisation de la découverte de fonction.
Lorsque ce service n'est pas disponible, les services réseau qui
utilisent la découverte de fonction et qui dépendent de ces protocoles
de découverte ne pourront pas trouver des périphériques ou des
ressources réseau.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FDResPub",
-->         displayName = "Publication des ressources de découverte
de fonctions",
-->         description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache",
-->         displayName = "Service de cache de police Windows",
-->         description = "Optimise les performances des
applications en mettant en cache les données des polices communément
utilisées. Les applications démarrent ce service s'il n'est pas déjà en
fonctionnement. Il peut être désactivé ; il en résulte cependant une
dégradation des performances des applications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
l'application des paramètres configurés par les administrateurs pour
l'ordinateur et pour les utilisateurs via le composant de stratégie de
groupe. Si le service est désactivé, les paramètres ne seront pas
appliqués, et les applications et les composants ne seront pas gérables
par la stratégie de groupe. Tout composant ou application qui dépend du
composant de stratégie de groupe risque de ne pas fonctionner si le
service est désactivé.",
-->         currentState = "stopped",

```

```
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",
-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",
-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
Internet Protocol). Ces modules de génération de clés sont utilisés pour
l'authentification et l'échange de clés dans la sécurité IP (IPsec).
L'arrêt ou la désactivation du service IKEEXT entraînera la
désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs
homologues. IPsec est généralement configuré pour utiliser IKE ou
AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT
risque de conduire à la défaillance d'IPsec et de compromettre la
sécurité du système. Il est fortement recommandé d'activer l'exécution
```

```

du service IKEEXT.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "iphlpvc",
-->         displayName = "Assistance IP",
-->         description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPv6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IsmServ",
-->         displayName = "Messagerie intersite",
-->         description = "Permet l'échange des messages entre
ordinateurs fonctionnant sur des sites Windows Server. Si ce service est
arrêté, les messages ne seront pas échangés et les informations de
routage du site ne seront pas calculées pour d'autres services. Si ce
service est désactivé, tout service en dépendant explicitement ne
démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Kdc",
-->         displayName = "Centre de distribution de clés Kerberos",
-->
-->         description = "Ce service, qui s'exécute sur les
contrôleurs de domaine, permet aux utilisateurs d'ouvrir une session sur
le réseau en utilisant le protocole d'authentification Kerberos. Si ce
service est arrêté, les utilisateurs ne pourront plus ouvrir de session
sur le réseau. Si ce service est désactivé, les services qui en
dépendent explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KdsSvc",
-->         displayName = "Service de distribution de clés
Microsoft",
-->         description = "Ce service permet de protéger les données

```


à l'aide de l'API de protection des données de groupe. Il permet également de prendre en charge différentes fonctionnalités système, notamment BitLocker sur les volumes en cluster, les comptes de services administrés et le DNS sécurisé. Si ce service est arrêté, ces fonctionnalités ne fonctionnent plus.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KeyIso",
-->         displayName = "Isolation de clé CNG",
-->         description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de
processus de clé aux clés privés et aux opérations de chiffrement
associées, conformément aux critères communs. Le service stocke et
utilise des clés à long terme dans le cadre d'un processus sécurisé
répondant aux exigences des critères communs.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KPSSVC",
-->         displayName = "Service Serveur proxy KDC",
-->         description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KtmRm",
-->         displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->         description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce
service automatiquement. Si ce service est désactivé, toute transaction
MSDTC interagissant avec un gestionnaire de transactions du noyau échoue
et tout service qui en dépend de façon explicite ne parvient pas à
démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "LanmanServer",
-->             displayName = "Serveur",
-->             description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "LanmanWorkstation",
-->             displayName = "Station de travail",
-->             description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce
service est arrêté, ces connexions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "lfsvc",
-->             displayName = "Service de géolocalisation",
-->             description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "LicenseManager",
-->             displayName = "Serveur Gestionnaire de licences
Windows",
-->             description = "Permet la prise en charge de
l'infrastructure du Windows Store. Ce service démarre à la demande. S'il
est désactivé, le contenu acheté via le Windows Store ne se comporte pas
correctement.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {

```

```

-->         serviceName = "lltdsvc",
-->         displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->         description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lmhosts",
-->         displayName = "Assistance NetBIOS sur TCP/IP",
-->         description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
présents sur le réseau, ce qui permet aux utilisateurs de partager des
fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce
service est arrêté, ces fonctions risquent de ne pas être disponibles.
Si ce service est désactivé, les services qui en dépendent explicitement
ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LSM",
-->         displayName = "@%windir%\system32\lsm.dll,-1001",
-->         description = "@%windir%\system32\lsm.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MapsBroker",
-->         displayName = "Gestionnaire des cartes téléchargées",
-->         description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
cartes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MpsSvc",
-->         displayName = "Pare-feu Windows",

```

```

-->         description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSDTC",
-->         displayName = "Coordinateur de transactions
distribuées",
-->         description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSiSCSI",
-->         displayName = "Service Initiateur iSCSI de Microsoft",
-->         description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur
les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui
dépendent explicitement de lui ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "msiserver",
-->         displayName = "Windows Installer",
-->         description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcaSvc",
-->         displayName = "Assistant Connectivité réseau",
-->         description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcbService",
-->         displayName = "Service Broker pour les connexions
réseau",
-->         description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
notifications d'Internet.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netlogon",
-->         displayName = "NetLogon",
-->         description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur
peut ne pas authentifier les utilisateurs et les services et le
contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si
ce service est désactivé, tout service qui en dépend explicitement ne
pourra pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",
-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetSetupSvc",
-->         displayName = "Service Configuration du réseau",
-->         description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetTcpPortSharing",
-->         displayName = "Service de partage de ports Net.Tcp",
-->         description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcCtnrSvc",
-->         displayName = "Conteneur Microsoft Passport",
-->         description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcSvc",
-->         displayName = "Microsoft Passport",
-->         description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les
fonctions d'utilisation et de gestion de ces clés, telles que
l'ouverture de session et l'authentification unique pour les
applications et les sites web, ne seront pas disponibles. Ce service
démontre et s'arrête automatiquement. Il est recommandé de ne pas le
reconfigurer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NlaSvc",
-->         displayName = "Connaissance des emplacements réseau",
-->         description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "nsi",
-->         displayName = "Service Interface du magasin réseau",
-->         description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité
réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NTDS",
-->         displayName = "Services de domaine Active Directory",
-->         description = "Service de contrôleur de domaine des
services de domaine Active Directory. Si ce service est arrêté, les
utilisateurs ne peuvent plus se connecter au réseau. Si ce service est
désactivé, tous les services qui en dépendent explicitement ne peuvent
plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NtFrs",
-->         displayName = "Réplication de fichiers",
-->         description = "Synchronise les dossiers avec les
serveurs de fichiers qui utilisent le service FRS au lieu du service de
réplication DFS plus récent.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
```

```

-->         serviceName = "OneSyncSvc",
-->         displayName = "Hôte de synchronisation",
-->         description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des
programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les
programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhst.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PimIndexMaintenanceSvc",
-->         displayName = "Données de contacts",
-->         description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce
service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->         currentState = "stopped",

```



```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "pla",
-->         displayName = "Journaux & alertes de performance",
-->         description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PlugPlay",
-->         displayName = "Plug-and-Play",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PolicyAgent",
-->         displayName = "Agent de stratégie IPsec",
-->         description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Power",
-->         displayName = "Alimentation",
-->         description = "Gère la stratégie d'alimentation et la
remise de notification de stratégie d'alimentation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PrintNotify",
-->         displayName =

```

```

"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->         description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ProfSvc",
-->         displayName = "Service de profil utilisateur",
-->         description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir
les données des utilisateurs, et les composants inscrits pour recevoir
les notifications d'événements de profils ne les recevront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "QWAVE",
-->         displayName = "Expérience audio-vidéo haute qualité
Windows",
-->         description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasAuto",
-->         displayName = "Gestionnaire des connexions automatiques
d'accès à distance",
-->         description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "RasMan",
-->         displayName = "Gestionnaire des connexions d'accès à
distance",
-->         description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteAccess",
-->         displayName = "Routage et accès distant",
-->         description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteRegistry",
-->         displayName = "Registre à distance",
-->         description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RmSvc",
-->         displayName = "Service de gestion radio",
-->         description = "Service de gestion radio et de mode
Avion",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcEptMapper",
-->         displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->         description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcLocator",
-->             displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->             description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure
distante (RPC) gère la base de données du service de nom RPC. Dans
Windows Vista et les versions ultérieures de Windows, ce service ne
fournit aucune fonctionnalité et est présent à des fins de compatibilité
applicative.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcSs",
-->             displayName = "Appel de procédure distante (RPC)",
-->             description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets
et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM.
Si ce service est arrêté ou désactivé, les programmes utilisant COM ou
DCOM ne fonctionnent pas correctement. Il est fortement recommandé
d'exécuter le service RPCSS.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RSOPProv",
-->             displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->             description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "sacsvr",
-->             displayName = "Application d'assistance de la Console
d'administration spéciale",
-->             description = "Permet aux administrateurs d'accéder à
distance à une invite de commandes en utilisant les services de gestion
d'urgence.",
-->             currentState = "stopped",

```

```
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SamSs",
-->         displayName = "Gestionnaire de comptes de sécurité",
-->         description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVAdminService",
-->         displayName = "Sophos Anti-Virus status reporter",
-->         description = "Fournit au Windows Security Center des
informations sur l'état de mise à jour de Sophos Anti-Virus et sur
l'état actif ou non du contrôle sur accès.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVService",
-->         displayName = "Sophos Anti-Virus",
-->         description = "Effectue des opérations de contrôle des
menaces et de nettoyage.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCardSvr",
-->         displayName = "Carte à puce",
-->         description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ScDeviceEnum",
-->         displayName = "Service d'énumération de périphériques de
```

```

carte à puce",
-->         description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Schedule",
-->         displayName = "Planificateur de tâches",
-->         description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCPolicySvc",
-->         displayName = "Stratégie de retrait de la carte à puce",
-->
-->         description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "seclogon",
-->         displayName = "Ouverture de session secondaire",
-->         description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SENS",
-->         displayName = "Service de notification d'événements
système",
-->         description = "Analyse les événements système et notifie

```

```

leur existence aux abonnés du système d'événements COM+.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorDataService",
-->         displayName = "Service Données de capteur",
-->         description = "Fournit les données d'une variété de
capteurs",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorService",
-->         displayName = "Service de capteur",
-->         description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de
périphérique simple rapportant les changements d'orientation du
périphérique. Si le service est interrompu ou désactivé, le capteur
d'orientation de périphérique simple ne sera pas chargé et la rotation
automatique n'aura pas lieu. La collecte d'historiques des capteurs sera
également interrompue.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensrSvc",
-->         displayName = "Service de surveillance des capteurs",
-->         description = "Surveillance plusieurs capteurs pour exposer
les données et s'adapter aux divers états utilisateur et du système. Si
le service est arrêté ou désactivé, la brillance de l'affichage ne
s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut
également affecter d'autres fonctionnalités du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SessionEnv",
-->         displayName = "Configuration des services Bureau à
distance",
-->         description = "Le service Configuration des services
Bureau à distance (RDCS) est responsable de toutes les activités de
maintenance de session et de configuration du Bureau à distance et des
services Bureau à distance nécessitant un contexte SYSTEM. Il faut y

```

```

inclure les dossiers temporaires par session, ainsi que les thèmes et
certificats des services Bureau à distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SharedAccess",
-->         displayName = "Partage de connexion Internet (ICS)",
-->         description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ShellHWDetection",
-->         displayName = "Détection matériel noyau",
-->         description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "smphost",
-->         displayName = "SMP de l'Espace de stockages Microsoft",
-->         description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SNMPTRAP",
-->         displayName = "Interruption SNMP",
-->         description = "Reçoit les messages d'interception
générés par les agents SNMP (Simple Network Management Protocol) locaux
ou distants et transmet les messages aux programmes de gestion SNMP
s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes
à base SNMP sur cet ordinateur ne recevront pas les messages
d'interception SNMP. Si ce service est désactivé, tous les services qui
en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```



```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Agent",
-->         displayName = "Sophos Agent",
-->         description = "Management Agent for Sophos
applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos AutoUpdate Service",
-->         displayName = "Sophos AutoUpdate Service",
-->         description = "Partie du système de mise à jour
concernant la description du Service des composants Sophos",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Endpoint Defense Service",
-->         displayName = "Sophos Endpoint Defense Service",
-->         description = "Sophos Endpoint Defense Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Message Router",
-->         displayName = "Sophos Message Router",
-->         description = "Message router for Sophos applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos System Protection Service",
-->         displayName = "Sophos System Protection Service",
-->         description = "Sophos System Protection Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Web Control Service",
-->         displayName = "Sophos Web Control Service",
-->         description = "Manages Web Control policy.",
-->         currentState = "stopped",
-->         startType = "autoStart",

```

```
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sppsvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications
Windows. Si le service est désactivé, le système d'exploitation et les
applications sous licence peuvent s'exécuter dans un mode de
notification. Et il est instamment recommandé de ne pas désactiver le
service de protection logicielle.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDPSRV",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les
périphériques SSDP ne seront pas découverts. S'il est désactivé, tous
les services qui dépendent explicitement de lui ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
-->         displayName = "Service SSTP (Secure Socket Tunneling
Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_filter",
-->         displayName = "Sophos Web Filter",
-->         description = "Garantit que l'utilisation du Web est
conforme à la stratégie de sécurité. ",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "swi_service",
-->         displayName = "Sophos Web Intelligence Service",
-->         description = "Protège contre les menaces de sites Web
malveillants.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stilet et
d'entrée manuscrite du clavier tactile et du volet d'écriture
manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter
de manière interactive à un ordinateur distant. Le Bureau à distance et
le serveur hôte de session Bureau à distance dépendent de ce service.
Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les
cases à cocher situées sous l'onglet Utilisation à distance des
Propriétés système via l'élément Système du Panneau de configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",

```

```

-->         description = "Serveur de vignettes pour la mise à jour
des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =
"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du
fuseau horaire",
-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "UALSVC",
-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;
l'utilisation du service et des données UAL ne décharge pas de cette
obligation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être
perdu. Si ce service est désactivé, les notifications des nouvelles
boîtes de dialogue de services interactifs ainsi que leur accès ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```
-->         serviceName = "UmRdpService",
-->         displayName = "Redirection de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserManager",
-->         displayName = "Gestionnaire des utilisateurs",
```



```

-->         description = "Le Gestionnaire des utilisateurs fournit
les composants d'exécution requis pour une interaction
multi-utilisateur. Si ce service est arrêté, certaines applications
risquent de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UsoSvc",
-->         displayName = "Service Update Orchestrator pour Windows
Update",
-->         description = "UsoSvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VaultSvc",
-->         displayName = "Gestionnaire d'informations
d'identification",
-->         description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vds",
-->         displayName = "Disque virtuel",
-->         description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VGAAuthService",
-->         displayName = "VMware Alias Manager and Ticket Service",
-->
-->         description = "Alias Manager and Ticket Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "vm3dbservice",
-->         displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->         description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicguestinterface",
-->         displayName = "Interface de services d'invité Hyper-V",
-->         description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicrdv",
-->         displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->         description = "Fournit une plateforme pour la
communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicshutdown",
-->         displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->         description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmictimesync",
-->         displayName = "Service Synchronisation date/heure
Microsoft Hyper-V",
-->         description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvmsession",
-->         displayName = "Service Hyper-V PowerShell Direct",
-->         description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvss",
-->         displayName = "Requête du service VSS Microsoft
Hyper-V",
-->         description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation
de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VMTools",
-->         displayName = "VMware Tools",

```

```

-->         description = "Fournit un support pour la
synchronisation des objets entre les systèmes d'exploitation hôte et
invité.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmvss",
-->         displayName = "VMware Snapshot Provider",
-->         description = "VMware Snapshot Provider",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VSS",
-->         displayName = "Cliché instantané des volumes",
-->         description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si
ce service est arrêté, les clichés instantanés ne seront pas disponibles
pour la sauvegarde et la sauvegarde échouera. Si ce service est
désactivé, les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W32Time",
-->         displayName = "Temps Windows",
-->         description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WalletService",
-->         displayName = "WalletService",
-->         description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "WbioSrvc",
-->             displayName = "Service de biométrie Windows",
-->             description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Wcmsvc",
-->             displayName = "Gestionnaire des connexions Windows",
-->             description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau
actuellement disponibles à l'ordinateur, et active la gestion de la
connectivité réseau en fonction des paramètres de la stratégie de
groupe.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WdiServiceHost",
-->             displayName = "Service hôte WDIServiceHost",
-->             description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WdiSystemHost",
-->             displayName = "Hôte système de diagnostics",
-->             description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de système local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {

```

```

-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",
-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wecsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
persistants à des événements de sources distantes prenant en charge le
protocole Gestion de services Web. Cela inclut les journaux d'événements
de Windows Vista, les sources d'événements matériels et IPMI. Le service
stocke les événements transférés dans un journal d'événements local. Si
ce service est arrêté ou désactivé, des abonnements aux événements ne
peuvent pas être créés et les événements transférés ne peuvent pas être
acceptés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de
configuration.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de
diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",
-->
-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client
et fournit aux développeurs une API Win32 et un composant
d'automatisation COM pour l'envoi des demandes HTTP et la réception des
réponses. En outre, WinHTTP prend en charge la découverte automatique
d'une configuration de proxy via son implémentation du protocole WPAD
(Web Proxy Auto-Discovery).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",
-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion
WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à
distance. La Gestion des services Web est un protocole standard utilisé
pour la gestion à distance de logiciels et de matériels. Le service
Gestion à distance de Windows traite les demandes Gestion des services
Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la
stratégie de groupe. Ce service donne accès aux données WMI et permet le
recueil d'événements. Le recueil d'événements et l'abonnement exigent
que ce service s'exécute. Les messages du service Gestion à distance de
Windows utilisent HTTP et HTTPS. Le service Gestion à distance de
Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même
machine. Le service Gestion à distance de Windows réserve le préfixe
d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites
Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",
-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs

```


par le biais des services d'identité de compte Microsoft. Si ce service est arrêté, les utilisateurs ne pourront pas ouvrir une session sur l'ordinateur avec leur compte Microsoft.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la
bibliothèque de performance à partir des fournisseurs HiPerf WMI
(Windows Management Instrumentation) à des clients sur le réseau. Ce
service s'exécute uniquement quand l'assistant de performance des
données est activé.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnUserService",
-->         displayName = "Service utilisateur de notifications Push
Windows",
-->         description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
```

```

raw.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WSearch",
-->         displayName = "Windows Search",
-->         description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wuaserv",
-->         displayName = "Windows Update",
-->         description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce
service est désactivé, les utilisateurs de cet ordinateur ne pourront
pas utiliser Windows Update ou sa fonctionnalité de mise à jour
automatique, et les programmes ne pourront pas utiliser l'API de l'Agent
de mise à jour automatique Windows Update (WUA).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wudfsvc",
-->         displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->         description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox
Live",
-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,
-->     canSkipUnwantedFiles = false,
-->     canReconfig = true,
-->     canCustomize = true,
-->     canInstallTools = true,
-->     defaultCloningMode = "diskBasedCloning",
-->     supportedCloningMode = (string) [
-->         "diskBasedCloning",
-->         "volumeBasedCloning"
-->     ]
--> },
--> bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
-->     dracut = <unset>
--> }
--> }

```

```

--> =====

```

```

2020-11-07T07:27:50.334+01:00 info vmware-converter-worker[08660]
[Originator@6876 sub=ThreadPool] Thread delisted

```

```

2020-11-07T07:27:50.334+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000007000000\

```

```

2020-11-07T07:27:50.361+01:00 info vmware-converter-worker[08320]
[Originator@6876 sub=ThreadPool] Thread delisted

```

```

2020-11-07T07:27:50.361+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000008000000\

```

```

2020-11-07T07:27:50.372+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds

```

```

2020-11-07T07:27:50.399+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes

```

2020-11-07T07:27:50.399+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T07:27:50.399+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T07:27:50.399+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T07:30:03.015+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Connecting to host 192.168.204.1 on port
443
2020-11-07T07:30:03.015+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T07:30:03.043+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T07:30:03.045+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Authenticating user root
2020-11-07T07:30:03.062+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Selected target host is
vim.HostSystem:ha-host
2020-11-07T07:30:03.070+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T07:30:24.741+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Stopped impersonating in session
52c53c23-e3a9-a84a-1df8-90eeaf16a902
2020-11-07T07:30:24.741+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects
2020-11-07T07:30:24.741+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded
2020-11-07T07:31:10.043+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x056b06c4, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T07:50:06.664+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x01dcec2c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T15:25:12.153+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in
session 521827c5-41ce-4187-2915-b2d0b75b821b
2020-11-07T15:25:18.021+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Stopped impersonating in session

521827c5-41ce-4187-2915-b2d0b75b821b
2020-11-07T15:25:52.241+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in
session 52b99a71-5757-6ecc-339e-ca57897a6b4a
2020-11-07T15:26:02.541+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:26:02.541+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:26:02.541+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:26:02.541+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one
2020-11-07T15:26:02.541+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-07T15:26:02.541+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:26:02.542+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T15:26:03.051+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:26:03.065+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
2020-11-07T15:26:03.149+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512
2020-11-07T15:26:03.150+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T15:26:03.150+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T15:26:03.150+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Disk with signature 402064154, recognized
partitions 2
2020-11-07T15:26:03.157+01:00 info vmware-converter-worker[09972]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:26:03.250+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\ FS:<NTFS>
2020-11-07T15:26:03.257+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\
2020-11-07T15:26:03.257+01:00 info vmware-converter-worker[09972]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:26:03.258+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\
2020-11-07T15:26:03.263+01:00 info vmware-converter-worker[07656]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:26:03.302+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\ FS:<NTFS>
2020-11-07T15:26:03.303+01:00 info vmware-converter-worker[07656]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:26:03.303+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\
2020-11-07T15:26:03.303+01:00 info vmware-converter-worker[07824]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:26:03.580+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000A000000\ FS:<NTFS>
2020-11-07T15:26:04.590+01:00 info vmware-converter-worker[07824]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:26:04.590+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000A000000\
2020-11-07T15:26:04.591+01:00 info vmware-converter-worker[09812]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:26:04.627+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\ FS:<NTFS>
2020-11-07T15:26:04.652+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi1.
2020-11-07T15:26:04.661+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi1\BCD is loaded
under the name mntApi397344048630848273
2020-11-07T15:26:04.661+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi397344048630848273\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-07T15:26:04.661+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi397344048630848273\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:26:04.661+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key

mntApi397344048630848273\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\Elements\12000002
2020-11-07T15:26:04.661+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi397344048630848273\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\Elements\12000002
2020-11-07T15:26:04.661+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi397344048630848273\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\Elements\26000022.
2020-11-07T15:26:04.661+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from key
mntApi397344048630848273\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\Elements\24000001
2020-11-07T15:26:04.662+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi397344048630848273\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\Elements\26000022.
2020-11-07T15:26:04.662+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi397344048630848273\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\Elements\26000022.
2020-11-07T15:26:04.662+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-07T15:26:04.664+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi397344048630848273
2020-11-07T15:26:04.665+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-07T15:26:04.665+01:00 info vmware-converter-worker[03980]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:26:04.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000A000000\ FS:<NTFS>
2020-11-07T15:26:07.587+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi207.
2020-11-07T15:26:10.269+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi207\SOFTWARE is
loaded under the name mntApi400279409530848273
2020-11-07T15:26:10.269+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi400279409530848273\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:26:10.269+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:26:10.269+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:26:10.269+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:26:10.269+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:26:10.744+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi147.
2020-11-07T15:26:11.162+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi147\SYSTEM is
loaded under the name mntApi403436106830848273
2020-11-07T15:26:11.163+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi403436106830848273\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:26:11.163+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:26:11.277+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi403436106830848273
2020-11-07T15:26:11.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:11.298+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi400279409530848273
2020-11-07T15:26:11.310+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:11.329+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi209.
2020-11-07T15:26:11.689+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi209\SYSTEM is
loaded under the name mntApi404021926930848273
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Data
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]

[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR Networking 4.0.0.0
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Networking 4.0.0.0
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data Provider for Oracle
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data Provider for Oracle
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data Provider for SqlServer
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data Provider for SqlServer
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Memory Cache 4.0
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory Cache 4.0
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NETFramework
2020-11-07T15:26:11.689+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework
2020-11-07T15:26:11.689+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 1394ohci manual
2020-11-07T15:26:11.689+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver 3ware bootStart
2020-11-07T15:26:11.689+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-07T15:26:11.690+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ADOVMPPackage
2020-11-07T15:26:11.690+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage

2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-07T15:26:11.690+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-07T15:26:11.690+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-07T15:26:11.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-07T15:26:11.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-07T15:26:11.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-07T15:26:11.785+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:11.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-07T15:26:11.912+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-07T15:26:11.912+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-07T15:26:11.912+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdсата bootStart
2020-11-07T15:26:11.912+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdсbs bootStart
2020-11-07T15:26:11.912+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver amdхата bootStart
2020-11-07T15:26:11.913+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-07T15:26:11.913+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T15:26:11.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T15:26:12.012+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-07T15:26:12.012+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:26:12.070+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

```
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T15:26:12.163+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T15:26:12.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-07T15:26:12.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-07T15:26:12.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-07T15:26:12.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AppXSvc' [%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T15:26:12.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver arcsas bootStart
2020-11-07T15:26:12.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver AsyncMac manual
2020-11-07T15:26:12.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver atapi bootStart
2020-11-07T15:26:12.349+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:12.433+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T15:26:12.488+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'AxInstSV' [%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-07T15:26:12.530+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-07T15:26:12.530+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn manual
```

```
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-07T15:26:12.530+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BFE'[%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T15:26:12.713+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BITS'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-07T15:26:12.838+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bowser manual
2020-11-07T15:26:12.838+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:26:12.838+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T15:26:12.838+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Browser'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-07T15:26:12.903+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-07T15:26:12.903+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-07T15:26:12.903+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'bthserv'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:26:12.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-07T15:26:12.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-07T15:26:12.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-07T15:26:12.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-07T15:26:12.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-07T15:26:12.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
```

```
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:26:13.048+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:26:13.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-07T15:26:13.134+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:26:13.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-07T15:26:13.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-07T15:26:13.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CLFS bootStart
2020-11-07T15:26:13.208+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-07T15:26:13.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-07T15:26:13.296+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T15:26:13.296+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-07T15:26:13.296+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T15:26:13.296+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-07T15:26:13.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-07T15:26:13.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-07T15:26:13.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-07T15:26:13.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-07T15:26:13.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'COMSysApp' [%SystemRoot%\system32\dllhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
```

2020-11-07T15:26:13.363+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-07T15:26:13.363+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-07T15:26:13.381+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-07T15:26:13.381+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-07T15:26:13.381+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-07T15:26:13.381+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-07T15:26:13.381+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CryptSvc'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T15:26:13.438+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver CSC disabled
2020-11-07T15:26:13.438+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'CscService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T15:26:13.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dam systemStart
2020-11-07T15:26:13.528+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-07T15:26:13.528+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-07T15:26:13.528+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:26:13.676+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:26:13.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-07T15:26:13.766+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:13.869+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual

depends: <none>
2020-11-07T15:26:13.956+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:13.993+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:
LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry
2020-11-07T15:26:14.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-07T15:26:14.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsDriver systemStart
2020-11-07T15:26:14.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS
2020-11-07T15:26:14.106+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DfsrRo bootStart
2020-11-07T15:26:14.106+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-07T15:26:14.201+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DHCPserver'[%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart
depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem
2020-11-07T15:26:14.311+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'diagnosticshub.standardcollector.service'[%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-07T15:26:14.366+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DiagTrack'[%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-07T15:26:14.470+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
DirectoryServices
2020-11-07T15:26:14.470+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
DirectoryServices
2020-11-07T15:26:14.470+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-07T15:26:14.470+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:26:14.582+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver dmvc manual

2020-11-07T15:26:14.582+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dmwappushservice'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:26:14.637+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DNS'[%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS
2020-11-07T15:26:14.748+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Dnscache'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-07T15:26:14.824+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'dot3svc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-07T15:26:14.904+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DPS'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-07T15:26:14.963+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsmSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:26:15.013+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsRoleSvc'[%SystemRoot%\System32\lsass.exe]/manual depends: <none>
2020-11-07T15:26:15.083+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'DsSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:15.148+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver DXGKrnl manual
2020-11-07T15:26:15.148+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver eliexpress manual
2020-11-07T15:26:15.148+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Eaphost'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-07T15:26:15.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ebdrv bootStart
2020-11-07T15:26:15.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EFS'[%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-07T15:26:15.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorClass bootStart
2020-11-07T15:26:15.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart
2020-11-07T15:26:15.224+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver elxfcoe bootStart
2020-11-07T15:26:15.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver elxstor bootStart
2020-11-07T15:26:15.224+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-07T15:26:15.273+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:26:15.324+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ErrDev manual
2020-11-07T15:26:15.324+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT
2020-11-07T15:26:15.324+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT
2020-11-07T15:26:15.324+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-07T15:26:15.434+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-07T15:26:15.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver exfat manual
2020-11-07T15:26:15.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fastfat manual
2020-11-07T15:26:15.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fcvsc manual
2020-11-07T15:26:15.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver fdc manual
2020-11-07T15:26:15.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-07T15:26:15.480+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T15:26:15.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-07T15:26:15.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FileInfo manual
2020-11-07T15:26:15.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-07T15:26:15.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver flpydisk manual

2020-11-07T15:26:15.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-07T15:26:15.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:26:15.599+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T15:26:15.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-07T15:26:15.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-07T15:26:15.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-07T15:26:15.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-07T15:26:15.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-07T15:26:15.681+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T15:26:15.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv
systemStart
2020-11-07T15:26:15.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HDAudBus manual
2020-11-07T15:26:15.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-07T15:26:15.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-07T15:26:15.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-07T15:26:15.740+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'hidserv' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:15.774+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-07T15:26:15.774+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T15:26:15.774+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T15:26:15.774+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart

2020-11-07T15:26:15.774+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-07T15:26:15.774+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-07T15:26:15.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-07T15:26:15.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-07T15:26:15.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ibbus manual
2020-11-07T15:26:15.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T15:26:15.909+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IKEEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T15:26:15.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-07T15:26:15.997+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-07T15:26:15.997+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-07T15:26:15.997+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-07T15:26:15.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-07T15:26:15.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver intelppm manual
2020-11-07T15:26:15.998+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-07T15:26:15.998+01:00 warning vmware-converter-worker[02044]

[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-07T15:26:15.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-07T15:26:15.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T15:26:16.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-07T15:26:16.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-07T15:26:16.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-07T15:26:16.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-07T15:26:16.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-07T15:26:16.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'IsmServ'[%SystemRoot%\System32\ismserv.exe]/autoStart depends:
SamSS;NTDS
2020-11-07T15:26:16.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-07T15:26:16.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-07T15:26:16.143+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Kdc'[%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-07T15:26:16.233+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-07T15:26:16.234+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:26:16.279+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:26:16.309+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T15:26:16.350+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-07T15:26:16.350+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-07T15:26:16.351+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ksthunk manual
2020-11-07T15:26:16.351+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k

NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T15:26:16.351+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbssvc]/autoStart
depends: SamSS;Srv2
2020-11-07T15:26:16.428+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-07T15:26:16.512+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-07T15:26:16.512+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-07T15:26:16.512+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:26:16.554+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-07T15:26:16.598+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-07T15:26:16.598+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T15:26:16.629+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T15:26:16.643+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-07T15:26:16.643+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-07T15:26:16.643+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-07T15:26:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-07T15:26:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-07T15:26:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-07T15:26:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:26:16.644+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL

```
%windir%\system32\lsm.dll
2020-11-07T15:26:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver luafv autoStart
2020-11-07T15:26:16.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver monitor manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
2020-11-07T15:26:16.712+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T15:26:16.803+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-07T15:26:16.803+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-07T15:26:16.803+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-07T15:26:16.803+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-07T15:26:16.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T15:26:16.804+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T15:26:16.804+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
```

4.0.0.0

```
2020-11-07T15:26:16.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Msfs systemStart
2020-11-07T15:26:16.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual
2020-11-07T15:26:16.805+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual
2020-11-07T15:26:16.805+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mshidumdf manual
2020-11-07T15:26:16.805+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver msisadrv bootStart
2020-11-07T15:26:16.805+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'MSiSCSI' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:26:16.851+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'msiserver' [%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsLldp autoStart
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MsRPC manual
2020-11-07T15:26:16.876+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T15:26:16.876+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mssmbios systemStart
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver MTConfig manual
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Mup bootStart
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver mvumis bootStart
2020-11-07T15:26:16.876+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent
2020-11-07T15:26:16.876+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent
2020-11-07T15:26:16.876+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NcaSvc' [%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-07T15:26:16.924+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NcbService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
```

[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-07T15:26:17.031+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-07T15:26:17.032+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-07T15:26:17.032+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart
2020-11-07T15:26:17.032+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T15:26:17.032+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T15:26:17.032+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-07T15:26:17.032+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netlogon' [%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation;LanmanServer
2020-11-07T15:26:17.088+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Netman' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T15:26:17.137+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'netprofm' [%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-07T15:26:17.195+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:26:17.250+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/disabled depends: <none>
2020-11-07T15:26:17.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver netvsc manual

2020-11-07T15:26:17.335+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfp
2020-11-07T15:26:17.335+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfp
2020-11-07T15:26:17.335+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:17.406+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NgcSvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:17.514+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NlaSvc'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T15:26:17.576+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-07T15:26:17.576+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver npsvctrig systemStart
2020-11-07T15:26:17.576+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-07T15:26:17.613+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart
2020-11-07T15:26:17.613+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NTDS'[%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>
2020-11-07T15:26:17.645+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'NtFrs'[%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-07T15:26:17.678+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-07T15:26:17.678+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-07T15:26:17.678+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-07T15:26:17.678+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-07T15:26:17.678+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:26:17.705+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-07T15:26:17.705+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver partmgr bootStart

2020-11-07T15:26:17.705+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:26:17.812+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-07T15:26:17.812+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-07T15:26:17.813+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-07T15:26:17.813+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-07T15:26:17.813+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PerfHost'[%SystemRoot%\SysWow64\perfhst.exe]/manual depends: RPCSS
2020-11-07T15:26:17.932+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet
2020-11-07T15:26:17.932+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-07T15:26:17.932+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-07T15:26:17.932+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-07T15:26:17.932+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc
2020-11-07T15:26:17.932+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-07T15:26:17.932+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PhoneSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T15:26:17.964+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:26:18.012+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service

'pla'[%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T15:26:18.105+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PlugPlay'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:26:18.105+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PolicyAgent'[%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T15:26:18.244+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-07T15:26:18.244+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-07T15:26:18.244+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:26:18.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-07T15:26:18.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T15:26:18.290+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000A000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-07T15:26:18.290+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-07T15:26:18.291+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T15:26:18.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-07T15:26:18.756+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for pvscsi
2020-11-07T15:26:18.756+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for pvscsi
2020-11-07T15:26:18.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-07T15:26:18.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-07T15:26:18.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart
2020-11-07T15:26:18.756+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'QWAVE'[%windir%\system32\svchost.exe -k

```
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T15:26:18.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-07T15:26:18.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAcd manual
2020-11-07T15:26:18.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-07T15:26:18.835+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcd
2020-11-07T15:26:18.880+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-07T15:26:18.880+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-07T15:26:18.881+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RasMan'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPUDD
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPUDD
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
```

2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-07T15:26:18.970+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-07T15:26:18.970+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T15:26:19.021+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RemoteRegistry'[%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T15:26:19.074+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RmSvc'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:19.126+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcEptMapper'[%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T15:26:19.126+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-07T15:26:19.127+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcLocator'[%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T15:26:19.175+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-07T15:26:19.176+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'RSoPProv'[%SystemRoot%\system32\RSoPProv.exe]/manual depends: RPCSS
2020-11-07T15:26:19.176+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver rspndr autoStart
2020-11-07T15:26:19.176+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver s3cap manual
2020-11-07T15:26:19.176+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sacdrv bootStart
2020-11-07T15:26:19.176+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'sacsvr'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:26:19.210+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-07T15:26:19.310+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SAVAdminService'["C:\Program Files (x86)\Sophos\Sophos

Anti-Virus\SAVAdminService.exe"]/autoStart depends: <none>
2020-11-07T15:26:19.310+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SAVOnAccess
systemStart
2020-11-07T15:26:19.310+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'SAVService'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:
RPCSS
2020-11-07T15:26:19.310+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sbp2port bootStart
2020-11-07T15:26:19.310+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-07T15:26:19.360+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:19.413+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scfilter manual
2020-11-07T15:26:19.413+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-07T15:26:19.501+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scmbus bootStart
2020-11-07T15:26:19.501+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver scmdisk0101 manual
2020-11-07T15:26:19.501+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:26:19.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-07T15:26:19.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdcfilter manual
2020-11-07T15:26:19.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-07T15:26:19.502+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:26:19.539+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SENS'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T15:26:19.570+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorDataService'[%SystemRoot%\System32\SensorDataService.exe]/manual

depends: <none>
2020-11-07T15:26:19.671+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensorService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:19.758+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SensrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T15:26:19.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-07T15:26:19.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-07T15:26:19.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-07T15:26:19.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-07T15:26:19.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sermouse manual
2020-11-07T15:26:19.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-07T15:26:19.897+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-07T15:26:19.897+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-07T15:26:19.991+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-07T15:26:20.071+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-07T15:26:20.071+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-07T15:26:20.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-07T15:26:20.072+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-07T15:26:20.095+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-07T15:26:20.095+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0

2020-11-07T15:26:20.095+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos ELAM bootStart
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Sophos Endpoint
Defense bootStart
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Endpoint Defense
Service'["C:\Program Files\Sophos\Endpoint
Defense\SEDSvc.exe"]/autoStart depends: <none>
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Message
Router'["C:\Program Files (x86)\Sophos\Remote Management
System\RouterNT.exe" -service -name Router -ORBListenEndpoints
iiop://:8193/ssl_port=8194]/autoStart depends: <none>
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos System Protection
Service'["C:\Program Files\Sophos\Endpoint
Defense\SSPSvc.exe"]/autoStart depends: <none>
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'Sophos Web Control
Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web
Control\swc_service.exe"]/autoStart depends: RPCSS
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SophosBootDriver
disabled
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver spaceport bootStart
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver SpbCx manual
2020-11-07T15:26:20.145+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-07T15:26:20.196+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-07T15:26:20.394+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver srv autoStart
2020-11-07T15:26:20.394+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srv2 manual
2020-11-07T15:26:20.394+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver srvnet manual
2020-11-07T15:26:20.394+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SSDPDRV' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: HTTP
2020-11-07T15:26:20.460+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'SstpSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:26:20.507+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StateRepository' [%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:26:20.597+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stexstor bootStart
2020-11-07T15:26:20.597+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'stisvc' [%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-07T15:26:20.689+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-07T15:26:20.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-07T15:26:20.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver stornvme bootStart
2020-11-07T15:26:20.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart
2020-11-07T15:26:20.690+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'StorSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:20.779+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-07T15:26:20.779+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-07T15:26:20.779+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'svsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:20.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-07T15:26:20.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver swi_callout
systemStart
2020-11-07T15:26:20.821+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service 'swi_filter'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web Intelligence\swi_filter.exe"]/autoStart depends: swi_callout
2020-11-07T15:26:20.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swi_service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web Intelligence\swi_service.exe"]/autoStart depends: <none>
2020-11-07T15:26:20.821+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends: RPCSS
2020-11-07T15:26:20.851+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-07T15:26:20.851+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'SysMain'[%systemroot%\system32\svchost.exe -k LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T15:26:20.936+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-07T15:26:20.936+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL %windir%\system32\systemeventsbrokerserver.dll
2020-11-07T15:26:20.936+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'TabletInputService'[%SystemRoot%\System32\svchost.exe -k LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:20.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual depends: RpcSs
2020-11-07T15:26:21.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-07T15:26:21.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-07T15:26:21.060+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TCPIP6TUNNEL
2020-11-07T15:26:21.060+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-07T15:26:21.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart
2020-11-07T15:26:21.060+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TCPIPTUNNEL
2020-11-07T15:26:21.060+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-07T15:26:21.060+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found device driver tdx systemStart
2020-11-07T15:26:21.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver terminpt manual
2020-11-07T15:26:21.060+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TermService' [%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-07T15:26:21.151+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Themes' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-07T15:26:21.192+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TieringEngineService' [%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-07T15:26:21.244+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'tiledatamodelsvc' [%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-07T15:26:21.321+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:21.321+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-07T15:26:21.321+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TPM manual
2020-11-07T15:26:21.321+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:21.357+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-07T15:26:21.433+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD
2020-11-07T15:26:21.433+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSDDD
2020-11-07T15:26:21.433+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-07T15:26:21.433+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-07T15:26:21.433+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tsusbhub manual
2020-11-07T15:26:21.433+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-07T15:26:21.433+01:00 info vmware-converter-worker[02044]

[Originator@6876 sub=Default] Found service
'tzautoupdate'[%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T15:26:21.470+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UALSVC'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T15:26:21.524+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UASPStor manual
2020-11-07T15:26:21.524+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-07T15:26:21.524+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-07T15:26:21.524+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-07T15:26:21.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-07T15:26:21.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-07T15:26:21.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver udfs disabled
2020-11-07T15:26:21.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-07T15:26:21.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled
2020-11-07T15:26:21.525+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UevAgentService'[%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-07T15:26:21.634+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-07T15:26:21.634+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-07T15:26:21.634+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-07T15:26:21.634+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-07T15:26:21.634+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-07T15:26:21.634+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-07T15:26:21.634+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T15:26:21.634+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UI0Detect'[%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T15:26:21.661+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver umbus manual

2020-11-07T15:26:21.661+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-07T15:26:21.662+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UmRdpService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T15:26:21.730+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UnistoreSvc'[%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:26:21.731+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'upnphost'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-07T15:26:21.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-07T15:26:21.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-07T15:26:21.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-07T15:26:21.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-07T15:26:21.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-07T15:26:21.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbhub manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver usbuhci manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-07T15:26:21.807+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserDataSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:26:21.808+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'UserManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T15:26:21.873+01:00 info vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Found service
'UsSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:26:21.957+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VaultSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T15:26:22.014+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-07T15:26:22.014+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vds'[%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VGAAuthService'["C:\Program
Files\VMware\VMware Tools\VMware VGAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vhf manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual
2020-11-07T15:26:22.098+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vm3dservice'[%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-07T15:26:22.101+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000A000000\Windows\system32\oem7.inf
2020-11-07T15:26:22.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-07T15:26:22.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-07T15:26:22.101+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-07T15:26:22.102+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-07T15:26:22.102+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicguestinterface'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
```

2020-11-07T15:26:22.189+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicheartbeat'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:26:22.190+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmickvpexchange'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:22.191+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicrdv'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:26:22.264+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicshutdown'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:22.265+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmictimesync'[%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T15:26:22.266+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:22.267+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:22.267+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-07T15:26:22.268+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-07T15:26:22.268+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-07T15:26:22.268+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-07T15:26:22.268+01:00 warning vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-07T15:26:22.268+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-07T15:26:22.269+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T15:26:22.372+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-07T15:26:22.372+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-07T15:26:22.373+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:26:22.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-07T15:26:22.437+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T15:26:22.539+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarp autoStart
2020-11-07T15:26:22.539+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-07T15:26:22.539+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T15:26:22.627+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-07T15:26:22.628+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:26:22.698+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscsv
2020-11-07T15:26:22.698+01:00 warning vmware-converter-worker[02044]
```



```
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscsvc
2020-11-07T15:26:22.698+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-07T15:26:22.698+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-07T15:26:22.698+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-07T15:26:22.698+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-07T15:26:22.698+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T15:26:22.734+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:26:22.735+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-07T15:26:22.735+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WdNisSvc'["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T15:26:22.793+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Wecsvc'[%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T15:26:22.840+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WEPHOSTSVC'[%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-07T15:26:22.870+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wercplsupport'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-07T15:26:22.921+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WerSvc'[%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-07T15:26:22.963+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-07T15:26:22.963+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WiaRpc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:22.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-07T15:26:22.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
```

'WinDefend' ["C:\ProgramData\Microsoft\Windows Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T15:26:22.998+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:26:22.998+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:26:22.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRT
bootStart
2020-11-07T15:26:22.998+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-07T15:26:22.999+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-07T15:26:23.093+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-07T15:26:23.093+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-07T15:26:23.204+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinNat manual
2020-11-07T15:26:23.204+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-07T15:26:23.295+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-07T15:26:23.295+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-07T15:26:23.295+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-07T15:26:23.295+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-07T15:26:23.295+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-07T15:26:23.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-07T15:26:23.296+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wisvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:26:23.391+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-07T15:26:23.391+01:00 warning vmware-converter-worker[02044]

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-07T15:26:23.391+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wlidsvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:26:23.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-07T15:26:23.506+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-07T15:26:23.506+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-07T15:26:23.506+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wmiApSrv' [%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-07T15:26:23.562+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-07T15:26:23.562+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-07T15:26:23.562+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
2020-11-07T15:26:23.562+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WPDBusEnum' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:26:23.598+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WpdUpFiltr manual
2020-11-07T15:26:23.598+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnService' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T15:26:23.644+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WpnUserService' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:26:23.664+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-07T15:26:23.664+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'WSearch' [%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T15:26:23.718+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-07T15:26:23.718+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi
2020-11-07T15:26:23.718+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wuauserv' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
```

```
rpcss
2020-11-07T15:26:23.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WudfPf manual
2020-11-07T15:26:23.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver WUDFRd manual
2020-11-07T15:26:23.836+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'wudfsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-07T15:26:23.878+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblAuthManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:26:23.955+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found service
'XblGameSave' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-07T15:26:24.019+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xboxgip manual
2020-11-07T15:26:24.019+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Found device driver xinputhid manual
2020-11-07T15:26:24.019+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov
2020-11-07T15:26:24.019+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov
2020-11-07T15:26:24.019+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:26:24.019+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:26:24.019+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T15:26:24.019+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T15:26:24.074+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi404021926930848273
2020-11-07T15:26:24.077+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:24.163+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi55.
2020-11-07T15:26:26.788+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi55\SOFTWARE is
loaded under the name mntApi416855655530848273
```

2020-11-07T15:26:26.789+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi416855655530848273\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:26:26.789+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:26:26.789+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:26:26.789+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:26:26.789+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:26:26.806+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi97.
2020-11-07T15:26:27.214+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi97\SYSTEM is
loaded under the name mntApi419498462530848273
2020-11-07T15:26:27.214+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi419498462530848273\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:26:27.214+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:26:27.317+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi419498462530848273
2020-11-07T15:26:27.320+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:27.327+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi416855655530848273
2020-11-07T15:26:27.340+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:27.358+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23.
2020-11-07T15:26:27.714+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23\SYSTEM is
loaded under the name mntApi420050457130848273
2020-11-07T15:26:27.774+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi420050457130848273
2020-11-07T15:26:27.777+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:27.777+01:00 warning vmware-converter-worker[02044]

[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get mountpoints for volume :1307/710000010000000000: 4146 (type = 2, code=259)

2020-11-07T15:26:27.864+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi241.

2020-11-07T15:26:30.518+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi241\SOFTWARE is loaded under the name mntApi420557456430848273

2020-11-07T15:26:30.518+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi420557456430848273\Microsoft\Windows NT\CurrentVersion

2020-11-07T15:26:30.518+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 reading SP information

2020-11-07T15:26:30.518+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free

2020-11-07T15:26:30.518+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free

2020-11-07T15:26:30.518+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter

2020-11-07T15:26:30.536+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi99.

2020-11-07T15:26:30.933+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi99\SYSTEM is loaded under the name mntApi423228456330848273

2020-11-07T15:26:30.933+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi423228456330848273\ControlSet001\Services\vmxnet - 2.

2020-11-07T15:26:30.933+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed

2020-11-07T15:26:31.038+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi423228456330848273

2020-11-07T15:26:31.041+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.

2020-11-07T15:26:31.047+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi420557456430848273

2020-11-07T15:26:31.057+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.

2020-11-07T15:26:31.074+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi99.

```
2020-11-07T15:26:31.426+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi199\SYSTEM is
loaded under the name mntApi423766457730848273
2020-11-07T15:26:31.482+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Unloaded hive mntApi423766457730848273
2020-11-07T15:26:31.484+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:26:31.485+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-07T15:26:31.485+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-07T15:26:31.485+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T15:26:31.485+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key
QueryManagerImpl::Query=12ff5fa43de6b550c55364babf3841bb6d88668
2020-11-07T15:26:31.491+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ===
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:
--> (converter.info.ComputerInfo) {
-->   hardwareInfo = (converter.info.ComputerHardwareInfo) {
-->     storage = (converter.info.StorageInfo) {
-->       disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-5",
-->           capacityInBytes = 42949672960,
-->           diskUsageInBytes = 42949672960,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 402064154,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->         }
-->       ],
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->       (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":1307/710000010000000000",
-->         diskId = (string) [
-->           "disk-5"
-->         ],
-->       }
-->     ]
-->   }
--> }
```

```

-->         partitionNumber = 1,
-->         primary = true,
-->         active = true,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "Réservé au système",
-->         capacityInBytes = 524288000,
-->         spaceUsedInBytes = 354910208,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":1307/71000005?100000000",
-->         diskId = (string) [
-->             "disk-5"
-->         ],
-->         partitionNumber = 2,
-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "",
-->         capacityInBytes = 42423287808,
-->         spaceUsedInBytes = 18347954176,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [
-->             (converter.info.NetworkInfo.HostedNicInfo) {
-->                 nicId = "ethernet-6",
-->                 connected = true,

```



```

-->         label = "ethernet0",
-->         connectionType = <unset>
-->     }
--> ]
--> },
--> basicHardware = (converter.info.BasicHardwareInfo) {
-->     numCPUs = 2,
-->     numCoresPerSocket = 1,
-->     memoryMB = 4096
--> },
--> configInfo = (vim.vm.ConfigInfo) {
-->     changeVersion = "",
-->     modified = "1970-01-01T00:00:00Z",
-->     name = "SRV-NHFAD1",
-->     guestFullName = "",
-->     version = "vmx-13",
-->     uuid = "56 4d 1f 72 fd 71 57 73-fa e8 6e 86 0b 9c fd 9c",
-->     instanceUuid = <unset>,
-->     npivWorldWideNameType = <unset>,
-->     npivDesiredNodeWwns = <unset>,
-->     npivDesiredPortWwns = <unset>,
-->     npivTemporaryDisabled = <unset>,
-->     npivOnNonRdmDisks = <unset>,
-->     locationId = "56 4d 19 98 72 4a e4 e3-15 97 55 f0 6f d8 2e
09",
-->     template = false,
-->     guestId = "windows9Server64Guest",
-->     alternateGuestName = "",
-->     annotation = <unset>,
-->     files = (vim.vm.FileInfo) {
-->         vmPathName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",
-->
-->         snapshotDirectory = <unset>,
-->         suspendDirectory = <unset>,
-->         logDirectory = <unset>,
-->         ftMetadataDirectory = <unset>
-->     },
-->     tools = (vim.vm.ToolsConfigInfo) {
-->         toolsVersion = <unset>,
-->         afterPowerOn = true,
-->         afterResume = true,
-->         beforeGuestStandby = true,
-->         beforeGuestShutdown = true,
-->         beforeGuestReboot = <unset>,
-->         toolsUpgradePolicy = "manual",
-->         pendingCustomization = <unset>,
-->         syncTimeWithHost = false,
-->         lastInstallInfo =

```

```

(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->         upgradeRebootPredict = <unset>
-->     },
-->     flags = (vim.vm.FlagInfo) {
-->         disableAcceleration = false,
-->         enableLogging = true,
-->         useToe = <unset>,
-->         runWithDebugInfo = <unset>,
-->         monitorType = "release",
-->         htSharing = <unset>,
-->         snapshotDisabled = <unset>,
-->         snapshotLocked = <unset>,
-->         diskUuidEnabled = <unset>,
-->         virtualMmuUsage = <unset>,
-->         virtualExecUsage = <unset>,
-->         snapshotPowerOffBehavior = <unset>,
-->         recordReplayEnabled = <unset>,
-->         faultToleranceType = <unset>
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = <unset>,
-->         suspendType = "soft",
-->         resetType = <unset>,
-->         defaultPowerOffType = <unset>,
-->         defaultSuspendType = <unset>,
-->         defaultResetType = <unset>,
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,

```

```

-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualIDEController) {
-->         key = 2,
-->         deviceInfo = (vim.Description) {
-->             label = "ide1",
-->             summary = "IDE Controller 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 1,
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 3,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =

```

```

(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk"
,
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualE1000) {
-->         key = 6,
-->         deviceInfo = (vim.Description) {
-->             label = "ethernet0",
-->             summary = "Ethernet 0"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>

```

```

-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "generated",
-->         macAddress = "00:0c:29:9c:fd:9c",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
-->     (vim.vm.device.VirtualUSBController) {
-->         key = 7,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         autoConnectDevices = true,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 8,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,

```

```

-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 9,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     }
--> ]
--> },
-->     cpuAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = <unset>,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     latencySensitivity = (vim.LatencySensitivity) null,
-->     memoryHotAddEnabled = false,

```

```
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "config.readOnly",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "bios.bootRetry.delay",
-->             value = "10"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.mem.min",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
--> -90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.syncTime",
-->             value = "false"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.guest.desktop.autolock",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.remindInstall",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.speed",
-->             value = "2"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.port",
-->             value = "1"
-->         }
-->     ]
-->
```

```
--> },
--> (vim.option.OptionValue) {
-->   key = "usb:1.parent",
-->   value = "-1"
--> },
--> (vim.option.OptionValue) {
-->   key = "scsi0:0.ctkEnabled",
-->   value = "True"
--> },
--> (vim.option.OptionValue) {
-->   key = "ethernet0.shares",
-->   value = "normal"
--> },
--> (vim.option.OptionValue) {
-->   key = "vc.uuid",
-->   value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2
db"
--> },
--> (vim.option.OptionValue) {
-->   key = "nvram",
-->   value = "SRV-NHFAD1.nvram"
--> },
--> (vim.option.OptionValue) {
-->   key = "svga.present",
-->   value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->   key = "svga.guestBackedPrimaryAware",
-->   value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->   key = "hpet0.present",
-->   value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->   key = "RemoteDisplay.maxConnections",
-->   value = "-1"
--> },
--> (vim.option.OptionValue) {
-->   key = "numa.autosize.vcpu.maxPerVirtualNode",
-->   value = "2"
--> },
--> (vim.option.OptionValue) {
-->   key = "numa.autosize.cookie",
-->   value = "20001"
--> },
--> (vim.option.OptionValue) {
-->   key = "vm.genid",
-->   value = "-3854021677028181693"
```



```
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "-4577512143103774999"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = "0"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.description",
-->     value = "VMware Tools 11.1.1 build 16303738"
--> },
--> },
```

```

-->         (vim.option.OptionValue) {
-->             key = "guestinfo.vmtools.versionNumber",
-->             value = "11297"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestinfo.vmtools.versionString",
-->             value = "11.1.1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "virtualHW.productCompatibility",
-->             value = "hosted"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestOS.detailed.data",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:0.port",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:0.parent",
-->             value = "-1"
-->         }
-->     ],
-->     cpuFeatureMask = (vim.host.CpuIdInfo) [
-->         (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 1,
-->             vendor = <unset>,

```

```
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->
```

```

-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>,
--> maxMksConnections = <unset>,
--> guestAutoLockEnabled = <unset>,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = <unset>,
--> initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
--> nestedHVENabled = <unset>,
--> vPMCEnabled = <unset>,
--> scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
-->     forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->     vFlashCacheReservation = <unset>,
-->     vmxConfigChecksum = <unset>,
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = <unset>,
-->     vmStorageObjectId = <unset>,
-->     swapStorageObjectId = <unset>,
--> },
-->     currentEfiBootEntry = <unset>
--> },
--> osInfo = (converter.info.ComputerOsInfo) {

```

```

-->     osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->         guestOsId = "windows8srv-64",
-->         displayName = "Windows Server 2012 (64-bit)",
-->         osType = "windowsOs",
-->         osEdition = "Server",
-->         distribution = <unset>,
-->         majorVersion = 6,
-->         minorVersion = 3,
-->         kernelVersion = <unset>,
-->         os64Bit = true,
-->         spLevel = <unset>
-->     },
-->     hostname = "SRV-NHFAD1",
-->     activeVolumeId = ":1307/710000010000000000",
-->     systemVolumeId = ":1307/71000005?100000000",
-->     logicalVolumeInfo =
(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/710000010000000000",
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 459767808,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             },
-->         },
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = ":1307/71000005?100000000",
-->             mountPoint = (string) [
-->                 "C:"
-->             ],
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 20182749593,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             }
-->         }
-->     ],
-->     reconfigPrerequisites = (converter.info.ReconfigPrerequisites)
null,
-->     services = (converter.info.ServiceInfo) [
-->         (converter.info.ServiceInfo) {

```

```

-->         serviceName = "ADWS",
-->         displayName = "Services Web Active Directory",
-->         description = "Ce service fournit une interface de
service Web aux instances de service d'annuaire (AD DS and AD LDS) qui
s'exécutent localement sur le serveur. Si ce service est arrêté ou
désactivé, les applications clientes, comme Active Directory PowerShell,
ne pourront pas accéder ou gérer les instances de service d'annuaire qui
s'exécutent localement sur le serveur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AJRouter",
-->         displayName = "Service de routeur AllJoyn",
-->         description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ALG",
-->         displayName = "Service de la passerelle de la couche
Application",
-->         description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppIDSvc",
-->         displayName = "Identité de l'application",
-->         description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Appinfo",
-->         displayName = "Informations d'application",
-->         description = "Permet d'exécuter les applications
interactives avec des droits d'administration supplémentaires. Si ce
service est arrêté, les utilisateurs ne pourront pas lancer les
applications avec les droits d'administration supplémentaires

```

```

nécessaires pour effectuer les tâches utilisateur souhaitées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "AudioEndpointBuilder",
-->             displayName = "Générateur de points de terminaison du
service Audio Windows",
-->             description =
"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Audiosrv",
-->             displayName = "Audio Windows",
-->             description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "AxInstSV",
-->             displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->             description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la
stratégie de groupe. Ce service est démarré sur demande et, s'il est
désactivé, l'installation des contrôles ActiveX se comporte conformément
aux paramètres par défaut du navigateur.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "BFE",
-->             displayName = "Moteur de filtrage de base",
-->             description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),
et qui implémente le filtrage en mode utilisateur. L'arrêt ou la
désactivation du service Moteur de filtrage de base diminue
significativement la sécurité du système et aboutit également à un
fonctionnement imprévisible des applications de gestion et de pare-feu
IPsec.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "BITS",

```



```
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",
-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils
connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
```

```

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le
minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ClipSVC",
-->         displayName = "Service de licences de client (ClipSVC)",
-->
-->         description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "COMSysApp",
-->         displayName = "Application système COM+",
-->         description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CoreMessagingRegistrar",
-->         displayName = "CoreMessaging",
-->         description = "Manages communication between system
components.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CryptSvc",
-->         displayName = "Services de chiffrement",
-->         description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de
gestion ne fonctionneront pas correctement. Si ce service est désactivé,
les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CscService",
-->         displayName = "Fichiers hors connexion",
-->         description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service
est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne
fonctionnent pas correctement. Il est fortement recommandé d'exécuter le
service DCOMLAUNCH.",

```

```

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques
câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",

```

```
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dfs",
-->         displayName = "Espace de noms DFS",
-->         description = "Permet de grouper les dossiers partagés
et situés sur différents serveurs en un ou plusieurs espaces de noms
logiquement structurés. Chaque espace de nom apparaît auprès des
utilisateurs sous forme d'un dossier partagé unique contenant une série
de sous-dossiers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DFSR",
-->         displayName = "Réplication DFS",
-->         description = "Vous permet de synchroniser des dossiers
de plusieurs serveurs sur des connexions réseau de type réseau local ou
étendu. Ce service utilise le protocole RDC (Remote Differential
Compression) pour mettre à jour uniquement les parties des fichiers
ayant été modifiées depuis la dernière réplication.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DHCPServer",
-->         displayName = "Serveur DHCP",
-->         description = "Effectue la configuration TCP/IP des
clients DHCP, notamment les attributions dynamiques d'adresses IP et la
spécification des serveurs WINS et DNS et des noms DNS spécifiques à la
connexion. Si ce service est arrêté, le serveur DHCP n'effectue pas la
configuration TCP/IP des clients. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne peuvent plus démarrer.",
-->         currentState = "stopped",
```

```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
télémétrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de télémétrie offre des fonctionnalités qui prennent en
charge les expériences des utilisateurs connectés et in-app. En outre,
ce service gère la collecte et la transmission des informations de
diagnostic et d'utilisation en fonction des événements (afin d'améliorer
l'expérience et la qualité de la plateforme Windows) lorsque les
paramètres des options de confidentialité des diagnostics et de
l'utilisation sont activés sous Commentaires & diagnostics.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des
périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "DNS",
-->             displayName = "Serveur DNS",
-->             description = "Permet aux clients DNS de résoudre les
noms DNS en répondant aux requêtes DNS et aux requêtes de mise à jour
DNS dynamiques. Si ce service est arrêté, les mises à jour DNS n'auront
pas lieu. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Dnscache",
-->             displayName = "Client DNS",
-->             description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
pas démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "dot3svc",
-->             displayName = "Configuration automatique de réseau
câblé",
-->             description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "DPS",
-->             displayName = "Service de stratégie de diagnostic",
-->             description = "Le service de stratégie de diagnostic
permet la détection, le dépannage et la résolution de problèmes pour les
composants de Windows. Si ce service est arrêté, les diagnostics ne
fonctionnent plus.",

```

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsmSvc",
-->         displayName = "Gestionnaire d'installation de
périphérique",
-->         description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsRoleSvc",
-->         displayName = "Serveur de rôles DS",
-->         description = "Ce service héberge le serveur de rôles DS
utilisé pour la promotion, la régression et le clonage de contrôleur de
domaine. Si le service est désactivé, ces opérations échouent.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsSvc",
-->         displayName = "Service de partage des données",
-->         description = "Fournit l'intermédiation des données
entre les applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Eaphost",
-->         displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->         description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
nécessitent l'authentification EAP.",
-->         currentState = "stopped",
-->         startType = "manual",
```



```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EFS",
-->         displayName = "Système de fichiers EFS (Encrypting File
System)",
-->         description = "Fournit la technologie de chiffrement des
fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "embeddedmode",
-->         displayName = "Mode incorporé",
-->         description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EntAppSvc",
-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "EventSystem",
-->         displayName = "Système d'événement COM+",
-->         description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations
d'ouverture et de fermeture de session. Si ce service est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "fdPHost",
-->         displayName = "Hôte du fournisseur de découverte de
fonctions",
-->         description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery
Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la
désactivation du service FDPHOST désactivera la découverte de réseau
pour ces protocoles lors de l'utilisation de la découverte de fonction.
Lorsque ce service n'est pas disponible, les services réseau qui
utilisent la découverte de fonction et qui dépendent de ces protocoles
de découverte ne pourront pas trouver des périphériques ou des
ressources réseau.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FDResPub",
-->         displayName = "Publication des ressources de découverte
de fonctions",
-->         description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache",
-->         displayName = "Service de cache de police Windows",
-->         description = "Optimise les performances des

```

applications en mettant en cache les données des polices communément utilisées. Les applications démarrent ce service s'il n'est pas déjà en fonctionnement. Il peut être désactivé ; il en résulte cependant une dégradation des performances des applications.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
l'application des paramètres configurés par les administrateurs pour
l'ordinateur et pour les utilisateurs via le composant de stratégie de
groupe. Si le service est désactivé, les paramètres ne seront pas
appliqués, et les applications et les composants ne seront pas gérables
par la stratégie de groupe. Tout composant ou application qui dépend du
composant de stratégie de groupe risque de ne pas fonctionner si le
service est désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",
-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",
-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
```

```

système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
Internet Protocol). Ces modules de génération de clés sont utilisés pour
l'authentification et l'échange de clés dans la sécurité IP (IPsec).
L'arrêt ou la désactivation du service IKEEXT entraînera la
désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs
homologues. IPsec est généralement configuré pour utiliser IKE ou
AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT
risque de conduire à la défaillance d'IPsec et de compromettre la
sécurité du système. Il est fortement recommandé d'activer l'exécution
du service IKEEXT.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "iphlpvc",
-->         displayName = "Assistance IP",
-->         description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPv6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IsmServ",
-->         displayName = "Messagerie intersite",

```

```

-->         description = "Permet l'échange des messages entre
ordinateurs fonctionnant sur des sites Windows Server. Si ce service est
arrêté, les messages ne seront pas échangés et les informations de
routage du site ne seront pas calculées pour d'autres services. Si ce
service est désactivé, tout service en dépendant explicitement ne
démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Kdc",
-->         displayName = "Centre de distribution de clés Kerberos",

-->         description = "Ce service, qui s'exécute sur les
contrôleurs de domaine, permet aux utilisateurs d'ouvrir une session sur
le réseau en utilisant le protocole d'authentification Kerberos. Si ce
service est arrêté, les utilisateurs ne pourront plus ouvrir de session
sur le réseau. Si ce service est désactivé, les services qui en
dépendent explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KdsSvc",
-->         displayName = "Service de distribution de clés
Microsoft",
-->         description = "Ce service permet de protéger les données
à l'aide de l'API de protection des données de groupe. Il permet
également de prendre en charge différentes fonctionnalités système,
notamment BitLocker sur les volumes en cluster, les comptes de services
administrés et le DNS sécurisé. Si ce service est arrêté, ces
fonctionnalités ne fonctionnent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KeyIso",
-->         displayName = "Isolation de clé CNG",
-->         description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de
processus de clé aux clés privés et aux opérations de chiffrement
associées, conformément aux critères communs. Le service stocke et
utilise des clés à long terme dans le cadre d'un processus sécurisé
répondant aux exigences des critères communs.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KPSSVC",
-->         displayName = "Service Serveur proxy KDC",
-->         description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KtmRm",
-->         displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->         description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce
service automatiquement. Si ce service est désactivé, toute transaction
MSDTC interagissant avec un gestionnaire de transactions du noyau échoue
et tout service qui en dépend de façon explicite ne parvient pas à
démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanServer",
-->         displayName = "Serveur",
-->         description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanWorkstation",
-->         displayName = "Station de travail",
-->         description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce
service est arrêté, ces connexions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",

```

```

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lfsvc",
-->         displayName = "Service de géolocalisation",
-->         description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LicenseManager",
-->         displayName = "Serveur Gestionnaire de licences
Windows",
-->         description = "Permet la prise en charge de
l'infrastructure du Windows Store. Ce service démarre à la demande. S'il
est désactivé, le contenu acheté via le Windows Store ne se comporte pas
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lltdsvc",
-->         displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->         description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lmhosts",
-->         displayName = "Assistance NetBIOS sur TCP/IP",
-->         description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
présents sur le réseau, ce qui permet aux utilisateurs de partager des
fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce
service est arrêté, ces fonctions risquent de ne pas être disponibles.

```

Si ce service est désactivé, les services qui en dépendent explicitement ne pourront pas démarrer.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LSM",
-->         displayName = "@%windir%\system32\lsm.dll,-1001",
-->         description = "@%windir%\system32\lsm.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MapsBroker",
-->         displayName = "Gestionnaire des cartes téléchargées",
-->         description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
cartes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MpsSvc",
-->         displayName = "Pare-feu Windows",
-->         description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSDTC",
-->         displayName = "Coordinateur de transactions
distribuées",
-->         description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
--> }
```



```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "MSiSCSI",
-->             displayName = "Service Initiateur iSCSI de Microsoft",
-->             description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur
les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui
dépendent explicitement de lui ne pourront plus démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "msiserver",
-->             displayName = "Windows Installer",
-->             description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NcaSvc",
-->             displayName = "Assistant Connectivité réseau",
-->             description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NcbService",
-->             displayName = "Service Broker pour les connexions
réseau",
-->             description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
notifications d'Internet.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Netlogon",
-->             displayName = "NetLogon",
-->             description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur

```

peut ne pas authentifier les utilisateurs et les services et le contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si ce service est désactivé, tout service qui en dépend explicitement ne pourra pas démarrer.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",
-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetSetupSvc",
-->         displayName = "Service Configuration du réseau",
-->         description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetTcpPortSharing",
-->         displayName = "Service de partage de ports Net.Tcp",
-->         description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcCtnrSvc",
-->         displayName = "Conteneur Microsoft Passport",
-->         description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcSvc",
-->         displayName = "Microsoft Passport",
-->         description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les
fonctions d'utilisation et de gestion de ces clés, telles que
l'ouverture de session et l'authentification unique pour les
applications et les sites web, ne seront pas disponibles. Ce service
démontre et s'arrête automatiquement. Il est recommandé de ne pas le
reconfigurer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NlaSvc",
-->         displayName = "Connaissance des emplacements réseau",
-->         description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "nsi",
-->         displayName = "Service Interface du magasin réseau",
-->         description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité

```

```

réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NTDS",
-->         displayName = "Services de domaine Active Directory",
-->         description = "Service de contrôleur de domaine des
services de domaine Active Directory. Si ce service est arrêté, les
utilisateurs ne peuvent plus se connecter au réseau. Si ce service est
désactivé, tous les services qui en dépendent explicitement ne peuvent
plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NtFrs",
-->         displayName = "Réplication de fichiers",
-->         description = "Synchronise les dossiers avec les
serveurs de fichiers qui utilisent le service FRS au lieu du service de
réplication DFS plus récent.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "OneSyncSvc",
-->         displayName = "Hôte de synchronisation",
-->         description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des
programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les
programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",

```

```

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhost.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PimIndexMaintenanceSvc",
-->         displayName = "Données de contacts",
-->         description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce
service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "pla",
-->         displayName = "Journaux & alertes de performance",
-->         description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PlugPlay",
-->         displayName = "Plug-and-Play",

```

```

-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PolicyAgent",
-->         displayName = "Agent de stratégie IPsec",
-->         description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Power",
-->         displayName = "Alimentation",
-->         description = "Gère la stratégie d'alimentation et la
remise de notification de stratégie d'alimentation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PrintNotify",
-->         displayName =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->         description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ProfSvc",
-->         displayName = "Service de profil utilisateur",
-->         description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir
les données des utilisateurs, et les composants inscrits pour recevoir
les notifications d'événements de profils ne les recevront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "QWAVE",
-->             displayName = "Expérience audio-vidéo haute qualité
Windows",
-->             description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RasAuto",
-->             displayName = "Gestionnaire des connexions automatiques
d'accès à distance",
-->             description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RasMan",
-->             displayName = "Gestionnaire des connexions d'accès à
distance",
-->             description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RemoteAccess",
-->             displayName = "Routage et accès distant",
-->             description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->             currentState = "stopped",
-->             startType = "disabled",
-->             canBeStopped = true
-->         },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "RemoteRegistry",
-->             displayName = "Registre à distance",
-->             description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RmSvc",
-->             displayName = "Service de gestion radio",
-->             description = "Service de gestion radio et de mode
Avion",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcEptMapper",
-->             displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->             description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcLocator",
-->             displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->             description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure
distante (RPC) gère la base de données du service de nom RPC. Dans
Windows Vista et les versions ultérieures de Windows, ce service ne
fournit aucune fonctionnalité et est présent à des fins de compatibilité
applicative.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcSs",
-->             displayName = "Appel de procédure distante (RPC)",
-->             description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets

```


et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM. Si ce service est arrêté ou désactivé, les programmes utilisant COM ou DCOM ne fonctionnent pas correctement. Il est fortement recommandé d'exécuter le service RPCSS.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RSoPProv",
-->         displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->         description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sacsvr",
-->         displayName = "Application d'assistance de la Console
d'administration spéciale",
-->         description = "Permet aux administrateurs d'accéder à
distance à une invite de commandes en utilisant les services de gestion
d'urgence.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SamSs",
-->         displayName = "Gestionnaire de comptes de sécurité",
-->         description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVAdminService",
-->         displayName = "Sophos Anti-Virus status reporter",
-->         description = "Fournit au Windows Security Center des
```

```
informations sur l'état de mise à jour de Sophos Anti-Virus et sur
l'état actif ou non du contrôle sur accès.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SAVService",
-->         displayName = "Sophos Anti-Virus",
-->         description = "Effectue des opérations de contrôle des
menaces et de nettoyage.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCardSvr",
-->         displayName = "Carte à puce",
-->         description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ScDeviceEnum",
-->         displayName = "Service d'énumération de périphériques de
carte à puce",
-->         description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Schedule",
-->         displayName = "Planificateur de tâches",
-->         description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCPolicySvc",
-->         displayName = "Stratégie de retrait de la carte à puce",
-->
-->         description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "seclogon",
-->         displayName = "Ouverture de session secondaire",
-->         description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SENS",
-->         displayName = "Service de notification d'événements
système",
-->         description = "Analyse les événements système et notifie
leur existence aux abonnés du système d'événements COM+.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorDataService",
-->         displayName = "Service Données de capteur",
-->         description = "Fournit les données d'une variété de
capteurs",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorService",
-->         displayName = "Service de capteur",
-->         description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de

```

périphérique simple rapportant les changements d'orientation du périphérique. Si le service est interrompu ou désactivé, le capteur d'orientation de périphérique simple ne sera pas chargé et la rotation automatique n'aura pas lieu. La collecte d'historiques des capteurs sera également interrompue.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensrSvc",
-->         displayName = "Service de surveillance des capteurs",
-->         description = "Surveille plusieurs capteurs pour exposer
les données et s'adapter aux divers états utilisateur et du système. Si
le service est arrêté ou désactivé, la brillance de l'affichage ne
s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut
également affecter d'autres fonctionnalités du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SessionEnv",
-->         displayName = "Configuration des services Bureau à
distance",
-->         description = "Le service Configuration des services
Bureau à distance (RDCS) est responsable de toutes les activités de
maintenance de session et de configuration du Bureau à distance et des
services Bureau à distance nécessitant un contexte SYSTEM. Il faut y
inclure les dossiers temporaires par session, ainsi que les thèmes et
certificats des services Bureau à distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SharedAccess",
-->         displayName = "Partage de connexion Internet (ICS)",
-->         description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ShellHWDetection",
-->         displayName = "Détection matériel noyau",
```

```

-->         description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "smphost",
-->         displayName = "SMP de l'Espace de stockages Microsoft",
-->         description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SNMPTRAP",
-->         displayName = "Interruption SNMP",
-->         description = "Reçoit les messages d'interception
générés par les agents SNMP (Simple Network Management Protocol) locaux
ou distants et transmet les messages aux programmes de gestion SNMP
s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes
à base SNMP sur cet ordinateur ne recevront pas les messages
d'interception SNMP. Si ce service est désactivé, tous les services qui
en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Agent",
-->         displayName = "Sophos Agent",
-->         description = "Management Agent for Sophos
applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos AutoUpdate Service",
-->         displayName = "Sophos AutoUpdate Service",
-->         description = "Partie du système de mise à jour
concernant la description du Service des composants Sophos",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "Sophos Endpoint Defense Service",
-->         displayName = "Sophos Endpoint Defense Service",
-->         description = "Sophos Endpoint Defense Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Message Router",
-->         displayName = "Sophos Message Router",
-->         description = "Message router for Sophos applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos System Protection Service",
-->         displayName = "Sophos System Protection Service",
-->         description = "Sophos System Protection Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Web Control Service",
-->         displayName = "Sophos Web Control Service",
-->         description = "Manages Web Control policy.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sppsvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications
Windows. Si le service est désactivé, le système d'exploitation et les
applications sous licence peuvent s'exécuter dans un mode de
notification. Et il est instamment recommandé de ne pas désactiver le

```

```

service de protection logicielle.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDPSRV",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les
périphériques SSDP ne seront pas découverts. S'il est désactivé, tous
les services qui dépendent explicitement de lui ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
-->         displayName = "Service SSTP (Secure Socket Tunneling
Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_filter",
-->         displayName = "Sophos Web Filter",
-->         description = "Garantit que l'utilisation du Web est
conforme à la stratégie de sécurité. ",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_service",
-->         displayName = "Sophos Web Intelligence Service",
-->         description = "Protège contre les menaces de sites Web
malveillants.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```



```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stylet et
d'entrée manuscrite du clavier tactile et du volet d'écriture
manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter
de manière interactive à un ordinateur distant. Le Bureau à distance et
le serveur hôte de session Bureau à distance dépendent de ce service.
Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les

```

cases à cocher situées sous l'onglet Utilisation à distance des Propriétés système via l'élément Système du Panneau de configuration.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",
-->         description = "Serveur de vignettes pour la mise à jour
des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =
"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
```

NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du
fuseau horaire",
-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UALSVC",
-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;
l'utilisation du service et des données UAL ne décharge pas de cette
obligation.",
-->         currentState = "stopped",
```

```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être
perdu. Si ce service est désactivé, les notifications des nouvelles
boîtes de dialogue de services interactifs ainsi que leur accès ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UmRdpService",
-->         displayName = "Redirection de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserManager",
-->         displayName = "Gestionnaire des utilisateurs",
-->         description = "Le Gestionnaire des utilisateurs fournit
les composants d'exécution requis pour une interaction
multi-utilisateur. Si ce service est arrêté, certaines applications
risquent de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UsoSvc",
-->         displayName = "Service Update Orchestrator pour Windows
Update",
-->         description = "UsoSvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VaultSvc",
-->         displayName = "Gestionnaire d'informations

```

```

d'identification",
-->         description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vds",
-->         displayName = "Disque virtuel",
-->         description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VGAuthService",
-->         displayName = "VMware Alias Manager and Ticket Service",
-->
-->         description = "Alias Manager and Ticket Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vm3dservice",
-->         displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->         description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicguestinterface",
-->         displayName = "Interface de services d'invité Hyper-V",
-->         description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicrdv",
-->         displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->         description = "Fournit une plateforme pour la
communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicshutdown",
-->         displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->         description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmictimesync",
-->         displayName = "Service Synchronisation date/heure
Microsoft Hyper-V",
-->         description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvmsession",
-->         displayName = "Service Hyper-V PowerShell Direct",
-->         description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvss",
-->         displayName = "Requête du service VSS Microsoft
Hyper-V",
-->         description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation
de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VMTools",
-->         displayName = "VMware Tools",
-->         description = "Fournit un support pour la
synchronisation des objets entre les systèmes d'exploitation hôte et
invité.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmvss",
-->         displayName = "VMware Snapshot Provider",
-->         description = "VMware Snapshot Provider",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VSS",
-->         displayName = "Cliché instantané des volumes",
-->         description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si

```


ce service est arrêté, les clichs instantanés ne seront pas disponibles pour la sauvegarde et la sauvegarde échouera. Si ce service est désactivé, les services en dépendant explicitement ne démarreront pas.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W32Time",
-->         displayName = "Temps Windows",
-->         description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WalletService",
-->         displayName = "WalletService",
-->         description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WbioSrv",
-->         displayName = "Service de biométrie Windows",
-->         description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wcmsvc",
-->         displayName = "Gestionnaire des connexions Windows",
-->         description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau
actuellement disponibles à l'ordinateur, et active la gestion de la
connectivité réseau en fonction des paramètres de la stratégie de
groupe.",
```

```

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiServiceHost",
-->         displayName = "Service hôte WDIServiceHost",
-->         description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiSystemHost",
-->         displayName = "Hôte système de diagnostics",
-->         description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de système local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",
-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Weccsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
persistants à des événements de sources distantes prenant en charge le
protocole Gestion de services Web. Cela inclut les journaux d'événements
de Windows Vista, les sources d'événements matériels et IPMI. Le service
stocke les événements transférés dans un journal d'événements local. Si
ce service est arrêté ou désactivé, des abonnements aux événements ne
peuvent pas être créés et les événements transférés ne peuvent pas être

```

```

acceptés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de
configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de
diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",

```

```

-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client
et fournit aux développeurs une API Win32 et un composant
d'automatisation COM pour l'envoi des demandes HTTP et la réception des
réponses. En outre, WinHTTP prend en charge la découverte automatique
d'une configuration de proxy via son implémentation du protocole WPAD
(Web Proxy Auto-Discovery).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",
-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion
WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à

```

distance. La Gestion des services Web est un protocole standard utilisé pour la gestion à distance de logiciels et de matériels. Le service Gestion à distance de Windows traite les demandes Gestion des services Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la stratégie de groupe. Ce service donne accès aux données WMI et permet le recueil d'événements. Le recueil d'événements et l'abonnement exigent que ce service s'exécute. Les messages du service Gestion à distance de Windows utilisent HTTP et HTTPS. Le service Gestion à distance de Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même machine. Le service Gestion à distance de Windows réserve le préfixe d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",
-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs
par le biais des services d'identité de compte Microsoft. Si ce service
est arrêté, les utilisateurs ne pourront pas ouvrir une session sur
l'ordinateur avec leur compte Microsoft.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la
bibliothèque de performance à partir des fournisseurs HiPerf WMI
(Windows Management Instrumentation) à des clients sur le réseau. Ce
service s'exécute uniquement quand l'assistant de performance des
données est activé.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
```

```

-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnUserService",
-->         displayName = "Service utilisateur de notifications Push
Windows",
-->         description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
raw.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WSearch",
-->         displayName = "Windows Search",
-->         description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wuauserv",
-->         displayName = "Windows Update",
-->         description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce

```

service est désactivé, les utilisateurs de cet ordinateur ne pourront pas utiliser Windows Update ou sa fonctionnalité de mise à jour automatique, et les programmes ne pourront pas utiliser l'API de l'Agent de mise à jour automatique Windows Update (WUA).",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wudfsvc",
-->         displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->         description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox
Live",
-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,
-->     canSkipUnwantedFiles = false,
-->     canReconfig = true,
-->     canCustomize = true,
```

```

-->         canInstallTools = true,
-->         defaultCloningMode = "diskBasedCloning",
-->         supportedCloningMode = (string) [
-->             "diskBasedCloning",
-->             "volumeBasedCloning"
-->         ]
-->     },
-->     bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
-->     dracut = <unset>
--> }
--> }
--> }
--> =====
2020-11-07T15:26:31.493+01:00 info vmware-converter-worker[09812]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:26:31.493+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000009000000\
2020-11-07T15:26:31.521+01:00 info vmware-converter-worker[03980]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:26:31.521+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000A000000\
2020-11-07T15:26:31.533+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:26:31.556+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:26:31.556+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:26:31.556+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:26:31.556+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:30:18.360+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:18.360+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:18.382+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:18.384+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:18.403+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds

```


2020-11-07T15:30:23.854+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:23.854+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:23.870+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:23.870+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:23.885+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:23.885+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:30:24.213+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:24.928+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:24.928+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:24.936+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:24.938+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:24.955+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:24.974+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:30:24.974+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:30:24.974+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:30:24.974+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:30:24.974+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:24.974+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:24.982+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:24.984+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user

Administrator@vsphere.local
2020-11-07T15:30:25.011+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:25.012+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:30:25.013+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:25.028+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:25.028+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:25.039+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:25.040+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:30:25.090+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'
2020-11-07T15:30:25.092+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:25.093+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:30:25.133+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:25.134+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:30:25.138+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] DefaultValues::SetDefaultCPUAndMemory:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-07T15:30:25.139+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:25.140+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:30:25.179+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type vim.vm.device.ParaVirtualSCSIController
2020-11-07T15:30:25.179+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type VirtualNVMEController
2020-11-07T15:30:25.180+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] DefaultValues::SetDefaultDiskController:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-07T15:30:25.181+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::AddKeepSourceIfAllControllersSupported: The target
supports all source disk controllers, adding keepSource and making it
the default
2020-11-07T15:30:25.225+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:25.227+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:30:25.268+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] The default datastore for
vim.HostSystem:host-183 is vim.Datastore:datastore-184
2020-11-07T15:30:25.272+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Caching DefaultConversionParamsResult with
key
DefaultValues::GetDefaultsForConvert=/converter.ComputerSpec=12ff5fa43de
6b550c55364babf3841bb6d88668/converter.info.ComputerOsInfo=9ac919bc4add
805be79ef8058bd86c5d9fe8680/converter.params.TargetVmSpec=a3f845e78b60b0
bc790d33514cddfe9a661b22b/int[]=e170d1974aee0e5565f00afc30da8cb74c67972a
2020-11-07T15:30:25.273+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:25.280+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:30:25.280+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:30:25.280+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:30:25.280+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:30:25.415+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-07T15:30:25.415+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:25.423+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:25.425+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:25.455+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507956097024
bytes free (Space required: 42949775360 bytes, Space required for flat
targets 42949775360 bytes) in diskBasedCloning mode
2020-11-07T15:30:25.455+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:31.716+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:31.716+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:31.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:31.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:31.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507956097024
bytes free (Space required: 47244742656 bytes, Space required for flat
targets 102400 bytes) in diskBasedCloning mode
2020-11-07T15:30:31.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:33.617+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:30:33.617+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:30:33.617+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:30:33.617+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:30:33.617+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:33.617+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:33.632+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:33.632+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user

Administrator@vsphere.local
2020-11-07T15:30:33.648+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:33.648+01:00 warning vmware-converter-worker[00864]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:30:33.648+01:00 warning vmware-converter-worker[00864]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:30:33.648+01:00 warning vmware-converter-worker[00864]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:30:33.648+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:30:33.648+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:33.648+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:33.664+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:33.664+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:33.679+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:33.695+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:30:33.695+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:33.695+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-07T15:30:33.695+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:33.711+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:33.711+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:33.711+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:33.711+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:33.742+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507956097024

bytes free (Space required: 47244742656 bytes, Space required for flat targets 102400 bytes) in diskBasedCloning mode

2020-11-07T15:30:33.742+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds

2020-11-07T15:30:33.757+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators works without approval mode (FilterAdministratorToken): Yes

2020-11-07T15:30:33.757+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators works without approval mode (EnableLUA): No

2020-11-07T15:30:33.757+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] UAC is enabled! using elevated administrator 'CLEMESSY\CLBRUNEL'

2020-11-07T15:30:33.757+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-07T15:30:33.757+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-07T15:30:33.757+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-07T15:30:33.773+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-07T15:30:33.773+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Authenticating user Administrator@vsphere.local

2020-11-07T15:30:33.789+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds

2020-11-07T15:30:33.804+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators works without approval mode (FilterAdministratorToken): Yes

2020-11-07T15:30:33.804+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators works without approval mode (EnableLUA): No

2020-11-07T15:30:33.804+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated administrator 'CLEMESSY\CLBRUNEL'

2020-11-07T15:30:33.804+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-07T15:30:33.804+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-07T15:30:33.804+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-07T15:30:33.804+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-07T15:30:33.804+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Authenticating user Administrator@vsphere.local

2020-11-07T15:30:33.836+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:33.836+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:30:33.836+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:33.851+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-07T15:30:33.851+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:33.851+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:33.851+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:33.867+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:33.867+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:33.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507956097024
bytes free (Space required: 47244742656 bytes, Space required for flat
targets 102400 bytes) in diskBasedCloning mode
2020-11-07T15:30:33.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:30:33.898+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:30:33.898+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:30:33.898+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:30:33.898+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:30:33.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Converter::TargetVmManagerImpl::CreateVM
2020-11-07T15:30:33.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:30:33.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:30:33.914+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:30:33.914+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:30:33.945+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:33.945+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Target VM name: SRV-NHFAD1
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Using datastore DATASTORE1 for VMX
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Target supports 2 floppy drives, 1 sound
cards, 0 serial ports, 0 parallel ports, 1 USB controllers, 0 VMIROMS
2020-11-07T15:30:33.992+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] No USB device present on the host
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default]
VmTransformerImpl::TransformStorageDevices: Received
diskControllerType=keepSource, using diskControllerType=keepSource
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default]
VmTransformerImpl::TransformStorageDevices: Max number of SCSI
controllers = 4; Max number of devices per SCSI controller = 15; Max
number of IDE controllers = 2; Max number of devices per IDE controller
= 2; Max number of SATA controllers = 4; Max number of devices per SATA
controller = 30; SATA support: yes; Default CD-ROM controller = 2.
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Cloning mode diskBasedCloning
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] VmTransformerImpl::SeparateBootDisk:
Moving bootable scsi disk at bus=0, unit=0 in front of all disks
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] VmTransformerResult: configVersion = 8
--> isSupportingUsb20 = false
--> isSupportingUsb30 = true
--> targetConfig = (vim.vm.ConfigSpec) {
-->   changeVersion = <unset>,
-->   name = "SRV-NHFAD1",
-->   version = "vmx-14",
-->   uuid = <unset>,
```



```

--> instanceUuid = <unset>,
--> npivWorldWideNameType = <unset>,
--> npivDesiredNodeWwns = <unset>,
--> npivDesiredPortWwns = <unset>,
--> npivTemporaryDisabled = <unset>,
--> npivOnNonRdmDisks = <unset>,
--> npivWorldWideNameOp = <unset>,
--> locationId = <unset>,
--> guestId = "windows8Server64Guest",
--> alternateGuestName = <unset>,
--> annotation = <unset>,
--> files = (vim.vm.FileInfo) {
-->     vmPathName = "[DATASTORE1]",
-->     snapshotDirectory = <unset>,
-->     suspendDirectory = <unset>,
-->     logDirectory = <unset>,
-->     ftMetadataDirectory = <unset>
--> },
--> tools = (vim.vm.ToolsConfigInfo) {
-->     toolsVersion = <unset>,
-->     afterPowerOn = true,
-->     afterResume = true,
-->     beforeGuestStandby = true,
-->     beforeGuestShutdown = true,
-->     beforeGuestReboot = <unset>,
-->     toolsUpgradePolicy = "manual",
-->     pendingCustomization = <unset>,
-->     syncTimeWithHost = false,
-->     lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->     upgradeRebootPredict = <unset>
--> },
--> flags = (vim.vm.FlagInfo) {
-->     disableAcceleration = false,
-->     enableLogging = true,
-->     useToe = <unset>,
-->     runWithDebugInfo = <unset>,
-->     monitorType = "release",
-->     htSharing = <unset>,
-->     snapshotDisabled = <unset>,
-->     snapshotLocked = <unset>,
-->     diskUuidEnabled = <unset>,
-->     virtualMmuUsage = <unset>,
-->     virtualExecUsage = <unset>,
-->     snapshotPowerOffBehavior = <unset>,
-->     recordReplayEnabled = <unset>,
-->     faultToleranceType = <unset>
--> },
--> consolePreferences = (vim.vm.ConsolePreferences) null,

```

```

--> powerOpInfo = (vim.vm.DefaultPowerOpInfo) {
-->     powerOffType = <unset>,
-->     suspendType = "soft",
-->     resetType = <unset>,
-->     defaultPowerOffType = <unset>,
-->     defaultSuspendType = <unset>,
-->     defaultResetType = <unset>,
-->     standbyAction = "checkpoint"
--> },
--> numCPUs = 2,
--> numCoresPerSocket = 1,
--> memoryMB = 4096,
--> memoryHotAddEnabled = false,
--> cpuHotAddEnabled = false,
--> cpuHotRemoveEnabled = <unset>,
--> virtualICH7MPresent = <unset>,
--> virtualSMCPresent = <unset>,
--> deviceChange = (vim.vm.device.VirtualDeviceSpec) [
-->     (vim.vm.device.VirtualDeviceSpec) {
-->         operation = "add",
-->         fileOperation = <unset>,
-->         device = (vim.vm.device.VirtualUSBController) {
-->             key = -1,
-->             deviceInfo = (vim.Description) null,
-->             backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->             connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->             slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->             controllerKey = <unset>,
-->             unitNumber = <unset>,
-->             busNumber = 1316577536,
-->             autoConnectDevices = true,
-->             ehciEnabled = <unset>,
-->         },
-->     },
-->     (vim.vm.device.VirtualDeviceSpec) {
-->         operation = "add",
-->         fileOperation = <unset>,
-->         device = (vim.vm.device.VirtualVideoCard) {
-->             key = -2,
-->             deviceInfo = (vim.Description) null,
-->             backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->             connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->             slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,

```

```

-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualVMCIDevice) {
-->         key = 12000,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualE1000e) {
-->         key = -3,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "API",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)

```

```

{
-->         startConnected = true,
-->         allowGuestControl = true,
-->         connected = false,
-->         status = <unset>
-->     },
-->     slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "Generated",
-->         macAddress = <unset>,
-->         wakeOnLanEnabled = <unset>,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = -4,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = false,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtrlrUnitNumber = 7,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",

```

```

-->         fileOperation = "create",
-->         device = (vim.vm.device.VirtualDisk) {
-->             key = -5,
-->             deviceInfo = (vim.Description) {
-->                 label = "scsi0:0",
-->                 summary = "Hard Disk 1"
-->             },
-->             backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->                 fileName = "[DATASTORE1]",
-->                 datastore = <unset>,
-->                 backingObjectId = <unset>,
-->                 diskMode = "persistent",
-->                 split = <unset>,
-->                 writeThrough = <unset>,
-->                 thinProvisioned = true,
-->                 eagerlyScrub = <unset>,
-->                 uuid = <unset>,
-->                 contentId = <unset>,
-->                 changeId = <unset>,
-->                 parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->                 deltaDiskFormat = <unset>,
-->                 digestEnabled = <unset>,
-->                 deltaGrainSize = <unset>,
-->                 deltaDiskFormatVariant = <unset>,
-->                 sharing = <unset>
-->             },
-->             connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->                 startConnected = true,
-->                 allowGuestControl = false,
-->                 connected = false,
-->                 status = <unset>
-->             },
-->             slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->             controllerKey = -4,
-->             unitNumber = 0,
-->             capacityInKB = 41943040,
-->             capacityInBytes = 42949672960,
-->             shares = (vim.SharesInfo) {
-->                 shares = 0,
-->                 level = "normal"
-->             },
-->             storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->             diskObjectId = <unset>,
-->             vFlashCacheConfigInfo =

```

```

(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     }
--> ],
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = <unset>,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> memoryAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> latencySensitivity = (vim.LatencySensitivity) null,
--> cpuAffinity = (vim.vm.AffinityInfo) null,
--> memoryAffinity = (vim.vm.AffinityInfo) null,
--> networkShaper = (vim.vm.NetworkShaperInfo) null,
--> cpuFeatureMask = (vim.vm.ConfigSpec.CpuIdInfoSpec) [
-->     (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->         operation = "add",
-->         removeKey = <unset>,
-->         info = (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         }
-->     },
-->     (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->         operation = "add",
-->         removeKey = <unset>,
-->         info = (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,

```

```
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>
```

```
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
```



```

-->     }
-->   }
--> ],
--> extraConfig = (vim.option.OptionValue) [
-->   (vim.option.OptionValue) {
-->     key = "config.readOnly",
-->     value = "FALSE"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "bios.bootRetry.delay",
-->     value = "10"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "sched.cpu.latencySensitivity",
-->     value = "normal"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "sched.mem.min",
-->     value = "0"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "sched.swap.derivedName",
-->     value =
"/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
-90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "tools.syncTime",
-->     value = "false"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "tools.guest.desktop.autolock",
-->     value = "FALSE"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "tools.remindInstall",
-->     value = "FALSE"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "usb:1.speed",
-->     value = "2"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "usb:1.port",
-->     value = "1"
-->   },
-->   (vim.option.OptionValue) {
-->     key = "usb:1.parent",
-->     value = "-1"

```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:0.ctkEnabled",
-->     value = "True"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.shares",
-->     value = "normal"
--> },
--> (vim.option.OptionValue) {
-->     key = "vc.uuid",
-->     value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2 db"
--> },
--> (vim.option.OptionValue) {
-->     key = "nvram",
-->     value = "SRV-NHFAD1.nvram"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.guestBackedPrimaryAware",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "RemoteDisplay.maxConnections",
-->     value = "-1"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-3854021677028181693"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "-4577512143103774999"
--> },
--> },
```

```
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = ""
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.description",
-->     value = "VMware Tools 11.1.1 build 16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionNumber",
-->     value = "11297"
--> },
--> (vim.option.OptionValue) {
```

```

-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestOS.detailed.data",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
-->         value = "-1"
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> vAppConfig = (vim.vApp.VmConfigSpec) null,
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfigRemoved = <unset>,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>,
--> maxMksConnections = <unset>,
--> guestAutoLockEnabled = <unset>,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = <unset>,
--> nestedHVEEnabled = <unset>,
--> vPMCEEnabled = <unset>,
--> scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,

```

```
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = <unset>,
--> }
--> diskMapping = (Target2SourceDiskMappingVector) {
-->     (scsi,bus=0,unit=0) =>
(scsi,bus=0,unit=0,diskId=disk-5,isLvg=false,isGpt=false,sector=512)
--> }
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] TargetVmManagerImpl::CreateVM: Creating
the target VM.
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:30:33.992+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:30:34.007+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Creating VM SRV-NHFAD1 in folder
vim.Folder:group-v371 on host vim.HostSystem:host-183 and resource pool
vim.ResourcePool:resgroup-182 (isVirtualApp = false)...
2020-11-07T15:30:34.351+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Created vm vim.VirtualMachine:vm-404
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Getting ConfigInfo for
vim.VirtualMachine:vm-404
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Filtering out invalid extra config options
...
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge0.present is
removed
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge4.present is
removed
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge4.virtualDev
is removed
2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge4.functions
is removed
```

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge5.present is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge5.virtualDev is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge5.functions is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge6.present is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge6.virtualDev is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge6.functions is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge7.present is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge7.virtualDev is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option pciBridge7.functions is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option vmware.tools.internalversion is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option vmware.tools.requiredversion is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Extra config option migrate.hostLog is removed

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will use open retries count 3

2020-11-07T15:30:34.367+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Reusing existing VIM connection to 192.168.1.5

2020-11-07T15:30:34.382+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk

2020-11-07T15:30:34.382+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as 902

2020-11-07T15:30:34.382+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] GetManagedDiskName: get protocol as vpxa-nfcssl
2020-11-07T15:30:34.382+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 26 eb 49 db 74 bd 56-ef 9c 1c ad 95 2a fe 9e
2020-11-07T15:30:55.445+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNewAuthdConnectionEx: Failed to connect to peer. Error: Failed to connect to server srvclyesx01.clemessy.loc:902
2020-11-07T15:30:55.445+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Sysimgbase_DiskLib_OpenWithPassPhrase failed with 'NBD_ERR_NETWORK_CONNECT' (error code:2338)
2020-11-07T15:30:55.445+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2338 opening disk vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 26 eb 49 db 74 bd 56-ef 9c 1c ad 95 2a fe 9e.
2020-11-07T15:30:55.445+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2338 opening disk disk-2000.
2020-11-07T15:30:55.445+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Attempt to opening disk disk-2000 again [rest 2] (sleep for 5 sec).
2020-11-07T15:31:00.461+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Reusing existing VIM connection to 192.168.1.5
2020-11-07T15:31:00.461+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-07T15:31:00.461+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as 902
2020-11-07T15:31:00.461+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: get protocol as vpxa-nfcssl
2020-11-07T15:31:00.461+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 27 2c e7 e1 e0 fc 7b-2a a1 8f 33 a6 1a 00 39
2020-11-07T15:31:01.679+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of errors while reading partition table
2020-11-07T15:31:01.679+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:31:01.679+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [MoveActiveDiskIfNeeded] GetFirstBootDisk

failed, mntapi error: 176
2020-11-07T15:31:02.336+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:31:02.336+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:31:02.336+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:31:02.336+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [PopulateCapabilities] Volume-based
cloning was disabled due to: <no volumes are recognized>
2020-11-07T15:31:02.336+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LogMessagesForQA] System volume is not
detected.
2020-11-07T15:31:02.336+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx
2020-11-07T15:31:02.336+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:31:02.601+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in
session 52e3ddf8-6b25-a1e0-82f8-33b007790330
2020-11-07T15:31:02.601+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:31:02.601+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:31:02.601+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:31:02.601+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one
2020-11-07T15:31:02.601+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-07T15:31:02.601+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:31:02.617+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T15:31:02.632+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Stopped impersonating in session
52b99a71-5757-6ecc-339e-ca57897a6b4a
2020-11-07T15:31:02.632+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects

2020-11-07T15:31:02.632+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded

2020-11-07T15:31:03.054+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Non-standard disk type 11

2020-11-07T15:31:03.070+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3

2020-11-07T15:31:03.179+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512

2020-11-07T15:31:03.179+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T15:31:03.179+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T15:31:03.179+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Disk with signature 402064154, recognized
partitions 2

2020-11-07T15:31:03.179+01:00 info vmware-converter-worker[09648]
[Originator@6876 sub=ThreadPool] Thread enlisted

2020-11-07T15:31:03.257+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000000B00000\ FS:<NTFS>

2020-11-07T15:31:03.273+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000000B00000\

2020-11-07T15:31:03.273+01:00 info vmware-converter-worker[09648]
[Originator@6876 sub=ThreadPool] Thread delisted

2020-11-07T15:31:03.273+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000000B00000\

2020-11-07T15:31:03.273+01:00 info vmware-converter-worker[04596]
[Originator@6876 sub=ThreadPool] Thread enlisted

2020-11-07T15:31:03.320+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000000B00000\ FS:<NTFS>

2020-11-07T15:31:03.320+01:00 info vmware-converter-worker[04596]
[Originator@6876 sub=ThreadPool] Thread delisted

2020-11-07T15:31:03.320+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000000B00000\

2020-11-07T15:31:03.320+01:00 info vmware-converter-worker[01644]
[Originator@6876 sub=ThreadPool] Thread enlisted

2020-11-07T15:31:03.576+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Mounted volume

```
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000C000000\ FS:<NTFS>
2020-11-07T15:31:04.608+01:00 info vmware-converter-worker[01644]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:31:04.608+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000C000000\
2020-11-07T15:31:04.608+01:00 info vmware-converter-worker[03396]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:04.639+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F71700001000000000000B000000\ FS:<NTFS>
2020-11-07T15:31:04.670+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi153.
2020-11-07T15:31:04.670+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi153\BCD is loaded
under the name mntApi267866041030848274
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi267866041030848274\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi267866041030848274\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi267866041030848274\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi267866041030848274\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi267866041030848274\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from
key
mntApi267866041030848274\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\24000001
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi267866041030848274\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-07T15:31:04.670+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 opening key
```

mntApi267866041030848274\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\Elements\26000022.

2020-11-07T15:31:04.670+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2

2020-11-07T15:31:04.670+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi267866041030848274

2020-11-07T15:31:04.670+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.

2020-11-07T15:31:04.686+01:00 info vmware-converter-worker[09608]
[Originator@6876 sub=ThreadPool] Thread enlisted

2020-11-07T15:31:04.829+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000C000000\ FS:<NTFS>

2020-11-07T15:31:07.608+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi81.

2020-11-07T15:31:10.233+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi81\SOFTWARE is
loaded under the name mntApi270803527430848274

2020-11-07T15:31:10.233+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi270803527430848274\Microsoft\Windows NT\CurrentVersion

2020-11-07T15:31:10.233+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 reading SP information

2020-11-07T15:31:10.233+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free

2020-11-07T15:31:10.233+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free

2020-11-07T15:31:10.233+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter

2020-11-07T15:31:10.707+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi243.

2020-11-07T15:31:11.129+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi243\SYSTEM is
loaded under the name mntApi273902828330848274

2020-11-07T15:31:11.129+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi273902828330848274\ControlSet001\Services\vmxnet - 2.

2020-11-07T15:31:11.129+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed

2020-11-07T15:31:11.223+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Unloaded hive mntApi273902828330848274
2020-11-07T15:31:11.238+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:11.238+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi270803527430848274
2020-11-07T15:31:11.254+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:11.270+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi127.
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi127\SYSTEM is
loaded under the name mntApi274465329330848274
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Data
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking 4.0.0.0
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking 4.0.0.0
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for Oracle
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for Oracle
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for SqlServer
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for SqlServer
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET
Memory Cache 4.0
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory
Cache 4.0
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
.NETFramework
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver 1394ohci manual
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver 3ware bootStart
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ADOVMPPackage
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-07T15:31:11.613+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-07T15:31:11.613+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-07T15:31:11.660+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-07T15:31:11.660+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-07T15:31:11.660+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:11.754+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
```

2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver amdSata bootStart
2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver amdSbs bootStart
2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver amdXata bootStart
2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-07T15:31:11.785+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T15:31:11.848+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T15:31:11.879+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-07T15:31:11.879+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:11.941+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T15:31:12.035+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T15:31:12.082+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-07T15:31:12.082+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-07T15:31:12.082+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-07T15:31:12.082+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AppXSvc' [%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T15:31:12.207+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver arcsas bootStart
2020-11-07T15:31:12.207+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver AsyncMac manual
2020-11-07T15:31:12.207+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Found device driver atapi bootStart
2020-11-07T15:31:12.207+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:12.285+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T15:31:12.379+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'AxInstSV' [%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-07T15:31:12.426+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-07T15:31:12.426+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bcmfn manual
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-07T15:31:12.426+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'BFE' [%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T15:31:12.508+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'BITS' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-07T15:31:12.617+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bowser manual
2020-11-07T15:31:12.617+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure' [%SystemRoot%\system32\svchost.exe -k
```

DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:31:12.617+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T15:31:12.617+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Browser' [%SystemRoot%\System32\svchost.exe -k smbssvc]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-07T15:31:12.679+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-07T15:31:12.679+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-07T15:31:12.679+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'bthserv' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:31:12.726+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-07T15:31:12.726+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-07T15:31:12.726+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-07T15:31:12.726+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-07T15:31:12.726+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-07T15:31:12.726+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:31:12.804+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:31:12.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-07T15:31:12.898+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:12.976+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-07T15:31:12.976+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-07T15:31:12.976+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver CLFS bootStart
2020-11-07T15:31:12.976+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:

rpcss
2020-11-07T15:31:13.054+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-07T15:31:13.054+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T15:31:13.054+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-07T15:31:13.054+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T15:31:13.054+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-07T15:31:13.054+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-07T15:31:13.054+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-07T15:31:13.054+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-07T15:31:13.054+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-07T15:31:13.054+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'COMSysApp' [%SystemRoot%\system32\dlhhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-07T15:31:13.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-07T15:31:13.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-07T15:31:13.148+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-07T15:31:13.148+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-07T15:31:13.148+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-07T15:31:13.148+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-07T15:31:13.148+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T15:31:13.195+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver CSC disabled
2020-11-07T15:31:13.195+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Found service
'CscService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T15:31:13.289+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver dam systemStart
2020-11-07T15:31:13.289+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-07T15:31:13.289+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-07T15:31:13.289+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:31:13.430+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:13.430+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-07T15:31:13.524+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:13.618+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:31:13.711+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:13.743+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:
LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry
2020-11-07T15:31:13.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-07T15:31:13.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver DfsDriver systemStart
2020-11-07T15:31:13.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS
2020-11-07T15:31:13.868+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver DfsrRo bootStart
2020-11-07T15:31:13.868+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
```

'Dhcp' [%SystemRoot%\system32\svchost.exe -k LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-07T15:31:13.961+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DHCPserver' [%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart
depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem
2020-11-07T15:31:14.086+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'diagnosticshub.standardcollector.service' [%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-07T15:31:14.149+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DiagTrack' [%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-07T15:31:14.243+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
DirectoryServices
2020-11-07T15:31:14.243+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
DirectoryServices
2020-11-07T15:31:14.243+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-07T15:31:14.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:31:14.383+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver dmvc manual
2020-11-07T15:31:14.383+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'dmwappushservice' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:31:14.430+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DNS' [%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS
2020-11-07T15:31:14.633+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Dnscache' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-07T15:31:14.727+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'dot3svc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-07T15:31:14.805+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DPS' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-07T15:31:14.852+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Found service
'DsmSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:31:14.899+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DsRoleSvc'[%SystemRoot%\System32\lsass.exe]/manual depends: <none>
2020-11-07T15:31:14.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'DsSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:15.040+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver DXGKrnl manual
2020-11-07T15:31:15.040+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver eliexpress manual
2020-11-07T15:31:15.040+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Eaphost'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-07T15:31:15.086+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ebdrv bootStart
2020-11-07T15:31:15.086+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'EFS'[%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-07T15:31:15.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver EhStorClass bootStart
2020-11-07T15:31:15.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart
2020-11-07T15:31:15.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver elxfcoe bootStart
2020-11-07T15:31:15.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver elxstor bootStart
2020-11-07T15:31:15.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'embeddedmode'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-07T15:31:15.180+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'EntAppSvc'[%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:31:15.243+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ErrDev manual
2020-11-07T15:31:15.243+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT
2020-11-07T15:31:15.243+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT
2020-11-07T15:31:15.243+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'EventLog'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
```

2020-11-07T15:31:15.337+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'EventSystem'[%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-07T15:31:15.337+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver exfat manual
2020-11-07T15:31:15.337+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver fastfat manual
2020-11-07T15:31:15.337+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver fcvsc manual
2020-11-07T15:31:15.337+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver fdc manual
2020-11-07T15:31:15.337+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'fdPHost'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-07T15:31:15.383+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'FDResPub'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T15:31:15.415+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-07T15:31:15.415+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver FileInfo manual
2020-11-07T15:31:15.415+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-07T15:31:15.415+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver flpydisk manual
2020-11-07T15:31:15.415+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-07T15:31:15.415+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'FontCache'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:31:15.555+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'FrameServer'[%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T15:31:15.649+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-07T15:31:15.649+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-07T15:31:15.649+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-07T15:31:15.649+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-07T15:31:15.649+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-07T15:31:15.649+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Found service
'gpsvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T15:31:15.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv
systemStart
2020-11-07T15:31:15.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HDAudBus manual
2020-11-07T15:31:15.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-07T15:31:15.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-07T15:31:15.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-07T15:31:15.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'hidserv'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:15.758+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-07T15:31:15.758+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T15:31:15.758+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T15:31:15.758+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart
2020-11-07T15:31:15.758+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-07T15:31:15.758+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
```

```
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ibbus manual
2020-11-07T15:31:15.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T15:31:15.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'IKEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T15:31:15.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-07T15:31:15.977+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-07T15:31:15.977+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-07T15:31:15.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-07T15:31:15.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-07T15:31:15.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver intelppm manual
2020-11-07T15:31:15.977+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-07T15:31:15.977+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-07T15:31:15.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-07T15:31:15.977+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'iphlpSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T15:31:16.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-07T15:31:16.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-07T15:31:16.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-07T15:31:16.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-07T15:31:16.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-07T15:31:16.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ismServ'[%SystemRoot%\System32\ismserv.exe]/autoStart depends:
SamSS;NTDS
```

2020-11-07T15:31:16.196+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-07T15:31:16.196+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-07T15:31:16.196+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Kdc'[%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-07T15:31:16.430+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-07T15:31:16.430+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:31:16.477+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:31:16.508+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'KPSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T15:31:16.555+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-07T15:31:16.555+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-07T15:31:16.555+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ksthunk manual
2020-11-07T15:31:16.555+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T15:31:16.555+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-07T15:31:16.649+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-07T15:31:16.712+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-07T15:31:16.712+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-07T15:31:16.712+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:31:16.774+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss

2020-11-07T15:31:16.837+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-07T15:31:16.837+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T15:31:16.852+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T15:31:16.883+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-07T15:31:16.883+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:31:16.883+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver luafv autoStart
2020-11-07T15:31:16.883+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver monitor manual

2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
2020-11-07T15:31:16.946+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'MpsSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'MSDTC' [%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T15:31:17.024+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T15:31:17.024+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Msfs systemStart
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mshidumdf manual
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver msisadv bootStart
2020-11-07T15:31:17.024+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'MSiSCSI' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:17.087+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'msiserver' [%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Found device driver MsLldp autoStart
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver MsRPC manual
2020-11-07T15:31:17.102+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T15:31:17.102+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mssmbios systemStart
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver MTConfig manual
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Mup bootStart
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver mvumis bootStart
2020-11-07T15:31:17.102+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent
2020-11-07T15:31:17.102+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent
2020-11-07T15:31:17.102+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NcaSvc' [%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-07T15:31:17.149+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NcbService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart

2020-11-07T15:31:17.258+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T15:31:17.258+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-07T15:31:17.258+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Netlogon' [%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation;LanmanServer
2020-11-07T15:31:17.305+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Netman' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T15:31:17.352+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'netprofm' [%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-07T15:31:17.430+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:17.477+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/disabled depends: <none>
2020-11-07T15:31:17.587+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver netvsc manual
2020-11-07T15:31:17.587+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfp
2020-11-07T15:31:17.587+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfp
2020-11-07T15:31:17.587+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:17.665+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NgcSvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:17.758+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NlaSvc' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T15:31:17.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-07T15:31:17.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver npsvc trig systemStart
2020-11-07T15:31:17.821+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-07T15:31:17.868+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart
2020-11-07T15:31:17.868+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NTDS'[%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>
2020-11-07T15:31:17.899+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'NtFrs'[%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-07T15:31:17.930+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-07T15:31:17.930+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-07T15:31:17.930+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-07T15:31:17.930+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-07T15:31:17.930+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:31:17.962+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-07T15:31:17.962+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver partmgr bootStart
2020-11-07T15:31:17.962+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-07T15:31:18.071+01:00 warning vmware-converter-worker[10196]
```

[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-07T15:31:18.071+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-07T15:31:18.071+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'PerfHost'[%SystemRoot%\SysWow64\perfhost.exe]/manual depends: RPCSS
2020-11-07T15:31:18.196+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet
2020-11-07T15:31:18.196+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-07T15:31:18.196+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-07T15:31:18.196+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-07T15:31:18.196+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc
2020-11-07T15:31:18.196+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-07T15:31:18.196+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'PhoneSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T15:31:18.227+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:31:18.290+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'pla'[%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T15:31:18.399+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'PlugPlay'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:31:18.399+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'PolicyAgent'[%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T15:31:18.462+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-07T15:31:18.462+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-07T15:31:18.462+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:31:18.524+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-07T15:31:18.524+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T15:31:18.524+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000C000000\c:\windows\system32\spool\drivers\x64\3\printconfig.dll
2020-11-07T15:31:18.524+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-07T15:31:18.524+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T15:31:18.618+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-07T15:31:18.618+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for pvscsi
2020-11-07T15:31:18.618+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for pvscsi
2020-11-07T15:31:18.618+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-07T15:31:18.618+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-07T15:31:18.618+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart
2020-11-07T15:31:18.618+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'QWAVE'[%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T15:31:18.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-07T15:31:18.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver RasAcD manual
2020-11-07T15:31:18.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-07T15:31:18.696+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-07T15:31:18.743+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-07T15:31:18.743+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-07T15:31:18.743+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RasMan'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPUDD
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPUDD
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-07T15:31:18.821+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-07T15:31:18.821+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RemoteAccess' [%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T15:31:18.868+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RemoteRegistry' [%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T15:31:18.915+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RmSvc' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:18.962+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RpcEptMapper' [%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T15:31:18.962+01:00 warning vmware-converter-worker[10196]


```
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpcmap.dll
2020-11-07T15:31:18.962+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RpcLocator'[%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T15:31:19.008+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-07T15:31:19.008+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'RSOProv'[%SystemRoot%\system32\RSOProv.exe]/manual depends: RPCSS
2020-11-07T15:31:19.008+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver rspndr autoStart
2020-11-07T15:31:19.008+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver s3cap manual
2020-11-07T15:31:19.008+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sacdrv bootStart
2020-11-07T15:31:19.008+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'sacsrv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:19.040+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-07T15:31:19.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SAVAdminService'["C:\Program Files (x86)\Sophos\Sophos
Anti-Virus\SAVAdminService.exe"]/autoStart depends: <none>
2020-11-07T15:31:19.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SAVOnAccess
systemStart
2020-11-07T15:31:19.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'SAVService'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:
RPCSS
2020-11-07T15:31:19.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sbp2port bootStart
2020-11-07T15:31:19.133+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-07T15:31:19.196+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:19.243+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver scfilter manual
2020-11-07T15:31:19.243+01:00 info vmware-converter-worker[10196]
```

```
[Originator@6876 sub=Default] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver scmbus bootStart
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver scmdisk0101 manual
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sdcfilter manual
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-07T15:31:19.321+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:19.368+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SENS'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T15:31:19.399+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SensorDataService'[%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-07T15:31:19.508+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SensorService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:19.950+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SensrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T15:31:19.997+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-07T15:31:19.997+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-07T15:31:19.997+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-07T15:31:19.997+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-07T15:31:19.997+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sermouse manual
2020-11-07T15:31:19.997+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
```

```
'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-07T15:31:20.091+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-07T15:31:20.091+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-07T15:31:20.169+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-07T15:31:20.263+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-07T15:31:20.263+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-07T15:31:20.263+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-07T15:31:20.263+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-07T15:31:20.294+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-07T15:31:20.294+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-07T15:31:20.294+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>
2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss
2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Sophos ELAM bootStart
2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Sophos Endpoint
Defense bootStart
2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Sophos Endpoint Defense
Service'["C:\Program Files\Sophos\Endpoint
Defense\SEDSvc.exe"]/autoStart depends: <none>
```

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Sophos Message Router'["C:\Program Files (x86)\Sophos\Remote Management System\RouterNT.exe" -service -name Router -ORBListenEndpoints iiop:///8193/ssl_port=8194]/autoStart depends: <none>

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Sophos System Protection Service'["C:\Program Files\Sophos\Endpoint Defense\SSPService.exe"]/autoStart depends: <none>

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Sophos Web Control Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web Control\swc_service.exe"]/autoStart depends: RPCSS

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SophosBootDriver disabled

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver spaceport bootStart

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver SpbCx manual

2020-11-07T15:31:20.325+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends: RPCSS;http

2020-11-07T15:31:20.388+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs

2020-11-07T15:31:20.596+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver srv autoStart

2020-11-07T15:31:20.596+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver srv2 manual

2020-11-07T15:31:20.596+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver srvnet manual

2020-11-07T15:31:20.596+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'SSDPSRV'[%SystemRoot%\system32\svchost.exe -k LocalServiceAndNoImpersonation]/disabled depends: HTTP

2020-11-07T15:31:20.658+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'SstpSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual depends: <none>

2020-11-07T15:31:20.705+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'StateRepository'[%SystemRoot%\system32\svchost.exe -k appmodel]/manual depends: rpcss

2020-11-07T15:31:20.799+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver stexstor bootStart

2020-11-07T15:31:20.799+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service

```
'stisvc'[%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-07T15:31:20.908+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-07T15:31:20.908+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-07T15:31:20.908+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver stornvme bootStart
2020-11-07T15:31:20.908+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart
2020-11-07T15:31:20.908+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'StorSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:20.986+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-07T15:31:20.986+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-07T15:31:20.986+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'svsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:21.033+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-07T15:31:21.033+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver swi_callout
systemStart
2020-11-07T15:31:21.033+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'swi_filter'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_filter.exe"]/autoStart depends: swi_callout
2020-11-07T15:31:21.033+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'swi_service'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_service.exe"]/autoStart depends: <none>
2020-11-07T15:31:21.033+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-07T15:31:21.065+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-07T15:31:21.065+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T15:31:21.158+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
```

2020-11-07T15:31:21.158+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-07T15:31:21.158+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:21.221+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-07T15:31:21.268+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-07T15:31:21.268+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-07T15:31:21.268+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-07T15:31:21.268+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-07T15:31:21.268+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart
2020-11-07T15:31:21.268+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIPTUNNEL
2020-11-07T15:31:21.268+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-07T15:31:21.268+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver tdx systemStart
2020-11-07T15:31:21.268+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver terminpt manual
2020-11-07T15:31:21.268+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'TermService'[%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-07T15:31:21.361+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Themes'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-07T15:31:21.393+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'TieringEngineService'[%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-07T15:31:21.455+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'tiledatamodelsvc'[%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-07T15:31:21.533+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service

'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:21.533+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-07T15:31:21.533+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver TPM manual
2020-11-07T15:31:21.533+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:21.565+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-07T15:31:21.643+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD
2020-11-07T15:31:21.643+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSDDD
2020-11-07T15:31:21.643+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-07T15:31:21.643+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-07T15:31:21.643+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver tsusbhub manual
2020-11-07T15:31:21.643+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-07T15:31:21.643+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'tzautoupdate' [%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T15:31:21.674+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UALSVC' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UASPStor manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver udfs disabled

2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled
2020-11-07T15:31:21.721+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UevAgentService' [%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-07T15:31:21.846+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-07T15:31:21.846+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-07T15:31:21.846+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-07T15:31:21.846+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-07T15:31:21.846+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-07T15:31:21.846+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-07T15:31:21.846+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T15:31:21.846+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UI0Detect' [%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T15:31:21.861+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver umbus manual
2020-11-07T15:31:21.861+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-07T15:31:21.861+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UmRdpService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T15:31:21.940+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UnistoreSvc' [%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:31:21.940+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'upnphost' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver usbhub manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver usbhci manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:31:22.018+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T15:31:22.085+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'UsSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:31:22.147+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T15:31:22.210+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-07T15:31:22.210+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'VGAAuthService' ["C:\Program
Files\VMware\VMware Tools\VMware VGAAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vhf manual

```
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual
2020-11-07T15:31:22.303+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vm3dservice' [%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-07T15:31:22.319+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000C000000\Windows\sys
em32\oem7.inf
2020-11-07T15:31:22.319+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-07T15:31:22.319+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-07T15:31:22.319+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-07T15:31:22.319+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-07T15:31:22.319+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmicguestinterface' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:22.381+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmicheartbeat' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:31:22.381+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmickvpexchange' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:22.381+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmicrdv' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmicshutdown' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmictimesync' [%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
```

[Originator@6876 sub=Default] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-07T15:31:22.460+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-07T15:31:22.460+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-07T15:31:22.460+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-07T15:31:22.460+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-07T15:31:22.460+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T15:31:22.553+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-07T15:31:22.553+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-07T15:31:22.553+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:31:22.600+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-07T15:31:22.600+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T15:31:22.710+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver wanarp autoStart
2020-11-07T15:31:22.710+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-07T15:31:22.710+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T15:31:22.788+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-07T15:31:22.788+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:31:22.850+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscvc
2020-11-07T15:31:22.850+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscvc
2020-11-07T15:31:22.850+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-07T15:31:22.850+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-07T15:31:22.850+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-07T15:31:22.850+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-07T15:31:22.850+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T15:31:22.881+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:22.881+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-07T15:31:22.881+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service

'WdNisSvc' ["%ProgramData%\Microsoft\Windows Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T15:31:22.944+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'Wecsvc' [%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T15:31:22.991+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WEPHOSTSVC' [%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-07T15:31:23.022+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'wercplsupport' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-07T15:31:23.053+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WerSvc' [%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-07T15:31:23.116+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-07T15:31:23.116+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WiaRpc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:23.147+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-07T15:31:23.147+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WinDefend' ["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T15:31:23.147+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:31:23.147+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:31:23.147+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRT
bootStart
2020-11-07T15:31:23.147+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-07T15:31:23.147+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-07T15:31:23.225+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-07T15:31:23.225+01:00 info vmware-converter-worker[10196]

```
[Originator@6876 sub=Default] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-07T15:31:23.335+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WinNat manual
2020-11-07T15:31:23.335+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-07T15:31:23.413+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-07T15:31:23.413+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-07T15:31:23.413+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-07T15:31:23.413+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-07T15:31:23.413+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-07T15:31:23.413+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-07T15:31:23.413+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'wisvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:31:23.506+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-07T15:31:23.506+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-07T15:31:23.506+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'wlidsvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:31:23.631+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-07T15:31:23.631+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-07T15:31:23.631+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-07T15:31:23.631+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'wmiApSrv' [%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-07T15:31:23.694+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-07T15:31:23.694+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-07T15:31:23.694+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
```

2020-11-07T15:31:23.694+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WPDBusEnum' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:23.725+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WpdUpFiltr manual
2020-11-07T15:31:23.725+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WpnService' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T15:31:23.772+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WpnUserService' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:31:23.803+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-07T15:31:23.803+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'WSearch' [%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T15:31:23.866+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-07T15:31:23.866+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi
2020-11-07T15:31:23.866+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'wuauaserv' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:31:23.975+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WudfPf manual
2020-11-07T15:31:23.975+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver WUDFRd manual
2020-11-07T15:31:23.975+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'wudfsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-07T15:31:24.022+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'XblAuthManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:24.116+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found service
'XblGameSave' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-07T15:31:24.184+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver xboxgip manual
2020-11-07T15:31:24.184+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Found device driver xinpuhid manual

2020-11-07T15:31:24.184+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov
2020-11-07T15:31:24.184+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov
2020-11-07T15:31:24.184+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:31:24.184+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:31:24.184+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T15:31:24.184+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T15:31:24.184+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi274465329330848274
2020-11-07T15:31:24.184+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:24.278+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi237.
2020-11-07T15:31:26.887+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi237\SOFTWARE is
loaded under the name mntApi287473326230848274
2020-11-07T15:31:26.887+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi287473326230848274\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:31:26.887+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:31:26.887+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:31:26.887+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:31:26.887+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:31:26.903+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi193.
2020-11-07T15:31:27.356+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi193\SYSTEM is
loaded under the name mntApi290098330330848274
2020-11-07T15:31:27.356+01:00 warning vmware-converter-worker[10196]

[Originator@6876 sub=Default] ERROR: Error reading from mntApi290098330330848274\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:31:27.356+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-07T15:31:27.418+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi290098330330848274
2020-11-07T15:31:27.418+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:31:27.418+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi287473326230848274
2020-11-07T15:31:27.434+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:31:27.449+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi135.
2020-11-07T15:31:27.809+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi135\SYSTEM is loaded under the name mntApi290645199730848274
2020-11-07T15:31:27.856+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi290645199730848274
2020-11-07T15:31:27.856+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:31:27.856+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get mountpoints for volume :1307/710000010000000000: 4146 (type = 2, code=259)
2020-11-07T15:31:27.949+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi31.
2020-11-07T15:31:30.543+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi31\SOFTWARE is loaded under the name mntApi291145200930848274
2020-11-07T15:31:30.543+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi291145200930848274\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:31:30.543+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:31:30.543+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:31:30.543+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-07T15:31:30.543+01:00 info vmware-converter-worker[10196]

[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-07T15:31:30.559+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi207.
2020-11-07T15:31:30.949+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi207\SYSTEM is loaded under the name mntApi293754577930848274
2020-11-07T15:31:30.949+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi293754577930848274\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:31:30.949+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-07T15:31:31.043+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi293754577930848274
2020-11-07T15:31:31.059+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:31:31.059+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi291145200930848274
2020-11-07T15:31:31.074+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:31:31.090+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi29.
2020-11-07T15:31:31.434+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi29\SYSTEM is loaded under the name mntApi294285825430848274
2020-11-07T15:31:31.481+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Unloaded hive mntApi294285825430848274
2020-11-07T15:31:31.481+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info: Microsoft Windows Server 2016 Datacenter edition: Server root: Windows Service Pack: 0 Ver: 6.3
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>, OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[10196]

```

[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key
QueryManagerImpl::Query=12ff5fa43de6b550c55364babf3841bb6d88668
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] ===
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:
--> (converter.info.ComputerInfo) {
-->   hardwareInfo = (converter.info.ComputerHardwareInfo) {
-->     storage = (converter.info.StorageInfo) {
-->       disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-5",
-->           capacityInBytes = 42949672960,
-->           diskUsageInBytes = 42949672960,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 402064154,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->         }
-->       ],
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->       (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ":1307/710000010000000000",
-->         diskId = (string) [
-->           "disk-5"
-->         ],
-->         partitionNumber = 1,
-->         primary = true,
-->         active = true,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "Réservé au système",
-->         capacityInBytes = 524288000,
-->         spaceUsedInBytes = 354910208,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->       },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->       volumeId = ":1307/71000005?100000000",
-->       diskId = (string) [

```

```

-->         "disk-5"
-->     ],
-->     partitionNumber = 2,
-->     primary = true,
-->     active = false,
-->     partitionType = 7,
-->     partitionGuid = <unset>,
-->     partitionUuid = <unset>,
-->     fileSystem = "NTFS",
-->     clusterSizeInBytes = 4096,
-->     firstClusterOffsetInBytes = <unset>,
-->     label = "",
-->     capacityInBytes = 42423287808,
-->     spaceUsedInBytes = 18347954176,
-->     extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->     xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->     lvName = <unset>
--> }
--> ],
--> bootConfig = (converter.info.BootConfigInfo) null
--> },
--> network = (converter.info.NetworkInfo) {
-->     nic = (converter.info.NetworkInfo.NicInfo) [
-->         (converter.info.NetworkInfo.HostedNicInfo) {
-->             nicId = "ethernet-6",
-->             connected = true,
-->             label = "ethernet0",
-->             connectionType = <unset>
-->         }
-->     ]
--> },
--> basicHardware = (converter.info.BasicHardwareInfo) {
-->     numCPUs = 2,
-->     numCoresPerSocket = 1,
-->     memoryMB = 4096
--> },
--> configInfo = (vim.vm.ConfigInfo) {
-->     changeVersion = "",
-->     modified = "1970-01-01T00:00:00Z",
-->     name = "SRV-NHFAD1",
-->     guestFullName = "",
-->     version = "vmx-13",
-->     uuid = "56 4d 1f 72 fd 71 57 73-fa e8 6e 86 0b 9c fd 9c",
-->     instanceUuid = <unset>,
-->     npivWorldWideNameType = <unset>,
-->     npivDesiredNodeWwns = <unset>,
-->     npivDesiredPortWwns = <unset>,

```

```

-->     npivTemporaryDisabled = <unset>,
-->     npivOnNonRdmDisks = <unset>,
-->     locationId = "56 4d 19 98 72 4a e4 e3-15 97 55 f0 6f d8 2e
09",
-->     template = false,
-->     guestId = "windows9Server64Guest",
-->     alternateGuestName = "",
-->     annotation = <unset>,
-->     files = (vim.vm.FileInfo) {
-->         vmPathName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",

-->         snapshotDirectory = <unset>,
-->         suspendDirectory = <unset>,
-->         logDirectory = <unset>,
-->         ftMetadataDirectory = <unset>
-->     },
-->     tools = (vim.vm.ToolsConfigInfo) {
-->         toolsVersion = <unset>,
-->         afterPowerOn = true,
-->         afterResume = true,
-->         beforeGuestStandby = true,
-->         beforeGuestShutdown = true,
-->         beforeGuestReboot = <unset>,
-->         toolsUpgradePolicy = "manual",
-->         pendingCustomization = <unset>,
-->         syncTimeWithHost = false,
-->         lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->         upgradeRebootPredict = <unset>
-->     },
-->     flags = (vim.vm.FlagInfo) {
-->         disableAcceleration = false,
-->         enableLogging = true,
-->         useToe = <unset>,
-->         runWithDebugInfo = <unset>,
-->         monitorType = "release",
-->         htSharing = <unset>,
-->         snapshotDisabled = <unset>,
-->         snapshotLocked = <unset>,
-->         diskUuidEnabled = <unset>,
-->         virtualMmuUsage = <unset>,
-->         virtualExecUsage = <unset>,
-->         snapshotPowerOffBehavior = <unset>,
-->         recordReplayEnabled = <unset>,
-->         faultToleranceType = <unset>
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {

```

```

-->         powerOffType = <unset>,
-->         suspendType = "soft",
-->         resetType = <unset>,
-->         defaultPowerOffType = <unset>,
-->         defaultSuspendType = <unset>,
-->         defaultResetType = <unset>,
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,
-->             },
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 2,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide1",
-->                     summary = "IDE Controller 1"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 1,
-->             },
-->             (vim.vm.device.VirtualLsiLogicSASController) {
-->                 key = 3,

```

```

-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk"
,
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,

```

```

-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualE1000) {
-->         key = 6,
-->         deviceInfo = (vim.Description) {
-->             label = "ethernet0",
-->             summary = "Ethernet 0"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "generated",
-->         macAddress = "00:0c:29:9c:fd:9c",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
-->     (vim.vm.device.VirtualUSBController) {

```



```

-->         key = 7,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         autoConnectDevices = true,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 8,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 9,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,

```

```

-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     }
--> ]
--> },
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = <unset>,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> memoryAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> latencySensitivity = (vim.LatencySensitivity) null,
--> memoryHotAddEnabled = false,
--> cpuHotAddEnabled = false,
--> cpuHotRemoveEnabled = false,
--> hotPlugMemoryLimit = <unset>,
--> hotPlugMemoryIncrementSize = <unset>,
--> cpuAffinity = (vim.vm.AffinityInfo) null,
--> memoryAffinity = (vim.vm.AffinityInfo) null,
--> networkShaper = (vim.vm.NetworkShaperInfo) null,
--> extraConfig = (vim.option.OptionValue) [
-->     (vim.option.OptionValue) {
-->         key = "config.readOnly",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "bios.bootRetry.delay",
-->         value = "10"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.cpu.latencySensitivity",
-->         value = "normal"
-->     },
-->     (vim.option.OptionValue) {

```

```

-->         key = "sched.mem.min",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.swap.derivedName",
-->         value =
"/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
-90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.syncTime",
-->         value = "false"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.guest.desktop.autolock",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.remindInstall",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:1.speed",
-->         value = "2"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:1.port",
-->         value = "1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:1.parent",
-->         value = "-1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.ctkEnabled",
-->         value = "True"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ethernet0.shares",
-->         value = "normal"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vc.uuid",
-->         value = "52 39 ec 50 be 67 ff b1-18 65 a6 be cc 41 e2
db"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "nvram",
-->         value = "SRV-NHFAD1.nvram"

```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "svga.guestBackedPrimaryAware",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "RemoteDisplay.maxConnections",
-->     value = "-1"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-3854021677028181693"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "-4577512143103774999"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> },
```

```
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = "0"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.description",
-->     value = "VMware Tools 11.1.1 build 16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionNumber",
-->     value = "11297"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionString",
-->     value = "11.1.1"
--> },
--> (vim.option.OptionValue) {
-->     key = "virtualHW.productCompatibility",
-->     value = "hosted"
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:0.redo",
-->     value = ""
--> },
--> (vim.option.OptionValue) {
-->     key = "guestOS.detailed.data",
-->     value = ""
--> },
--> (vim.option.OptionValue) {
```

```
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
-->         value = "-1"
-->     }
--> ],
--> cpuFeatureMask = (vim.host.CpuIdInfo) [
-->     (vim.host.CpuIdInfo) {
-->         level = 0,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 0,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
--> ],
```

```
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483648,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483647,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483647,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483640,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483640,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         }
-->     ],
-->     swapPlacement = <unset>,
-->     swapDirectory = <unset>,
-->     preserveSwapOnPowerOff = <unset>,
-->     bootOptions = (vim.vm.BootOptions) {
-->         bootDelay = 0,
-->         enterBIOSSetup = false,
-->         bootRetryEnabled = <unset>,
-->         bootRetryDelay = <unset>,
-->     }
```

```

-->         networkBootProtocol = <unset>,
-->     },
-->     ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
-->     repConfig = (vim.vm.ReplicationConfigSpec) null,
-->     vAppConfig = (vim.vApp.VmConfigInfo) null,
-->     vAssertsEnabled = <unset>,
-->     changeTrackingEnabled = <unset>,
-->     firmware = <unset>,
-->     maxMksConnections = <unset>,
-->     guestAutoLockEnabled = <unset>,
-->     managedBy = (vim.ext.ManagedByInfo) null,
-->     memoryReservationLockedToMax = <unset>,
-->     initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
-->     nestedHVEEnabled = <unset>,
-->     vPMCEnabled = <unset>,
-->     scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
-->     forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->     vFlashCacheReservation = <unset>,
-->     vmxConfigChecksum = <unset>,
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = <unset>,
-->     vmStorageObjectId = <unset>,
-->     swapStorageObjectId = <unset>,
--> },
-->     currentEfiBootEntry = <unset>
--> },
-->     osInfo = (converter.info.ComputerOsInfo) {
-->         osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->             guestOsId = "windows8srv-64",
-->             displayName = "Windows Server 2012 (64-bit)",
-->             osType = "windowsOs",
-->             osEdition = "Server",
-->             distribution = <unset>,
-->             majorVersion = 6,
-->             minorVersion = 3,
-->             kernelVersion = <unset>,
-->             os64Bit = true,
-->             spLevel = <unset>
-->         },
-->         hostname = "SRV-NHFAD1",
-->         activeVolumeId = ":1307/710000010000000000",
-->         systemVolumeId = ":1307/71000005?100000000",
-->         logicalVolumeInfo =
(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->             (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->                 volumeId = ":1307/710000010000000000",
-->                 volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {

```



```

-->         minSizeInBytes = 459767808,
-->         canBeSkipped = true,
-->         canBeResized = true,
-->         canBeMovedToAnotherDisk = false,
-->         canChangeClusterSize = true,
-->         canChangeType = true
-->     },
--> },
--> (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->     volumeId = ":1307/71000005?100000000",
-->     mountPoint = (string) [
-->         "C:"
-->     ],
-->     volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->         minSizeInBytes = 20182749593,
-->         canBeSkipped = true,
-->         canBeResized = true,
-->         canBeMovedToAnotherDisk = false,
-->         canChangeClusterSize = true,
-->         canChangeType = true
-->     }
--> }
--> ],
--> reconfigPrerequisites = (converter.info.ReconfigPrerequisites)
null,
-->     services = (converter.info.ServiceInfo) [
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ADWS",
-->             displayName = "Services Web Active Directory",
-->             description = "Ce service fournit une interface de
service Web aux instances de service d'annuaire (AD DS and AD LDS) qui
s'exécutent localement sur le serveur. Si ce service est arrêté ou
désactivé, les applications clientes, comme Active Directory PowerShell,
ne pourront pas accéder ou gérer les instances de service d'annuaire qui
s'exécutent localement sur le serveur.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "AJRouter",
-->             displayName = "Service de routeur AllJoyn",
-->             description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true

```

```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ALG",
-->         displayName = "Service de la passerelle de la couche
Application",
-->         description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppIDSvc",
-->         displayName = "Identité de l'application",
-->         description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Appinfo",
-->         displayName = "Informations d'application",
-->         description = "Permet d'exécuter les applications
interactives avec des droits d'administration supplémentaires. Si ce
service est arrêté, les utilisateurs ne pourront pas lancer les
applications avec les droits d'administration supplémentaires
nécessaires pour effectuer les tâches utilisateur souhaitées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
```

```

-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AudioEndpointBuilder",
-->         displayName = "Générateur de points de terminaison du
service Audio Windows",
-->         description =
"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Audiosrv",
-->         displayName = "Audio Windows",
-->         description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AxInstSV",

```

```

-->         displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->         description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la
stratégie de groupe. Ce service est démarré sur demande et, s'il est
désactivé, l'installation des contrôles ActiveX se comporte conformément
aux paramètres par défaut du navigateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BFE",
-->         displayName = "Moteur de filtrage de base",
-->         description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),
et qui implémente le filtrage en mode utilisateur. L'arrêt ou la
désactivation du service Moteur de filtrage de base diminue
significativement la sécurité du système et aboutit également à un
fonctionnement imprévisible des applications de gestion et de pare-feu
IPsec.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BITS",
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",

```

```

-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils
connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le

```

```

minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ClipSVC",
-->         displayName = "Service de licences de client (ClipSVC)",

-->         description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "COMSysApp",
-->         displayName = "Application système COM+",
-->         description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CoreMessagingRegistrar",
-->         displayName = "CoreMessaging",
-->         description = "Manages communication between system
components.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CryptSvc",
-->         displayName = "Services de chiffrement",
-->         description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de

```

gestion ne fonctionneront pas correctement. Si ce service est désactivé, les services en dépendant explicitement ne démarreront pas.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CscService",
-->         displayName = "Fichiers hors connexion",
-->         description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service
est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne
fonctionnent pas correctement. Il est fortement recommandé d'exécuter le
service DCOMLAUNCH.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques
câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dfs",
-->         displayName = "Espace de noms DFS",
-->         description = "Permet de grouper les dossiers partagés
et situés sur différents serveurs en un ou plusieurs espaces de noms
logiquement structurés. Chaque espace de nom apparaît auprès des
utilisateurs sous forme d'un dossier partagé unique contenant une série
de sous-dossiers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DFSR",
-->         displayName = "Réplication DFS",
-->         description = "Vous permet de synchroniser des dossiers
de plusieurs serveurs sur des connexions réseau de type réseau local ou
étendu. Ce service utilise le protocole RDC (Remote Differential

```


Compression) pour mettre à jour uniquement les parties des fichiers ayant été modifiées depuis la dernière réplique.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DHCPServer",
-->         displayName = "Serveur DHCP",
-->         description = "Effectue la configuration TCP/IP des
clients DHCP, notamment les attributions dynamiques d'adresses IP et la
spécification des serveurs WINS et DNS et des noms DNS spécifiques à la
connexion. Si ce service est arrêté, le serveur DHCP n'effectue pas la
configuration TCP/IP des clients. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne peuvent plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
télémétrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de télémétrie offre des fonctionnalités qui prennent en
```

charge les expériences des utilisateurs connectés et in-app. En outre, ce service gère la collecte et la transmission des informations de diagnostic et d'utilisation en fonction des événements (afin d'améliorer l'expérience et la qualité de la plateforme Windows) lorsque les paramètres des options de confidentialité des diagnostics et de l'utilisation sont activés sous Commentaires & diagnostics.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des
périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DNS",
-->         displayName = "Serveur DNS",
-->         description = "Permet aux clients DNS de résoudre les
noms DNS en répondant aux requêtes DNS et aux requêtes de mise à jour
DNS dynamiques. Si ce service est arrêté, les mises à jour DNS n'auront
pas lieu. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dnscache",
-->         displayName = "Client DNS",
-->         description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
```

```

pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dot3svc",
-->         displayName = "Configuration automatique de réseau
câblé",
-->         description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DPS",
-->         displayName = "Service de stratégie de diagnostic",
-->         description = "Le service de stratégie de diagnostic
permet la détection, le dépannage et la résolution de problèmes pour les
composants de Windows. Si ce service est arrêté, les diagnostics ne
fonctionnent plus.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsmSvc",
-->         displayName = "Gestionnaire d'installation de
périphérique",
-->         description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsRoleSvc",
-->         displayName = "Serveur de rôles DS",
-->         description = "Ce service héberge le serveur de rôles DS
utilisé pour la promotion, la régression et le clonage de contrôleur de

```

```

domaine. Si le service est désactivé, ces opérations échouent.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsSvc",
-->         displayName = "Service de partage des données",
-->         description = "Fournit l'intermédiation des données
entre les applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Eaphost",
-->         displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->         description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
nécessitent l'authentification EAP.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EFS",
-->         displayName = "Système de fichiers EFS (Encrypting File
System)",
-->         description = "Fournit la technologie de chiffrement des
fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "embeddedmode",
-->         displayName = "Mode incorporé",
-->         description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EntAppSvc",
-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventSystem",
-->         displayName = "Système d'événement COM+",
-->         description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations
d'ouverture et de fermeture de session. Si ce service est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "fdPHost",
-->         displayName = "Hôte du fournisseur de découverte de
fonctions",
-->         description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery

```

Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la désactivation du service FDPHOST désactivera la découverte de réseau pour ces protocoles lors de l'utilisation de la découverte de fonction. Lorsque ce service n'est pas disponible, les services réseau qui utilisent la découverte de fonction et qui dépendent de ces protocoles de découverte ne pourront pas trouver des périphériques ou des ressources réseau.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FDResPub",
-->         displayName = "Publication des ressources de découverte
de fonctions",
-->         description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache",
-->         displayName = "Service de cache de police Windows",
-->         description = "Optimise les performances des
applications en mettant en cache les données des polices communément
utilisées. Les applications démarrent ce service s'il n'est pas déjà en
fonctionnement. Il peut être désactivé ; il en résulte cependant une
dégradation des performances des applications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
```

l'application des paramètres configurés par les administrateurs pour l'ordinateur et pour les utilisateurs via le composant de stratégie de groupe. Si le service est désactivé, les paramètres ne seront pas appliqués, et les applications et les composants ne seront pas gérables par la stratégie de groupe. Tout composant ou application qui dépend du composant de stratégie de groupe risque de ne pas fonctionner si le service est désactivé.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",
-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",
-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
```

Internet Protocol). Ces modules de génération de clés sont utilisés pour l'authentification et l'échange de clés dans la sécurité IP (IPsec). L'arrêt ou la désactivation du service IKEEXT entraînera la désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs homologues. IPsec est généralement configuré pour utiliser IKE ou AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT risque de conduire à la défaillance d'IPsec et de compromettre la sécurité du système. Il est fortement recommandé d'activer l'exécution du service IKEEXT.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "iphlpsvc",
-->         displayName = "Assistance IP",
-->         description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPv6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IsmServ",
-->         displayName = "Messagerie intersite",
-->         description = "Permet l'échange des messages entre
ordinateurs fonctionnant sur des sites Windows Server. Si ce service est
arrêté, les messages ne seront pas échangés et les informations de
routage du site ne seront pas calculées pour d'autres services. Si ce
service est désactivé, tout service en dépendant explicitement ne
démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Kdc",
-->         displayName = "Centre de distribution de clés Kerberos",
-->
-->         description = "Ce service, qui s'exécute sur les
contrôleurs de domaine, permet aux utilisateurs d'ouvrir une session sur
le réseau en utilisant le protocole d'authentification Kerberos. Si ce
service est arrêté, les utilisateurs ne pourront plus ouvrir de session
sur le réseau. Si ce service est désactivé, les services qui en
dépendent explicitement ne démarreront pas.",
-->         currentState = "stopped",
```



```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KdsSvc",
-->         displayName = "Service de distribution de clés
Microsoft",
-->         description = "Ce service permet de protéger les données
à l'aide de l'API de protection des données de groupe. Il permet
également de prendre en charge différentes fonctionnalités système,
notamment BitLocker sur les volumes en cluster, les comptes de services
administrés et le DNS sécurisé. Si ce service est arrêté, ces
fonctionnalités ne fonctionnent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KeyIso",
-->         displayName = "Isolation de clé CNG",
-->         description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de
processus de clé aux clés privés et aux opérations de chiffrement
associées, conformément aux critères communs. Le service stocke et
utilise des clés à long terme dans le cadre d'un processus sécurisé
répondant aux exigences des critères communs.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KPSSVC",
-->         displayName = "Service Serveur proxy KDC",
-->         description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KtmRm",
-->         displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->         description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce

```

service automatiquement. Si ce service est désactivé, toute transaction MSDTC interagissant avec un gestionnaire de transactions du noyau échoue et tout service qui en dépend de façon explicite ne parvient pas à démarrer.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanServer",
-->         displayName = "Serveur",
-->         description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanWorkstation",
-->         displayName = "Station de travail",
-->         description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce
service est arrêté, ces connexions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lfsvc",
-->         displayName = "Service de géolocalisation",
-->         description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LicenseManager",
-->         displayName = "Serveur Gestionnaire de licences
Windows",
-->         description = "Permet la prise en charge de
```

l'infrastructure du Windows Store. Ce service démarre à la demande. S'il est désactivé, le contenu acheté via le Windows Store ne se comporte pas correctement.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lltdsvc",
-->         displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->         description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lmhosts",
-->         displayName = "Assistance NetBIOS sur TCP/IP",
-->         description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
présents sur le réseau, ce qui permet aux utilisateurs de partager des
fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce
service est arrêté, ces fonctions risquent de ne pas être disponibles.
Si ce service est désactivé, les services qui en dépendent explicitement
ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LSM",
-->         displayName = "@%windir%\system32\lsm.dll,-1001",
-->         description = "@%windir%\system32\lsm.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MapsBroker",
-->         displayName = "Gestionnaire des cartes téléchargées",
-->         description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
```

```

cartes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MpsSvc",
-->         displayName = "Pare-feu Windows",
-->         description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSDTC",
-->         displayName = "Coordinateur de transactions
distribuées",
-->         description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSiSCSI",
-->         displayName = "Service Initiateur iSCSI de Microsoft",
-->         description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur
les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui
dépendent explicitement de lui ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "msiserver",
-->         displayName = "Windows Installer",
-->         description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcaSvc",
-->         displayName = "Assistant Connectivité réseau",
-->         description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcbService",
-->         displayName = "Service Broker pour les connexions
réseau",
-->         description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
notifications d'Internet.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netlogon",
-->         displayName = "NetLogon",
-->         description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur
peut ne pas authentifier les utilisateurs et les services et le
contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si
ce service est désactivé, tout service qui en dépend explicitement ne
pourra pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",

```

```

-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetSetupSvc",
-->         displayName = "Service Configuration du réseau",
-->         description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetTcpPortSharing",
-->         displayName = "Service de partage de ports Net.Tcp",
-->         description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcCtnrSvc",
-->         displayName = "Conteneur Microsoft Passport",
-->         description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcSvc",
-->         displayName = "Microsoft Passport",
-->         description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les

```

fonctions d'utilisation et de gestion de ces clés, telles que l'ouverture de session et l'authentification unique pour les applications et les sites web, ne seront pas disponibles. Ce service démarre et s'arrête automatiquement. Il est recommandé de ne pas le reconfigurer.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NlaSvc",
-->         displayName = "Connaissance des emplacements réseau",
-->         description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "nsi",
-->         displayName = "Service Interface du magasin réseau",
-->         description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité
réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NTDS",
-->         displayName = "Services de domaine Active Directory",
-->         description = "Service de contrôleur de domaine des
services de domaine Active Directory. Si ce service est arrêté, les
utilisateurs ne peuvent plus se connecter au réseau. Si ce service est
désactivé, tous les services qui en dépendent explicitement ne peuvent
plus démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NtFrs",
-->         displayName = "Réplication de fichiers",
```

```

-->         description = "Synchronise les dossiers avec les
serveurs de fichiers qui utilisent le service FRS au lieu du service de
réplication DFS plus récent.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "OneSyncSvc",
-->         displayName = "Hôte de synchronisation",
-->         description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des
programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les
programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhost.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```



```
-->         (converter.info.ServiceInfo) {
-->             serviceName = "PimIndexMaintenanceSvc",
-->             displayName = "Données de contacts",
-->             description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce
service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "pla",
-->             displayName = "Journaux & alertes de performance",
-->             description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "PlugPlay",
-->             displayName = "Plug-and-Play",
-->             description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "PolicyAgent",
-->             displayName = "Agent de stratégie IPsec",
-->             description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Power",
-->             displayName = "Alimentation",
-->             description = "Gère la stratégie d'alimentation et la
```

```

remise de notification de stratégie d'alimentation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PrintNotify",
-->         displayName =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->         description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ProfSvc",
-->         displayName = "Service de profil utilisateur",
-->         description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir
les données des utilisateurs, et les composants inscrits pour recevoir
les notifications d'événements de profils ne les recevront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "QWAVE",
-->         displayName = "Expérience audio-vidéo haute qualité
Windows",
-->         description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasAuto",
-->         displayName = "Gestionnaire des connexions automatiques
d'accès à distance",

```

```

-->         description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasMan",
-->         displayName = "Gestionnaire des connexions d'accès à
distance",
-->         description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteAccess",
-->         displayName = "Routage et accès distant",
-->         description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteRegistry",
-->         displayName = "Registre à distance",
-->         description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RmSvc",
-->         displayName = "Service de gestion radio",
-->         description = "Service de gestion radio et de mode
Avion",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcEptMapper",
-->             displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->             description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcLocator",
-->             displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->             description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure
distante (RPC) gère la base de données du service de nom RPC. Dans
Windows Vista et les versions ultérieures de Windows, ce service ne
fournit aucune fonctionnalité et est présent à des fins de compatibilité
applicative.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcSs",
-->             displayName = "Appel de procédure distante (RPC)",
-->             description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets
et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM.
Si ce service est arrêté ou désactivé, les programmes utilisant COM ou
DCOM ne fonctionnent pas correctement. Il est fortement recommandé
d'exécuter le service RPCSS.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RSOProv",
-->             displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->             description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },

```

```
-->         (converter.info.ServiceInfo) {
-->             serviceName = "sacsvr",
-->             displayName = "Application d'assistance de la Console
d'administration spéciale",
-->             description = "Permet aux administrateurs d'accéder à
distance à une invite de commandes en utilisant les services de gestion
d'urgence.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SamSs",
-->             displayName = "Gestionnaire de comptes de sécurité",
-->             description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SAVAdminService",
-->             displayName = "Sophos Anti-Virus status reporter",
-->             description = "Fournit au Windows Security Center des
informations sur l'état de mise à jour de Sophos Anti-Virus et sur
l'état actif ou non du contrôle sur accès.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SAVService",
-->             displayName = "Sophos Anti-Virus",
-->             description = "Effectue des opérations de contrôle des
menaces et de nettoyage.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SCardSvr",
-->             displayName = "Carte à puce",
-->             description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
```

```

dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ScDeviceEnum",
-->         displayName = "Service d'énumération de périphériques de
carte à puce",
-->         description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Schedule",
-->         displayName = "Planificateur de tâches",
-->         description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCPolicySvc",
-->         displayName = "Stratégie de retrait de la carte à puce",
-->
-->         description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "seclogon",
-->         displayName = "Ouverture de session secondaire",
-->         description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SENS",
-->         displayName = "Service de notification d'événements
système",
-->         description = "Analyse les événements système et notifie
leur existence aux abonnés du système d'événements COM+.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorDataService",
-->         displayName = "Service Données de capteur",
-->         description = "Fournit les données d'une variété de
capteurs",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorService",
-->         displayName = "Service de capteur",
-->         description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de
périphérique simple rapportant les changements d'orientation du
périphérique. Si le service est interrompu ou désactivé, le capteur
d'orientation de périphérique simple ne sera pas chargé et la rotation
automatique n'aura pas lieu. La collecte d'historiques des capteurs sera
également interrompue.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensrSvc",
-->         displayName = "Service de surveillance des capteurs",
-->         description = "Surveille plusieurs capteurs pour exposer
les données et s'adapter aux divers états utilisateur et du système. Si
le service est arrêté ou désactivé, la brillance de l'affichage ne
s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut
également affecter d'autres fonctionnalités du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SessionEnv",
-->             displayName = "Configuration des services Bureau à
distance",
-->             description = "Le service Configuration des services
Bureau à distance (RDCS) est responsable de toutes les activités de
maintenance de session et de configuration du Bureau à distance et des
services Bureau à distance nécessitant un contexte SYSTEM. Il faut y
inclure les dossiers temporaires par session, ainsi que les thèmes et
certificats des services Bureau à distance.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SharedAccess",
-->             displayName = "Partage de connexion Internet (ICS)",
-->             description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "ShellHWDetection",
-->             displayName = "Détection matériel noyau",
-->             description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "smphost",
-->             displayName = "SMP de l'Espace de stockages Microsoft",
-->             description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SNMPTRAP",
-->             displayName = "Interruption SNMP",
-->             description = "Reçoit les messages d'interception
générés par les agents SNMP (Simple Network Management Protocol) locaux
```


ou distants et transmet les messages aux programmes de gestion SNMP s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes à base SNMP sur cet ordinateur ne recevront pas les messages d'interception SNMP. Si ce service est désactivé, tous les services qui en dépendent explicitement ne pourront pas démarrer.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Agent",
-->         displayName = "Sophos Agent",
-->         description = "Management Agent for Sophos
applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos AutoUpdate Service",
-->         displayName = "Sophos AutoUpdate Service",
-->         description = "Partie du système de mise à jour
concernant la description du Service des composants Sophos",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Endpoint Defense Service",
-->         displayName = "Sophos Endpoint Defense Service",
-->         description = "Sophos Endpoint Defense Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Message Router",
-->         displayName = "Sophos Message Router",
-->         description = "Message router for Sophos applications",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos System Protection Service",
-->         displayName = "Sophos System Protection Service",
-->         description = "Sophos System Protection Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
```

```
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Sophos Web Control Service",
-->         displayName = "Sophos Web Control Service",
-->         description = "Manages Web Control policy.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sppsvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications
Windows. Si le service est désactivé, le système d'exploitation et les
applications sous licence peuvent s'exécuter dans un mode de
notification. Et il est instamment recommandé de ne pas désactiver le
service de protection logicielle.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDP",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les
périphériques SSDP ne seront pas découverts. S'il est désactivé, tous
les services qui dépendent explicitement de lui ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
-->         displayName = "Service SSTP (Secure Socket Tunneling
```

```

Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_filter",

```

```

-->         displayName = "Sophos Web Filter",
-->         description = "Garantit que l'utilisation du Web est
conforme à la stratégie de sécurité. ",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swi_service",
-->         displayName = "Sophos Web Intelligence Service",
-->         description = "Protège contre les menaces de sites Web
malveillants.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stylet et
d'entrée manuscrite du clavier tactile et du volet d'écriture
manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter
de manière interactive à un ordinateur distant. Le Bureau à distance et
le serveur hôte de session Bureau à distance dépendent de ce service.
Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les
cases à cocher situées sous l'onglet Utilisation à distance des
Propriétés système via l'élément Système du Panneau de configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",
-->         description = "Serveur de vignettes pour la mise à jour
des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =
"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",
-->
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du

```

```

fuseau horaire",
-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UALSVC",
-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;
l'utilisation du service et des données UAL ne décharge pas de cette
obligation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être

```

perdu. Si ce service est désactivé, les notifications des nouvelles boîtes de dialogue de services interactifs ainsi que leur accès ne fonctionneront plus.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UmRdpService",
-->         displayName = "Redirecteur de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
```



```

fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserManager",
-->         displayName = "Gestionnaire des utilisateurs",
-->         description = "Le Gestionnaire des utilisateurs fournit
les composants d'exécution requis pour une interaction
multi-utilisateur. Si ce service est arrêté, certaines applications
risquent de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Usosvc",
-->         displayName = "Service Update Orchestrator pour Windows
Update",
-->         description = "Usosvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VaultSvc",
-->         displayName = "Gestionnaire d'informations
d'identification",
-->         description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vds",
-->         displayName = "Disque virtuel",
-->         description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VGAAuthService",

```

```

-->         displayName = "VMware Alias Manager and Ticket Service",

-->         description = "Alias Manager and Ticket Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vm3dservice",
-->         displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->         description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicguestinterface",
-->         displayName = "Interface de services d'invité Hyper-V",
-->         description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmicrdv",
-->             displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->             description = "Fournit une plateforme pour la
communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmicshutdown",
-->             displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->             description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmictimesync",
-->             displayName = "Service Synchronisation date/heure
Microsoft Hyper-V",
-->             description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmicvmsession",
-->             displayName = "Service Hyper-V PowerShell Direct",
-->             description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "vmicvss",
-->             displayName = "Requête du service VSS Microsoft
Hyper-V",
-->             description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation

```

```

de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VMTools",
-->         displayName = "VMware Tools",
-->         description = "Fournit un support pour la
synchronisation des objets entre les systèmes d'exploitation hôte et
invité.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmvss",
-->         displayName = "VMware Snapshot Provider",
-->         description = "VMware Snapshot Provider",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VSS",
-->         displayName = "Cliché instantané des volumes",
-->         description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si
ce service est arrêté, les clichés instantanés ne seront pas disponibles
pour la sauvegarde et la sauvegarde échouera. Si ce service est
désactivé, les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W32Time",
-->         displayName = "Temps Windows",
-->         description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```
-->         serviceName = "WalletService",
-->         displayName = "WalletService",
-->         description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WbioSrv",
-->         displayName = "Service de biométrie Windows",
-->         description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wcmsvc",
-->         displayName = "Gestionnaire des connexions Windows",
-->         description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau
actuellement disponibles à l'ordinateur, et active la gestion de la
connectivité réseau en fonction des paramètres de la stratégie de
groupe.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiServiceHost",
-->         displayName = "Service hôte WDIServiceHost",
-->         description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiSystemHost",
-->         displayName = "Hôte système de diagnostics",
-->         description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
```

diagnostics qui doivent être exécutés dans un contexte de système local. Si ce service est arrêté, tous les diagnostics qui en dépendent ne fonctionneront plus.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",
```

```
-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
```

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
```

```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Weccsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
```

persistants à des événements de sources distantes prenant en charge le protocole Gestion de services Web. Cela inclut les journaux d'événements de Windows Vista, les sources d'événements matériels et IPMI. Le service stocke les événements transférés dans un journal d'événements local. Si ce service est arrêté ou désactivé, des abonnements aux événements ne peuvent pas être créés et les événements transférés ne peuvent pas être acceptés.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
```

```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
```

```
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
```

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
```

```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
```

```

-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de
configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de
diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",
-->
-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client

```

et fournit aux développeurs une API Win32 et un composant d'automatisation COM pour l'envoi des demandes HTTP et la réception des réponses. En outre, WinHTTP prend en charge la découverte automatique d'une configuration de proxy via son implémentation du protocole WPAD (Web Proxy Auto-Discovery).",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",
-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion
WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à
distance. La Gestion des services Web est un protocole standard utilisé
pour la gestion à distance de logiciels et de matériels. Le service
Gestion à distance de Windows traite les demandes Gestion des services
Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la
stratégie de groupe. Ce service donne accès aux données WMI et permet le
recueil d'événements. Le recueil d'événements et l'abonnement exigent
que ce service s'exécute. Les messages du service Gestion à distance de
Windows utilisent HTTP et HTTPS. Le service Gestion à distance de
Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même
machine. Le service Gestion à distance de Windows réserve le préfixe
d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites
Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
```



```
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",
-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs
par le biais des services d'identité de compte Microsoft. Si ce service
est arrêté, les utilisateurs ne pourront pas ouvrir une session sur
l'ordinateur avec leur compte Microsoft.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la
bibliothèque de performance à partir des fournisseurs HiPerf WMI
(Windows Management Instrumentation) à des clients sur le réseau. Ce
service s'exécute uniquement quand l'assistant de performance des
données est activé.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnUserService",
-->         displayName = "Service utilisateur de notifications Push
Windows",
-->         description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
raw.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WSearch",
-->         displayName = "Windows Search",
-->         description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wuauerv",
-->         displayName = "Windows Update",
-->         description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce
service est désactivé, les utilisateurs de cet ordinateur ne pourront
pas utiliser Windows Update ou sa fonctionnalité de mise à jour
automatique, et les programmes ne pourront pas utiliser l'API de l'Agent
de mise à jour automatique Windows Update (WUA).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wudfsvc",
-->         displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->         description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox

```

```

Live",
-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,
-->     canSkipUnwantedFiles = false,
-->     canReconfig = true,
-->     canCustomize = true,
-->     canInstallTools = true,
-->     defaultCloningMode = "diskBasedCloning",
-->     supportedCloningMode = (string) [
-->         "diskBasedCloning",
-->         "volumeBasedCloning"
-->     ]
--> },
--> bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
-->     dracut = <unset>
--> }
--> }

```

```

--> =====
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[03396]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:31:31.496+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F717000010000000000000B00000\
2020-11-07T15:31:31.528+01:00 info vmware-converter-worker[09608]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:31:31.528+01:00 info vmware-converter-worker[10196]

```

```
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000C000000\
2020-11-07T15:31:31.528+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:31:31.543+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:31:31.543+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:31:31.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:31:31.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:31:31.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:31:31.574+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:31:31.574+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:31:31.574+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:31:31.574+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:31:31.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:31:31.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:31:31.590+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:31:31.590+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:31:31.621+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:31:31.621+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:31:31.621+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:31:31.637+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
```

2020-11-07T15:31:31.637+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-07T15:31:31.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:31:31.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:31:31.699+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'

2020-11-07T15:31:31.699+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:31:31.699+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:31:31.699+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:31:31.699+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:31:32.043+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:31:32.043+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:31:32.043+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DefaultValues::SetDefaultCPUAndMemory:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults

2020-11-07T15:31:32.043+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:31:32.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:31:32.090+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller
type vim.vm.device.ParaVirtualSCSIController

2020-11-07T15:31:32.090+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller

```
type VirtualNVMEController
2020-11-07T15:31:32.090+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DefaultValues::SetDefaultDiskController:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its
defaults
2020-11-07T15:31:32.090+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default]
DefaultValues::AddKeepSourceIfAllControllersSupported: The target
supports all source disk controllers, adding keepSource and making it
the default
2020-11-07T15:31:32.137+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:31:32.137+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:31:32.184+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] The default datastore for
vim.HostSystem:host-183 is vim.Datastore:datastore-184
2020-11-07T15:31:32.184+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Caching DefaultConversionParamsResult with
key
DefaultValues::GetDefaultsForConvert=/converter.ComputerSpec=12ff5fa43de
6b550c55364babf3841bb6d88668/converter.info.ComputerOsInfo=9ac919bc4add
805be79ef8058bd86c5d9fe8680/converter.params.TargetVmSpec=536d641fc7586a
ebf4c87ab532a16c9d18a3758/int[]=e170d1974aee0e5565f00afc30da8cb74c67972a
2020-11-07T15:31:32.184+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:31:32.199+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:31:32.199+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:31:32.215+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:31:32.215+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:31:32.246+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:31:32.246+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Task Added : task-3
2020-11-07T15:31:32.246+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:32.246+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:31:32.246+01:00 info vmware-converter-worker[10060]
```

```
[Originator@6876 sub=task-3] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:31:32.246+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] localVersion is: vim.version.version10
2020-11-07T15:31:32.262+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Remote version is: unrecognized
2020-11-07T15:31:32.262+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Authenticating user
Administrator@vsphere.local
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Getting ConfigInfo for
vim.VirtualMachine:vm-404
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Filtering out invalid extra config options
...
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge0.present is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge4.present is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge4.virtualDev
is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge4.functions is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge5.present is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge5.virtualDev
is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge5.functions is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge6.present is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge6.virtualDev
is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge6.functions is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge7.present is
removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge7.virtualDev
```

is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option pciBridge7.functions is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option
vmware.tools.internalversion is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option
vmware.tools.requiredversion is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Extra config option migrate.hostLog is removed
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] [BaseDiskSetComputer::OpenDiskSet] Will use
open retries count 3
2020-11-07T15:31:32.293+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:31:32.309+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-07T15:31:32.309+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: updating nfc port as
902
2020-11-07T15:31:32.309+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-07T15:31:32.309+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 d2 4a 1a 74
42 b6 a1-b3 e1 ea 78 f7 e9 f4 09
2020-11-07T15:31:33.522+01:00 warning vmware-converter-worker[10060]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table
2020-11-07T15:31:33.522+01:00 warning vmware-converter-worker[10060]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:31:33.522+01:00 warning vmware-converter-worker[10060]
[Originator@6876 sub=task-3] [MoveActiveDiskIfNeeded] GetFirstBootDisk
failed, mntapi error: 176
2020-11-07T15:31:34.197+01:00 warning vmware-converter-worker[10060]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:31:34.197+01:00 warning vmware-converter-worker[10060]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Reusing existing VIM connection to
192.168.1.5


```
2020-11-07T15:31:34.197+01:00 warning vmware-converter-worker[10060]
[Originator@6876 sub=task-3] [PopulateCapabilities] Volume-based cloning
was disabled due to: <no volumes are recognized>
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] [LogMessagesForQA] System volume is not
detected.
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] [BaseComputerImpl::Open] Config file:
[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] CloneTask: AgentCloningParams:
(converter.agent.params.AgentCloningParams) {
-->     source = (converter.ComputerSpec) {
-->         location = (converter.ComputerSpec.VMwareHostedVmLocation) {
-->             configFilePath =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx",

-->             password = <unset>,
-->             networkUsername = <unset>,
-->             networkPassword = <unset>,
-->             type = "vmwareVM"
-->         }
-->     },
-->     targetHardwareInfo = (converter.info.ComputerHardwareInfo) {
-->         storage = (converter.info.StorageInfo) {
-->             disk = (converter.info.StorageInfo.DiskInfo) [
-->                 (converter.info.StorageInfo.DiskInfo) {
-->                     diskId = "disk-2000",
-->                     capacityInBytes = 42949672960,
-->                     diskUsageInBytes = 42949672960,
-->                     biosNumber = <unset>,
-->                     lvg = false,
-->                     lvgName = <unset>,
-->                     gpt = false,
-->                     signature = 0,
-->                     diskGuid = <unset>,
-->                     sectorSize = <unset>
-->                 }
-->             ],
-->             bootConfig = (converter.info.BootConfigInfo) null,
-->         },
-->         network = (converter.info.NetworkInfo) {
-->             nic = (converter.info.NetworkInfo.NicInfo) [
-->                 (converter.info.NetworkInfo.ManagedNicInfo) {
-->                     nicId = "ethernet-4000",
-->                     connected = true,
-->                     label = "Network adapter 1",
-->                     network = "API",
-->                     controllerType = ""
```

```

-->     }
-->   ]
--> },
--> basicHardware = (converter.info.BasicHardwareInfo) {
-->   numCPUs = 2,
-->   numCoresPerSocket = 1,
-->   memoryMB = 4096
--> },
--> configInfo = (vim.vm.ConfigInfo) {
-->   changeVersion = "2020-11-07T14:30:19.847543Z",
-->   modified = "1970-01-01T00:00:00Z",
-->   name = "SRV-NHFAD1",
-->   guestFullName = "Microsoft Windows Server 2012 (64-bit)",
-->   version = "vmx-14",
-->   uuid = "420dd10f-0064-70cb-c848-97d44bd4b9bf",
-->   instanceUuid = "500da87a-503d-5bfd-e574-11540d30f59a",
-->   npivWorldWideNameType = <unset>,
-->   npivDesiredNodeWwns = <unset>,
-->   npivDesiredPortWwns = <unset>,
-->   npivTemporaryDisabled = true,
-->   npivOnNonRdmDisks = <unset>,
-->   locationId = "",
-->   template = false,
-->   guestId = "windows8Server64Guest",
-->   alternateGuestName = "",
-->   annotation = "",
-->   files = (vim.vm.FileInfo) {
-->     vmPathName = "[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx",
-->     snapshotDirectory = "[DATASTORE1] SRV-NHFAD1/",
-->     suspendDirectory = "[DATASTORE1] SRV-NHFAD1/",
-->     logDirectory = "[DATASTORE1] SRV-NHFAD1/",
-->     ftMetadataDirectory = <unset>
-->   },
-->   tools = (vim.vm.ToolsConfigInfo) {
-->     toolsVersion = 0,
-->     afterPowerOn = true,
-->     afterResume = true,
-->     beforeGuestStandby = true,
-->     beforeGuestShutdown = true,
-->     beforeGuestReboot = <unset>,
-->     toolsUpgradePolicy = "manual",
-->     pendingCustomization = <unset>,
-->     syncTimeWithHost = false,
-->     lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) {
-->       counter = 3,
-->       fault = (vmodl.MethodFault) null
-->     },
-->     upgradeRebootPredict = <unset>

```

```

-->     },
-->     flags = (vim.vm.FlagInfo) {
-->         disableAcceleration = false,
-->         enableLogging = true,
-->         useToe = false,
-->         runWithDebugInfo = false,
-->         monitorType = "release",
-->         htSharing = "any",
-->         snapshotDisabled = false,
-->         snapshotLocked = false,
-->         diskUuidEnabled = true,
-->         virtualMmuUsage = "automatic",
-->         virtualExecUsage = "hvAuto",
-->         snapshotPowerOffBehavior = "powerOff",
-->         recordReplayEnabled = false,
-->         faultToleranceType = "unset"
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = "soft",
-->         suspendType = "soft",
-->         resetType = "soft",
-->         defaultPowerOffType = "soft",
-->         defaultSuspendType = "hard",
-->         defaultResetType = "soft",
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 4096,
-->         virtualICH7MPresent = false,
-->         virtualSMCPresent = false,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 200,
-->                 deviceInfo = (vim.Description) {
-->                     label = "IDE 0",
-->                     summary = "IDE 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,

```

```

-->         },
-->         (vim.vm.device.VirtualIDEController) {
-->             key = 201,
-->             deviceInfo = (vim.Description) {
-->                 label = "IDE 1",
-->                 summary = "IDE 1"
-->             },
-->             backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = <unset>,
-->             unitNumber = <unset>,
-->             busNumber = 1,
-->         },
-->         (vim.vm.device.VirtualPS2Controller) {
-->             key = 300,
-->             deviceInfo = (vim.Description) {
-->                 label = "PS2 controller 0",
-->                 summary = "PS2 controller 0"
-->             },
-->             backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = <unset>,
-->             unitNumber = <unset>,
-->             busNumber = 0,
-->             device = (int) [
-->                 600,
-->                 700
-->             ]
-->         },
-->         (vim.vm.device.VirtualPCIController) {
-->             key = 100,
-->             deviceInfo = (vim.Description) {
-->                 label = "PCI controller 0",
-->                 summary = "PCI controller 0"
-->             },
-->             backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,

```

```

-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         device = (int) [
-->             500,
-->             12000,
-->             7000,
-->             1000,
-->             4000
-->         ]
-->     },
-->     (vim.vm.device.VirtualSIOController) {
-->         key = 400,
-->         deviceInfo = (vim.Description) {
-->             label = "SIO controller 0",
-->             summary = "SIO controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualKeyboard) {
-->         key = 600,
-->         deviceInfo = (vim.Description) {
-->             label = "Keyboard ",
-->             summary = "Keyboard"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 300,
-->         unitNumber = 0
-->     },
-->     (vim.vm.device.VirtualPointingDevice) {
-->         key = 700,
-->         deviceInfo = (vim.Description) {
-->             label = "Pointing device",
-->             summary = "Pointing device; Device"
-->         },
-->         backing =

```

```

(vim.vm.device.VirtualPointingDevice.DeviceBackingInfo) {
-->         deviceName = "",
-->         useAutoDetect = false,
-->         hostPointingDevice = "autodetect"
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 300,
-->     unitNumber = 1
--> },
--> (vim.vm.device.VirtualVideoCard) {
-->     key = 500,
-->     deviceInfo = (vim.Description) {
-->         label = "Video card ",
-->         summary = "Video card"
-->     },
-->     backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 100,
-->     unitNumber = 0,
-->     videoRamSizeInKB = 131072,
-->     numDisplays = 1,
-->     useAutoDetect = false,
-->     enable3DSupport = false,
-->     enableMPTSupport = <unset>,
-->     use3dRenderer = "automatic",
-->     graphicsMemorySizeInKB = 262144
--> },
--> (vim.vm.device.VirtualVMCIDevice) {
-->     key = 12000,
-->     deviceInfo = (vim.Description) {
-->         label = "VMCI device",
-->         summary = "Device on the virtual machine PCI
bus that provides support for the virtual machine communication
interface"
-->     },
-->     backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 100,

```

```

-->         unitNumber = 17,
-->         id = -1,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = true,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     },
-->     (vim.vm.device.VirtualUSBController) {
-->         key = 7000,
-->         deviceInfo = (vim.Description) {
-->             label = "USB controller ",
-->             summary = "Auto connect Disabled"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualUSBController.PciBusSlotInfo) {
-->             pciSlotNumber = -1,
-->             ehciPciSlotNumber = -1
-->         },
-->         controllerKey = 100,
-->         unitNumber = 22,
-->         busNumber = 0,
-->         autoConnectDevices = false,
-->         ehciEnabled = true,
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 1000,
-->         deviceInfo = (vim.Description) {
-->             label = "SCSI controller 0",
-->             summary = "LSI Logic SAS"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 3,
-->         busNumber = 0,
-->         device = (int) [
-->             2000
-->         ],
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7

```

```

-->         },
-->         (vim.vm.device.VirtualDisk) {
-->             key = 2000,
-->             deviceInfo = (vim.Description) {
-->                 label = "Hard disk 1",
-->                 summary = "41,943,040 KB"
-->             },
-->             backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->                 fileName = "[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk",
-->                 datastore = 'vim.Datastore:datastore-184',
-->                 backingObjectId = "",
-->                 diskMode = "persistent",
-->                 split = false,
-->                 writeThrough = false,
-->                 thinProvisioned = true,
-->                 eagerlyScrub = <unset>,
-->                 uuid = "6000C29d-f1dd-77ee-763a-8235723bb9f9",
-->                 contentId = "715cc0745d400a97399199a1fffffffffe",

-->                 changeId = <unset>,
-->                 parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->                 deltaDiskFormat = <unset>,
-->                 digestEnabled = false,
-->                 deltaGrainSize = <unset>,
-->                 deltaDiskFormatVariant = <unset>,
-->                 sharing = "sharingNone"
-->             },
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = 1000,
-->             unitNumber = 0,
-->             capacityInKB = 41943040,
-->             capacityInBytes = 42949672960,
-->             shares = (vim.SharesInfo) {
-->                 shares = 1000,
-->                 level = "normal"
-->             },
-->             storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) {
-->                 limit = -1,
-->                 shares = (vim.SharesInfo) {
-->                     shares = 1000,
-->                     level = "normal"
-->                 },

```



```

-->         reservation = 0
-->     },
-->     diskObjectId = "133-2000",
-->     vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualE1000e) {
-->         key = 4000,
-->         deviceInfo = (vim.Description) {
-->             label = "Network adapter 1",
-->             summary = "API"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "API",
-->             useAutoDetect = false,
-->             network = 'vim.Network:network-189',
-->             inPassthroughMode = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = "untried"
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 7,
-->         addressType = "assigned",
-->         macAddress = "00:50:56:8d:b2:69",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) {
-->             reservation = 0,
-->             share = (vim.SharesInfo) {
-->                 shares = 50,
-->                 level = "normal"
-->             },
-->             limit = -1
-->         },
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = false,
-->     }
--> ]
--> },
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,

```

```

-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 2000,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 40960,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     latencySensitivity = (vim.LatencySensitivity) {
-->         level = "normal",
-->         sensitivity = <unset>
-->     },
-->     memoryHotAddEnabled = false,
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "disk.EnableUUID",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ddff905b-f0ad-914b
--> -90b0-e4434b055966/SRV-NHFAD1-4706782b.vswp"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.guest.desktop.autolock",
-->             value = "FALSE"
-->         },
-->     ],

```

```
-->         (vim.option.OptionValue) {
-->             key = "tools.remindInstall",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.speed",
-->             value = "2"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.port",
-->             value = "1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "usb:1.parent",
-->             value = "-1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.ctkEnabled",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "nvram",
-->             value = "SRV-NHFAD1.nvram"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.present",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.guestBackedPrimaryAware",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "hpet0.present",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "RemoteDisplay.maxConnections",
-->             value = "-1"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "numa.autosize.vcpu.maxPerVirtualNode",
-->             value = "2"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "numa.autosize.cookie",
-->             value = "20001"
-->         },
-->         (vim.option.OptionValue) {
```

```
-->         key = "vm.genid",
-->         value = "-3854021677028181693"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vm.genidX",
-->         value = "-4577512143103774999"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "monitor.phys_bits_used",
-->         value = "43"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vmotion.checkpointFBSize",
-->         value = "4194304"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vmotion.checkpointSVGAPrimarySize",
-->         value = "134217728"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "softPowerOff",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "toolsInstallManager.lastInstallError",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "toolsInstallManager.updateCounter",
-->         value = "3"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ctlEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.toolsInstallErrCode",
-->         value = "1641"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmttools.buildNumber",
-->         value = "16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmttools.description",
-->         value = "VMware Tools 11.1.1 build 16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmttools.versionNumber",
```

```

-->         value = "11297"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.port",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "usb:0.parent",
-->         value = "-1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "migrate.hostLogState",
-->         value = "none"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "migrate.migrationId",
-->         value = "0"
-->     }
--> ],
--> datastoreUrl = (vim.vm.ConfigInfo.DatastoreUrlPair) [
-->     (vim.vm.ConfigInfo.DatastoreUrlPair) {
-->         name = "DATASTORE1",
-->         url =
"/vmfs/volumes/5ddeb71-36944c32-5cdb-dcf401e578d2"
-->     }
--> ],
--> swapPlacement = "inherit",
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = false,
-->     bootRetryDelay = 10000,
-->     networkBootProtocol = "ipv4",
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
--> vAssertsEnabled = false,
--> changeTrackingEnabled = true,

```

```

-->     firmware = "bios",
-->     maxMksConnections = -1,
-->     guestAutoLockEnabled = false,
-->     managedBy = (vim.ext.ManagedByInfo) null,
-->     memoryReservationLockedToMax = false,
-->     initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) {
-->         initialMemoryReservation = 61349888,
-->         initialSwapReservation = 741507072
-->     },
-->     nestedHVEEnabled = false,
-->     vPMCEEnabled = false,
-->     scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) {
-->         upgradePolicy = "never",
-->         versionKey = <unset>,
-->         scheduledHardwareUpgradeStatus = "none",
-->         fault = (vmodl.MethodFault) null
-->     },
-->     forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->     vFlashCacheReservation = 0,
-->     vmxConfigChecksum =
-->         ecb6a155 ff4b292d b8454b59 c43b3e81
-->         e76525d1,
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = false,
-->     vmStorageObjectId = <unset>,
-->     swapStorageObjectId = <unset>,
--> },
-->     currentEfiBootEntry = <unset>
--> },
-->     storageMapping = (converter.agent.params.StorageMapping) {
-->         diskMapping =
(converter.agent.params.StorageMapping.DiskMapping) [
-->             (converter.agent.params.StorageMapping.DiskMapping) {
-->                 sourceDiskId = "disk-5",
-->                 targetDiskId = "disk-2000",
-->                 diskCreateType = "vmfsMonolithicFlatThinProvisioned",
-->                 lvg = false,
-->                 gpt = false,
-->                 diskSignature = 402064154,
-->                 diskGuid = <unset>,
-->                 sectorSize = <unset>
-->             }
-->         ],
-->     },
-->     nextBitmapId = <unset>,
-->     snapshotSource = true,
-->     doPersistNextBitmapId = false,
-->     cloningMode = "diskBasedCloning",

```

```
--> throttlingParams = (converter.params.ThrottlingParams) {
-->     cpuThrottling = "none",
-->     networkBandwidthThrottlingInMB = <unset>
--> },
--> skipCopyingRestoreCheckpointData = true,
--> skipUnwantedFiles = <unset>,
--> doReconfig = true,
--> helperVmNetworkParams = (converter.params.HelperVmNetworkParams)
null,
--> optimizedPartitionAlignment = <unset>,
--> useProxyMode = false,
--> }
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Task Added : task-4
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=task-4] Cloning mode diskBasedCloning
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=task-4] CloneTask: adding subtask for cloning
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CloneTask::SetupTask
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CloneTask::InitializeSourceComputer
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Creating vmx file parser
2020-11-07T15:31:34.197+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:31:34.212+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T15:31:34.228+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Non-standard disk type 11
2020-11-07T15:31:34.244+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [BaseDiskSetComputer::OpenDiskSet] Will use
open retries count 3
2020-11-07T15:31:34.322+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Disk signature found 402064154, disk size
in sectors 83886080, sector size 512
2020-11-07T15:31:34.322+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T15:31:34.322+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T15:31:34.322+01:00 info vmware-converter-worker[06268]
```

[Originator@6876 sub=Default] Disk with signature 402064154, recognized partitions 2
2020-11-07T15:31:34.322+01:00 info vmware-converter-worker[04168]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:34.400+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\ FS:<NTFS>
2020-11-07T15:31:34.416+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\
2020-11-07T15:31:34.416+01:00 info vmware-converter-worker[04168]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:31:34.416+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\
2020-11-07T15:31:34.416+01:00 info vmware-converter-worker[06524]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:34.447+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\ FS:<NTFS>
2020-11-07T15:31:34.462+01:00 info vmware-converter-worker[06524]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:31:34.462+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\
2020-11-07T15:31:34.462+01:00 info vmware-converter-worker[04612]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:34.728+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000E000000\ FS:<NTFS>
2020-11-07T15:31:35.219+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] CloneTask: Agent task moId=task-4
2020-11-07T15:31:35.219+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T15:31:35.750+01:00 info vmware-converter-worker[04612]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:31:35.750+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F000000000E000000\
2020-11-07T15:31:35.750+01:00 info vmware-converter-worker[01608]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:35.781+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\ FS:<NTFS>
2020-11-07T15:31:35.813+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi3.
2020-11-07T15:31:35.813+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi3\BCD is loaded
under the name mntApi299008299730848274
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from
key
mntApi299008299730848274\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\24000001
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{04bbf857-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-07T15:31:35.813+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi299008299730848274\Objects\{04bbf856-b123-11e8-b16c-bbca078f3e22}\
Elements\26000022.
2020-11-07T15:31:35.813+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-07T15:31:35.813+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi299008299730848274
2020-11-07T15:31:35.813+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-07T15:31:35.813+01:00 info vmware-converter-worker[00412]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:31:35.953+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000E000000\ FS:<NTFS>

2020-11-07T15:31:38.819+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi51.
2020-11-07T15:31:41.647+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi51\SOFTWARE is
loaded under the name mntApi302015009130848274
2020-11-07T15:31:41.647+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi302015009130848274\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:31:41.647+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:31:41.647+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:31:41.647+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:31:41.647+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:31:42.147+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi145.
2020-11-07T15:31:42.585+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi145\SYSTEM is
loaded under the name mntApi305343142630848274
2020-11-07T15:31:42.585+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi305343142630848274\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:31:42.585+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:31:42.679+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi305343142630848274
2020-11-07T15:31:42.694+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:42.725+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi302015009130848274
2020-11-07T15:31:42.741+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:42.757+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi147.
2020-11-07T15:31:43.132+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi147\SYSTEM is

loaded under the name mntApi305952511130848274
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for .NET CLR
Data
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NET CLR Data
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NET CLR
Networking
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for .NET CLR
Networking 4.0.0.0
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NET CLR
Networking 4.0.0.0
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for .NET Data
Provider for Oracle
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NET Data
Provider for Oracle
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for .NET Data
Provider for SqlServer
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NET Data
Provider for SqlServer
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for .NET Memory
Cache 4.0
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NET Memory
Cache 4.0
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
.NETFramework
2020-11-07T15:31:43.132+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for .NETFramework
2020-11-07T15:31:43.132+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver 1394ohci manual
2020-11-07T15:31:43.132+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver 3ware bootStart
2020-11-07T15:31:43.132+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ACPI bootStart
2020-11-07T15:31:43.132+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AcpiDev manual

2020-11-07T15:31:43.132+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver acpiex bootStart
2020-11-07T15:31:43.147+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver acpipagr manual
2020-11-07T15:31:43.147+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AcpiPmi manual
2020-11-07T15:31:43.147+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver acpitime manual
2020-11-07T15:31:43.147+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
ADOVMPPackage
2020-11-07T15:31:43.147+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for ADOVMPPackage
2020-11-07T15:31:43.147+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ADP80XX bootStart
2020-11-07T15:31:43.147+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for adsi
2020-11-07T15:31:43.147+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for adsi
2020-11-07T15:31:43.147+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'ADWS' [%systemroot%\ADWS\Microsoft.ActiveDirectory.WebServices.exe]/auto
Start depends: <none>
2020-11-07T15:31:43.194+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AFD systemStart
2020-11-07T15:31:43.194+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ahcache systemStart
2020-11-07T15:31:43.194+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:43.272+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AmdK8 manual
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AmdPPM manual
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver amdpsata bootStart
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver amdpsbs bootStart
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver amdpsata bootStart
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AppID manual
2020-11-07T15:31:43.306+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k

LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T15:31:43.369+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T15:31:43.416+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver applockerfltr manual
2020-11-07T15:31:43.416+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:43.478+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T15:31:43.587+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T15:31:43.634+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AppvStrm manual
2020-11-07T15:31:43.634+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AppvVemgr manual
2020-11-07T15:31:43.634+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AppvVfs manual
2020-11-07T15:31:43.634+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AppXSvc' [%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T15:31:43.761+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver arcsas bootStart
2020-11-07T15:31:43.761+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver AsyncMac manual
2020-11-07T15:31:43.761+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver atapi bootStart
2020-11-07T15:31:43.761+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:43.840+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T15:31:43.933+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'AxInstSV' [%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Found device driver b06bdrv bootStart
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver BasicDisplay
systemStart
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver BasicRender systemStart
2020-11-07T15:31:43.980+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for BattC
2020-11-07T15:31:43.980+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for BattC
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bcmfn manual
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bcmfn2 manual
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Beep manual
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bfadfcoei bootStart
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bfadi bootStart
2020-11-07T15:31:43.980+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'BFE'[%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T15:31:44.105+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'BITS'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends:
RpcSs
2020-11-07T15:31:44.230+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bowser manual
2020-11-07T15:31:44.230+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'BrokerInfrastructure'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:31:44.230+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T15:31:44.230+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Browser'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-07T15:31:44.293+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for BTHPORT
2020-11-07T15:31:44.293+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for BTHPORT
2020-11-07T15:31:44.293+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'bthserv'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>

2020-11-07T15:31:44.340+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver buttonconverter manual
2020-11-07T15:31:44.340+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bxfcoe bootStart
2020-11-07T15:31:44.340+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver bxois bootStart
2020-11-07T15:31:44.340+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver CapImg manual
2020-11-07T15:31:44.340+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver cdfs disabled
2020-11-07T15:31:44.340+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:31:44.418+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:31:44.496+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver cdrom systemStart
2020-11-07T15:31:44.496+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:44.574+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver cht4iscsi manual
2020-11-07T15:31:44.574+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver cht4vbd manual
2020-11-07T15:31:44.574+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver CLFS bootStart
2020-11-07T15:31:44.574+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-07T15:31:44.652+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver clreg autoStart
2020-11-07T15:31:44.652+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T15:31:44.652+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-07T15:31:44.652+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T15:31:44.652+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-07T15:31:44.652+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Found device driver CmBatt manual
2020-11-07T15:31:44.652+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver CNG bootStart
2020-11-07T15:31:44.652+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver cnghwassist disabled
2020-11-07T15:31:44.652+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver CompositeBus manual
2020-11-07T15:31:44.652+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'COMSysApp' [%SystemRoot%\system32\dlhhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-07T15:31:44.730+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver condrv manual
2020-11-07T15:31:44.730+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-07T15:31:44.746+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for CoreUI
2020-11-07T15:31:44.746+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for CoreUI
2020-11-07T15:31:44.746+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for crypt32
2020-11-07T15:31:44.746+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for crypt32
2020-11-07T15:31:44.746+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T15:31:44.793+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver CSC disabled
2020-11-07T15:31:44.793+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'CscService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T15:31:44.887+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver dam systemStart
2020-11-07T15:31:44.887+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for DCLocator
2020-11-07T15:31:44.887+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for DCLocator
2020-11-07T15:31:44.887+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DcomLaunch' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:31:45.043+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DcpSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:

<none>

2020-11-07T15:31:45.058+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS

2020-11-07T15:31:45.168+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-07T15:31:45.262+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>

2020-11-07T15:31:45.355+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-07T15:31:45.387+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Dfs'[%SystemRoot%\system32\dfssvc.exe]/autoStart depends:

LanmanWorkstation;LanmanServer;DfsDriver;Mup;SamSS;RemoteRegistry

2020-11-07T15:31:45.480+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Dfsc systemStart

2020-11-07T15:31:45.480+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver DfsDriver systemStart

2020-11-07T15:31:45.480+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DFSR'[%SystemRoot%\system32\DFSRs.exe]/autoStart depends:
RpcSs;EventSystem;NTDS

2020-11-07T15:31:45.512+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver DfsrRo bootStart

2020-11-07T15:31:45.512+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd

2020-11-07T15:31:45.605+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DHCPserver'[%SystemRoot%\system32\svchost.exe -k DHCPserver]/autoStart
depends: RpcSs;Tcpip;SamSs;EventLog;EventSystem

2020-11-07T15:31:45.730+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'diagnosticshub.standardcollector.service'[%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>

2020-11-07T15:31:45.777+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'DiagTrack'[%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs

2020-11-07T15:31:45.855+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for

DirectoryServices

2020-11-07T15:31:45.855+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for

DirectoryServices

2020-11-07T15:31:45.855+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Disk bootStart

2020-11-07T15:31:45.855+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'DmEnrollmentSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss

2020-11-07T15:31:45.953+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver dmvcsc manual

2020-11-07T15:31:45.953+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'dmwappushservice' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss

2020-11-07T15:31:46.016+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'DNS' [%systemroot%\system32\dns.exe]/autoStart depends:
Tcpip;Afd;RpcSs;NTDS

2020-11-07T15:31:46.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'Dnscache' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi

2020-11-07T15:31:46.221+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'dot3svc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost

2020-11-07T15:31:46.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'DPS' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>

2020-11-07T15:31:46.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'DsmSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs

2020-11-07T15:31:46.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'DsRoleSvc' [%SystemRoot%\System32\lsass.exe]/manual depends: <none>

2020-11-07T15:31:46.471+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'DsSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>

2020-11-07T15:31:46.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver DXGKrn1 manual

2020-11-07T15:31:46.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver e1iexpress manual

2020-11-07T15:31:46.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'Eaphost' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends: RPCSS;KeyIso
2020-11-07T15:31:46.581+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ebdrv bootStart
2020-11-07T15:31:46.581+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'EFS' [%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-07T15:31:46.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver EhStorClass bootStart
2020-11-07T15:31:46.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver EhStorTcgDrv bootStart
2020-11-07T15:31:46.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver elxfcoe bootStart
2020-11-07T15:31:46.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver elxstor bootStart
2020-11-07T15:31:46.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-07T15:31:46.675+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:31:46.721+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ErrDev manual
2020-11-07T15:31:46.721+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for ESENT
2020-11-07T15:31:46.721+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for ESENT
2020-11-07T15:31:46.721+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-07T15:31:46.831+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-07T15:31:46.846+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver exfat manual
2020-11-07T15:31:46.846+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver fastfat manual
2020-11-07T15:31:46.846+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver fcvs manual
2020-11-07T15:31:46.846+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver fdc manual
2020-11-07T15:31:46.846+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http

2020-11-07T15:31:46.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T15:31:46.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver FileCrypt systemStart
2020-11-07T15:31:46.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver FileInfo manual
2020-11-07T15:31:46.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Filetrace manual
2020-11-07T15:31:46.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver flpydisk manual
2020-11-07T15:31:46.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver FltMgr bootStart
2020-11-07T15:31:46.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:31:47.018+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T15:31:47.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver FsDepends manual
2020-11-07T15:31:47.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Fs_Rec bootStart
2020-11-07T15:31:47.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver gencounter manual
2020-11-07T15:31:47.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver genericusbfn manual
2020-11-07T15:31:47.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver GPIOClx0101 manual
2020-11-07T15:31:47.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T15:31:47.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver GpuEnergyDrv
systemStart
2020-11-07T15:31:47.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HDAudBus manual
2020-11-07T15:31:47.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HidBatt manual
2020-11-07T15:31:47.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HidBth manual
2020-11-07T15:31:47.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver hidinterrupt manual
2020-11-07T15:31:47.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

```
'hidserv'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:47.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HidUsb manual
2020-11-07T15:31:47.206+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T15:31:47.206+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T15:31:47.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HpSAMD bootStart
2020-11-07T15:31:47.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HTTP manual
2020-11-07T15:31:47.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver hvservice manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver hwpolicy bootStart
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver hyperkbd manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver HyperVideo manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver i8042prt manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver iaLPSSi_GPIO manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver iaLPSSi_I2C manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver iaStorAV bootStart
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver iaStorV bootStart
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ibbus manual
2020-11-07T15:31:47.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T15:31:47.346+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'IKEEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T15:31:47.440+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver IndirectKmd manual
2020-11-07T15:31:47.440+01:00 warning vmware-converter-worker[06268]
```

[Originator@6876 sub=task-4] Error 2 reading 'startType' for inetaccs
2020-11-07T15:31:47.440+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for inetaccs
2020-11-07T15:31:47.440+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver intelide bootStart
2020-11-07T15:31:47.440+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver intelpep bootStart
2020-11-07T15:31:47.440+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver intelppm manual
2020-11-07T15:31:47.440+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for iorate
2020-11-07T15:31:47.440+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for iorate
2020-11-07T15:31:47.440+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver IpFilterDriver manual
2020-11-07T15:31:47.440+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T15:31:47.534+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver IPMIDRV manual
2020-11-07T15:31:47.534+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver IPNAT manual
2020-11-07T15:31:47.534+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver IPsecGW manual
2020-11-07T15:31:47.534+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver isapnp bootStart
2020-11-07T15:31:47.534+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver iScsiPrt manual
2020-11-07T15:31:47.534+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'IsmServ'[%SystemRoot%\System32\ismsserv.exe]/autoStart depends:
SamSS;NTDS
2020-11-07T15:31:47.581+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver kbdclass manual
2020-11-07T15:31:47.581+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver kbdhid manual
2020-11-07T15:31:47.581+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Kdc'[%SystemRoot%\System32\lsass.exe]/autoStart depends: RpcSs;Afd;NTDS
2020-11-07T15:31:47.690+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver kdnic manual
2020-11-07T15:31:47.690+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'KdsSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:31:47.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:31:47.768+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Found service
'KPSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T15:31:47.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver KSecDD bootStart
2020-11-07T15:31:47.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver KSecPkg bootStart
2020-11-07T15:31:47.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ksthunk manual
2020-11-07T15:31:47.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T15:31:47.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-07T15:31:47.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-07T15:31:47.972+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for ldap
2020-11-07T15:31:47.972+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for ldap
2020-11-07T15:31:47.972+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:31:48.018+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-07T15:31:48.065+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver lltdio autoStart
2020-11-07T15:31:48.065+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T15:31:48.112+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T15:31:48.128+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for Lsa
2020-11-07T15:31:48.128+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for Lsa
2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver LSI_SAS bootStart

2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver LSI_SAS2i bootStart
2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver LSI_SAS3i bootStart
2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver LSI_SSS bootStart
2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:31:48.128+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver luafv autoStart
2020-11-07T15:31:48.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver megasas bootStart
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver megasas2i bootStart
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver megasr bootStart
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mlx4_bus manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver MMCSS manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Modem manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver monitor manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mouclass manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mouhid manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mountmgr bootStart
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mpsdrv manual
2020-11-07T15:31:48.190+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mrxsmb manual
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mrxsmb10 autoStart

2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mrxsmb20 manual
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver MsBridge manual
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T15:31:48.284+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T15:31:48.284+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Msfs systemStart
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver msgpiowin32 manual
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mshidkmdf manual
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mshidumdf manual
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver msisadv bootStart
2020-11-07T15:31:48.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'MSiSCSI'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:48.331+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'msiserver'[%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver MsLbfoProvider manual
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver MsLldp autoStart
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver MsRPC manual
2020-11-07T15:31:48.362+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T15:31:48.362+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mssmbios systemStart
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver MTConfig manual
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Mup bootStart
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver mvumis bootStart
2020-11-07T15:31:48.362+01:00 warning vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Error 2 reading 'startType' for napagent
2020-11-07T15:31:48.362+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for napagent
2020-11-07T15:31:48.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NcaSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-07T15:31:48.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NcbService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ndfltr manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NDIS bootStart
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NdisCap manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NdisImPlatform manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NdisTapi manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Ndisuio manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NdisVirtualBus manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NdisWan manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ndiswanlegacy manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ndproxy manual
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NetBIOS systemStart
2020-11-07T15:31:48.550+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T15:31:48.550+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NetBT systemStart
2020-11-07T15:31:48.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Netlogon'[%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation;LanmanServer
2020-11-07T15:31:48.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Netman'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T15:31:48.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

'netprofm' [%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-07T15:31:48.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:48.862+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/disabled depends: <none>
2020-11-07T15:31:48.940+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver netvsc manual
2020-11-07T15:31:48.940+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for netvscvfpf
2020-11-07T15:31:48.940+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for netvscvfpf
2020-11-07T15:31:48.940+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NgcCtnrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:49.018+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NgcSvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:49.143+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NlaSvc' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T15:31:49.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Npfs systemStart
2020-11-07T15:31:49.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver npsvctrig systemStart
2020-11-07T15:31:49.206+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'nsi' [%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-07T15:31:49.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver nsiproxy systemStart
2020-11-07T15:31:49.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NTDS' [%SystemRoot%\System32\lsass.exe]/autoStart depends: <none>
2020-11-07T15:31:49.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'NtFrs' [%SystemRoot%\system32\ntfrs.exe]/disabled depends:
RpcSs;EventSystem
2020-11-07T15:31:49.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver NTFS manual
2020-11-07T15:31:49.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Null systemStart

2020-11-07T15:31:49.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver nvraid bootStart
2020-11-07T15:31:49.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver nvstor bootStart
2020-11-07T15:31:49.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:31:49.346+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Parport manual
2020-11-07T15:31:49.346+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver partmgr bootStart
2020-11-07T15:31:49.346+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver pci bootStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver pciide bootStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver pcmcia bootStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver pcw bootStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver pdc bootStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver PEAUTH autoStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver percsas2i bootStart
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver percsas3i bootStart
2020-11-07T15:31:49.456+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for PerfDisk
2020-11-07T15:31:49.456+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for PerfDisk
2020-11-07T15:31:49.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PerfHost'[%SystemRoot%\SysWow64\perfhst.exe]/manual depends: RPCSS
2020-11-07T15:31:49.581+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for PerfNet
2020-11-07T15:31:49.581+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for PerfNet
2020-11-07T15:31:49.581+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for PerfOS
2020-11-07T15:31:49.581+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for PerfOS
2020-11-07T15:31:49.581+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for PerfProc

2020-11-07T15:31:49.581+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for PerfProc
2020-11-07T15:31:49.581+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PhoneSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T15:31:49.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PimIndexMaintenanceSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:31:49.675+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'pla' [%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T15:31:49.784+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PlugPlay' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:31:49.784+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PolicyAgent' [%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T15:31:49.846+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for PortProxy
2020-11-07T15:31:49.846+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for PortProxy
2020-11-07T15:31:49.846+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Power' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:31:49.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver PptpMiniport manual
2020-11-07T15:31:49.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'PrintNotify' [%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T15:31:49.909+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000E000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-07T15:31:49.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Processor manual
2020-11-07T15:31:49.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'ProfSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T15:31:49.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Psched systemStart
2020-11-07T15:31:49.987+01:00 warning vmware-converter-worker[06268]

```
[Originator@6876 sub=task-4] Error 2 reading 'startType' for pvscsi
2020-11-07T15:31:49.987+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for pvscsi
2020-11-07T15:31:49.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ql2300i bootStart
2020-11-07T15:31:49.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ql40xx2i bootStart
2020-11-07T15:31:49.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver qlfcoei bootStart
2020-11-07T15:31:49.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'QWAVE'[%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T15:31:50.097+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver QWAVEdrv manual
2020-11-07T15:31:50.097+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RasAcD manual
2020-11-07T15:31:50.097+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RasAgileVpn manual
2020-11-07T15:31:50.097+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-07T15:31:50.143+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RasGre manual
2020-11-07T15:31:50.143+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Rasl2tp manual
2020-11-07T15:31:50.143+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RasMan'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RasPppoe manual
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RasSstp manual
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver rdbss systemStart
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for RDMANDK
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for RDMANDK
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver rdpbus manual
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RDPDR manual
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for RDPNP
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
```

[Originator@6876 sub=task-4] Error 2 reading 'Type' for RDPNP
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for RDPUDD
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for RDPUDD
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver RdpVideoMiniport manual
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ReFS manual
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ReFSv1 manual
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for RegFilter
2020-11-07T15:31:50.237+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for RegFilter
2020-11-07T15:31:50.237+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RemoteAccess' [%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T15:31:50.284+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RemoteRegistry' [%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T15:31:50.331+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RmSvc' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:50.378+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RpcEptMapper' [%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T15:31:50.378+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-07T15:31:50.378+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RpcLocator' [%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T15:31:50.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RpcSs' [%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-07T15:31:50.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'RSOProv' [%SystemRoot%\system32\RSOProv.exe]/manual depends: RPCSS
2020-11-07T15:31:50.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver rspndr autoStart
2020-11-07T15:31:50.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver s3cap manual
2020-11-07T15:31:50.425+01:00 info vmware-converter-worker[06268]

```
[Originator@6876 sub=task-4] Found device driver sacdrv bootStart
2020-11-07T15:31:50.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'sacsvr'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:50.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-07T15:31:50.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'SAVAdminService'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SAVAdminService.exe"]/autoStart
depends: <none>
2020-11-07T15:31:50.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SAVOnAccess systemStart
2020-11-07T15:31:50.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'SAVService'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\SavService.exe"]/autoStart depends:
RPCSS
2020-11-07T15:31:50.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver sbp2port bootStart
2020-11-07T15:31:50.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-07T15:31:50.612+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:50.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver scfilter manual
2020-11-07T15:31:50.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver scmbus bootStart
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver scmdisk0101 manual
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver sdbus manual
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver sdcfilter manual
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver sdstor manual
2020-11-07T15:31:50.737+01:00 info vmware-converter-worker[06268]
```


[Originator@6876 sub=task-4] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:31:50.784+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SENS'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T15:31:50.815+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SensorDataService'[%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-07T15:31:50.909+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SensorService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:51.003+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SensrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T15:31:51.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SerCx manual
2020-11-07T15:31:51.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SerCx2 manual
2020-11-07T15:31:51.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Serenum manual
2020-11-07T15:31:51.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Serial manual
2020-11-07T15:31:51.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver sermouse manual
2020-11-07T15:31:51.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-07T15:31:51.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver sfloppy manual
2020-11-07T15:31:51.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-07T15:31:51.222+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-07T15:31:51.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SiSRaid2 bootStart
2020-11-07T15:31:51.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SiSRaid4 bootStart
2020-11-07T15:31:51.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver smbdirect manual

2020-11-07T15:31:51.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS

2020-11-07T15:31:51.346+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for SMSvcHost
4.0.0.0

2020-11-07T15:31:51.346+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for SMSvcHost
4.0.0.0

2020-11-07T15:31:51.346+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'Sophos Agent'["C:\Program
Files (x86)\Sophos\Remote Management System\ManagementAgentNT.exe"
-service -name Agent -ORBListenEndpoints iiop://127.0.0.1]/autoStart
depends: <none>

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'Sophos AutoUpdate
Service'["C:\Program Files (x86)\Sophos\AutoUpdate\ALsvc.exe"
]/autoStart depends: rpcss

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Sophos ELAM bootStart

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Sophos Endpoint Defense
bootStart

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'Sophos Endpoint Defense
Service'["C:\Program Files\Sophos\Endpoint
Defense\SEDSvc.exe"]/autoStart depends: <none>

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'Sophos Message
Router'["C:\Program Files (x86)\Sophos\Remote Management
System\RouterNT.exe" -service -name Router -ORBListenEndpoints
iiop:///8193/ssl_port=8194]/autoStart depends: <none>

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'Sophos System Protection
Service'["C:\Program Files\Sophos\Endpoint
Defense\SSPSvc.exe"]/autoStart depends: <none>

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'Sophos Web Control
Service'["C:\Program Files (x86)\Sophos\Sophos Anti-Virus\Web
Control\swc_service.exe"]/autoStart depends: RPCSS

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SophosBootDriver
disabled

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver spaceport bootStart

2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver SpbCx manual
2020-11-07T15:31:51.393+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-07T15:31:51.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-07T15:31:51.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver srv autoStart
2020-11-07T15:31:51.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver srv2 manual
2020-11-07T15:31:51.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver srvnet manual
2020-11-07T15:31:51.659+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SSDPSRV'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: HTTP
2020-11-07T15:31:51.737+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SstpSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:31:51.784+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'StateRepository'[%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:31:51.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver stexstor bootStart
2020-11-07T15:31:51.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'stisvc'[%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-07T15:31:51.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver storahci bootStart
2020-11-07T15:31:51.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver storflt bootStart
2020-11-07T15:31:51.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver stornvme bootStart
2020-11-07T15:31:51.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver storqosflt autoStart
2020-11-07T15:31:51.987+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'StorSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:52.081+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver storufs bootStart
2020-11-07T15:31:52.081+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver storvsc bootStart

2020-11-07T15:31:52.081+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'svsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:52.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver swenum manual
2020-11-07T15:31:52.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver swi_callout systemStart
2020-11-07T15:31:52.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'swi_filter'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_filter.exe"]/autoStart depends: swi_callout
2020-11-07T15:31:52.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'swi_service'["C:\Program
Files (x86)\Sophos\Sophos Anti-Virus\Web
Intelligence\swi_service.exe"]/autoStart depends: <none>
2020-11-07T15:31:52.128+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-07T15:31:52.159+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Synth3dVsc manual
2020-11-07T15:31:52.159+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T15:31:52.253+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-07T15:31:52.253+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-07T15:31:52.253+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:52.315+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-07T15:31:52.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Tcipip bootStart
2020-11-07T15:31:52.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Tcipip6 manual
2020-11-07T15:31:52.362+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-07T15:31:52.362+01:00 warning vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-07T15:31:52.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver tcpipreg autoStart
2020-11-07T15:31:52.362+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for TCPIPTUNNEL
2020-11-07T15:31:52.362+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-07T15:31:52.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver tdx systemStart
2020-11-07T15:31:52.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver terminpt manual
2020-11-07T15:31:52.362+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TermService' [%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-07T15:31:52.456+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Themes' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-07T15:31:52.503+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TieringEngineService' [%SystemRoot%\system32\TieringEngineService.exe]/m
anual depends: <none>
2020-11-07T15:31:52.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'tiledatamodelsvc' [%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-07T15:31:52.644+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:52.644+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-07T15:31:52.644+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver TPM manual
2020-11-07T15:31:52.644+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:52.675+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-07T15:31:52.753+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for TSDDD
2020-11-07T15:31:52.753+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for TSDDD
2020-11-07T15:31:52.753+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Found device driver TsUsbFlt manual
2020-11-07T15:31:52.753+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver TsUsbGD manual
2020-11-07T15:31:52.753+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver tsusbhub manual
2020-11-07T15:31:52.753+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver tunnel manual
2020-11-07T15:31:52.753+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'tzautoupdate'[%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T15:31:52.800+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'UALSVC'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UASPStor manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UcmCx0101 manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UcmTcpciCx0101 manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UcmUcsi manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Ucx01000 manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UdeCx manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver udfs disabled
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UEFI manual
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UevAgentDriver disabled
2020-11-07T15:31:52.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'UevAgentService'[%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-07T15:31:52.988+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Ufx01000 manual
2020-11-07T15:31:52.988+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UfxChipidea manual
2020-11-07T15:31:52.988+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ufxsynopsys manual
2020-11-07T15:31:52.988+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for UGatherer
2020-11-07T15:31:52.988+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for UGatherer
2020-11-07T15:31:52.988+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for UGTHRSVC

2020-11-07T15:31:52.988+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T15:31:52.988+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'UI0Detect'[%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T15:31:53.019+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver umbus manual
2020-11-07T15:31:53.019+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UmPass manual
2020-11-07T15:31:53.019+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'UmRdpService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T15:31:53.097+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'UnistoreSvc'[%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:31:53.097+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'upnphost'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: SSDPSRV;HTTP
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UrsChipidea manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UrsCx01000 manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver UrsSynopsys manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbccgp manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbehci manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbhub manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver USBHUB3 manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbohci manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbprint manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbser manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver USBSTOR manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver usbhci manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver USBXHCI manual
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service

```
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:31:53.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T15:31:53.253+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Usosvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:31:53.331+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T15:31:53.378+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vdrvroot bootStart
2020-11-07T15:31:53.378+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver VerifierExt manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'VGAAuthService'["C:\Program
Files\VMware\VMware Tools\VMware VGAAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vhdmp manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vhf manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vm3dmp manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vm3dmp-debug manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vm3dmp-stats manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vm3dmp_loader manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vm3dservice' [%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-07T15:31:53.472+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Could not find resource DLL
\\.\vstor2-mntapi20-shared-1A03F7170000501F00000000E000000\Windows\sys
em32\oem7.inf
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vmbus bootStart
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver VMBusHID manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
```



```
[Originator@6876 sub=task-4] Found device driver vmci bootStart
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vmgid manual
2020-11-07T15:31:53.472+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmicguestinterface'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:53.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmicheartbeat'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:31:53.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmickvpexchange'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:53.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmicrdv'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmicshutdown'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmictimesync'[%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver VMMemCtl autoStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vmmouse manual
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vmusbmouse manual
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'vmvss'[C:\Windows\system32\dllhost.exe
/Processid:{4AB0CC84-BD53-409D-A6EE-F976BE2BD48D}]/manual depends: rpcss
2020-11-07T15:31:53.628+01:00 warning vmware-converter-worker[06268]
```

[Originator@6876 sub=task-4] Error 2 reading 'startType' for vmwefifw
2020-11-07T15:31:53.628+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for vmwefifw
2020-11-07T15:31:53.628+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
vmxnet3ndis6
2020-11-07T15:31:53.628+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for vmxnet3ndis6
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver volmgr bootStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver volmgrx bootStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver volsnap bootStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver volume bootStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vpci manual
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vsmraid bootStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vsock bootStart
2020-11-07T15:31:53.628+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T15:31:53.706+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver VSTXRAID bootStart
2020-11-07T15:31:53.706+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver vwifibus manual
2020-11-07T15:31:53.706+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:31:53.785+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WacomPen manual
2020-11-07T15:31:53.785+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T15:31:53.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver wanarp autoStart
2020-11-07T15:31:53.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver wanarpv6 manual
2020-11-07T15:31:53.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T15:31:53.956+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver wcifs autoStart

2020-11-07T15:31:53.956+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:31:54.035+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for wcnscvc
2020-11-07T15:31:54.035+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for wcnscvc
2020-11-07T15:31:54.035+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver wcnfs manual
2020-11-07T15:31:54.035+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WdBoot bootStart
2020-11-07T15:31:54.035+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Wdf01000 bootStart
2020-11-07T15:31:54.035+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WdFilter bootStart
2020-11-07T15:31:54.035+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T15:31:54.066+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:31:54.081+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WdNisDrv manual
2020-11-07T15:31:54.081+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WdNisSvc'["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T15:31:54.144+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Weccsvc'[%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T15:31:54.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WEPHOSTSVC'[%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-07T15:31:54.222+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'wercplsupport'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-07T15:31:54.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WerSvc'[%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-07T15:31:54.316+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WFPLWFS bootStart
2020-11-07T15:31:54.316+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Found service
'WiaRpc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:54.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WIMMount manual
2020-11-07T15:31:54.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WinDefend' ["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T15:31:54.347+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:31:54.347+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for Windows Workflow
Foundation 4.0.0.0
2020-11-07T15:31:54.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WindowsTrustedRT
bootStart
2020-11-07T15:31:54.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-07T15:31:54.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-07T15:31:54.441+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WinMad manual
2020-11-07T15:31:54.441+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-07T15:31:54.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WinNat manual
2020-11-07T15:31:54.550+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-07T15:31:54.644+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for Winsock
2020-11-07T15:31:54.644+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for Winsock
2020-11-07T15:31:54.644+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for WinSock2
2020-11-07T15:31:54.644+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for WinSock2
2020-11-07T15:31:54.644+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WINUSB manual
2020-11-07T15:31:54.644+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WinVerbs manual

2020-11-07T15:31:54.644+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'wisvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:31:54.738+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for WlanSvc
2020-11-07T15:31:54.738+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for WlanSvc
2020-11-07T15:31:54.738+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'wlidsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:31:54.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WmiAcpi manual
2020-11-07T15:31:54.863+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for WmiApRpl
2020-11-07T15:31:54.863+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for WmiApRpl
2020-11-07T15:31:54.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'wmiApSrv'[%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-07T15:31:54.910+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver Wof bootStart
2020-11-07T15:31:54.910+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for workerdd
2020-11-07T15:31:54.910+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for workerdd
2020-11-07T15:31:54.910+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WPDBusEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:31:54.956+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WpdUpFltr manual
2020-11-07T15:31:54.956+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WpnService'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T15:31:55.019+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WpnUserService'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:31:55.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver ws2ifsl systemStart
2020-11-07T15:31:55.050+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'WSearch'[%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T15:31:55.113+01:00 warning vmware-converter-worker[06268]

[Originator@6876 sub=task-4] Error 2 reading 'startType' for WSearchIdxPi
2020-11-07T15:31:55.113+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for WSearchIdxPi
2020-11-07T15:31:55.113+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'wuuserv'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:31:55.238+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WudfPf manual
2020-11-07T15:31:55.238+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver WUDFRd manual
2020-11-07T15:31:55.238+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'wudfsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-07T15:31:55.285+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'XblAuthManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:31:55.363+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found service
'XblGameSave'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-07T15:31:55.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver xboxgip manual
2020-11-07T15:31:55.425+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Found device driver xinputhid manual
2020-11-07T15:31:55.425+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for xmlprov
2020-11-07T15:31:55.425+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for xmlprov
2020-11-07T15:31:55.425+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:31:55.425+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:31:55.425+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'startType' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T15:31:55.425+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Error 2 reading 'Type' for
{F2AF2B95-89F3-4111-89A0-AC3D5125AA92}
2020-11-07T15:31:55.488+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi305952511130848274
2020-11-07T15:31:55.503+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:31:55.597+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi31.
2020-11-07T15:31:58.285+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi31\SOFTWARE is
loaded under the name mntApi318792829630848274
2020-11-07T15:31:58.285+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi318792829630848274\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:31:58.285+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:31:58.285+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:31:58.285+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:31:58.285+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:31:58.300+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi237.
2020-11-07T15:31:58.706+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi237\SYSTEM is
loaded under the name mntApi321495955030848274
2020-11-07T15:31:58.706+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi321495955030848274\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:31:58.706+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:31:58.847+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi321495955030848274
2020-11-07T15:31:58.847+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:58.863+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi318792829630848274
2020-11-07T15:31:58.878+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:58.894+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155.
2020-11-07T15:31:59.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155\SYSTEM is

loaded under the name mntApi322089702430848274
2020-11-07T15:31:59.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi322089702430848274
2020-11-07T15:31:59.347+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:31:59.347+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [PopulateVolumeMountPoints] Failed to get
mountpoints for volume :1307/710000010000000000: 4146 (type = 2,
code=259)
2020-11-07T15:31:59.441+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi67.
2020-11-07T15:32:02.160+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi67\SOFTWARE is
loaded under the name mntApi322636575030848274
2020-11-07T15:32:02.160+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi322636575030848274\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:32:02.160+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:32:02.160+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:32:02.160+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:32:02.160+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:32:02.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi13.
2020-11-07T15:32:02.597+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi13\SYSTEM is
loaded under the name mntApi325371202930848274
2020-11-07T15:32:02.597+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi325371202930848274\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:32:02.597+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:32:02.707+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi325371202930848274
2020-11-07T15:32:02.722+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:32:02.722+01:00 info vmware-converter-worker[06268]

[Originator@6876 sub=Default] Unloaded hive mntApi322636575030848274
2020-11-07T15:32:02.738+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:32:02.754+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155.
2020-11-07T15:32:03.113+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi155\SYSTEM is
loaded under the name mntApi325949331730848274
2020-11-07T15:32:03.175+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Unloaded hive mntApi325949331730848274
2020-11-07T15:32:03.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:32:03.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-07T15:32:03.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk
2020-11-07T15:32:03.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmx
2020-11-07T15:32:03.191+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Create SingleDiskCloneTask subtask with
disk capacity 42949672960 bytes contribution 100
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] H2MDiskCloneMgr: Estimated bytes to read =
42949672960
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] H2MDiskCloneMgr: Estimated bytes to write =
42949672960
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] H2MDiskCloneMgr: estimated time to clone
disk in seconds = 4995
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CloneTask::InitializeTargetComputer
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Not a Windows P2V. Skipping reconfig data
writing.
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): <unknown>
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [BaseDiskSetComputer::OpenDiskSet] Will use

open retries count 3
2020-11-07T15:32:03.269+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:32:03.285+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-07T15:32:03.285+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: updating nfc port as
902
2020-11-07T15:32:03.285+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-07T15:32:03.285+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
SRV-NHFAD1/SRV-NHFAD1.vmdk@srvclyesx01.clemessy.loc:902!52 0a b6 83 c4
ab 95 18-3c 76 8c 59 4f 02 8b a6
2020-11-07T15:32:04.492+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table
2020-11-07T15:32:04.492+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:32:04.492+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [MoveActiveDiskIfNeeded] GetFirstBootDisk
failed, mntapi error: 176
2020-11-07T15:32:05.158+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:32:05.158+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:32:05.158+01:00 warning vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [PopulateCapabilities] Volume-based cloning
was disabled due to: <no volumes are recognized>
2020-11-07T15:32:05.158+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [LogMessagesForQA] System volume is not
detected.
2020-11-07T15:32:05.158+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] [BaseComputerImpl::Open] Config file:
[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmx
2020-11-07T15:32:05.158+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T15:32:05.158+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CompositeTask::DoRun using 1 parallel
connections for 1 tasks
2020-11-07T15:32:05.158+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-

```
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T15:32:05.221+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Source logical geometry not found in DDB.
Guessing from MBR: cyl: 5221 heads: 255 sectors: 63
2020-11-07T15:32:05.221+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:32:05.221+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] localVersion is: vim.version.version10
2020-11-07T15:32:05.236+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Remote version is: unrecognized
2020-11-07T15:32:05.236+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Authenticating user
Administrator@vsphere.local
2020-11-07T15:32:05.268+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] updating nfc hostname as
srvclyesx01.clemessy.loc
2020-11-07T15:32:05.268+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] updating nfc ssl thumbprint as
8C:D5:A2:AC:42:57:0A:2E:32:70:04:A2:CF:3F:00:C6:57:1B:84:20 from ticket
2020-11-07T15:32:05.268+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] updating nfc port as 902
-->
2020-11-07T15:32:05.268+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] establishing nfc connection to host
srvclyesx01.clemessy.loc port 902
2020-11-07T15:32:05.830+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Sysimgbase_Nfc_PutFile source disk:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk,
target disk [DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 0, xfer rate (Bps): 49958907
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 0, xfer rate (Bps): 49958907
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): 49958907
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 1, xfer rate (Bps): 49958907
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 1, xfer rate (Bps): 49958907
```

2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 49958907
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): <unknown>
2020-11-07T15:32:14.428+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): 49957888
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 1, xfer rate (Bps): 51066729
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 1, xfer rate (Bps): 51066729
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 51066729
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 2, xfer rate (Bps): 51066729
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 2, xfer rate (Bps): 51066729
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 51066729
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 49957888
2020-11-07T15:32:22.651+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 51065856
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 2, xfer rate (Bps): 50598475
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 2, xfer rate (Bps): 50598475
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 50598475
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 3, xfer rate (Bps): 50598475
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 3, xfer rate (Bps): 50598475
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 3, xfer rate (Bps): 50598475
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 3, xfer rate (Bps): 51065856
2020-11-07T15:32:31.296+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 3, xfer rate (Bps): 50597888
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 3, xfer rate (Bps): 53358602
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 3, xfer rate (Bps): 53358602
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 3, xfer rate (Bps): 53358602
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 4, xfer rate (Bps): 53358602
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 4, xfer rate (Bps): 53358602
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 4, xfer rate (Bps): 53358602
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 4, xfer rate (Bps): 50597888
2020-11-07T15:32:38.028+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 4, xfer rate (Bps): 53358592
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 4, xfer rate (Bps): 57168662

2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 4, xfer rate (Bps): 57168662
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 57168662
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 5, xfer rate (Bps): 57168662
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 5, xfer rate (Bps): 57168662
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 57168662
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 53358592
2020-11-07T15:32:43.395+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 57167872
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 5, xfer rate (Bps): 58623694
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 5, xfer rate (Bps): 58623694
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 58623694
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 6, xfer rate (Bps): 58623694
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 6, xfer rate (Bps): 58623694
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 58623694
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 57167872
2020-11-07T15:32:49.789+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 6, xfer rate (Bps): 58622976
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 6, xfer rate (Bps): 58756979
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 6, xfer rate (Bps): 58756979
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 6, xfer rate (Bps): 58756979
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 7, xfer rate (Bps): 58756979
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 7, xfer rate (Bps): 58756979
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 7, xfer rate (Bps): 58756979
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 7, xfer rate (Bps): 58622976
2020-11-07T15:32:56.999+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 7, xfer rate (Bps): 58756096
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 7, xfer rate (Bps): 57883656
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 7, xfer rate (Bps): 57883656
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 7, xfer rate (Bps): 57883656
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 8, xfer rate (Bps): 57883656
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 8, xfer rate (Bps): 57883656

2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 57883656
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 58756096
2020-11-07T15:33:05.191+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 57883648
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 8, xfer rate (Bps): 57497925
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 8, xfer rate (Bps): 57497925
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 57497925
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 57497925
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 9, xfer rate (Bps): 57497925
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 9,
xfer rate (Bps): 57497925
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 57883648
2020-11-07T15:33:13.059+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 57497600
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 57294495
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 9, xfer rate (Bps): 57294495
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 9,
xfer rate (Bps): 57294495
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 10, xfer rate (Bps): 57294495
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 10, xfer rate (Bps): 57294495
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 57294495
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 57497600
2020-11-07T15:33:20.794+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 57293824
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 10, xfer rate (Bps): 57510213
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 10, xfer rate (Bps): 57510213
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 57510213
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 11, xfer rate (Bps): 57510213
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 11, xfer rate (Bps): 57510213
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 57510213
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 57293824
2020-11-07T15:33:27.980+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 57509888
2020-11-07T15:33:35.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 11, xfer rate (Bps): 57740342

2020-11-07T15:33:35.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 11, xfer rate (Bps): 57740342
2020-11-07T15:33:35.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
11, xfer rate (Bps): 57740342
2020-11-07T15:33:35.107+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 12, xfer rate (Bps): 57740342
2020-11-07T15:33:35.107+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 12, xfer rate (Bps): 57740342
2020-11-07T15:33:35.107+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
12, xfer rate (Bps): 57740342
2020-11-07T15:33:35.107+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 12, xfer rate (Bps): 57509888
2020-11-07T15:33:35.107+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 12, xfer rate (Bps): 57740288
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 12, xfer rate (Bps): 58250818
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 12, xfer rate (Bps): 58250818
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
12, xfer rate (Bps): 58250818
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 13, xfer rate (Bps): 58250818
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 13, xfer rate (Bps): 58250818
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
13, xfer rate (Bps): 58250818
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 13, xfer rate (Bps): 57740288
2020-11-07T15:33:41.683+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 58250240
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 13, xfer rate (Bps): 57874742
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 13, xfer rate (Bps): 57874742
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 57874742
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 14, xfer rate (Bps): 57874742
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 14, xfer rate (Bps): 57874742
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 14, xfer rate (Bps): 57874742
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 14, xfer rate (Bps): 58250240
2020-11-07T15:33:49.726+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 14, xfer rate (Bps): 57874432
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 14, xfer rate (Bps): 57443923
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 14, xfer rate (Bps): 57443923
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 14, xfer rate (Bps): 57443923
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 15, xfer rate (Bps): 57443923
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 15, xfer rate (Bps): 57443923

2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 57443923
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 57874432
2020-11-07T15:33:57.983+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 57443328
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 15, xfer rate (Bps): 57355131
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 15, xfer rate (Bps): 57355131
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 57355131
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 16, xfer rate (Bps): 57355131
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 16, xfer rate (Bps): 57355131
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 57355131
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 57443328
2020-11-07T15:34:05.645+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 57354240
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 16, xfer rate (Bps): 55516692
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 16, xfer rate (Bps): 55516692
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 55516692
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 17, xfer rate (Bps): 55516692
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 17, xfer rate (Bps): 55516692
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 17, xfer rate (Bps): 55516692
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 17, xfer rate (Bps): 57354240
2020-11-07T15:34:17.349+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 17, xfer rate (Bps): 55516160
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 17, xfer rate (Bps): 55654717
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 17, xfer rate (Bps): 55654717
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 17, xfer rate (Bps): 55654717
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 18, xfer rate (Bps): 55654717
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 18, xfer rate (Bps): 55654717
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 18, xfer rate (Bps): 55654717
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 18, xfer rate (Bps): 55516160
2020-11-07T15:34:24.739+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 18, xfer rate (Bps): 55654400
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 18, xfer rate (Bps): 55408020

2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 18, xfer rate (Bps): 55408020
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 55408020
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 19, xfer rate (Bps): 55408020
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 19, xfer rate (Bps): 55408020
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
19, xfer rate (Bps): 55408020
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 19, xfer rate (Bps): 55654400
2020-11-07T15:34:33.109+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 19, xfer rate (Bps): 55407616
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 19, xfer rate (Bps): 54644392
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 19, xfer rate (Bps): 54644392
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
19, xfer rate (Bps): 54644392
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 20, xfer rate (Bps): 54644392
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 20, xfer rate (Bps): 54644392
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
20, xfer rate (Bps): 54644392
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 20, xfer rate (Bps): 55407616
2020-11-07T15:34:43.028+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 54643712
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 20, xfer rate (Bps): 54440508
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 20, xfer rate (Bps): 54440508
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 54440508
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 21, xfer rate (Bps): 54440508
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 21, xfer rate (Bps): 54440508
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54440508
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54643712
2020-11-07T15:34:51.505+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54439936
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 21, xfer rate (Bps): 54341348
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 21, xfer rate (Bps): 54341348
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54341348
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 22, xfer rate (Bps): 54341348
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 22, xfer rate (Bps): 54341348

2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 54341348
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 54439936
2020-11-07T15:34:59.712+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 54340608
2020-11-07T15:35:06.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 22, xfer rate (Bps): 54609215
2020-11-07T15:35:06.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 22, xfer rate (Bps): 54609215
2020-11-07T15:35:06.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 54609215
2020-11-07T15:35:06.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 23, xfer rate (Bps): 54609215
2020-11-07T15:35:06.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 23, xfer rate (Bps): 54609215
2020-11-07T15:35:06.724+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
23, xfer rate (Bps): 54609215
2020-11-07T15:35:06.739+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 23, xfer rate (Bps): 54340608
2020-11-07T15:35:06.739+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 23, xfer rate (Bps): 54608896
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 23, xfer rate (Bps): 54910859
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 23, xfer rate (Bps): 54910859
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
23, xfer rate (Bps): 54910859
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 24, xfer rate (Bps): 54910859
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 24, xfer rate (Bps): 54910859
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 24, xfer rate (Bps): 54910859
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 24, xfer rate (Bps): 54608896
2020-11-07T15:35:13.551+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 24, xfer rate (Bps): 54909952
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 24, xfer rate (Bps): 55215061
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 24, xfer rate (Bps): 55215061
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 24, xfer rate (Bps): 55215061
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 26, xfer rate (Bps): 55215061
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 26, xfer rate (Bps): 55215061
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 26, xfer rate (Bps): 55215061
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 26, xfer rate (Bps): 54909952
2020-11-07T15:35:28.075+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 26, xfer rate (Bps): 55214080
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 26, xfer rate (Bps): 56539178

2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 26, xfer rate (Bps): 56539178
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 56539178
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 27, xfer rate (Bps): 56539178
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 27, xfer rate (Bps): 56539178
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
27, xfer rate (Bps): 56539178
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 55214080
2020-11-07T15:35:30.935+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 56539136
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 27, xfer rate (Bps): 57835775
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 27, xfer rate (Bps): 57835775
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
27, xfer rate (Bps): 57835775
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 28, xfer rate (Bps): 57835775
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 28, xfer rate (Bps): 57835775
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
28, xfer rate (Bps): 57835775
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 28, xfer rate (Bps): 56539136
2020-11-07T15:35:33.763+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 28, xfer rate (Bps): 57835520
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 28, xfer rate (Bps): 57158221
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 28, xfer rate (Bps): 57158221
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 28, xfer rate (Bps): 57158221
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 29, xfer rate (Bps): 57158221
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 29, xfer rate (Bps): 57158221
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 29, xfer rate (Bps): 57158221
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 29, xfer rate (Bps): 57835520
2020-11-07T15:35:43.742+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 29, xfer rate (Bps): 57157632
2020-11-07T15:35:51.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 29, xfer rate (Bps): 57130640
2020-11-07T15:35:51.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 29, xfer rate (Bps): 57130640
2020-11-07T15:35:51.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 29, xfer rate (Bps): 57130640
2020-11-07T15:35:51.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 30, xfer rate (Bps): 57130640
2020-11-07T15:35:51.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 30, xfer rate (Bps): 57130640

2020-11-07T15:35:51.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
30, xfer rate (Bps): 57130640
2020-11-07T15:35:51.380+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 30, xfer rate (Bps): 57157632
2020-11-07T15:35:51.380+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 30, xfer rate (Bps): 57129984
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 30, xfer rate (Bps): 57775650
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 30, xfer rate (Bps): 57775650
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
30, xfer rate (Bps): 57775650
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 31, xfer rate (Bps): 57775650
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 31, xfer rate (Bps): 57775650
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
31, xfer rate (Bps): 57775650
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 31, xfer rate (Bps): 57129984
2020-11-07T15:35:56.281+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 31, xfer rate (Bps): 57775104
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 31, xfer rate (Bps): 57645731
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 31, xfer rate (Bps): 57645731
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
31, xfer rate (Bps): 57645731
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 32, xfer rate (Bps): 57645731
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 32, xfer rate (Bps): 57645731
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 32, xfer rate (Bps): 57645731
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 32, xfer rate (Bps): 57775104
2020-11-07T15:36:04.251+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 32, xfer rate (Bps): 57645056
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 32, xfer rate (Bps): 58373962
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 32, xfer rate (Bps): 58373962
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 32, xfer rate (Bps): 58373962
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 34, xfer rate (Bps): 58373962
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 34, xfer rate (Bps): 58373962
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 34, xfer rate (Bps): 58373962
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 34, xfer rate (Bps): 57645056
2020-11-07T15:36:15.991+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 34, xfer rate (Bps): 58373120
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 34, xfer rate (Bps): 59570060

2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 34, xfer rate (Bps): 59570060
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
34, xfer rate (Bps): 59570060
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 35, xfer rate (Bps): 59570060
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 35, xfer rate (Bps): 59570060
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
35, xfer rate (Bps): 59570060
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 35, xfer rate (Bps): 58373120
2020-11-07T15:36:18.179+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 35, xfer rate (Bps): 59569152
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 35, xfer rate (Bps): 60226473
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 35, xfer rate (Bps): 60226473
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
35, xfer rate (Bps): 60226473
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 36, xfer rate (Bps): 60226473
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 36, xfer rate (Bps): 60226473
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
36, xfer rate (Bps): 60226473
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 36, xfer rate (Bps): 59569152
2020-11-07T15:36:22.559+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 36, xfer rate (Bps): 60225536
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 36, xfer rate (Bps): 60488352
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 36, xfer rate (Bps): 60488352
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 36, xfer rate (Bps): 60488352
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 37, xfer rate (Bps): 60488352
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 37, xfer rate (Bps): 60488352
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 37, xfer rate (Bps): 60488352
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 37, xfer rate (Bps): 60225536
2020-11-07T15:36:28.549+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 37, xfer rate (Bps): 60487680
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 37, xfer rate (Bps): 60444777
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 37, xfer rate (Bps): 60444777
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 37, xfer rate (Bps): 60444777
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 38, xfer rate (Bps): 60444777
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 38, xfer rate (Bps): 60444777

2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
38, xfer rate (Bps): 60444777
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 38, xfer rate (Bps): 60487680
2020-11-07T15:36:35.844+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 38, xfer rate (Bps): 60444672
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 38, xfer rate (Bps): 60359527
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 38, xfer rate (Bps): 60359527
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
38, xfer rate (Bps): 60359527
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 39, xfer rate (Bps): 60359527
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 39, xfer rate (Bps): 60359527
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
39, xfer rate (Bps): 60359527
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 39, xfer rate (Bps): 60444672
2020-11-07T15:36:43.341+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 39, xfer rate (Bps): 60358656
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 39, xfer rate (Bps): 60594056
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 39, xfer rate (Bps): 60594056
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
39, xfer rate (Bps): 60594056
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 40, xfer rate (Bps): 60594056
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 40, xfer rate (Bps): 60594056
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 40, xfer rate (Bps): 60594056
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 40, xfer rate (Bps): 60358656
2020-11-07T15:36:49.355+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 40, xfer rate (Bps): 60593152
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 40, xfer rate (Bps): 60501018
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 40, xfer rate (Bps): 60501018
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 40, xfer rate (Bps): 60501018
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 41, xfer rate (Bps): 60501018
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 41, xfer rate (Bps): 60501018
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 41, xfer rate (Bps): 60501018
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 41, xfer rate (Bps): 60593152
2020-11-07T15:36:56.889+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 41, xfer rate (Bps): 60500992
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 41, xfer rate (Bps): 60512586

2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 41, xfer rate (Bps): 60512586
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
41, xfer rate (Bps): 60512586
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 42, xfer rate (Bps): 60512586
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 42, xfer rate (Bps): 60512586
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
42, xfer rate (Bps): 60512586
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 42, xfer rate (Bps): 60500992
2020-11-07T15:37:03.932+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 42, xfer rate (Bps): 60512256
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 42, xfer rate (Bps): 60519059
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 42, xfer rate (Bps): 60519059
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
42, xfer rate (Bps): 60519059
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 43, xfer rate (Bps): 60519059
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 43, xfer rate (Bps): 60519059
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
43, xfer rate (Bps): 60519059
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 43, xfer rate (Bps): 60512256
2020-11-07T15:37:10.997+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 43, xfer rate (Bps): 60518400
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 43, xfer rate (Bps): 60575099
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 43, xfer rate (Bps): 60575099
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 43, xfer rate (Bps): 60575099
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 44, xfer rate (Bps): 60575099
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 44, xfer rate (Bps): 60575099
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 44, xfer rate (Bps): 60575099
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 44, xfer rate (Bps): 60518400
2020-11-07T15:37:17.804+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 44, xfer rate (Bps): 60574720
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 44, xfer rate (Bps): 60702438
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 44, xfer rate (Bps): 60702438
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 44, xfer rate (Bps): 60702438
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 45, xfer rate (Bps): 60702438
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 45, xfer rate (Bps): 60702438

2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
45, xfer rate (Bps): 60702438
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 45, xfer rate (Bps): 60574720
2020-11-07T15:37:24.225+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 45, xfer rate (Bps): 60701696
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 45, xfer rate (Bps): 60894107
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 45, xfer rate (Bps): 60894107
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
45, xfer rate (Bps): 60894107
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 46, xfer rate (Bps): 60894107
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 46, xfer rate (Bps): 60894107
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
46, xfer rate (Bps): 60894107
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 46, xfer rate (Bps): 60701696
2020-11-07T15:37:30.277+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 46, xfer rate (Bps): 60893184
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 46, xfer rate (Bps): 61032221
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 46, xfer rate (Bps): 61032221
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
46, xfer rate (Bps): 61032221
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 47, xfer rate (Bps): 61032221
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 47, xfer rate (Bps): 61032221
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 47, xfer rate (Bps): 61032221
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 47, xfer rate (Bps): 60893184
2020-11-07T15:37:36.579+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 47, xfer rate (Bps): 61031424
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 47, xfer rate (Bps): 60845465
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 47, xfer rate (Bps): 60845465
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 47, xfer rate (Bps): 60845465
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 48, xfer rate (Bps): 60845465
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 48, xfer rate (Bps): 60845465
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 48, xfer rate (Bps): 60845465
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 48, xfer rate (Bps): 61031424
2020-11-07T15:37:44.653+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 48, xfer rate (Bps): 60845056
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 48, xfer rate (Bps): 60885390

2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 48, xfer rate (Bps): 60885390
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
48, xfer rate (Bps): 60885390
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 49, xfer rate (Bps): 60885390
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 49, xfer rate (Bps): 60885390
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
49, xfer rate (Bps): 60885390
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 49, xfer rate (Bps): 60845056
2020-11-07T15:37:51.486+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 49, xfer rate (Bps): 60884992
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 49, xfer rate (Bps): 60986747
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 49, xfer rate (Bps): 60986747
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
49, xfer rate (Bps): 60986747
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 50, xfer rate (Bps): 60986747
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 50, xfer rate (Bps): 60986747
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
50, xfer rate (Bps): 60986747
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 50, xfer rate (Bps): 60884992
2020-11-07T15:37:57.953+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 50, xfer rate (Bps): 60986368
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 50, xfer rate (Bps): 61082063
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 50, xfer rate (Bps): 61082063
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 50, xfer rate (Bps): 61082063
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 51, xfer rate (Bps): 61082063
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 51, xfer rate (Bps): 61082063
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 51, xfer rate (Bps): 61082063
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 51, xfer rate (Bps): 60986368
2020-11-07T15:38:04.436+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 51, xfer rate (Bps): 61081600
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 51, xfer rate (Bps): 61149205
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 51, xfer rate (Bps): 61149205
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 51, xfer rate (Bps): 61149205
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 52, xfer rate (Bps): 61149205
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 52, xfer rate (Bps): 61149205

2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
52, xfer rate (Bps): 61149205
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 52, xfer rate (Bps): 61081600
2020-11-07T15:38:11.066+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 52, xfer rate (Bps): 61149184
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 52, xfer rate (Bps): 61167074
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 52, xfer rate (Bps): 61167074
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
52, xfer rate (Bps): 61167074
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 53, xfer rate (Bps): 61167074
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 53, xfer rate (Bps): 61167074
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
53, xfer rate (Bps): 61167074
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 53, xfer rate (Bps): 61149184
2020-11-07T15:38:17.981+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 53, xfer rate (Bps): 61166592
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 53, xfer rate (Bps): 61592165
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 53, xfer rate (Bps): 61592165
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
53, xfer rate (Bps): 61592165
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 55, xfer rate (Bps): 61592165
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 55, xfer rate (Bps): 61592165
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 55, xfer rate (Bps): 61592165
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 55, xfer rate (Bps): 61166592
2020-11-07T15:38:29.359+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 55, xfer rate (Bps): 61591552
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 55, xfer rate (Bps): 62538526
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 55, xfer rate (Bps): 62538526
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 55, xfer rate (Bps): 62538526
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 56, xfer rate (Bps): 62538526
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 56, xfer rate (Bps): 62538526
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 56, xfer rate (Bps): 62538526
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 56, xfer rate (Bps): 61591552
2020-11-07T15:38:30.422+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 56, xfer rate (Bps): 62537728
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 56, xfer rate (Bps): 62822373

2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 56, xfer rate (Bps): 62822373
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
56, xfer rate (Bps): 62822373
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 57, xfer rate (Bps): 62822373
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 57, xfer rate (Bps): 62822373
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
57, xfer rate (Bps): 62822373
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 57, xfer rate (Bps): 62537728
2020-11-07T15:38:35.521+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 57, xfer rate (Bps): 62821376
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 57, xfer rate (Bps): 62740995
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 57, xfer rate (Bps): 62740995
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
57, xfer rate (Bps): 62740995
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 58, xfer rate (Bps): 62740995
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 58, xfer rate (Bps): 62740995
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
58, xfer rate (Bps): 62740995
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 58, xfer rate (Bps): 62821376
2020-11-07T15:38:42.873+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 58, xfer rate (Bps): 62740480
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 58, xfer rate (Bps): 62902898
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 58, xfer rate (Bps): 62902898
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 58, xfer rate (Bps): 62902898
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 59, xfer rate (Bps): 62902898
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 59, xfer rate (Bps): 62902898
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 59, xfer rate (Bps): 62902898
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 59, xfer rate (Bps): 62740480
2020-11-07T15:38:48.678+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 59, xfer rate (Bps): 62902272
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 59, xfer rate (Bps): 63027967
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 59, xfer rate (Bps): 63027967
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 59, xfer rate (Bps): 63027967
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 60, xfer rate (Bps): 63027967
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 60, xfer rate (Bps): 63027967

2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
60, xfer rate (Bps): 63027967
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 60, xfer rate (Bps): 62902272
2020-11-07T15:38:54.694+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 60, xfer rate (Bps): 63027200
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 60, xfer rate (Bps): 62965314
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 60, xfer rate (Bps): 62965314
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
60, xfer rate (Bps): 62965314
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 61, xfer rate (Bps): 62965314
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 61, xfer rate (Bps): 62965314
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
61, xfer rate (Bps): 62965314
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 61, xfer rate (Bps): 63027200
2020-11-07T15:39:01.922+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 61, xfer rate (Bps): 62964736
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 61, xfer rate (Bps): 62828809
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 61, xfer rate (Bps): 62828809
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
61, xfer rate (Bps): 62828809
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 62, xfer rate (Bps): 62828809
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 62, xfer rate (Bps): 62828809
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 62, xfer rate (Bps): 62828809
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 62, xfer rate (Bps): 62964736
2020-11-07T15:39:09.662+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 62, xfer rate (Bps): 62828544
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 62, xfer rate (Bps): 62856830
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 62, xfer rate (Bps): 62856830
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 62, xfer rate (Bps): 62856830
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 63, xfer rate (Bps): 62856830
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 63, xfer rate (Bps): 62856830
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 63, xfer rate (Bps): 62856830
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 63, xfer rate (Bps): 62828544
2020-11-07T15:39:16.306+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 63, xfer rate (Bps): 62856192
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 63, xfer rate (Bps): 62894502

2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 63, xfer rate (Bps): 62894502
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
63, xfer rate (Bps): 62894502
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 64, xfer rate (Bps): 62894502
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 64, xfer rate (Bps): 62894502
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
64, xfer rate (Bps): 62894502
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 64, xfer rate (Bps): 62856192
2020-11-07T15:39:22.877+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 64, xfer rate (Bps): 62894080
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 64, xfer rate (Bps): 62869835
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 64, xfer rate (Bps): 62869835
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
64, xfer rate (Bps): 62869835
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 65, xfer rate (Bps): 62869835
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 65, xfer rate (Bps): 62869835
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
65, xfer rate (Bps): 62869835
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 65, xfer rate (Bps): 62894080
2020-11-07T15:39:29.880+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 65, xfer rate (Bps): 62869504
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 65, xfer rate (Bps): 62859591
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 65, xfer rate (Bps): 62859591
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 65, xfer rate (Bps): 62859591
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 66, xfer rate (Bps): 62859591
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 66, xfer rate (Bps): 62859591
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 66, xfer rate (Bps): 62859591
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 66, xfer rate (Bps): 62869504
2020-11-07T15:39:36.785+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 66, xfer rate (Bps): 62859264
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 66, xfer rate (Bps): 62870116
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 66, xfer rate (Bps): 62870116
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 66, xfer rate (Bps): 62870116
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 67, xfer rate (Bps): 62870116
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 67, xfer rate (Bps): 62870116

2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
67, xfer rate (Bps): 62870116
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 67, xfer rate (Bps): 62859264
2020-11-07T15:39:43.541+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 67, xfer rate (Bps): 62869504
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 67, xfer rate (Bps): 63143385
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 67, xfer rate (Bps): 63143385
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
67, xfer rate (Bps): 63143385
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 69, xfer rate (Bps): 63143385
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 69, xfer rate (Bps): 63143385
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
69, xfer rate (Bps): 63143385
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 69, xfer rate (Bps): 62869504
2020-11-07T15:39:55.164+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 69, xfer rate (Bps): 63142912
2020-11-07T15:40:03.114+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 69, xfer rate (Bps): 63891242
2020-11-07T15:40:03.114+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 69, xfer rate (Bps): 63891242
2020-11-07T15:40:03.114+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
69, xfer rate (Bps): 63891242
2020-11-07T15:40:03.114+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 71, xfer rate (Bps): 63891242
2020-11-07T15:40:03.114+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 71, xfer rate (Bps): 63891242
2020-11-07T15:40:03.114+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 71, xfer rate (Bps): 63891242
2020-11-07T15:40:03.130+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 71, xfer rate (Bps): 63142912
2020-11-07T15:40:03.130+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 71, xfer rate (Bps): 63890432
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 71, xfer rate (Bps): 64611928
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 71, xfer rate (Bps): 64611928
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 71, xfer rate (Bps): 64611928
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 73, xfer rate (Bps): 64611928
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 73, xfer rate (Bps): 64611928
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 73, xfer rate (Bps): 64611928
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 73, xfer rate (Bps): 63890432
2020-11-07T15:40:11.086+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 73, xfer rate (Bps): 64611328
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 73, xfer rate (Bps): 65307598

2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 73, xfer rate (Bps): 65307598
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
73, xfer rate (Bps): 65307598
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 75, xfer rate (Bps): 65307598
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 75, xfer rate (Bps): 65307598
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
75, xfer rate (Bps): 65307598
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 75, xfer rate (Bps): 64611328
2020-11-07T15:40:19.070+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 75, xfer rate (Bps): 65306624
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 75, xfer rate (Bps): 65999409
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 75, xfer rate (Bps): 65999409
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
75, xfer rate (Bps): 65999409
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 77, xfer rate (Bps): 65999409
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 77, xfer rate (Bps): 65999409
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
77, xfer rate (Bps): 65999409
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 77, xfer rate (Bps): 65306624
2020-11-07T15:40:26.914+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 77, xfer rate (Bps): 65998848
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 77, xfer rate (Bps): 66660199
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 77, xfer rate (Bps): 66660199
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 77, xfer rate (Bps): 66660199
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 79, xfer rate (Bps): 66660199
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 79, xfer rate (Bps): 66660199
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 79, xfer rate (Bps): 66660199
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 79, xfer rate (Bps): 65998848
2020-11-07T15:40:34.834+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 79, xfer rate (Bps): 66659328
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 79, xfer rate (Bps): 67301394
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 79, xfer rate (Bps): 67301394
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 79, xfer rate (Bps): 67301394
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 81, xfer rate (Bps): 67301394
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 81, xfer rate (Bps): 67301394

2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
81, xfer rate (Bps): 67301394
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 81, xfer rate (Bps): 66659328
2020-11-07T15:40:42.748+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 81, xfer rate (Bps): 67301376
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 81, xfer rate (Bps): 67924029
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 81, xfer rate (Bps): 67924029
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
81, xfer rate (Bps): 67924029
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 83, xfer rate (Bps): 67924029
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 83, xfer rate (Bps): 67924029
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
83, xfer rate (Bps): 67924029
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 83, xfer rate (Bps): 67301376
2020-11-07T15:40:50.656+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 83, xfer rate (Bps): 67923968
2020-11-07T15:40:58.544+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 83, xfer rate (Bps): 68530751
2020-11-07T15:40:58.544+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 83, xfer rate (Bps): 68530751
2020-11-07T15:40:58.544+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
83, xfer rate (Bps): 68530751
2020-11-07T15:40:58.544+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 85, xfer rate (Bps): 68530751
2020-11-07T15:40:58.544+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 85, xfer rate (Bps): 68530751
2020-11-07T15:40:58.544+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 85, xfer rate (Bps): 68530751
2020-11-07T15:40:58.560+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 85, xfer rate (Bps): 67923968
2020-11-07T15:40:58.560+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 85, xfer rate (Bps): 68530176
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 85, xfer rate (Bps): 69112224
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 85, xfer rate (Bps): 69112224
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 85, xfer rate (Bps): 69112224
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 87, xfer rate (Bps): 69112224
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 87, xfer rate (Bps): 69112224
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 87, xfer rate (Bps): 69112224
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 87, xfer rate (Bps): 68530176
2020-11-07T15:41:06.491+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 87, xfer rate (Bps): 69111808
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 87, xfer rate (Bps): 69671772

2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 87, xfer rate (Bps): 69671772
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
87, xfer rate (Bps): 69671772
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 89, xfer rate (Bps): 69671772
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 89, xfer rate (Bps): 69671772
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
89, xfer rate (Bps): 69671772
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 89, xfer rate (Bps): 69111808
2020-11-07T15:41:14.477+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 89, xfer rate (Bps): 69670912
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 89, xfer rate (Bps): 70218163
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 89, xfer rate (Bps): 70218163
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
89, xfer rate (Bps): 70218163
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 91, xfer rate (Bps): 70218163
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 91, xfer rate (Bps): 70218163
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
91, xfer rate (Bps): 70218163
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 91, xfer rate (Bps): 69670912
2020-11-07T15:41:22.442+01:00 info vmware-converter-worker[10060]

[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 91, xfer rate (Bps): 70217728
2020-11-07T15:41:30.370+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 91, xfer rate (Bps): 70753651
2020-11-07T15:41:30.370+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 91, xfer rate (Bps): 70753651
2020-11-07T15:41:30.370+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 91, xfer rate (Bps): 70753651
2020-11-07T15:41:30.370+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 93, xfer rate (Bps): 70753651
2020-11-07T15:41:30.370+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 93, xfer rate (Bps): 70753651
2020-11-07T15:41:30.370+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 93, xfer rate (Bps): 70753651
2020-11-07T15:41:30.385+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 93, xfer rate (Bps): 70217728
2020-11-07T15:41:30.385+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 93, xfer rate (Bps): 70753280
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 93, xfer rate (Bps): 71271942
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 93, xfer rate (Bps): 71271942
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 93, xfer rate (Bps): 71271942
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 95, xfer rate (Bps): 71271942
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 95, xfer rate (Bps): 71271942

2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
95, xfer rate (Bps): 71271942
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 95, xfer rate (Bps): 70753280
2020-11-07T15:41:38.317+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 95, xfer rate (Bps): 71271424
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 95, xfer rate (Bps): 71785687
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 95, xfer rate (Bps): 71785687
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
95, xfer rate (Bps): 71785687
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 97, xfer rate (Bps): 71785687
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 97, xfer rate (Bps): 71785687
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
97, xfer rate (Bps): 71785687
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 97, xfer rate (Bps): 71271424
2020-11-07T15:41:46.186+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1,
percentage: 97, xfer rate (Bps): 71785472
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 1, percentage: 97, xfer rate (Bps): 72286916
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 1, percentage: 97, xfer rate (Bps): 72286916
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage:
97, xfer rate (Bps): 72286916
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 99, xfer rate (Bps): 72286916
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 99, xfer rate (Bps): 72286916
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 99, xfer rate (Bps): 72286916
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 99, xfer rate (Bps): 71785472
2020-11-07T15:41:54.044+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 99, xfer rate (Bps): 72286208
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 99, xfer rate (Bps): 72587520
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 99, xfer rate (Bps): 72587520
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 99, xfer rate (Bps): 72587520
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk updates, state: 1, percentage: 100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 --> SRV-NHFAD1 updates, state: 1, percentage: 100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] CloneTask updates, state: 1, percentage: 100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 100, xfer rate (Bps): 72286208
2020-11-07T15:41:57.525+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 1, percentage: 100, xfer rate (Bps): 72587264
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNetTcpWrite: bWritten: -1
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcFile_SendMessage: data

send failed:
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] The operation experienced
a network error -- Failed to send data message
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcSendFile: Failed to
send block track file
'\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-NHFAD1-ctk.v
mdk': 3
2020-11-07T15:41:57.916+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Sysimgbase_Nfc_PutFile failed in
H2MDiskCloneMgr with nfcError 'The operation experienced a network
error' (error code:3)
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] SSL: Unknown SSL Error
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNetTcpWrite: bWritten:
-1
2020-11-07T15:41:57.916+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcSendMessage: send
failed: NFC_NETWORK_ERROR
2020-11-07T15:41:57.916+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-4] hosted to managed disk clone failed: The
operation experienced a network error
2020-11-07T15:41:57.916+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-4] Disk clone failed with clone error The
operation experienced a network error
2020-11-07T15:41:57.916+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-4] TaskImpl has failed with
MethodFault::Exception: converter.fault.CloneFault
2020-11-07T15:41:57.916+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 4, percentage: 100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CompositeTask canceling #1 subtasks
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] TaskImpl issuing Cancel command
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] SingleDiskCloneTask
[SRV-NHFAD1]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\SRV-NHFAD1\SRV-
NHFAD1.vmdk --> [SRV-NHFAD1]-[DATASTORE1] SRV-NHFAD1/SRV-NHFAD1.vmdk
updates, state: 4, percentage: 100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] DiskBasedCloneTask SRV-NHFAD1 -->
SRV-NHFAD1 updates, state: 4, percentage: 100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CloneTask updates, state: 4, percentage:

100, xfer rate (Bps): 72587520
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] CloneTask failed
2020-11-07T15:41:57.932+01:00 error vmware-converter-worker[06268]
[Originator@6876 sub=Default] Task failed:
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[01608]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000100000000000D000000\
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[00412]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:41:57.932+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-1A03F7170000501F0000000000E000000\
2020-11-07T15:41:58.010+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=task-4] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:41:58.010+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=Default] Task Completed : task-4
2020-11-07T15:41:58.010+01:00 info vmware-converter-worker[06268]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:41:58.010+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Worker CloneTask updates, state: 4,
percentage: 100, xfer rate (Bps): 72587264
2020-11-07T15:41:58.010+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] TargetVmManagerImpl::DeleteVM
2020-11-07T15:41:58.010+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:41:58.025+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Destroying vim.VirtualMachine:vm-404 on
192.168.1.5
2020-11-07T15:41:58.135+01:00 error vmware-converter-worker[10060]
[Originator@6876 sub=Default] Task failed:
2020-11-07T15:41:58.135+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=task-3] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:41:58.135+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=Default] Task Completed : task-3
2020-11-07T15:41:58.135+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:41:58.150+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default]
[Converter.Worker.DiagnosticManagerImpl][task-3] Generating task log
bundle.
2020-11-07T15:41:58.400+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Created log bundle "task-3-iduvlhjs.zip" with size "904771" and CRC

"-1962592617"

2020-11-07T15:41:58.400+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Adjusted log bundle "task-3-iduvlhjs.zip" with size "904771" and CRC
"-1962592617"

2020-11-07T15:41:58.400+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Retrieving log bundle with key "task-3-iduvlhjs.zip" at offset = "0" and
max size = "904771".

2020-11-07T15:41:58.525+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Deleting log bundle with key "task-3-iduvlhjs.zip"

2020-11-07T15:41:58.635+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Stopped impersonating in session
52e3ddf8-6b25-a1e0-82f8-33b007790330

2020-11-07T15:41:58.635+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects

2020-11-07T15:41:58.635+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded

2020-11-07T15:45:18.909+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x0560302c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)

2020-11-07T15:45:23.910+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x056b09d4, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)

2020-11-07T15:50:39.035+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in
session 5291d569-908e-a980-99de-5546964658a8

2020-11-07T15:50:51.182+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes

2020-11-07T15:50:51.182+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No

2020-11-07T15:50:51.182+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'

2020-11-07T15:50:51.182+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one

2020-11-07T15:50:51.182+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-07T15:50:51.182+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:50:51.183+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx
2020-11-07T15:50:52.178+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:50:53.215+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:50:54.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:50:54.185+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
2020-11-07T15:50:54.348+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x0560333c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T15:50:54.380+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk signature found 37229615, disk size
in sectors 83886080, sector size 512
2020-11-07T15:50:54.381+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T15:50:54.390+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T15:50:54.390+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk with signature 37229615, recognized
partitions 2
2020-11-07T15:50:54.403+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk signature found 2091757959, disk size
in sectors 125829120, sector size 512
2020-11-07T15:50:54.414+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:125822976 attribs:0x0 primary NTFS
2020-11-07T15:50:54.414+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk with signature 2091757959, recognized
partitions 1
2020-11-07T15:50:54.432+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk signature found 73182283, disk size
in sectors 83886080, sector size 512
2020-11-07T15:50:54.432+01:00 info vmware-converter-worker[04560]
```

[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:83879936 attribs:0x0 primary NTFS
2020-11-07T15:50:54.432+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk with signature 73182283, recognized
partitions 1
2020-11-07T15:50:54.453+01:00 info vmware-converter-worker[06808]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:54.548+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\ FS:<NTFS>
2020-11-07T15:50:54.554+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\
2020-11-07T15:50:54.554+01:00 info vmware-converter-worker[06808]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:50:54.555+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\
2020-11-07T15:50:54.568+01:00 info vmware-converter-worker[01656]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:54.605+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\ FS:<NTFS>
2020-11-07T15:50:54.606+01:00 info vmware-converter-worker[01656]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:50:54.606+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\
2020-11-07T15:50:54.607+01:00 info vmware-converter-worker[04208]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:55.011+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000010000000\ FS:<NTFS>
2020-11-07T15:50:56.029+01:00 info vmware-converter-worker[04208]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:50:56.029+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000010000000\
2020-11-07T15:50:56.029+01:00 info vmware-converter-worker[02792]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:56.239+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-87B1AD7C000010000000000011000000\ FS:<NTFS>
2020-11-07T15:50:56.240+01:00 info vmware-converter-worker[02792]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:50:56.240+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-87B1AD7C000010000000000011000000\
2020-11-07T15:50:56.240+01:00 info vmware-converter-worker[05600]

[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:56.424+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-4BAC5C04000010000000000012000000\ FS:<NTFS>
2020-11-07T15:50:56.426+01:00 info vmware-converter-worker[05600]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:50:56.428+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-4BAC5C04000010000000000012000000\
2020-11-07T15:50:56.430+01:00 info vmware-converter-worker[01556]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:56.472+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\ FS:<NTFS>
2020-11-07T15:50:56.509+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi115.
2020-11-07T15:50:56.518+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi115\BCD is loaded
under the name mntApi171214312330848277
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{d34eb3e2-b1b4-11e8-8719-909a2d5c6c0e}\
Elements\26000022.
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from
key
mntApi171214312330848277\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\24000001
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{d34eb3e2-b1b4-11e8-8719-909a2d5c6c0e}\

Elements\26000022.
2020-11-07T15:50:56.519+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi171214312330848277\Objects\{d34eb3e1-b1b4-11e8-8719-909a2d5c6c0e}\
Elements\26000022.
2020-11-07T15:50:56.519+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-07T15:50:56.522+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi171214312330848277
2020-11-07T15:50:56.523+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-07T15:50:56.523+01:00 info vmware-converter-worker[06028]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:50:56.709+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000010000000\ FS:<NTFS>
2020-11-07T15:51:02.252+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi121.
2020-11-07T15:51:05.566+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi121\SOFTWARE is
loaded under the name mntApi176957423830848277
2020-11-07T15:51:05.566+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi176957423830848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:51:05.566+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:51:05.566+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:51:05.566+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:51:05.566+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:51:06.494+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi91.
2020-11-07T15:51:06.909+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi91\SYSTEM is
loaded under the name mntApi181199503830848277
2020-11-07T15:51:06.909+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi181199503830848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:51:06.909+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-07T15:51:07.022+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi181199503830848277
2020-11-07T15:51:07.024+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:51:07.074+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi176957423830848277
2020-11-07T15:51:07.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:51:07.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi243.
2020-11-07T15:51:07.452+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi243\SYSTEM is loaded under the name mntApi181809518830848277
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR Data
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR Networking
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Networking
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR Networking 4.0.0.0
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Networking 4.0.0.0
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data Provider for Oracle
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data Provider for Oracle
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data Provider for SqlServer
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data Provider for SqlServer
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Memory Cache 4.0
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory Cache 4.0
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NETFramework
2020-11-07T15:51:07.452+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework
2020-11-07T15:51:07.452+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver 1394ohci manual
2020-11-07T15:51:07.452+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver 3ware bootStart
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaBootstrap'[C:\Program Files (x86)\Common Files\Archestra\Framework\Bin\aaBootstrap.exe]/autoStart depends: RPCSS;NETMAN
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaGlobalDataCacheMonitorSvr'[C:\Program Files (x86)\Archestra\Framework\Bin\aaGlobalDataCacheMonitorSvr.exe]/autoStart depends: RPCSS
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaGR'[C:\Program Files (x86)\Archestra\Framework\Bin\aaGR.exe]/autoStart depends: RPCSS;LanmanServer
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aahClientAccessPoint'["C:\Program Files (x86)\Common Files\Archestra\aahClientAccessPoint.exe"]/autoStart depends: RpcSs;NetTcpPortSharing
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaLogger'["C:\Program Files (x86)\Common Files\Archestra\aaLogger.exe"]/autoStart depends: RPCSS
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaUserValidator'[C:\Program Files (x86)\Archestra\Framework\Bin\aaUserValidator.exe]/autoStart depends: RPCSS
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-07T15:51:07.453+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ADOVMPPackage
2020-11-07T15:51:07.453+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-07T15:51:07.453+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-07T15:51:07.453+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-07T15:51:07.453+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AJRouter' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:07.613+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ALG' [%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-07T15:51:07.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-07T15:51:07.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-07T15:51:07.656+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver amdсата bootStart
2020-11-07T15:51:07.657+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver amdсbs bootStart
2020-11-07T15:51:07.657+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver amdхата bootStart
2020-11-07T15:51:07.657+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppHostSvc' [%windir%\system32\svchost.exe -k apphost]/autoStart
depends: <none>
2020-11-07T15:51:07.657+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:51:07.657+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-07T15:51:07.657+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T15:51:07.746+01:00 info vmware-converter-worker[04560]
```

```
[Originator@6876 sub=Default] Found service
'Appinfo'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T15:51:07.773+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-07T15:51:07.773+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppMgmt'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:51:07.834+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppReadiness'[%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T15:51:07.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppVClient'[%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T15:51:08.026+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-07T15:51:08.026+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-07T15:51:08.026+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-07T15:51:08.026+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppXSvc'[%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ArchestrA
Event Historization Service
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ArchestrA Event
Historization Service
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ArchestrA
EventService
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ArchestrA
EventService
2020-11-07T15:51:08.153+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ArchestrADataStore'["C:\Program Files\Schneider Electric\ArchestrA Data
Store\SecureDataService.exe"]/autoStart depends: <none>
2020-11-07T15:51:08.153+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver arcsas bootStart
2020-11-07T15:51:08.153+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AsbServiceManager'["C:\Program Files (x86)\Schneider Electric\ArchestrA
Service Bus\CoreServices\Asb.ServiceManager.exe"]/manual depends: <none>
```

```
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ASP
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ASP
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ASP.NET
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ASP.NET
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ASP.NET_2.0.50727
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ASP.NET_2.0.50727
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ASP.NET_4.0.30319
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ASP.NET_4.0.30319
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ASP.NET_64_2.0.50727
2020-11-07T15:51:08.153+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ASP.NET_64_2.0.50727
2020-11-07T15:51:08.153+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'aspnet_state' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\aspnet_
state.exe]/manual depends: <none>
2020-11-07T15:51:08.240+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AsyncMac manual
2020-11-07T15:51:08.241+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver atapi bootStart
2020-11-07T15:51:08.241+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:08.356+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T15:51:08.441+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AutoBuild_Service' ["C:\Program Files
(x86)\Wonderware\OI-Server\AutoBuild\Bin\AutoBuildService.exe"]/autoStar
t depends: <none>
2020-11-07T15:51:08.441+01:00 info vmware-converter-worker[04560]
```

```
[Originator@6876 sub=Default] Found service
'AxInstSV' [%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T15:51:08.490+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-07T15:51:08.490+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-07T15:51:08.490+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-07T15:51:08.490+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-07T15:51:08.490+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-07T15:51:08.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bcmfn manual
2020-11-07T15:51:08.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-07T15:51:08.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-07T15:51:08.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-07T15:51:08.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-07T15:51:08.491+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'BFES' [%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T15:51:08.593+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'BITS' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:51:08.753+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bowser manual
2020-11-07T15:51:08.753+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure' [%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:51:08.753+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T15:51:08.753+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Browser' [%SystemRoot%\System32\svchost.exe -k smbssvc]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-07T15:51:08.803+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-07T15:51:08.803+01:00 warning vmware-converter-worker[04560]
```

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-07T15:51:08.803+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'bthserv' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:51:08.854+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-07T15:51:08.854+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-07T15:51:08.854+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-07T15:51:08.854+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-07T15:51:08.854+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-07T15:51:08.854+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:51:08.950+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:51:09.019+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-07T15:51:09.019+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:51:09.091+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-07T15:51:09.091+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-07T15:51:09.091+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CLFS bootStart
2020-11-07T15:51:09.091+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-07T15:51:09.209+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v2.0.50727_32
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v2.0.50727_32
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
```

clr_optimization_v2.0.50727_64
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v2.0.50727_64
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T15:51:09.209+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-07T15:51:09.209+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-07T15:51:09.209+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-07T15:51:09.209+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-07T15:51:09.209+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-07T15:51:09.210+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'COMSysApp' [%SystemRoot%\system32\dlhhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-07T15:51:09.290+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-07T15:51:09.290+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-07T15:51:09.307+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-07T15:51:09.307+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-07T15:51:09.307+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-07T15:51:09.307+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-07T15:51:09.307+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T15:51:09.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CSC disabled

2020-11-07T15:51:09.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CscService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T15:51:09.349+01:00 error vmware-converter-worker[10196]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x05602d1c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T15:51:09.446+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver dam systemStart
2020-11-07T15:51:09.446+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-07T15:51:09.446+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-07T15:51:09.446+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:51:09.624+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:51:09.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-07T15:51:09.751+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:09.857+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:51:09.954+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:10.007+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-07T15:51:10.007+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Dhcp'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-07T15:51:10.112+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'diagnosticshub.standardcollector.service'[%SystemRoot%\system32\DiagSvc

s\DiagnosticsHub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-07T15:51:10.168+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DiagTrack'[%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-07T15:51:10.300+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-07T15:51:10.300+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:51:10.439+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver dmvsc manual
2020-11-07T15:51:10.439+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'dmwappushservice'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:51:10.478+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Dnscache'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-07T15:51:10.614+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'dot3svc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-07T15:51:10.706+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DPS'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-07T15:51:10.762+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DsmSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:51:10.815+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DsSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:10.890+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver DXGKrnl manual
2020-11-07T15:51:10.890+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Eaphost'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-07T15:51:10.958+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ebdrv bootStart
2020-11-07T15:51:10.958+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'EFS'[%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-07T15:51:11.016+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver EhStorClass bootStart
2020-11-07T15:51:11.016+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart
2020-11-07T15:51:11.016+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver elxfcoe bootStart
2020-11-07T15:51:11.016+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver elxstor bootStart
2020-11-07T15:51:11.016+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'embeddedmode' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-07T15:51:11.075+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:51:11.151+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ErrDev manual
2020-11-07T15:51:11.151+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT
2020-11-07T15:51:11.151+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT
2020-11-07T15:51:11.151+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-07T15:51:11.283+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-07T15:51:11.286+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver exfat manual
2020-11-07T15:51:11.286+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver fastfat manual
2020-11-07T15:51:11.286+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver fcvsc manual
2020-11-07T15:51:11.286+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver fdc manual
2020-11-07T15:51:11.286+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-07T15:51:11.340+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T15:51:11.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-07T15:51:11.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FileInfo manual

2020-11-07T15:51:11.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-07T15:51:11.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver flydisk manual
2020-11-07T15:51:11.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-07T15:51:11.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:51:11.476+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FontCache3.0.0.0' [%systemroot%\Microsoft.Net\Framework64\v3.0\WPF\Prese
ntationFontCache.exe]/manual depends: <none>
2020-11-07T15:51:11.606+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'GATEWAY'[C:\Program Files
(x86)\Wonderware\OI-Server\OI-Gateway\Bin\Gateway.exe -service
/CLSID={00E25490-40B4-4E6A-A888-E658D65BBAEF}
/ProgID=OI.GATEWAY.2]/autoStart depends: slssvc
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-07T15:51:11.710+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T15:51:11.801+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv
systemStart
2020-11-07T15:51:11.801+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HDAudBus manual
2020-11-07T15:51:11.801+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-07T15:51:11.801+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-07T15:51:11.801+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-07T15:51:11.801+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found service
'hidserv'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:11.852+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-07T15:51:11.852+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T15:51:11.852+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T15:51:11.852+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart
2020-11-07T15:51:11.852+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-07T15:51:11.852+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-07T15:51:11.899+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-07T15:51:11.900+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-07T15:51:11.900+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-07T15:51:11.900+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ibbus manual
2020-11-07T15:51:11.900+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T15:51:12.001+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'IISADMIN'[%windir%\system32\inetsrv\inetinfo.exe]/autoStart depends:
RPCSS;SamSS;HTTP
2020-11-07T15:51:12.002+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
```

%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:51:12.002+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'IKEEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T15:51:12.103+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_BatchMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\BatchMngr.exe]/manual depends: <none>
2020-11-07T15:51:12.103+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_EnvMngr'["C:\Program Files
(x86)\Wonderware\InBatch\Bin\EnvMngr.exe"]/manual depends: <none>
2020-11-07T15:51:12.103+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_HistQMngr'["C:\Program Files
(x86)\Wonderware\InBatch\Bin\HistQMngr.exe"]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_HistQReader'["C:\Program Files
(x86)\Wonderware\InBatch\Bin\HistQReader.exe"]/autoStart depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_IBCli'[C:\Program
Files (x86)\Wonderware\InBatch\bin\IBCli.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_IBCli_F1'[C:\Program Files
(x86)\Wonderware\InBatch\bin\IBCli.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_IBMX'[C:\Program
Files (x86)\Wonderware\InBatch\bin\IBMX.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_IBServ'[C:\Program
Files (x86)\Wonderware\InBatch\bin\IBServ.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_InfoMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\InfoMngr.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_lm_tcp'["C:\Program
Files (x86)\Wonderware\InBatch\Bin\lm_tcp.exe"]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_MemTagMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\MemTagMngr.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_SecMngr'[C:\Program
Files (x86)\Wonderware\InBatch\bin\SecMngr.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service 'InBatch_SimMngr'[C:\Program Files (x86)\Wonderware\InBatch\bin\SimMngr.exe]/manual depends: <none>
2020-11-07T15:51:12.104+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_UnlkMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\UnilinkMngr.exe]/manual depends: <none>
2020-11-07T15:51:12.105+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-07T15:51:12.105+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-07T15:51:12.105+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-07T15:51:12.105+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for InetInfo
2020-11-07T15:51:12.105+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for InetInfo
2020-11-07T15:51:12.105+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-07T15:51:12.105+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-07T15:51:12.105+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver intelppm manual
2020-11-07T15:51:12.105+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-07T15:51:12.105+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-07T15:51:12.105+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-07T15:51:12.105+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-07T15:51:12.161+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:51:12.221+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T15:51:12.293+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-07T15:51:12.293+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-07T15:51:12.293+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ksthunk manual
2020-11-07T15:51:12.294+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T15:51:12.294+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-07T15:51:12.427+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-07T15:51:12.567+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-07T15:51:12.567+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-07T15:51:12.567+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:51:12.614+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'License Server Agent
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\License Server\LicServer.WindowsService.exe"]/autoStart
depends: <none>
2020-11-07T15:51:12.614+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'License Server Core
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\License Server\SELicServer.exe"]/manual depends: <none>
2020-11-07T15:51:12.614+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'License Server Sam
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\Sam Service\LicServer.SamWindowsService.exe"]/autoStart
depends: <none>
2020-11-07T15:51:12.614+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
```



```
LocalService]/manual depends: rpcss
2020-11-07T15:51:12.675+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LicenseManagerDataService'["C:\Program Files (x86)\Invensys\License
Manager\LicenseManagerWindowsService.exe"]/disabled depends: <none>
2020-11-07T15:51:12.675+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-07T15:51:12.675+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T15:51:12.688+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T15:51:12.711+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'LMWebService'["C:\Program
Files (x86)\Common Files\Archestra\Licensing Framework\License
Manager\LMWeb.App\bin\LMWeb.WindowsService.exe"]/autoStart depends:
<none>
2020-11-07T15:51:12.711+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-07T15:51:12.711+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-07T15:51:12.711+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-07T15:51:12.711+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-07T15:51:12.711+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-07T15:51:12.711+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-07T15:51:12.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:51:12.712+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-07T15:51:12.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver luafv autoStart
2020-11-07T15:51:12.712+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
```

2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-07T15:51:12.770+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MES
Middleware
2020-11-07T15:51:12.770+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MES Middleware
2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-07T15:51:12.770+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver monitor manual
2020-11-07T15:51:12.771+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-07T15:51:12.771+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-07T15:51:12.771+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-07T15:51:12.771+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
2020-11-07T15:51:12.771+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T15:51:12.857+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-07T15:51:12.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-07T15:51:12.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-07T15:51:12.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-07T15:51:12.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T15:51:12.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 3.0.0.0
2020-11-07T15:51:12.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
3.0.0.0
2020-11-07T15:51:12.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T15:51:12.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge

4.0.0.0

```
2020-11-07T15:51:12.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Msfs systemStart
2020-11-07T15:51:12.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual
2020-11-07T15:51:12.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual
2020-11-07T15:51:12.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mshidumdf manual
2020-11-07T15:51:12.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver msisadrv bootStart
2020-11-07T15:51:12.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MSiSCSI' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:51:12.912+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'msiserver' [%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsLldp autoStart
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsRPC manual
2020-11-07T15:51:12.933+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T15:51:12.933+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mssmbios systemStart
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'MSSQLSERVER'["C:\Program
Files (x86)\Microsoft SQL
Server\MSSQL12.MSSQLSERVER\MSSQL\Binn\sqlservr.exe"
-sMSSQLSERVER]/autoStart depends: <none>
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MTConfig manual
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Mup bootStart
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mvumis bootStart
2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'MWHostService'["C:\Program
Files (x86)\Wonderware\ProdMiddleware\MWCommon.Host.exe"]/autoStart
depends: <none>
2020-11-07T15:51:12.933+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent
2020-11-07T15:51:12.933+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent
```

2020-11-07T15:51:12.933+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NcaSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-07T15:51:12.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NcbService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart
2020-11-07T15:51:13.106+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T15:51:13.106+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-07T15:51:13.106+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Netlogon'[%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation
2020-11-07T15:51:13.173+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Netman'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T15:51:13.251+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'netprofm'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-07T15:51:13.325+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:51:13.383+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/autoStart depends: <none>
2020-11-07T15:51:13.458+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver netvsc manual
2020-11-07T15:51:13.458+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfp
2020-11-07T15:51:13.458+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfp
2020-11-07T15:51:13.458+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:51:13.532+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NgcSvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:51:13.633+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NlaSvc' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T15:51:13.723+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'NmxSvc'[C:\Program Files
(x86)\Archestra\Framework\Bin\NmxSvc.exe]/manual depends: RPCSS
2020-11-07T15:51:13.723+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-07T15:51:13.723+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver npsvctrig systemStart
2020-11-07T15:51:13.723+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'nsi' [%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-07T15:51:13.767+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart
2020-11-07T15:51:13.767+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NTDS
2020-11-07T15:51:13.767+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NTDS
2020-11-07T15:51:13.767+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-07T15:51:13.767+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-07T15:51:13.767+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-07T15:51:13.767+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-07T15:51:13.767+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:51:13.803+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'OpcEnum'[C:\Windows\SysWOW64\OpcEnum.exe]/autoStart depends: RPCSS
2020-11-07T15:51:13.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-07T15:51:13.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver partmgr bootStart
2020-11-07T15:51:13.804+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-07T15:51:13.901+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-07T15:51:13.901+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-07T15:51:13.901+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PerfHost'[%SystemRoot%\SysWow64\perfhst.exe]/manual depends: RPCSS
2020-11-07T15:51:14.081+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet
2020-11-07T15:51:14.081+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-07T15:51:14.081+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-07T15:51:14.081+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-07T15:51:14.081+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc

2020-11-07T15:51:14.081+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-07T15:51:14.082+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PhoneSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T15:51:14.126+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:51:14.197+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'pla'[%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T15:51:14.317+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PlugPlay'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:51:14.318+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PolicyAgent'[%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T15:51:14.393+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-07T15:51:14.393+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-07T15:51:14.393+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:51:14.457+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-07T15:51:14.457+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T15:51:14.457+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000010000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-07T15:51:14.457+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-07T15:51:14.457+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T15:51:14.577+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-07T15:51:14.577+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found device driver pvscsi bootStart
2020-11-07T15:51:14.577+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-07T15:51:14.577+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-07T15:51:14.577+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart
2020-11-07T15:51:14.577+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'QWAVE' [%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T15:51:14.660+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-07T15:51:14.660+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasAcD manual
2020-11-07T15:51:14.660+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-07T15:51:14.660+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RasAuto' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-07T15:51:14.700+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-07T15:51:14.700+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-07T15:51:14.700+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RasMan' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
```


[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPUDD
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPUDD
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-07T15:51:14.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-07T15:51:14.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RemoteAccess' [%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T15:51:14.938+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RemoteRegistry' [%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T15:51:15.024+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RmSvc' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:51:15.085+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RpcEptMapper' [%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T15:51:15.086+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-07T15:51:15.086+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RpcLocator' [%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T15:51:15.136+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RpcSs' [%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-07T15:51:15.138+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RSoPProv' [%SystemRoot%\system32\RSoPProv.exe]/manual depends: RPCSS
2020-11-07T15:51:15.138+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver rspndr autoStart
2020-11-07T15:51:15.138+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver s3cap manual
2020-11-07T15:51:15.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sacdrv bootStart

2020-11-07T15:51:15.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'sacsvr'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:51:15.176+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-07T15:51:15.283+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sbp2port bootStart
2020-11-07T15:51:15.284+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-07T15:51:15.365+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:15.425+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver scfilter manual
2020-11-07T15:51:15.425+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-07T15:51:15.522+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver scmbus bootStart
2020-11-07T15:51:15.522+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver scmdisk0101 manual
2020-11-07T15:51:15.522+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:51:15.522+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-07T15:51:15.522+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-07T15:51:15.523+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:51:15.548+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SENS'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T15:51:15.602+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SensorDataService'[%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-07T15:51:15.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

```
'SensorService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:15.801+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SensrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Sentinel64 autoStart
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sermouse manual
2020-11-07T15:51:15.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ServiceModelEndpoint 3.0.0.0
2020-11-07T15:51:15.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ServiceModelEndpoint 3.0.0.0
2020-11-07T15:51:15.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ServiceModelOperation 3.0.0.0
2020-11-07T15:51:15.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ServiceModelOperation 3.0.0.0
2020-11-07T15:51:15.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ServiceModelService 3.0.0.0
2020-11-07T15:51:15.859+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ServiceModelService 3.0.0.0
2020-11-07T15:51:15.859+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-07T15:51:15.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-07T15:51:15.953+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-07T15:51:16.078+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
```

```
netsvcs]/autoStart depends: RpcSs
2020-11-07T15:51:16.229+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SIM'[C:\Program Files
(x86)\Archestra\OIServerRuntimeComponents\SIM.exe -service
/CLSID={99EF3D29-6021-4E22-9E51-C1AB10727EE7} /ProgID=OI.SIM.1]/manual
depends: slssvc
2020-11-07T15:51:16.230+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-07T15:51:16.230+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-07T15:51:16.230+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SLS
2020-11-07T15:51:16.230+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SLS
2020-11-07T15:51:16.230+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'slssvc'["C:\Program Files
(x86)\Common Files\Archestra\slssvc.exe"]/autoStart depends: <none>
2020-11-07T15:51:16.230+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-07T15:51:16.230+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-07T15:51:16.276+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
3.0.0.0
2020-11-07T15:51:16.276+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
3.0.0.0
2020-11-07T15:51:16.276+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-07T15:51:16.276+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-07T15:51:16.276+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SNMP
2020-11-07T15:51:16.276+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SNMP
2020-11-07T15:51:16.276+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-07T15:51:16.329+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver spaceport bootStart
2020-11-07T15:51:16.329+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SpbCx manual
2020-11-07T15:51:16.329+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
```

RPCSS;http
2020-11-07T15:51:16.466+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'sppsvc' [%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SQLBrowser' ["C:\Program
Files (x86)\Microsoft SQL Server\90\Shared\sqlbrowser.exe"]/autoStart
depends: <none>
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SQLSERVERAGENT' ["C:\Program
Files (x86)\Microsoft SQL
Server\MSSQL12.MSSQLSERVER\MSSQL\Binn\SQLAGENT.EXE" -i
MSSQLSERVER]/autoStart depends: MSSQLSERVER
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SQLWriter' ["C:\Program
Files\Microsoft SQL Server\90\Shared\sqlwriter.exe"]/autoStart depends:
<none>
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver srv autoStart
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver srv2 manual
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver srvnet manual
2020-11-07T15:51:16.735+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SSDPSRV' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: HTTP
2020-11-07T15:51:16.812+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SstpSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:51:16.864+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'StateRepository' [%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:51:16.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver stexstor bootStart
2020-11-07T15:51:16.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'stisvc' [%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-07T15:51:17.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-07T15:51:17.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-07T15:51:17.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver stornvme bootStart
2020-11-07T15:51:17.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart

2020-11-07T15:51:17.124+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'StorSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:17.229+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-07T15:51:17.229+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-07T15:51:17.229+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SuiteLink
2020-11-07T15:51:17.229+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SuiteLink
2020-11-07T15:51:17.229+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'svsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:17.259+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-07T15:51:17.259+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-07T15:51:17.321+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-07T15:51:17.321+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T15:51:17.418+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-07T15:51:17.418+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-07T15:51:17.418+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:51:17.476+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-07T15:51:17.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-07T15:51:17.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-07T15:51:17.574+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

TCPIP6TUNNEL

2020-11-07T15:51:17.574+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL

2020-11-07T15:51:17.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart

2020-11-07T15:51:17.574+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

TCPIPTUNNEL

2020-11-07T15:51:17.574+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL

2020-11-07T15:51:17.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tdx systemStart

2020-11-07T15:51:17.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver terminpt manual

2020-11-07T15:51:17.574+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'TermService' [%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS

2020-11-07T15:51:17.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'Themes' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>

2020-11-07T15:51:17.751+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'TieringEngineService' [%SystemRoot%\system32\TieringEngineService.exe]/m
anual depends: <none>

2020-11-07T15:51:17.830+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'tiledatamodelsvc' [%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository

2020-11-07T15:51:17.946+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>

2020-11-07T15:51:17.946+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL

%windir%\system32\timebrokerserver.dll

2020-11-07T15:51:17.946+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver TPM manual

2020-11-07T15:51:17.946+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs

2020-11-07T15:51:18.011+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>

2020-11-07T15:51:18.110+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD

2020-11-07T15:51:18.110+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSSDD
2020-11-07T15:51:18.110+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-07T15:51:18.110+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-07T15:51:18.110+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tsusbhub manual
2020-11-07T15:51:18.110+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-07T15:51:18.110+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'tvnserver'["C:\Program
Files\TightVNC\tnserver.exe" -service]/autoStart depends: <none>
2020-11-07T15:51:18.110+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'tzautoupdate'[%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T15:51:18.164+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UALSVC'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UASpStor manual
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver udfs disabled
2020-11-07T15:51:18.262+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-07T15:51:18.263+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled
2020-11-07T15:51:18.263+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UevAgentService'[%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-07T15:51:18.362+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-07T15:51:18.362+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-07T15:51:18.362+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-07T15:51:18.362+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-07T15:51:18.362+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-07T15:51:18.362+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-07T15:51:18.362+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T15:51:18.362+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UI0Detect'[%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T15:51:18.398+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver umbus manual
2020-11-07T15:51:18.398+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-07T15:51:18.398+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UmRdpService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T15:51:18.495+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UnistoreSvc'[%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:51:18.496+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'upnphost'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: SSDPSRV;HTTP
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ushub manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-07T15:51:18.570+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbhci manual
2020-11-07T15:51:18.571+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-07T15:51:18.571+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UserDataSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:51:18.571+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UserManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T15:51:18.702+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UsSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:51:18.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'VaultSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T15:51:18.829+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-07T15:51:18.829+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vds'[%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'VGAAuthService'["C:\Program
Files\VMware\VMware Tools\VMware VGAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vhf manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual
2020-11-07T15:51:18.918+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vm3dservice'[%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-07T15:51:18.926+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
```

\\.\vstor2-mntapi20-shared-2F1438020000501F0000000010000000\Windows\system32\oem7.inf

2020-11-07T15:51:18.926+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-07T15:51:18.926+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-07T15:51:18.926+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-07T15:51:18.926+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-07T15:51:18.926+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicguestinterface'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:19.010+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicheartbeat'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:51:19.011+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmickvpexchange'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:19.012+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicrdv'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:51:19.094+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicshutdown'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:19.095+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmictimesync'[%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T15:51:19.096+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:19.096+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>

2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{A60A8DE1-3B60-4657-9394-1221F3A1454C}]/manual depends: rpcss
2020-11-07T15:51:19.097+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-07T15:51:19.097+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmxnet3ndis6 manual
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-07T15:51:19.097+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-07T15:51:19.098+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-07T15:51:19.098+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-07T15:51:19.098+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-07T15:51:19.098+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-07T15:51:19.098+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-07T15:51:19.098+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T15:51:19.224+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-07T15:51:19.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-07T15:51:19.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:51:19.315+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'w3logsvc'[%windir%\system32\svchost.exe -k apphost]/manual depends:
HTTP
2020-11-07T15:51:19.315+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:51:19.315+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'W3SVC'[%windir%\system32\svchost.exe -k iisvcs]/autoStart depends:
WAS;HTTP
2020-11-07T15:51:19.315+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:51:19.315+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-07T15:51:19.315+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T15:51:19.415+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wanarp manual
2020-11-07T15:51:19.415+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-07T15:51:19.415+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WAS'[%windir%\system32\svchost.exe -k iissvcs]/manual depends: RPCSS
2020-11-07T15:51:19.415+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:51:19.415+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Watchdog_Service'["C:\Program Files (x86)\Schneider Electric\Archestra
Service Bus\CoreServices\Asb.Watchdog.exe"]/autoStart depends: <none>
2020-11-07T15:51:19.415+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T15:51:19.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-07T15:51:19.525+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:51:19.593+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscsv
2020-11-07T15:51:19.593+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscsv
2020-11-07T15:51:19.593+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-07T15:51:19.593+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-07T15:51:19.593+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-07T15:51:19.593+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-07T15:51:19.593+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T15:51:19.633+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:51:19.634+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-07T15:51:19.634+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WdNisSvc'["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T15:51:19.704+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Weccsvc'[%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T15:51:19.773+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WEPHOSTSVC'[%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-07T15:51:19.809+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wercplsupport'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-07T15:51:19.850+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WerSvc'[%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-07T15:51:19.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-07T15:51:19.914+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WiaRpc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:51:19.982+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-07T15:51:19.982+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WinDefend'["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T15:51:19.983+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 3.0.0.0
2020-11-07T15:51:19.983+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 3.0.0.0
2020-11-07T15:51:19.983+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:51:19.983+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 4.0.0.0

2020-11-07T15:51:19.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRT
bootStart
2020-11-07T15:51:19.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-07T15:51:19.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-07T15:51:20.107+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-07T15:51:20.107+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-07T15:51:20.223+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WinNat manual
2020-11-07T15:51:20.223+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-07T15:51:20.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-07T15:51:20.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-07T15:51:20.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-07T15:51:20.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-07T15:51:20.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-07T15:51:20.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-07T15:51:20.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wisvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:51:20.514+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-07T15:51:20.514+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-07T15:51:20.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wlidsvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:51:20.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-07T15:51:20.654+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-07T15:51:20.654+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-07T15:51:20.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wmiApSrv'[%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-07T15:51:20.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WMSVC'[%windir%\system32\inetsrv\wmsvc.exe]/manual depends: HTTP
2020-11-07T15:51:20.757+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:51:20.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-07T15:51:20.757+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-07T15:51:20.757+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
2020-11-07T15:51:20.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WPDBusEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:51:20.819+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WpdUpFiltr manual
2020-11-07T15:51:20.819+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WpnService'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T15:51:20.880+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WpnUserService'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:51:20.925+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-07T15:51:20.925+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WSearch'[%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T15:51:21.052+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-07T15:51:21.052+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi
2020-11-07T15:51:21.052+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wuauaserv'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:51:21.194+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver WudfPf manual
2020-11-07T15:51:21.194+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WUDFRd manual
2020-11-07T15:51:21.194+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wudfsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-07T15:51:21.245+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WUDFWpdFs manual
2020-11-07T15:51:21.245+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'WWNetDDE' ["C:\Program Files
(x86)\Common Files\ArchestrA\wnnetdde.exe"]/manual depends: NetDDE
2020-11-07T15:51:21.245+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'XblAuthManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:51:21.459+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'XblGameSave' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-07T15:51:21.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver xboxgip manual
2020-11-07T15:51:21.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver xinpuhid manual
2020-11-07T15:51:21.608+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov
2020-11-07T15:51:21.608+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov
2020-11-07T15:51:21.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'Zabbix
Agent' ["c:\zabbix\zabbix_agentd.exe" --config
"c:\zabbix\zabbix_agentd.conf"]/autoStart depends: <none>
2020-11-07T15:51:21.608+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{4A272B67-ABB8-40E4-93EB-3FF4BF023189}
2020-11-07T15:51:21.608+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{4A272B67-ABB8-40E4-93EB-3FF4BF023189}
2020-11-07T15:51:21.608+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:51:21.608+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:51:21.667+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi181809518830848277
2020-11-07T15:51:21.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:51:21.759+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi113.
2020-11-07T15:51:24.685+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi113\SOFTWARE is
loaded under the name mntApi196464216830848277
2020-11-07T15:51:24.686+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi196464216830848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:51:24.686+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:51:24.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:51:24.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:51:24.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:51:24.703+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi77.
2020-11-07T15:51:25.095+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi77\SYSTEM is
loaded under the name mntApi199408782030848277
2020-11-07T15:51:25.095+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi199408782030848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:51:25.095+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:51:25.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi199408782030848277
2020-11-07T15:51:25.220+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:25.252+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi196464216830848277
2020-11-07T15:51:25.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:25.282+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi253.
2020-11-07T15:51:25.631+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi253\SYSTEM is

loaded under the name mntApi199987776430848277
2020-11-07T15:51:25.694+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi199987776430848277
2020-11-07T15:51:25.697+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:25.697+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get
mountpoints for volume ?2418320000001000000000: 4146 (type = 2,
code=259)
2020-11-07T15:51:25.784+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi197.
2020-11-07T15:51:28.756+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi197\SOFTWARE is
loaded under the name mntApi200489781230848277
2020-11-07T15:51:28.756+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi200489781230848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:51:28.756+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:51:28.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:51:28.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:51:28.757+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:51:28.778+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi67.
2020-11-07T15:51:29.163+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi67\SYSTEM is
loaded under the name mntApi203483538430848277
2020-11-07T15:51:29.163+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi203483538430848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:51:29.163+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:51:29.272+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi203483538430848277
2020-11-07T15:51:29.274+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:29.317+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Unloaded hive mntApi200489781230848277
2020-11-07T15:51:29.329+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:29.346+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi145.
2020-11-07T15:51:29.697+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi145\SYSTEM is
loaded under the name mntApi204051538430848277
2020-11-07T15:51:29.755+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi204051538430848277
2020-11-07T15:51:29.758+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:29.845+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi117.
2020-11-07T15:51:32.821+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi117\SOFTWARE is
loaded under the name mntApi204550543330848277
2020-11-07T15:51:32.821+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi204550543330848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:51:32.821+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:51:32.821+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:51:32.821+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:51:32.821+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:51:32.839+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi113.
2020-11-07T15:51:33.235+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi113\SYSTEM is
loaded under the name mntApi207545000030848277
2020-11-07T15:51:33.235+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi207545000030848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:51:33.235+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed

2020-11-07T15:51:33.321+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi207545000030848277
2020-11-07T15:51:33.323+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:33.362+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi204550543330848277
2020-11-07T15:51:33.374+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:33.391+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161.
2020-11-07T15:51:33.743+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161\SYSTEM is
loaded under the name mntApi208096998330848277
2020-11-07T15:51:33.797+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi208096998330848277
2020-11-07T15:51:33.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:33.886+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi247.
2020-11-07T15:51:36.819+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi247\SOFTWARE is
loaded under the name mntApi208592003730848277
2020-11-07T15:51:36.819+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi208592003730848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:51:36.819+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:51:36.819+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:51:36.819+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:51:36.819+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:51:36.837+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi121.
2020-11-07T15:51:37.225+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi121\SYSTEM is
loaded under the name mntApi211542557630848277

```
2020-11-07T15:51:37.225+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi211542557630848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:51:37.225+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:51:37.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi211542557630848277
2020-11-07T15:51:37.328+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:37.367+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi208592003730848277
2020-11-07T15:51:37.379+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:37.396+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi183.
2020-11-07T15:51:37.740+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi183\SYSTEM is
loaded under the name mntApi212101552730848277
2020-11-07T15:51:37.797+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi212101552730848277
2020-11-07T15:51:37.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:51:37.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-07T15:51:37.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk
2020-11-07T15:51:37.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx
2020-11-07T15:51:37.800+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key
QueryManagerImpl::Query=55e49825f5d8bf7b8a0360fe68f8c156777a46eb
2020-11-07T15:51:37.806+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ===
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:
--> (converter.info.ComputerInfo) {
-->     hardwareInfo = (converter.info.ComputerHardwareInfo) {
-->         storage = (converter.info.StorageInfo) {
-->             disk = (converter.info.StorageInfo.DiskInfo) [
```

```

-->         (converter.info.StorageInfo.DiskInfo) {
-->             diskId = "disk-5",
-->             capacityInBytes = 42949672960,
-->             diskUsageInBytes = 42949672960,
-->             biosNumber = <unset>,
-->             lvg = false,
-->             lvgName = <unset>,
-->             gpt = false,
-->             signature = 37229615,
-->             diskGuid = <unset>,
-->             sectorSize = <unset>
-->         },
-->         (converter.info.StorageInfo.DiskInfo) {
-->             diskId = "disk-6",
-->             capacityInBytes = 64424509440,
-->             diskUsageInBytes = 64424509440,
-->             biosNumber = <unset>,
-->             lvg = false,
-->             lvgName = <unset>,
-->             gpt = false,
-->             signature = 2091757959,
-->             diskGuid = <unset>,
-->             sectorSize = <unset>
-->         },
-->         (converter.info.StorageInfo.DiskInfo) {
-->             diskId = "disk-7",
-->             capacityInBytes = 42949672960,
-->             diskUsageInBytes = 42949672960,
-->             biosNumber = <unset>,
-->             lvg = false,
-->             lvgName = <unset>,
-->             gpt = false,
-->             signature = 73182283,
-->             diskGuid = <unset>,
-->             sectorSize = <unset>
-->         }
-->     ],
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->         (converter.info.StorageInfo.VolumeInfo) {
-->             volumeId = "?24183200000010000000000",
-->             diskId = (string) [
-->                 "disk-5"
-->             ],
-->             partitionNumber = 1,
-->             primary = true,
-->             active = true,
-->             partitionType = 7,
-->             partitionGuid = <unset>,
-->             partitionUuid = <unset>,

```

```

-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "Réservé au système",
-->         capacityInBytes = 524288000,
-->         spaceUsedInBytes = 354906112,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = "?2418320000005?100000000",
-->         diskId = (string) [
-->             "disk-5"
-->         ],
-->         partitionNumber = 2,
-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "",
-->         capacityInBytes = 42423287808,
-->         spaceUsedInBytes = 31388561408,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = "7(1+*<70000010000000000",
-->         diskId = (string) [
-->             "disk-6"
-->         ],
-->         partitionNumber = 1,
-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,

```



```

-->         label = "DATA",
-->         capacityInBytes = 64421363712,
-->         spaceUsedInBytes = 198262784,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ";4<*<540000001000000000",
-->         diskId = (string) [
-->             "disk-7"
-->         ],
-->         partitionNumber = 1,
-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "TEst",
-->         capacityInBytes = 42946527232,
-->         spaceUsedInBytes = 90914816,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [
-->             (converter.info.NetworkInfo.HostedNicInfo) {
-->                 nicId = "ethernet-10",
-->                 connected = true,
-->                 label = "ethernet0",
-->                 connectionType = <unset>
-->             }
-->         ]
-->     },
-->     basicHardware = (converter.info.BasicHardwareInfo) {
-->         numCPUs = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 8192

```

```

-->     },
-->     configInfo = (vim.vm.ConfigInfo) {
-->         changeVersion = "",
-->         modified = "1970-01-01T00:00:00Z",
-->         name = "NHF-INBACH",
-->         guestFullName = "",
-->         version = "vmx-13",
-->         uuid = "cf 7d 21 42 58 09 89 5a-22 a9 d5 3f a1 75 88 49",
-->         instanceUuid = <unset>,
-->         npivWorldWideNameType = <unset>,
-->         npivDesiredNodeWwns = <unset>,
-->         npivDesiredPortWwns = <unset>,
-->         npivTemporaryDisabled = <unset>,
-->         npivOnNonRdmDisks = <unset>,
-->         locationId = "56 4d ca f3 4d 73 d2 51-db b1 85 f4 58 55 9e
1a",
-->         template = false,
-->         guestId = "windows9Server64Guest",
-->         alternateGuestName = "",
-->         annotation = <unset>,
-->         files = (vim.vm.FileInfo) {
-->             vmPathName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx",
-->             snapshotDirectory = <unset>,
-->             suspendDirectory = <unset>,
-->             logDirectory = <unset>,
-->             ftMetadataDirectory = <unset>
-->         },
-->         tools = (vim.vm.ToolsConfigInfo) {
-->             toolsVersion = <unset>,
-->             afterPowerOn = true,
-->             afterResume = true,
-->             beforeGuestStandby = true,
-->             beforeGuestShutdown = true,
-->             beforeGuestReboot = <unset>,
-->             toolsUpgradePolicy = "manual",
-->             pendingCustomization = <unset>,
-->             syncTimeWithHost = false,
-->             lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->             upgradeRebootPredict = <unset>
-->         },
-->         flags = (vim.vm.FlagInfo) {
-->             disableAcceleration = false,
-->             enableLogging = true,
-->             useToe = <unset>,
-->             runWithDebugInfo = <unset>,
-->             monitorType = "release",

```

```

-->         htSharing = <unset>,
-->         snapshotDisabled = <unset>,
-->         snapshotLocked = <unset>,
-->         diskUuidEnabled = <unset>,
-->         virtualMmuUsage = <unset>,
-->         virtualExecUsage = <unset>,
-->         snapshotPowerOffBehavior = <unset>,
-->         recordReplayEnabled = <unset>,
-->         faultToleranceType = <unset>
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = <unset>,
-->         suspendType = <unset>,
-->         resetType = <unset>,
-->         defaultPowerOffType = <unset>,
-->         defaultSuspendType = <unset>,
-->         defaultResetType = <unset>,
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 8192,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,
-->             },
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 2,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide1",
-->                     summary = "IDE Controller 1"
-->                 },

```

```

-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 1,
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 3,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",

```

```

-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHf-INBACH\NHf-INBACH.vmdk"
,
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 6,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:1",
-->             summary = "Hard Disk 2"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHf-INBACH\NHf-INBACH_1.vmdk",
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 1,
-->         capacityInKB = 62914560,

```

```

-->         capacityInBytes = 64424509440,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 7,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:2",
-->             summary = "Hard Disk 3"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH_2.vmd
k",
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 2,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualCdrom) {
-->         key = 8,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0:0",
-->             summary = "CD-ROM 1"
-->         },
-->     },

```

```

-->         backing =
(vim.vm.device.VirtualCdrom.RemoteAtapiBackingInfo) {
-->             deviceName = "emptyBackingString",
-->             useAutoDetect = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 4,
-->         unitNumber = 0
-->     },
-->     (vim.vm.device.VirtualFloppy) {
-->         key = 9,
-->         deviceInfo = (vim.Description) {
-->             label = "floppy0",
-->             summary = "Floppy 1"
-->         },
-->         backing =
(vim.vm.device.VirtualFloppy.RemoteDeviceBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = false,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = 0
-->     },
-->     (vim.vm.device.VirtualVmxnet3) {
-->         key = 10,
-->         deviceInfo = (vim.Description) {
-->             label = "ethernet0",
-->             summary = "Ethernet 0"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "",

```

```

-->         useAutoDetect = <unset>,
-->         network = <unset>,
-->         inPassthroughMode = <unset>
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->         startConnected = true,
-->         allowGuestControl = true,
-->         connected = false,
-->         status = <unset>
-->     },
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "assigned",
-->         macAddress = "00:50:56:a1:b5:71",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 11,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
-->     (vim.vm.device.VirtualVMCIDevice) {
-->         key = 12,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing =

```



```

(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->         }
-->     ]
--> },
-->     cpuAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = <unset>,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     latencySensitivity = (vim.LatencySensitivity) null,
-->     memoryHotAddEnabled = false,
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,
-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "config.readOnly",
-->             value = "FALSE"
-->         },

```

```
-->         (vim.option.OptionValue) {
-->             key = "svga.present",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.guestBackedPrimaryAware",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.mem.min",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ef42915b-889a-ab8e
--> -6570-e4434b055966/NHF-INBACH-8ea7c8cf.vswp"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.syncTime",
-->             value = "false"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.guest.desktop.autolock",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.remindInstall",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.ctkEnabled",
-->             value = "True"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:1.ctkEnabled",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:2.ctkEnabled",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "ethernet0.shares",
-->             value = "normal"
```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.uptCompatibility",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "vc.uuid",
-->     value = "ee 13 21 50 53 94 de 66-6b bc 5f 05 d1 94 93
63"
--> },
--> (vim.option.OptionValue) {
-->     key = "nvram",
-->     value = "NHF-INBACH.nvram"
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "disk.EnableUUID",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "5043928480328588401"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-2833367544432486491"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = "0"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.description",
-->     value = "VMware Tools 11.1.1 build 16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionNumber",
-->     value = "11297"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionString",
-->     value = "11.1.1"
--> },
--> (vim.option.OptionValue) {
-->     key = "virtualHW.productCompatibility",
-->     value = "hosted"
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:2.redo",
-->     value = ""
--> },
--> },
```

```
-->         (vim.option.OptionValue) {
-->             key = "scsi0:1.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestOS.detailed.data",
-->             value = ""
-->         }
-->     ],
-->     cpuFeatureMask = (vim.host.CpuIdInfo) [
-->         (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 1,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 1,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = -2147483648,
-->             vendor = <unset>,
```

```
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
```

```

-->     bootOptions = (vim.vm.BootOptions) {
-->         bootDelay = 0,
-->         enterBIOSSetup = false,
-->         bootRetryEnabled = <unset>,
-->         bootRetryDelay = <unset>,
-->         networkBootProtocol = <unset>,
-->     },
-->     ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
-->     repConfig = (vim.vm.ReplicationConfigSpec) null,
-->     vAppConfig = (vim.vApp.VmConfigInfo) null,
-->     vAssertsEnabled = <unset>,
-->     changeTrackingEnabled = <unset>,
-->     firmware = <unset>,
-->     maxMksConnections = <unset>,
-->     guestAutoLockEnabled = <unset>,
-->     managedBy = (vim.ext.ManagedByInfo) null,
-->     memoryReservationLockedToMax = <unset>,
-->     initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
-->     nestedHVEEnabled = <unset>,
-->     vPMCEnabled = <unset>,
-->     scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
-->     forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->     vFlashCacheReservation = <unset>,
-->     vmxConfigChecksum = <unset>,
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = <unset>,
-->     vmStorageObjectId = <unset>,
-->     swapStorageObjectId = <unset>,
--> },
-->     currentEfiBootEntry = <unset>
--> },
-->     osInfo = (converter.info.ComputerOsInfo) {
-->         osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->             guestOsId = "windows8srv-64",
-->             displayName = "Windows Server 2012 (64-bit)",
-->             osType = "windowsOs",
-->             osEdition = "Server",
-->             distribution = <unset>,
-->             majorVersion = 6,
-->             minorVersion = 3,
-->             kernelVersion = <unset>,
-->             os64Bit = true,
-->             spLevel = <unset>
-->         },
-->         hostname = "NHF-INBACH",
-->         activeVolumeId = "?24183200000010000000000",
-->         systemVolumeId = "?2418320000005?100000000",
-->         logicalVolumeInfo =

```

```

(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->     (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->         volumeId = "?2418320000001000000000",
-->         volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->             minSizeInBytes = 459763712,
-->             canBeSkipped = true,
-->             canBeResized = true,
-->             canBeMovedToAnotherDisk = false,
-->             canChangeClusterSize = true,
-->             canChangeType = true
-->         },
-->     },
-->     (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->         volumeId = "?2418320000005?100000000",
-->         mountPoint = (string) [
-->             "C:"
-->         ],
-->         volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->             minSizeInBytes = 34527417548,
-->             canBeSkipped = true,
-->             canBeResized = true,
-->             canBeMovedToAnotherDisk = false,
-->             canChangeClusterSize = true,
-->             canChangeType = true
-->         }
-->     },
-->     (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->         volumeId = "7(1+*=*<70000010000000000",
-->         mountPoint = (string) [
-->             "E:"
-->         ],
-->         volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->             minSizeInBytes = 303120384,
-->             canBeSkipped = true,
-->             canBeResized = true,
-->             canBeMovedToAnotherDisk = true,
-->             canChangeClusterSize = true,
-->             canChangeType = true
-->         }
-->     },
-->     (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->         volumeId = ";4*<5400000010000000000",
-->         mountPoint = (string) [
-->             "D:"
-->         ],
-->         volumeCloneFlags =

```



```

(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->     minSizeInBytes = 195772416,
-->     canBeSkipped = true,
-->     canBeResized = true,
-->     canBeMovedToAnotherDisk = true,
-->     canChangeClusterSize = true,
-->     canChangeType = true
--> }
--> }
--> ],
--> reconfigPrerequisites = (converter.info.ReconfigPrerequisites)
null,
--> services = (converter.info.ServiceInfo) [
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaBootstrap",
-->         displayName = "ArchestrA Bootstrap",
-->         description = "Utility to bootstrap an ArchestrA runtime
to support code-module deployment and process monitoring.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaGlobalDataCacheMonitorSvr",
-->         displayName = "ArchestrA GlobalDataCacheMonitorServer",
-->         description = "GlobalDataCacheMonitorServer service to
process file change notifications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaGR",
-->         displayName = "ArchestrA GalaxyRepository",
-->         description = "Galaxy Repository service to process
requests to the ArchestrA configuration subsystem",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aahClientAccessPoint",
-->         displayName = "Wonderware Historian Client Access
Point",
-->         description = "Manages client communication with
Historian Server",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaLogger",
-->         displayName = "ArchestrA Logger",
-->         description = "ArchestrA Logger Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaUserValidator",
-->         displayName = "ArchestrA UserValidator",
-->         description = "UserValidator service to process user
validations for ArchestrA",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AJRouter",
-->         displayName = "Service de routeur AllJoyn",
-->         description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ALG",
-->         displayName = "Service de la passerelle de la couche
Application",
-->         description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppHostSvc",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30011",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30012",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "AppIDSvc",
-->         displayName = "Identité de l'application",
-->         description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Appinfo",
-->         displayName = "Informations d'application",
-->         description = "Permet d'exécuter les applications
interactives avec des droits d'administration supplémentaires. Si ce
service est arrêté, les utilisateurs ne pourront pas lancer les
applications avec les droits d'administration supplémentaires
nécessaires pour effectuer les tâches utilisateur souhaitées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",

```

```

-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ArchestrADataStore",
-->         displayName = "ArchestrA Data Store",
-->         description = "The ArchestrA Data Store service.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AsbServiceManager",
-->         displayName = "ArchestrA Service Manager Service",
-->         description = "Utility to manage all the service hosts
and instances.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aspnet_state",
-->         displayName = "ASP.NET State Service",
-->         description = "Provides support for out-of-process
session states for ASP.NET. If this service is stopped, out-of-process
requests will not be processed. If this service is disabled, any
services that explicitly depend on it will fail to start.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AudioEndpointBuilder",
-->         displayName = "Générateur de points de terminaison du
service Audio Windows",
-->         description =

```

```

"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Audiosrv",
-->         displayName = "Audio Windows",
-->         description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AutoBuild_Service",
-->         displayName = "ArchestrA AutoBuild Service",
-->         description = "ArchestrA AutoBuild Service.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AxInstSV",
-->         displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->         description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la
stratégie de groupe. Ce service est démarré sur demande et, s'il est
désactivé, l'installation des contrôles ActiveX se comporte conformément
aux paramètres par défaut du navigateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BFE",
-->         displayName = "Moteur de filtrage de base",
-->         description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),
et qui implémente le filtrage en mode utilisateur. L'arrêt ou la
désactivation du service Moteur de filtrage de base diminue
significativement la sécurité du système et aboutit également à un
fonctionnement imprévisible des applications de gestion et de pare-feu
IPsec.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BITS",
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",
-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils

```

```

connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le
minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ClipSVC",
-->         displayName = "Service de licences de client (ClipSVC)",
-->
-->         description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "COMSysApp",
-->         displayName = "Application système COM+",
-->         description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CoreMessagingRegistrar",
-->         displayName = "CoreMessaging",
-->         description = "Manages communication between system
components.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CryptSvc",
-->         displayName = "Services de chiffrement",
-->         description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de
gestion ne fonctionneront pas correctement. Si ce service est désactivé,
les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CscService",
-->         displayName = "Fichiers hors connexion",
-->         description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service

```


est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne fonctionnent pas correctement. Il est fortement recommandé d'exécuter le service DCOMLAUNCH.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques
câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
```

```

-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
téléométrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de téléométrie offre des fonctionnalités qui prennent en
charge les expériences des utilisateurs connectés et in-app. En outre,
ce service gère la collecte et la transmission des informations de
diagnostic et d'utilisation en fonction des événements (afin d'améliorer
l'expérience et la qualité de la plateforme Windows) lorsque les
paramètres des options de confidentialité des diagnostics et de
l'utilisation sont activés sous Commentaires & diagnostics.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des

```

```

périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dnscache",
-->         displayName = "Client DNS",
-->         description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dot3svc",
-->         displayName = "Configuration automatique de réseau
câblé",
-->         description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DPS",
-->         displayName = "Service de stratégie de diagnostic",
-->         description = "Le service de stratégie de diagnostic

```

permet la détection, le dépannage et la résolution de problèmes pour les composants de Windows. Si ce service est arrêté, les diagnostics ne fonctionnent plus.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsmSvc",
-->         displayName = "Gestionnaire d'installation de
périphérique",
-->         description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsSvc",
-->         displayName = "Service de partage des données",
-->         description = "Fournit l'intermédiation des données
entre les applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Eaphost",
-->         displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->         description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
nécessitent l'authentification EAP.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EFS",
-->         displayName = "Système de fichiers EFS (Encrypting File
System)",
-->         description = "Fournit la technologie de chiffrement des
```

```

fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "embeddedmode",
-->         displayName = "Mode incorporé",
-->         description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EntAppSvc",
-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventSystem",
-->         displayName = "Système d'événement COM+",
-->         description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations

```

d'ouverture et de fermeture de session. Si ce service est désactivé, le démarrage de tout service qui en dépend explicitement échouera.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "fdPHost",
-->         displayName = "Hôte du fournisseur de découverte de
fonctions",
-->         description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery
Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la
désactivation du service FDPHOST désactivera la découverte de réseau
pour ces protocoles lors de l'utilisation de la découverte de fonction.
Lorsque ce service n'est pas disponible, les services réseau qui
utilisent la découverte de fonction et qui dépendent de ces protocoles
de découverte ne pourront pas trouver des périphériques ou des
ressources réseau.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FDResPub",
-->         displayName = "Publication des ressources de découverte
de fonctions",
-->         description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache",
-->         displayName = "Service de cache de police Windows",
-->         description = "Optimise les performances des
applications en mettant en cache les données des polices communément
utilisées. Les applications démarrent ce service s'il n'est pas déjà en
fonctionnement. Il peut être désactivé ; il en résulte cependant une
dégradation des performances des applications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache3.0.0.0",
-->         displayName = "Cache de police de Windows Presentation
Foundation 3.0.0.0",
-->         description = "Optimise les performances des
applications Windows Presentation Foundation (WPF) en mettant en cache
les données de police fréquemment utilisées. Les applications WPF
démarrrent ce service s'il n'est pas déjà en cours d'exécution. Ce
dernier peut être désactivé ; toutefois, cela entraîne une dégradation
des performances des applications WPF.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "GATEWAY",
-->         displayName = "GATEWAY",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
l'application des paramètres configurés par les administrateurs pour
l'ordinateur et pour les utilisateurs via le composant de stratégie de
groupe. Si le service est désactivé, les paramètres ne seront pas
appliqués, et les applications et les composants ne seront pas gérables
par la stratégie de groupe. Tout composant ou application qui dépend du
composant de stratégie de groupe risque de ne pas fonctionner si le
service est désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",

```

```

-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",
-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IISADMIN",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30007",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30008",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
Internet Protocol). Ces modules de génération de clés sont utilisés pour
l'authentification et l'échange de clés dans la sécurité IP (IPsec).
L'arrêt ou la désactivation du service IKEEXT entraînera la

```


désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs homologues. IPsec est généralement configuré pour utiliser IKE ou AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT risque de conduire à la défaillance d'IPsec et de compromettre la sécurité du système. Il est fortement recommandé d'activer l'exécution du service IKEEXT.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_BatchMngr",
-->         displayName = "InBatch_BatchMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_EnvMngr",
-->         displayName = "InBatch_EnvMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_HistQMngr",
-->         displayName = "InBatch_HistQMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_HistQReader",
-->         displayName = "InBatch_HistQReader",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBCli",
-->         displayName = "InBatch_IBCli",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
```

```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBCli_F1",
-->         displayName = "InBatch_IBCli_F1",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBMX",
-->         displayName = "InBatch_IBMX",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBServ",
-->         displayName = "InBatch_IBServ",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_InfoMngr",
-->         displayName = "InBatch_InfoMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_lm_tcp",
-->         displayName = "InBatch_lm_tcp",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_MemTagMngr",
-->         displayName = "InBatch_MemTagMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
--> }
```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_SecMngr",
-->             displayName = "InBatch_SecMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_SimMngr",
-->             displayName = "InBatch_SimMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_UnlkMngr",
-->             displayName = "InBatch_UnlkMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "iphlpvc",
-->             displayName = "Assistance IP",
-->             description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPV6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "KeyIso",
-->             displayName = "Isolation de clé CNG",
-->             description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de
processus de clé aux clés privés et aux opérations de chiffrement
associées, conformément aux critères communs. Le service stocke et
utilise des clés à long terme dans le cadre d'un processus sécurisé
répondant aux exigences des critères communs.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "KPSSVC",
-->             displayName = "Service Serveur proxy KDC",
-->             description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "KtmRm",
-->             displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->             description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce
service automatiquement. Si ce service est désactivé, toute transaction
MSDTC interagissant avec un gestionnaire de transactions du noyau échoue
et tout service qui en dépend de façon explicite ne parvient pas à
démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "LanmanServer",
-->             displayName = "Serveur",
-->             description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "LanmanWorkstation",
-->             displayName = "Station de travail",
-->             description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce
service est arrêté, ces connexions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lfsvc",
-->         displayName = "Service de géolocalisation",
-->         description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "License Server Agent Service",
-->         displayName = "License Server Agent Service",
-->         description = "Provides data model to operate License
server",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "License Server Core Service",
-->         displayName = "License Server Core Service",
-->         description = "Provides data model information for FNE
Manager",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "License Server Sam Service",
-->         displayName = "License Server Sam Service",
-->         description = "Provides data model to operate License
server",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LicenseManager",
-->         displayName = "Serveur Gestionnaire de licences
Windows",
-->         description = "Permet la prise en charge de
l'infrastructure du Windows Store. Ce service démarre à la demande. S'il
est désactivé, le contenu acheté via le Windows Store ne se comporte pas
correctement.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LicenseManagerDataService",
-->         displayName = "Invensys License Manager",
-->         description = "Provides data model information for
License Manager",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lltdsvc",
-->         displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->         description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lmhosts",
-->         displayName = "Assistance NetBIOS sur TCP/IP",
-->         description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
présents sur le réseau, ce qui permet aux utilisateurs de partager des
fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce
service est arrêté, ces fonctions risquent de ne pas être disponibles.
Si ce service est désactivé, les services qui en dépendent explicitement
ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LMWebService",
-->         displayName = "License Manager Web Service",
-->         description = "Provides web access for License Manager",

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "LSM",
-->             displayName = "@%windir%\system32\lsm.dll,-1001",
-->             description = "@%windir%\system32\lsm.dll,-1002",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MapsBroker",
-->             displayName = "Gestionnaire des cartes téléchargées",
-->             description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
cartes.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MpsSvc",
-->             displayName = "Pare-feu Windows",
-->             description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MSDTC",
-->             displayName = "Coordinateur de transactions
distribuées",
-->             description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "MSiSCSI",
-->             displayName = "Service Initiateur iSCSI de Microsoft",
-->             description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur

```

les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui dépendent explicitement de lui ne pourront plus démarrer.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "msiserver",
-->         displayName = "Windows Installer",
-->         description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSSQLSERVER",
-->         displayName = "SQL Server (MSSQLSERVER)",
-->         description = "Provides storage, processing and
controlled access of data, and rapid transaction processing.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MWHostService",
-->         displayName = "Wonderware Middleware Host",
-->         description = "The Wonderware Middleware Host Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcaSvc",
-->         displayName = "Assistant Connectivité réseau",
-->         description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcbService",
-->         displayName = "Service Broker pour les connexions
réseau",
-->         description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
```



```

notifications d'Internet.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netlogon",
-->         displayName = "NetLogon",
-->         description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur
peut ne pas authentifier les utilisateurs et les services et le
contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si
ce service est désactivé, tout service qui en dépend explicitement ne
pourra pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",
-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetSetupSvc",
-->         displayName = "Service Configuration du réseau",
-->         description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NetTcpPortSharing",
-->         displayName = "Service de partage de ports Net.Tcp",
-->         description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcCtnrSvc",
-->         displayName = "Conteneur Microsoft Passport",
-->         description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NgcSvc",
-->         displayName = "Microsoft Passport",
-->         description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les
fonctions d'utilisation et de gestion de ces clés, telles que
l'ouverture de session et l'authentification unique pour les
applications et les sites web, ne seront pas disponibles. Ce service
démontre et s'arrête automatiquement. Il est recommandé de ne pas le
reconfigurer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NlaSvc",
-->         displayName = "Connaissance des emplacements réseau",
-->         description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne

```

```

pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NmxSvc",
-->         displayName = "NmxSvc",
-->         description = "Network Message Exchange Service to
handle IAS interprocess communication.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "nsi",
-->         displayName = "Service Interface du magasin réseau",
-->         description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité
réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "OneSyncSvc",
-->         displayName = "Hôte de synchronisation",
-->         description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "OpcEnum",
-->         displayName = "OpcEnum",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des

```

```

programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les
programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhost.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",
-->
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PimIndexMaintenanceSvc",
-->         displayName = "Données de contacts",
-->         description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce
service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "pla",
-->         displayName = "Journaux & alertes de performance",
-->         description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PlugPlay",
-->         displayName = "Plug-and-Play",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PolicyAgent",
-->         displayName = "Agent de stratégie IPsec",
-->         description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Power",
-->         displayName = "Alimentation",
-->         description = "Gère la stratégie d'alimentation et la
remise de notification de stratégie d'alimentation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PrintNotify",
-->         displayName =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->         description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ProfSvc",
-->         displayName = "Service de profil utilisateur",
-->         description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir

```

les données des utilisateurs, et les composants inscrits pour recevoir les notifications d'événements de profils ne les recevront pas.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "QWAVE",
-->         displayName = "Expérience audio-vidéo haute qualité
Windows",
-->         description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasAuto",
-->         displayName = "Gestionnaire des connexions automatiques
d'accès à distance",
-->         description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasMan",
-->         displayName = "Gestionnaire des connexions d'accès à
distance",
-->         description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteAccess",
-->         displayName = "Routage et accès distant",
```

```

-->         description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteRegistry",
-->         displayName = "Registre à distance",
-->         description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RmSvc",
-->         displayName = "Service de gestion radio",
-->         description = "Service de gestion radio et de mode
Avion",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcEptMapper",
-->         displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->         description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcLocator",
-->         displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->         description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure
distante (RPC) gère la base de données du service de nom RPC. Dans
Windows Vista et les versions ultérieures de Windows, ce service ne
fournit aucune fonctionnalité et est présent à des fins de compatibilité
applicative.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "RpcSs",
-->             displayName = "Appel de procédure distante (RPC)",
-->             description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets
et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM.
Si ce service est arrêté ou désactivé, les programmes utilisant COM ou
DCOM ne fonctionnent pas correctement. Il est fortement recommandé
d'exécuter le service RPCSS.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "RSOPProv",
-->             displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->             description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "sacsvr",
-->             displayName = "Application d'assistance de la Console
d'administration spéciale",
-->             description = "Permet aux administrateurs d'accéder à
distance à une invite de commandes en utilisant les services de gestion
d'urgence.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SamSs",
-->             displayName = "Gestionnaire de comptes de sécurité",
-->             description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->             currentState = "stopped",
-->             startType = "autoStart",

```



```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCardSvr",
-->         displayName = "Carte à puce",
-->         description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ScDeviceEnum",
-->         displayName = "Service d'énumération de périphériques de
carte à puce",
-->         description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Schedule",
-->         displayName = "Planificateur de tâches",
-->         description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCPolicySvc",
-->         displayName = "Stratégie de retrait de la carte à puce",
-->
-->         description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "seclogon",
-->             displayName = "Ouverture de session secondaire",
-->             description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SENS",
-->             displayName = "Service de notification d'événements
système",
-->             description = "Analyse les événements système et notifie
leur existence aux abonnés du système d'événements COM+.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SensorDataService",
-->             displayName = "Service Données de capteur",
-->             description = "Fournit les données d'une variété de
capteurs",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SensorService",
-->             displayName = "Service de capteur",
-->             description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de
périphérique simple rapportant les changements d'orientation du
périphérique. Si le service est interrompu ou désactivé, le capteur
d'orientation de périphérique simple ne sera pas chargé et la rotation
automatique n'aura pas lieu. La collecte d'historiques des capteurs sera
également interrompue.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "SensrSvc",
-->             displayName = "Service de surveillance des capteurs",
-->             description = "Surveillance plusieurs capteurs pour exposer

```

les données et s'adapter aux divers états utilisateur et du système. Si le service est arrêté ou désactivé, la brillance de l'affichage ne s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut également affecter d'autres fonctionnalités du système.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SessionEnv",
-->         displayName = "Configuration des services Bureau à
distance",
-->         description = "Le service Configuration des services
Bureau à distance (RDCS) est responsable de toutes les activités de
maintenance de session et de configuration du Bureau à distance et des
services Bureau à distance nécessitant un contexte SYSTEM. Il faut y
inclure les dossiers temporaires par session, ainsi que les thèmes et
certificats des services Bureau à distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SharedAccess",
-->         displayName = "Partage de connexion Internet (ICS)",
-->         description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ShellHWDetection",
-->         displayName = "Détection matériel noyau",
-->         description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SIM",
-->         displayName = "SIM",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "slssvc",
-->         displayName = "Wonderware SuiteLink",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "smphost",
-->         displayName = "SMP de l'Espace de stockages Microsoft",
-->         description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SNMPTRAP",
-->         displayName = "Interruption SNMP",
-->         description = "Reçoit les messages d'interception
généralés par les agents SNMP (Simple Network Management Protocol) locaux
ou distants et transmet les messages aux programmes de gestion SNMP
s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes
à base SNMP sur cet ordinateur ne recevront pas les messages
d'interception SNMP. Si ce service est désactivé, tous les services qui
en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "spssvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications
Windows. Si le service est désactivé, le système d'exploitation et les

```

applications sous licence peuvent s'exécuter dans un mode de notification. Et il est instamment recommandé de ne pas désactiver le service de protection logicielle.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SQLBrowser",
-->         displayName = "SQL Server Browser",
-->         description = "Provides SQL Server connection
information to client computers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SQLSERVERAGENT",
-->         displayName = "SQL Server Agent (MSSQLSERVER)",
-->         description = "Executes jobs, monitors SQL Server, fires
alerts, and allows automation of some administrative tasks.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SQLWriter",
-->         displayName = "SQL Server VSS Writer",
-->         description = "Provides the interface to backup/restore
Microsoft SQL server through the Windows VSS infrastructure.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDPSRV",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les
périphériques SSDP ne seront pas découverts. S'il est désactivé, tous
les services qui dépendent explicitement de lui ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
```

```
-->         displayName = "Service SSTP (Secure Socket Tunneling
Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
```

```

-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stylet et
d'entrée manuscrite du clavier tactile et du volet d'écriture
manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter
de manière interactive à un ordinateur distant. Le Bureau à distance et
le serveur hôte de session Bureau à distance dépendent de ce service.
Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les
cases à cocher situées sous l'onglet Utilisation à distance des
Propriétés système via l'élément Système du Panneau de configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",
-->         description = "Serveur de vignettes pour la mise à jour
des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =

```



```

"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tvnserver",
-->         displayName = "TightVNC Server",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du
fuseau horaire",
-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UALSVC",

```

```

-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;
l'utilisation du service et des données UAL ne décharge pas de cette
obligation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être
perdu. Si ce service est désactivé, les notifications des nouvelles
boîtes de dialogue de services interactifs ainsi que leur accès ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UmRdpService",

```

```

-->         displayName = "Redirection de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserManager",
-->         displayName = "Gestionnaire des utilisateurs",
-->         description = "Le Gestionnaire des utilisateurs fournit

```

les composants d'exécution requis pour une interaction multi-utilisateur. Si ce service est arrêté, certaines applications risquent de ne pas fonctionner correctement.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UsoSvc",
-->         displayName = "Service Update Orchestrator pour Windows
Update",
-->         description = "UsoSvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VaultSvc",
-->         displayName = "Gestionnaire d'informations
d'identification",
-->         description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vds",
-->         displayName = "Disque virtuel",
-->         description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VGAuthService",
-->         displayName = "VMware Alias Manager and Ticket Service",
-->
-->         description = "Alias Manager and Ticket Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vm3dservice",
```

```

-->         displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->         description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicguestinterface",
-->         displayName = "Interface de services d'invité Hyper-V",
-->         description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicrdv",
-->         displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->         description = "Fournit une plateforme pour la
communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicshutdown",
-->         displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->         description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmictimesync",
-->         displayName = "Service Synchronisation date/heure
Microsoft Hyper-V",
-->         description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvmsession",
-->         displayName = "Service Hyper-V PowerShell Direct",
-->         description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvss",
-->         displayName = "Requête du service VSS Microsoft
Hyper-V",
-->         description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation
de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VMTools",
-->         displayName = "VMware Tools",
-->         description = "Fournit un support pour la

```

synchronisation des objets entre les systèmes d'exploitation hôte et invité.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmvss",
-->         displayName = "VMware Snapshot Provider",
-->         description = "VMware Snapshot Provider",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VSS",
-->         displayName = "Cliché instantané des volumes",
-->         description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si
ce service est arrêté, les clichés instantanés ne seront pas disponibles
pour la sauvegarde et la sauvegarde échouera. Si ce service est
désactivé, les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W32Time",
-->         displayName = "Temps Windows",
-->         description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "w3logsvc",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30014",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30015",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
--> }
```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "W3SVC",
-->             displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30003",
-->             description =
"@%windir%\system32\inetsrv\iisres.dll,-30004",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WalletService",
-->             displayName = "WalletService",
-->             description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WAS",
-->             displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30001",
-->             description =
"@%windir%\system32\inetsrv\iisres.dll,-30002",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "Watchdog_Service",
-->             displayName = "Archestra Watchdog Service",
-->             description = "Utility to start all the Core Services
for Archestra SOA components.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WbioSrv",
-->             displayName = "Service de biométrie Windows",
-->             description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true

```



```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wcmsvc",
-->         displayName = "Gestionnaire des connexions Windows",
-->         description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau
actuellement disponibles à l'ordinateur, et active la gestion de la
connectivité réseau en fonction des paramètres de la stratégie de
groupe.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiServiceHost",
-->         displayName = "Service hôte WDIServiceHost",
-->         description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiSystemHost",
-->         displayName = "Hôte système de diagnostics",
-->         description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de système local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",
-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "Wecsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
persistants à des événements de sources distantes prenant en charge le
protocole Gestion de services Web. Cela inclut les journaux d'événements
de Windows Vista, les sources d'événements matériels et IPMI. Le service
stocke les événements transférés dans un journal d'événements local. Si
ce service est arrêté ou désactivé, des abonnements aux événements ne
peuvent pas être créés et les événements transférés ne peuvent pas être
acceptés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de
configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de

```

```

diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",

-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client
et fournit aux développeurs une API Win32 et un composant
d'automatisation COM pour l'envoi des demandes HTTP et la réception des
réponses. En outre, WinHTTP prend en charge la découverte automatique
d'une configuration de proxy via son implémentation du protocole WPAD
(Web Proxy Auto-Discovery).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",
-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",

```

```

-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion
WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à
distance. La Gestion des services Web est un protocole standard utilisé
pour la gestion à distance de logiciels et de matériels. Le service
Gestion à distance de Windows traite les demandes Gestion des services
Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la
stratégie de groupe. Ce service donne accès aux données WMI et permet le
recueil d'événements. Le recueil d'événements et l'abonnement exigent
que ce service s'exécute. Les messages du service Gestion à distance de
Windows utilisent HTTP et HTTPS. Le service Gestion à distance de
Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même
machine. Le service Gestion à distance de Windows réserve le préfixe
d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites
Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",
-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs
par le biais des services d'identité de compte Microsoft. Si ce service
est arrêté, les utilisateurs ne pourront pas ouvrir une session sur
l'ordinateur avec leur compte Microsoft.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la

```

bibliothèque de performance à partir des fournisseurs HiPerf WMI (Windows Management Instrumentation) à des clients sur le réseau. Ce service s'exécute uniquement quand l'assistant de performance des données est activé.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WMSVC",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-20001",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-20002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnUserService",
-->         displayName = "Service utilisateur de notifications Push
Windows",
-->         description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
raw.",
```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WSearch",
-->         displayName = "Windows Search",
-->         description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wuauerv",
-->         displayName = "Windows Update",
-->         description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce
service est désactivé, les utilisateurs de cet ordinateur ne pourront
pas utiliser Windows Update ou sa fonctionnalité de mise à jour
automatique, et les programmes ne pourront pas utiliser l'API de l'Agent
de mise à jour automatique Windows Update (WUA).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wudfsvc",
-->         displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->         description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WWNetDDE",
-->         displayName = "Wonderware NetDDE Helper",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox
Live",

```

```

-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Zabbix Agent",
-->         displayName = "Zabbix Agent",
-->         description = "Provides system monitoring",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,
-->     canSkipUnwantedFiles = false,
-->     canReconfig = true,
-->     canCustomize = true,
-->     canInstallTools = true,
-->     defaultCloningMode = "diskBasedCloning",
-->     supportedCloningMode = (string) [
-->         "diskBasedCloning",
-->         "volumeBasedCloning"
-->     ]
--> },
-->     bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
-->     dracut = <unset>
--> }
--> }

```

```

--> =====

```

```

2020-11-07T15:51:37.808+01:00 info vmware-converter-worker[01556]

```

[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:51:37.808+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000100000000000F000000\
2020-11-07T15:51:37.837+01:00 info vmware-converter-worker[06028]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:51:37.837+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000010000000\
2020-11-07T15:51:37.867+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:51:37.895+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:51:37.895+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:51:37.895+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:51:37.896+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:17.908+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:17.908+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:17.922+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:17.925+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:17.949+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:24.967+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:24.967+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:24.983+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:24.983+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:25.014+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:25.014+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for


```
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:52:25.327+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:25.870+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:25.870+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:25.878+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:25.880+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:25.898+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:25.901+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:25.901+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:25.901+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:52:25.901+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:25.902+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:25.902+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:25.918+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:25.920+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:25.945+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:25.946+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:52:25.947+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:25.961+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:25.961+01:00 info vmware-converter-worker[00864]
```

[Originator@6876 sub=Default] Reusing existing VIM connection to 192.168.1.5
2020-11-07T15:52:25.972+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:25.973+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:52:26.022+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory: 549173608448 bytes Bios: '2.3.10'
2020-11-07T15:52:26.024+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:26.025+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:52:26.066+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:26.067+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:52:26.071+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] DefaultValues::SetDefaultCPUAndMemory:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its defaults
2020-11-07T15:52:26.073+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:26.074+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:52:26.116+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller type vim.vm.device.ParaVirtualSCSIController
2020-11-07T15:52:26.116+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Default]
DefaultValues::TranslateDiskControllerType: Unrecognized disk controller type VirtualNVMEController
2020-11-07T15:52:26.116+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] DefaultValues::SetDefaultDiskController:
guestOsId=windows8srv-64 recognized by target the ESX/VC, using its defaults
2020-11-07T15:52:26.118+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default]

DefaultValues::AddKeepSourceIfAllControllersSupported: The target supports all source disk controllers, adding keepSource and making it the default

2020-11-07T15:52:26.160+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] ComputeResource for

vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:52:26.162+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] EnvironmentBrowser for

vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:52:26.205+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] The default datastore for

vim.HostSystem:host-183 is vim.Datastore:datastore-184

2020-11-07T15:52:26.209+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Caching DefaultConversionParamsResult with

key

DefaultValues::GetDefaultsForConvert=/converter.ComputerSpec=55e49825f5d8bf7b8a0360fe68f8c156777a46eb/converter.info.ComputerOsInfo=1a531935aa1d44dce51e6a894d7503118d38b209/converter.params.TargetVmSpec=a79380957c51b840e7f88616473ba3a261b2edb1/int[]=e170d1974aee0e5565f00afc30da8cb74c67972a

2020-11-07T15:52:26.210+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds

2020-11-07T15:52:26.216+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators works without approval mode (FilterAdministratorToken): Yes

2020-11-07T15:52:26.216+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators works without approval mode (EnableLUA): No

2020-11-07T15:52:26.216+01:00 warning vmware-converter-worker[01120]
[Originator@6876 sub=Default] UAC is enabled! using elevated administrator 'CLEMESSY\CLBRUNEL'

2020-11-07T15:52:26.216+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo

2020-11-07T15:52:26.343+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-07T15:52:26.343+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-07T15:52:26.352+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized

2020-11-07T15:52:26.354+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user

Administrator@vsphere.local

2020-11-07T15:52:26.392+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507949805568

bytes free (Space required: 150323957760 bytes, Space required for flat targets 150323957760 bytes) in diskBasedCloning mode

2020-11-07T15:52:26.392+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive

```
succeeds
2020-11-07T15:52:39.753+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:39.753+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:39.762+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:39.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:39.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507949805568
bytes free (Space required: 165356343296 bytes, Space required for flat
targets 102400 bytes) in diskBasedCloning mode
2020-11-07T15:52:39.794+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:40.920+01:00 warning vmware-converter-worker[00864]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:40.920+01:00 warning vmware-converter-worker[00864]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:40.920+01:00 warning vmware-converter-worker[00864]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:52:40.920+01:00 info vmware-converter-worker[00864]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:40.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:40.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:40.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:40.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:40.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:40.967+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:40.967+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:40.967+01:00 warning vmware-converter-worker[10196]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
```

2020-11-07T15:52:40.967+01:00 info vmware-converter-worker[10196]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:40.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:40.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:40.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:40.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:41.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:41.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:52:41.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:41.029+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-07T15:52:41.029+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:41.029+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:41.029+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:41.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:41.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:41.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507949805568
bytes free (Space required: 165356343296 bytes, Space required for flat
targets 102400 bytes) in diskBasedCloning mode
2020-11-07T15:52:41.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:41.092+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:41.092+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:41.092+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated

```
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:52:41.092+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:41.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:41.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:41.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:41.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vSphere.local
2020-11-07T15:52:41.108+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:41.123+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:41.123+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:41.123+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:52:41.123+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:41.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:41.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:41.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:41.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vSphere.local
2020-11-07T15:52:41.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:41.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:52:41.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:41.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-07T15:52:41.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
```

2020-11-07T15:52:41.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:41.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:41.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:41.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:41.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Datastore "DATASTORE1" has 1507949805568
bytes free (Space required: 165356343296 bytes, Space required for flat
targets 102400 bytes) in diskBasedCloning mode
2020-11-07T15:52:41.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:52:41.217+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:41.217+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:41.217+01:00 warning vmware-converter-worker[02044]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:52:41.217+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:52:41.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Converter::TargetVmManagerImpl::CreateVM
2020-11-07T15:52:41.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:52:41.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:52:41.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:52:41.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:52:41.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:41.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'

```
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Target VM name: NHF-INBACH
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Using cached DefaultConversionParamsResult
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Using datastore DATASTORE1 for VMX
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Target supports 2 floppy drives, 1 sound
cards, 0 serial ports, 0 parallel ports, 1 USB controllers, 0 VMIROMS
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default]
VmTransformerImpl::TransformStorageDevices: Received
diskControllerType=keepSource, using diskControllerType=keepSource
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default]
VmTransformerImpl::TransformStorageDevices: Max number of SCSI
controllers = 4; Max number of devices per SCSI controller = 15; Max
number of IDE controllers = 2; Max number of devices per IDE controller
= 2; Max number of SATA controllers = 4; Max number of devices per SATA
controller = 30; SATA support: yes; Default CD-ROM controller = 2.
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Cloning mode diskBasedCloning
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] VmTransformerImpl::SeparateBootDisk:
Moving bootable scsi disk at bus=0, unit=0 in front of all disks
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] VmTransformerResult: configVersion = 8
--> isSupportingUsb20 = false
--> isSupportingUsb30 = true
--> targetConfig = (vim.vm.ConfigSpec) {
-->   changeVersion = <unset>,
-->   name = "NHF-INBACH",
-->   version = "vmx-14",
-->   uuid = <unset>,
-->   instanceUuid = <unset>,
-->   npivWorldWideNameType = <unset>,
-->   npivDesiredNodeWwns = <unset>,
-->   npivDesiredPortWwns = <unset>,
-->   npivTemporaryDisabled = <unset>,
-->   npivOnNonRdmDisks = <unset>,
-->   npivWorldWideNameOp = <unset>,
-->   locationId = <unset>,
-->   guestId = "windows8Server64Guest",
-->   alternateGuestName = <unset>,
-->   annotation = <unset>,
-->   files = (vim.vm.FileInfo) {
-->     vmPathName = "[DATASTORE1]",
-->     snapshotDirectory = <unset>,
-->     suspendDirectory = <unset>,
```



```
-->     logDirectory = <unset>,
-->     ftMetadataDirectory = <unset>
--> },
--> tools = (vim.vm.ToolsConfigInfo) {
-->     toolsVersion = <unset>,
-->     afterPowerOn = true,
-->     afterResume = true,
-->     beforeGuestStandby = true,
-->     beforeGuestShutdown = true,
-->     beforeGuestReboot = <unset>,
-->     toolsUpgradePolicy = "manual",
-->     pendingCustomization = <unset>,
-->     syncTimeWithHost = false,
-->     lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,
-->     upgradeRebootPredict = <unset>
--> },
--> flags = (vim.vm.FlagInfo) {
-->     disableAcceleration = false,
-->     enableLogging = true,
-->     useToe = <unset>,
-->     runWithDebugInfo = <unset>,
-->     monitorType = "release",
-->     htSharing = <unset>,
-->     snapshotDisabled = <unset>,
-->     snapshotLocked = <unset>,
-->     diskUuidEnabled = <unset>,
-->     virtualMmuUsage = <unset>,
-->     virtualExecUsage = <unset>,
-->     snapshotPowerOffBehavior = <unset>,
-->     recordReplayEnabled = <unset>,
-->     faultToleranceType = <unset>
--> },
--> consolePreferences = (vim.vm.ConsolePreferences) null,
--> powerOpInfo = (vim.vm.DefaultPowerOpInfo) {
-->     powerOffType = <unset>,
-->     suspendType = <unset>,
-->     resetType = <unset>,
-->     defaultPowerOffType = <unset>,
-->     defaultSuspendType = <unset>,
-->     defaultResetType = <unset>,
-->     standbyAction = "checkpoint"
--> },
--> numCPUs = 2,
--> numCoresPerSocket = 1,
--> memoryMB = 8192,
--> memoryHotAddEnabled = false,
--> cpuHotAddEnabled = false,
--> cpuHotRemoveEnabled = <unset>,
```

```

--> virtualICH7MPresent = <unset>,
--> virtualSMCPresent = <unset>,
--> deviceChange = (vim.vm.device.VirtualDeviceSpec) [
-->   (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualFloppy) {
-->       key = -1,
-->       deviceInfo = (vim.Description) {
-->         label = "floppy0",
-->         summary = "Floppy 1"
-->       },
-->       backing =
(vim.vm.device.VirtualFloppy.RemoteDeviceBackingInfo) {
-->         deviceName = "",
-->         useAutoDetect = <unset>
-->       },
-->       connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->         startConnected = false,
-->         allowGuestControl = true,
-->         connected = false,
-->         status = <unset>
-->       },
-->       slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->       controllerKey = <unset>,
-->       unitNumber = 0
-->     },
-->   },
-->   (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualVideoCard) {
-->       key = -2,
-->       deviceInfo = (vim.Description) null,
-->       backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->       connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->       slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->       controllerKey = <unset>,
-->       unitNumber = <unset>,
-->       videoRamSizeInKB = 131072,
-->       numDisplays = 1,
-->       useAutoDetect = false,
-->       enable3DSupport = false,
-->       enableMPTSupport = <unset>,

```

```

-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualVMCIDevice) {
-->         key = 12000,
-->         deviceInfo = (vim.Description) {
-->             label = "vmci0",
-->             summary = "VMCI Adapter 0"
-->         },
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
null,
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         id = <unset>,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = <unset>,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualE1000e) {
-->         key = -3,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "API",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)

```

```

null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "Generated",
-->         macAddress = <unset>,
-->         wakeOnLanEnabled = <unset>,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = -4,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = false,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = "create",
-->     device = (vim.vm.device.VirtualDisk) {
-->         key = -5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->     },

```

```

-->         backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->             fileName = "[DATASTORE1]",
-->             datastore = <unset>,
-->             backingObjectId = <unset>,
-->             diskMode = "persistent",
-->             split = <unset>,
-->             writeThrough = <unset>,
-->             thinProvisioned = true,
-->             eagerlyScrub = <unset>,
-->             uuid = <unset>,
-->             contentId = <unset>,
-->             changeId = <unset>,
-->             parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->             deltaDiskFormat = <unset>,
-->             digestEnabled = <unset>,
-->             deltaGrainSize = <unset>,
-->             deltaDiskFormatVariant = <unset>,
-->             sharing = <unset>
-->         },
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = false,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = -4,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = "create",
-->     device = (vim.vm.device.VirtualDisk) {

```

```

-->         key = -6,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:1",
-->             summary = "Hard Disk 2"
-->         },
-->         backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->             fileName = "[DATASTORE1]",
-->             datastore = <unset>,
-->             backingObjectId = <unset>,
-->             diskMode = "persistent",
-->             split = <unset>,
-->             writeThrough = <unset>,
-->             thinProvisioned = true,
-->             eagerlyScrub = <unset>,
-->             uuid = <unset>,
-->             contentId = <unset>,
-->             changeId = <unset>,
-->             parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->             deltaDiskFormat = <unset>,
-->             digestEnabled = <unset>,
-->             deltaGrainSize = <unset>,
-->             deltaDiskFormatVariant = <unset>,
-->             sharing = <unset>
-->         },
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = false,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = -4,
-->         unitNumber = 1,
-->         capacityInKB = 62914560,
-->         capacityInBytes = 64424509440,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },

```

```

-->     },
-->     (vim.vm.device.VirtualDeviceSpec) {
-->         operation = "add",
-->         fileOperation = "create",
-->         device = (vim.vm.device.VirtualDisk) {
-->             key = -7,
-->             deviceInfo = (vim.Description) {
-->                 label = "scsi0:2",
-->                 summary = "Hard Disk 3"
-->             },
-->             backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->                 fileName = "[DATASTORE1]",
-->                 datastore = <unset>,
-->                 backingObjectId = <unset>,
-->                 diskMode = "persistent",
-->                 split = <unset>,
-->                 writeThrough = <unset>,
-->                 thinProvisioned = true,
-->                 eagerlyScrub = <unset>,
-->                 uuid = <unset>,
-->                 contentId = <unset>,
-->                 changeId = <unset>,
-->                 parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->                 deltaDiskFormat = <unset>,
-->                 digestEnabled = <unset>,
-->                 deltaGrainSize = <unset>,
-->                 deltaDiskFormatVariant = <unset>,
-->                 sharing = <unset>
-->             },
-->             connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->                 startConnected = true,
-->                 allowGuestControl = false,
-->                 connected = false,
-->                 status = <unset>
-->             },
-->             slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->             controllerKey = -4,
-->             unitNumber = 2,
-->             capacityInKB = 41943040,
-->             capacityInBytes = 42949672960,
-->             shares = (vim.SharesInfo) {
-->                 shares = 0,
-->                 level = "normal"
-->             },
-->             storageIOAllocation =

```

```

(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualAHCIController) {
-->         key = -8,
-->         deviceInfo = (vim.Description) null,
-->         backing = (vim.vm.device.VirtualDevice.BackingInfo)
null,
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = true,
-->             allowGuestControl = false,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
--> },
--> (vim.vm.device.VirtualDeviceSpec) {
-->     operation = "add",
-->     fileOperation = <unset>,
-->     device = (vim.vm.device.VirtualCdrom) {
-->         key = -9,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0:0",
-->             summary = "CD-ROM 1"
-->         },
-->         backing =
(vim.vm.device.VirtualCdrom.RemotePassthroughBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>,
-->             exclusive = false
-->         },
-->         connectable = (vim.vm.device.VirtualDevice.ConnectInfo)
{
-->             startConnected = false,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>

```



```

-->         },
-->         slotInfo = (vim.vm.device.VirtualDevice.BusSlotInfo)
null,
-->         controllerKey = -8,
-->         unitNumber = 0
-->     },
--> }
--> ],
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = <unset>,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> memoryAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 0,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> latencySensitivity = (vim.LatencySensitivity) null,
--> cpuAffinity = (vim.vm.AffinityInfo) null,
--> memoryAffinity = (vim.vm.AffinityInfo) null,
--> networkShaper = (vim.vm.NetworkShaperInfo) null,
--> cpuFeatureMask = (vim.vm.ConfigSpec.CpuIdInfoSpec) [
-->     (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->         operation = "add",
-->         removeKey = <unset>,
-->         info = (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         }
-->     },
-->     (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->         operation = "add",
-->         removeKey = <unset>,
-->         info = (vim.host.CpuIdInfo) {

```

```
-->         level = 0,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = 1,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483648,
```

```
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> },
--> (vim.vm.ConfigSpec.CpuIdInfoSpec) {
-->     operation = "add",
-->     removeKey = <unset>,
-->     info = (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
```

```

-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> }
--> ],
--> extraConfig = (vim.option.OptionValue) [
-->     (vim.option.OptionValue) {
-->         key = "config.readOnly",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "svga.present",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "svga.guestBackedPrimaryAware",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.cpu.latencySensitivity",
-->         value = "normal"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.mem.min",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.swap.derivedName",
-->         value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ef42915b-889a-ab8e
--> -6570-e4434b055966/NHF-INBACH-8ea7c8cf.vswp"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.syncTime",
-->         value = "false"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.guest.desktop.autolock",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.remindInstall",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.ctkEnabled",
-->         value = "True"

```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:1.ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:2.ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.shares",
-->     value = "normal"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.uptCompatibility",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "vc.uuid",
-->     value = "ee 13 21 50 53 94 de 66-6b bc 5f 05 d1 94 93 63"
--> },
--> (vim.option.OptionValue) {
-->     key = "nvram",
-->     value = "NHF-INBACH.nvram"
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "disk.EnableUUID",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> },
```

```
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "5043928480328588401"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-2833367544432486491"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = ""
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmttools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmttools.description",
-->     value = "VMware Tools 11.1.1 build 16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmttools.versionNumber",
-->     value = "11297"
--> },
--> (vim.option.OptionValue) {
```

```

-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:2.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:1.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.redo",
-->         value = ""
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestOS.detailed.data",
-->         value = ""
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> vAppConfig = (vim.vApp.VmConfigSpec) null,
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfigRemoved = <unset>,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>,
--> maxMksConnections = <unset>,
--> guestAutoLockEnabled = <unset>,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = <unset>,
--> nestedHVEEnabled = <unset>,
--> vPMCEEnabled = <unset>,
--> scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,

```

```
-->     messageBusQueuePattern = <unset>,
-->     messageBusTunnelEnabled = <unset>,
--> }
--> diskMapping = (Target2SourceDiskMappingVector) {
-->     (scsi,bus=0,unit=0) =>
(scsci,bus=0,unit=0,diskId=disk-5,isLvg=false,isGpt=false,sector=512)
-->     (scsi,bus=0,unit=1) =>
(scsci,bus=0,unit=1,diskId=disk-6,isLvg=false,isGpt=false,sector=512)
-->     (scsi,bus=0,unit=2) =>
(scsci,bus=0,unit=2,diskId=disk-7,isLvg=false,isGpt=false,sector=512)
--> }
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] TargetVmManagerImpl::CreateVM: Creating
the target VM.
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:52:41.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:52:41.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Creating VM NHF-INBACH in folder
vim.Folder:group-v371 on host vim.HostSystem:host-183 and resource pool
vim.ResourcePool:resgroup-182 (isVirtualApp = false)...
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Created vm vim.VirtualMachine:vm-405
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Getting ConfigInfo for
vim.VirtualMachine:vm-405
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Filtering out invalid extra config options
...
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge0.present is
removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge4.present is
removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge4.virtualDev
```


is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge4.functions
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge5.present is
removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge5.virtualDev
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge5.functions
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge6.present is
removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge6.virtualDev
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge6.functions
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge7.present is
removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge7.virtualDev
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option pciBridge7.functions
is removed
2020-11-07T15:52:41.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option
vmware.tools.internalversion is removed
2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option
vmware.tools.requiredversion is removed
2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Extra config option migrate.hostLog is
removed
2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as
902

2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: get protocol as
vpxa-nfcssl

2020-11-07T15:52:41.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH.vmdk@srvclyesx01.clemessy.loc:902!52 c9 27 df f9
cb 5a 9a-23 b7 6c 88 ba 2b ce 4c

2020-11-07T15:52:42.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-07T15:52:42.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH_1.vmdk

2020-11-07T15:52:42.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as
902

2020-11-07T15:52:42.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: get protocol as
vpxa-nfcssl

2020-11-07T15:52:42.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH_1.vmdk@srvclyesx01.clemessy.loc:902!52 85 80 c0 ec
1b c2 fd-55 28 49 b6 74 95 43 bb

2020-11-07T15:52:43.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5

2020-11-07T15:52:43.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH_2.vmdk

2020-11-07T15:52:43.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: updating nfc port as
902

2020-11-07T15:52:43.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: get protocol as
vpxa-nfcssl

2020-11-07T15:52:43.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH_2.vmdk@srvclyesx01.clemessy.loc:902!52 3e 80 d9 91
37 d5 af-e0 d1 3d 30 4d 4f 61 fa

2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table

2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Disk number 2 has been skipped because of errors while reading partition table
2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk number 3 has been skipped because of errors while reading partition table
2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk number 2 has been skipped because of errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk number 3 has been skipped because of errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:52:45.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [MoveActiveDiskIfNeeded] GetFirstBootDisk failed, mntapi error: 176
2020-11-07T15:52:45.858+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:52:45.858+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:52:46.514+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:52:46.514+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:52:47.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:52:47.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:52:47.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Reusing existing VIM connection to 192.168.1.5
2020-11-07T15:52:47.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [PopulateCapabilities] Volume-based cloning was disabled due to: <no volumes are recognized>
2020-11-07T15:52:47.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LogMessagesForQA] System volume is not detected.
2020-11-07T15:52:47.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file: [DATASTORE1] NHF-INBACH/NHF-INBACH.vmx
2020-11-07T15:52:47.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds
2020-11-07T15:52:47.420+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Impersonating user CLEMESSY\CLBRUNEL in session 52a451cb-0fab-99db-a49b-d90901cdb8b0
2020-11-07T15:52:47.436+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators

works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:52:47.436+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:52:47.436+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:52:47.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find the session object cache,
will create a new one
2020-11-07T15:52:47.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Creating vmx file parser
2020-11-07T15:52:47.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:52:47.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx
2020-11-07T15:52:47.483+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Stopped impersonating in session
5291d569-908e-a980-99de-5546964658a8
2020-11-07T15:52:47.483+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects
2020-11-07T15:52:47.483+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded
2020-11-07T15:52:47.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:52:48.311+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:52:48.717+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Non-standard disk type 11
2020-11-07T15:52:48.733+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseDiskSetComputer::OpenDiskSet] Will
use open retries count 3
2020-11-07T15:52:48.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk signature found 37229615, disk size
in sectors 83886080, sector size 512
2020-11-07T15:52:48.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T15:52:48.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T15:52:48.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk with signature 37229615, recognized

partitions 2
2020-11-07T15:52:48.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk signature found 2091757959, disk size
in sectors 125829120, sector size 512
2020-11-07T15:52:48.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:125822976 attribs:0x0 primary NTFS
2020-11-07T15:52:48.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk with signature 2091757959, recognized
partitions 1
2020-11-07T15:52:48.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk signature found 73182283, disk size
in sectors 83886080, sector size 512
2020-11-07T15:52:48.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:83879936 attribs:0x0 primary NTFS
2020-11-07T15:52:48.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Disk with signature 73182283, recognized
partitions 1
2020-11-07T15:52:48.998+01:00 info vmware-converter-worker[07588]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:49.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\ FS:<NTFS>
2020-11-07T15:52:49.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\
2020-11-07T15:52:49.092+01:00 info vmware-converter-worker[07588]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:52:49.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\
2020-11-07T15:52:49.108+01:00 info vmware-converter-worker[03644]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:49.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\ FS:<NTFS>
2020-11-07T15:52:49.154+01:00 info vmware-converter-worker[03644]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:52:49.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\
2020-11-07T15:52:49.154+01:00 info vmware-converter-worker[03116]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:49.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000014000000\ FS:<NTFS>
2020-11-07T15:52:50.529+01:00 info vmware-converter-worker[03116]
[Originator@6876 sub=ThreadPool] Thread delisted

2020-11-07T15:52:50.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000014000000\
2020-11-07T15:52:50.529+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:50.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-87B1AD7C000010000000000015000000\ FS:<NTFS>
2020-11-07T15:52:50.670+01:00 info vmware-converter-worker[10060]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:52:50.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-87B1AD7C000010000000000015000000\
2020-11-07T15:52:50.670+01:00 info vmware-converter-worker[06900]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:50.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-4BAC5C04000010000000000016000000\ FS:<NTFS>
2020-11-07T15:52:50.795+01:00 info vmware-converter-worker[06900]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:52:50.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-4BAC5C04000010000000000016000000\
2020-11-07T15:52:50.795+01:00 info vmware-converter-worker[02740]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:50.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\ FS:<NTFS>
2020-11-07T15:52:50.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi251.
2020-11-07T15:52:50.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi251\BCD is loaded
under the name mntApi285578827430848277
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi285578827430848277\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi285578827430848277\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi285578827430848277\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key

mntApi285578827430848277\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\Elements\12000002
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi285578827430848277\Objects\{d34eb3e2-b1b4-11e8-8719-909a2d5c6c0e}\Elements\26000022.
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from key
mntApi285578827430848277\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\Elements\24000001
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi285578827430848277\Objects\{d34eb3e2-b1b4-11e8-8719-909a2d5c6c0e}\Elements\26000022.
2020-11-07T15:52:50.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi285578827430848277\Objects\{d34eb3e1-b1b4-11e8-8719-909a2d5c6c0e}\Elements\26000022.
2020-11-07T15:52:50.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries error 0 entries:2
2020-11-07T15:52:50.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi285578827430848277
2020-11-07T15:52:50.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on cleanup.
2020-11-07T15:52:50.889+01:00 info vmware-converter-worker[06592]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:52:51.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000014000000\ FS:<NTFS>
2020-11-07T15:52:56.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi195.
2020-11-07T15:52:59.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi195\SOFTWARE is loaded under the name mntApi290969457330848277
2020-11-07T15:52:59.233+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi290969457330848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:52:59.233+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:52:59.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:52:59.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free

2020-11-07T15:52:59.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter

2020-11-07T15:53:00.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi135.

2020-11-07T15:53:00.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi135\SYSTEM is
loaded under the name mntApi294781957230848277

2020-11-07T15:53:00.529+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi294781957230848277\ControlSet001\Services\vmxnet - 2.

2020-11-07T15:53:00.529+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed

2020-11-07T15:53:00.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi294781957230848277

2020-11-07T15:53:00.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:53:00.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi290969457330848277

2020-11-07T15:53:00.623+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:53:00.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi115.

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi115\SYSTEM is
loaded under the name mntApi295344454430848277

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Data

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR Data

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR
Networking

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET CLR
Networking 4.0.0.0

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET CLR

Networking 4.0.0.0

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for Oracle

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for Oracle

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET Data
Provider for SqlServer

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Data
Provider for SqlServer

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for .NET
Memory Cache 4.0

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NET Memory
Cache 4.0

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
.NETFramework

2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for .NETFramework

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver 1394ohci manual

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver 3ware bootStart

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaBootstrap'[C:\Program
Files (x86)\Common

Files\ArchestrA\Framework\Bin\aaBootstrap.exe]/autoStart depends:
RPCSS;NETMAN

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'aaGlobalDataCacheMonitorSvr'[C:\Program Files
(x86)\ArchestrA\Framework\Bin\aaGlobalDataCacheMonitorSvr.exe]/autoStart
depends: RPCSS

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaGR'[C:\Program Files
(x86)\ArchestrA\Framework\Bin\aaGR.exe]/autoStart depends:

RPCSS;LanmanServer

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'aahClientAccessPoint'["C:\Program Files (x86)\Common
Files\ArchestrA\aahClientAccessPoint.exe"]/autoStart depends:
RpcSs;NetTcpPortSharing

2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service 'aaLogger'["C:\Program Files

(x86)\Common Files\ArchestrA\aaLogger.exe"]/autoStart depends: RPCSS
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'aaUserValidator'[C:\Program
Files (x86)\ArchestrA\Framework\Bin\aaUserValidator.exe]/autoStart
depends: RPCSS
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ACPI bootStart
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AcpiDev manual
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver acpiex bootStart
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver acpipagr manual
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AcpiPmi manual
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver acpitime manual
2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ADOVMPPackage
2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ADOVMPPackage
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ADP80XX bootStart
2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for adsi
2020-11-07T15:53:00.998+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for adsi
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AFD systemStart
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ahcache systemStart
2020-11-07T15:53:00.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AJRouter'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:01.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ALG'[%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AmdK8 manual
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AmdPPM manual
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver amdсата bootStart
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver amdсbs bootStart
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver amdхata bootStart

2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppHostSvc' [%windir%\system32\svchost.exe -k apphost]/autoStart
depends: <none>
2020-11-07T15:53:01.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppID manual
2020-11-07T15:53:01.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppIDSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T15:53:01.248+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Appinfo' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T15:53:01.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver applockerfltr manual
2020-11-07T15:53:01.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppMgmt' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:01.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppReadiness' [%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T15:53:01.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppVClient' [%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T15:53:01.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppvStrm manual
2020-11-07T15:53:01.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppvVemgr manual
2020-11-07T15:53:01.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AppvVfs manual
2020-11-07T15:53:01.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AppXSvc' [%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ArchestrA
Event Historization Service
2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ArchestrA Event
Historization Service
2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ArchestrA

EventService

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Arcestra

EventService

2020-11-07T15:53:01.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'ArcestraDataStore'["C:\Program Files\Schneider Electric\Arcestra Data
Store\SecureDataService.exe"]/autoStart depends: <none>

2020-11-07T15:53:01.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver arcsas bootStart

2020-11-07T15:53:01.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'AsbServiceManager'["C:\Program Files (x86)\Schneider Electric\Arcestra
Service Bus\CoreServices\Asb.ServiceManager.exe"]/manual depends: <none>

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ASP

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ASP

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ASP.NET

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ASP.NET

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

ASP.NET_2.0.50727

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for

ASP.NET_2.0.50727

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

ASP.NET_4.0.30319

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for

ASP.NET_4.0.30319

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

ASP.NET_64_2.0.50727

2020-11-07T15:53:01.592+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for

ASP.NET_64_2.0.50727

2020-11-07T15:53:01.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'aspnet_state'[%systemroot%\Microsoft.NET\Framework64\v4.0.30319\aspnet_
state.exe]/manual depends: <none>

2020-11-07T15:53:01.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver AsyncMac manual

2020-11-07T15:53:01.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver atapi bootStart

2020-11-07T15:53:01.670+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found service
'AudioEndpointBuilder' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:01.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Audiosrv' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T15:53:01.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AutoBuild_Service' ["C:\Program Files
(x86)\Wonderware\OI-Server\AutoBuild\Bin\AutoBuildService.exe"]/autoStar
t depends: <none>
2020-11-07T15:53:01.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'AxInstSV' [%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver b06bdrv bootStart
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver BasicDisplay
systemStart
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver BasicRender
systemStart
2020-11-07T15:53:01.920+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BattC
2020-11-07T15:53:01.920+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BattC
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bcmfn manual
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bcmfn2 manual
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Beep manual
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bfadfcoei bootStart
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bfadi bootStart
2020-11-07T15:53:01.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'BFE' [%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T15:53:02.029+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'BITS' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:02.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bowser manual
```

2020-11-07T15:53:02.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'BrokerInfrastructure' [%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:53:02.201+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T15:53:02.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Browser' [%SystemRoot%\System32\svchost.exe -k smbsvcs]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-07T15:53:02.248+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for BTHPORT
2020-11-07T15:53:02.248+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for BTHPORT
2020-11-07T15:53:02.248+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'bthserv' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:53:02.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver buttonconverter manual
2020-11-07T15:53:02.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bxfcoe bootStart
2020-11-07T15:53:02.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver bxois bootStart
2020-11-07T15:53:02.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CapImg manual
2020-11-07T15:53:02.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cdfs disabled
2020-11-07T15:53:02.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CDPSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:53:02.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CDPUserSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:53:02.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cdrom systemStart
2020-11-07T15:53:02.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CertPropSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:53:02.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cht4iscsi manual
2020-11-07T15:53:02.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cht4vbd manual
2020-11-07T15:53:02.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CLFS bootStart

2020-11-07T15:53:02.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ClipSVC' [%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-07T15:53:02.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver clreg autoStart
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v2.0.50727_32
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v2.0.50727_32
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v2.0.50727_64
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v2.0.50727_64
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T15:53:02.639+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_64
2020-11-07T15:53:02.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CmBatt manual
2020-11-07T15:53:02.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CNG bootStart
2020-11-07T15:53:02.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver cnghwassist disabled
2020-11-07T15:53:02.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CompositeBus manual
2020-11-07T15:53:02.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'COMSysApp' [%SystemRoot%\system32\dllhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-07T15:53:02.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver condrv manual
2020-11-07T15:53:02.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss

```
2020-11-07T15:53:02.733+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for CoreUI
2020-11-07T15:53:02.733+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for CoreUI
2020-11-07T15:53:02.733+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for crypt32
2020-11-07T15:53:02.733+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for crypt32
2020-11-07T15:53:02.733+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CryptSvc'[%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T15:53:02.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver CSC disabled
2020-11-07T15:53:02.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'CscService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T15:53:02.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver dam systemStart
2020-11-07T15:53:02.873+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for DCLocator
2020-11-07T15:53:02.873+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for DCLocator
2020-11-07T15:53:02.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DcomLaunch'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:53:03.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DcpSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:03.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'defragsvc'[%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-07T15:53:03.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DeviceAssociationService'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:03.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DeviceInstall'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:53:03.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DevQueryBroker'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:03.451+01:00 info vmware-converter-worker[04560]
```


[Originator@6876 sub=Default] Found device driver Dfsc systemStart
2020-11-07T15:53:03.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Dhcp' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-07T15:53:03.561+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'diagnosticshub.standardcollector.service' [%SystemRoot%\system32\DiagSvc
s\Diagnosticshub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-07T15:53:03.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DiagTrack' [%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-07T15:53:03.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Disk bootStart
2020-11-07T15:53:03.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DmEnrollmentSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:53:03.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver dmvsc manual
2020-11-07T15:53:03.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'dmwappushservice' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:53:03.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Dnscache' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi
2020-11-07T15:53:03.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'dot3svc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-07T15:53:04.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DPS' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-07T15:53:04.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DsmSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:04.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'DsSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:04.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver DXGKrn1 manual
2020-11-07T15:53:04.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'Eaphost' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends: RPCSS;KeyIso

2020-11-07T15:53:04.295+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver ebdrv bootStart

2020-11-07T15:53:04.295+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service

'EFS' [%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS

2020-11-07T15:53:04.342+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver EhStorClass bootStart

2020-11-07T15:53:04.342+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver EhStorTcgDrv bootStart

2020-11-07T15:53:04.342+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver elxfcoe bootStart

2020-11-07T15:53:04.342+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver elxstor bootStart

2020-11-07T15:53:04.342+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service

'embeddedmode' [%SystemRoot%\System32\svchost.exe -k

LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure

2020-11-07T15:53:04.389+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service

'EntAppSvc' [%systemroot%\system32\svchost.exe -k appmodel]/manual

depends: rpcss

2020-11-07T15:53:04.467+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver ErrDev manual

2020-11-07T15:53:04.467+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Error 2 reading 'startType' for ESENT

2020-11-07T15:53:04.467+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Error 2 reading 'Type' for ESENT

2020-11-07T15:53:04.467+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service

'EventLog' [%SystemRoot%\System32\svchost.exe -k

LocalServiceNetworkRestricted]/autoStart depends: <none>

2020-11-07T15:53:04.608+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service

'EventSystem' [%SystemRoot%\system32\svchost.exe -k

LocalService]/autoStart depends: rpcss

2020-11-07T15:53:04.608+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver exfat manual

2020-11-07T15:53:04.608+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver fastfat manual

2020-11-07T15:53:04.608+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver fcvsc manual

2020-11-07T15:53:04.608+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver fdc manual

2020-11-07T15:53:04.608+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service

'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual

depends: RpcSs;http

2020-11-07T15:53:04.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T15:53:04.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FileCrypt systemStart
2020-11-07T15:53:04.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FileInfo manual
2020-11-07T15:53:04.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Filetrace manual
2020-11-07T15:53:04.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver flpydisk manual
2020-11-07T15:53:04.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FltMgr bootStart
2020-11-07T15:53:04.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:53:04.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FontCache3.0.0.0' [%systemroot%\Microsoft.Net\Framework64\v3.0\WPF\Prese
ntationFontCache.exe]/manual depends: <none>
2020-11-07T15:53:04.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver FsDepends manual
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Fs_Rec bootStart
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'GATEWAY'[C:\Program Files
(x86)\Wonderware\OI-Server\OI-Gateway\Bin\Gateway.exe -service
/CLSID={00E25490-40B4-4E6A-A888-E658D65BBAEF}
/ProgID=OI.GATEWAY.2]/autoStart depends: slssvc
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver gencounter manual
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver genericusbfn manual
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver GPIOClx0101 manual
2020-11-07T15:53:04.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'gpsvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T15:53:05.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver GpuEnergyDrv
systemStart
2020-11-07T15:53:05.076+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver HDAudBus manual
2020-11-07T15:53:05.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HidBatt manual
2020-11-07T15:53:05.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HidBth manual
2020-11-07T15:53:05.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hidinterrupt manual
2020-11-07T15:53:05.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'hidserv'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:05.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HidUsb manual
2020-11-07T15:53:05.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T15:53:05.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T15:53:05.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HpSAMD bootStart
2020-11-07T15:53:05.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HTTP manual
2020-11-07T15:53:05.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hvservice manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hwpolicy bootStart
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver hyperkbd manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver HyperVideo manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver i8042prt manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaLPSSi_GPIO manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaLPSSi_I2C manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaStorAV bootStart
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver iaStorV bootStart
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ibbus manual
2020-11-07T15:53:05.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'icssvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T15:53:05.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'IISADMIN' [%windir%\system32\inetsrv\inetinfo.exe]/autoStart depends:
RPCSS;SamSS;HTTP
2020-11-07T15:53:05.279+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:05.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'IKEEXT' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_BatchMngr' [C:\Program Files
(x86)\Wonderware\InBatch\bin\BatchMngr.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_EnvMngr' ["C:\Program Files
(x86)\Wonderware\InBatch\Bin\EnvMngr.exe"]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_HistQMngr' ["C:\Program Files
(x86)\Wonderware\InBatch\Bin\HistQMngr.exe"]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_HistQReader' ["C:\Program Files
(x86)\Wonderware\InBatch\Bin\HistQReader.exe"]/autoStart depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_IBCli' [C:\Program
Files (x86)\Wonderware\InBatch\bin\IBCli.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_IBCli_F1' [C:\Program Files
(x86)\Wonderware\InBatch\bin\IBCli.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_IBMX' [C:\Program
Files (x86)\Wonderware\InBatch\bin\IBMX.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_IBServ' [C:\Program
Files (x86)\Wonderware\InBatch\bin\IBServ.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_InfoMngr' [C:\Program Files
(x86)\Wonderware\InBatch\bin\InfoMngr.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_lm_tcp' ["C:\Program
Files (x86)\Wonderware\InBatch\Bin\lm_tcp.exe"]/manual depends: <none>

2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_MemTagMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\MemTagMngr.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_SecMngr'[C:\Program
Files (x86)\Wonderware\InBatch\bin\SecMngr.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'InBatch_SimMngr'[C:\Program
Files (x86)\Wonderware\InBatch\bin\SimMngr.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'InBatch_UnlkMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\UnilinkMngr.exe]/manual depends: <none>
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IndirectKmd manual
2020-11-07T15:53:05.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for inetaccs
2020-11-07T15:53:05.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for inetaccs
2020-11-07T15:53:05.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for InetInfo
2020-11-07T15:53:05.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for InetInfo
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver intelide bootStart
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver intelpep bootStart
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver intelppm manual
2020-11-07T15:53:05.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for iorate
2020-11-07T15:53:05.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for iorate
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IpFilterDriver manual
2020-11-07T15:53:05.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IPMIDRV manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IPNAT manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver IPsecGW manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver isapnp bootStart
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found device driver iScsiPrt manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver kbdclass manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver kbdhid manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver kdnic manual
2020-11-07T15:53:05.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:53:05.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'KPSSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T15:53:05.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver KSecDD bootStart
2020-11-07T15:53:05.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver KSecPkg bootStart
2020-11-07T15:53:05.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ksthunk manual
2020-11-07T15:53:05.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T15:53:05.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-07T15:53:05.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI
2020-11-07T15:53:05.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for ldap
2020-11-07T15:53:05.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for ldap
2020-11-07T15:53:05.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:05.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'License Server Agent
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\License Server\LicServer.WindowsService.exe"]/autoStart
depends: <none>
2020-11-07T15:53:05.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'License Server Core
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\License Server\SELicServer.exe"]/manual depends: <none>
```

2020-11-07T15:53:05.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'License Server Sam
Service'["C:\Program Files (x86)\Common Files\Archestra\Licensing
Framework\Sam Service\LicServer.SamWindowsService.exe"]/autoStart
depends: <none>
2020-11-07T15:53:05.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-07T15:53:05.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LicenseManagerDataService'["C:\Program Files (x86)\Invensys\License
Manager\LicenseManagerWindowsService.exe"]/disabled depends: <none>
2020-11-07T15:53:05.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver lltdio autoStart
2020-11-07T15:53:05.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T15:53:05.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'LMWebService'["C:\Program
Files (x86)\Common Files\Archestra\Licensing Framework\License
Manager\LMWeb.App\bin\LMWeb.WindowsService.exe"]/autoStart depends:
<none>
2020-11-07T15:53:05.951+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Lsa
2020-11-07T15:53:05.951+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Lsa
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SAS bootStart
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SAS2i bootStart
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SAS3i bootStart
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver LSI_SSS bootStart
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:53:05.951+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver luafv autoStart

2020-11-07T15:53:05.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver megasas bootStart
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver megasas2i bootStart
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver megasr bootStart
2020-11-07T15:53:06.045+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MES
Middleware
2020-11-07T15:53:06.045+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MES Middleware
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mlx4_bus manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MMCSS manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Modem manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver monitor manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mouclass manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mouhid manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mountmgr bootStart
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mpsdrv manual
2020-11-07T15:53:06.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mrxsmb manual
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mrxsmb10 autoStart
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mrxsmb20 manual
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsBridge manual
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T15:53:06.139+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 3.0.0.0

```
2020-11-07T15:53:06.139+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
3.0.0.0
2020-11-07T15:53:06.139+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T15:53:06.139+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Msfs systemStart
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver msgpiowin32 manual
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mshidkmdf manual
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mshidumdf manual
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver msisadvr bootStart
2020-11-07T15:53:06.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'MSiSCSI' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:06.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'msiserver' [%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsLbfoProvider manual
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsLldp autoStart
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MsRPC manual
2020-11-07T15:53:06.217+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T15:53:06.217+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mssmbios systemStart
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'MSSQLSERVER'["C:\Program
Files (x86)\Microsoft SQL
Server\MSSQL12.MSSQLSERVER\MSSQL\Binn\sqlservr.exe"
-sMSSQLSERVER]/autoStart depends: <none>
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver MTConfig manual
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Mup bootStart
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver mvumis bootStart
```

2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'MWHostService'["C:\Program
Files (x86)\Wonderware\ProdMiddleware\MWCommon.Host.exe"]/autoStart
depends: <none>
2020-11-07T15:53:06.217+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for napagent
2020-11-07T15:53:06.217+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for napagent
2020-11-07T15:53:06.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NcaSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-07T15:53:06.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NcbService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ndfltr manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NDIS bootStart
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisCap manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisImPlatform manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisTapi manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Ndisuio manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisVirtualBus manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NdisWan manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ndiswanlegacy manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ndproxy manual
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NetBIOS systemStart
2020-11-07T15:53:06.373+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T15:53:06.373+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NetBT systemStart
2020-11-07T15:53:06.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Netlogon'[%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation
2020-11-07T15:53:06.436+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found service
'Netman'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T15:53:06.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'netprofm'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-07T15:53:06.561+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NetSetupSvc'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:53:06.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NetTcpPortSharing'[%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/autoStart depends: <none>
2020-11-07T15:53:06.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver netvsc manual
2020-11-07T15:53:06.717+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for netvscvfpp
2020-11-07T15:53:06.717+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for netvscvfpp
2020-11-07T15:53:06.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NgcCtnrSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:06.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NgcSvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:06.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'NlaSvc'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T15:53:06.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'NmxSvc'[C:\Program Files
(x86)\Archestra\Framework\Bin\NmxSvc.exe]/manual depends: RPCSS
2020-11-07T15:53:06.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Npfs systemStart
2020-11-07T15:53:06.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver npsvc trig systemStart
2020-11-07T15:53:06.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-07T15:53:07.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver nsiproxy systemStart
2020-11-07T15:53:07.014+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for NTDS
2020-11-07T15:53:07.014+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] Error 2 reading 'Type' for NTDS
2020-11-07T15:53:07.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver NTFS manual
2020-11-07T15:53:07.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Null systemStart
2020-11-07T15:53:07.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver nvraid bootStart
2020-11-07T15:53:07.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver nvstor bootStart
2020-11-07T15:53:07.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:53:07.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'OpcEnum'[C:\Windows\SysWOW64\OpcEnum.exe]/autoStart depends: RPCSS
2020-11-07T15:53:07.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Parport manual
2020-11-07T15:53:07.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver partmgr bootStart
2020-11-07T15:53:07.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pci bootStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pciide bootStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pcmcia bootStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pcw bootStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pdc bootStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver PEAUTH autoStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver percsas2i bootStart
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver percsas3i bootStart
2020-11-07T15:53:07.154+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfDisk
2020-11-07T15:53:07.154+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfDisk
2020-11-07T15:53:07.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PerfHost'[%SystemRoot%\SysWow64\perfhost.exe]/manual depends: RPCSS
2020-11-07T15:53:07.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfNet

2020-11-07T15:53:07.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfNet
2020-11-07T15:53:07.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfOS
2020-11-07T15:53:07.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfOS
2020-11-07T15:53:07.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PerfProc
2020-11-07T15:53:07.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PerfProc
2020-11-07T15:53:07.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PhoneSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T15:53:07.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PimIndexMaintenanceSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:53:07.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'pla'[%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T15:53:07.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PlugPlay'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:53:07.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PolicyAgent'[%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T15:53:07.654+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for PortProxy
2020-11-07T15:53:07.654+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for PortProxy
2020-11-07T15:53:07.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:53:07.733+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver PptpMiniport manual
2020-11-07T15:53:07.733+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T15:53:07.733+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000014000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-07T15:53:07.733+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver Processor manual
2020-11-07T15:53:07.733+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ProfSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T15:53:07.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Psched systemStart
2020-11-07T15:53:07.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver pvscsi bootStart
2020-11-07T15:53:07.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ql2300i bootStart
2020-11-07T15:53:07.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ql40xx2i bootStart
2020-11-07T15:53:07.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver qlfcoei bootStart
2020-11-07T15:53:07.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'QWAVE' [%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T15:53:07.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver QWAVEdrv manual
2020-11-07T15:53:07.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasAcD manual
2020-11-07T15:53:07.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasAgileVpn manual
2020-11-07T15:53:07.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RasAuto' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-07T15:53:07.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasGre manual
2020-11-07T15:53:07.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Rasl2tp manual
2020-11-07T15:53:07.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RasMan' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasPppoe manual
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RasSstp manual
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver rdbss systemStart
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDMANDK
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDMANDK
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Found device driver rdpbus manual
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RDPDR manual
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPNP
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPNP
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RDPDUD
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RDPDUD
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver RdpVideoMiniport
manual
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ReFS manual
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ReFSv1 manual
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for RegFilter
2020-11-07T15:53:08.076+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for RegFilter
2020-11-07T15:53:08.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RemoteAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T15:53:08.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RemoteRegistry'[%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T15:53:08.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RmSvc'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:08.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RpcEptMapper'[%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T15:53:08.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\rpccepmap.dll
2020-11-07T15:53:08.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RpcLocator'[%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T15:53:08.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-07T15:53:08.389+01:00 info vmware-converter-worker[04560]
```



```
[Originator@6876 sub=Default] Found service
'RSOPProv'[%SystemRoot%\system32\RSOPProv.exe]/manual depends: RPCSS
2020-11-07T15:53:08.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver rspndr autoStart
2020-11-07T15:53:08.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver s3cap manual
2020-11-07T15:53:08.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sacdrv bootStart
2020-11-07T15:53:08.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'sacsrv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:08.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-07T15:53:08.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sbp2port bootStart
2020-11-07T15:53:08.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-07T15:53:08.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:08.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver scfilter manual
2020-11-07T15:53:08.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-07T15:53:08.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver scmbus bootStart
2020-11-07T15:53:08.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver scmdisk0101 manual
2020-11-07T15:53:08.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SCPolicySvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:53:08.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sdbus manual
2020-11-07T15:53:08.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sdstor manual
2020-11-07T15:53:08.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'seclogon'[%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:08.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
```

```
'SENS' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T15:53:08.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SensorDataService' [%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-07T15:53:08.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SensorService' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:09.061+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SensrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Sentinel64 autoStart
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SerCx manual
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SerCx2 manual
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Serenum manual
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Serial manual
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver sermousse manual
2020-11-07T15:53:09.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ServiceModelEndpoint 3.0.0.0
2020-11-07T15:53:09.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ServiceModelEndpoint 3.0.0.0
2020-11-07T15:53:09.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ServiceModelOperation 3.0.0.0
2020-11-07T15:53:09.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ServiceModelOperation 3.0.0.0
2020-11-07T15:53:09.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
ServiceModelService 3.0.0.0
2020-11-07T15:53:09.123+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
ServiceModelService 3.0.0.0
2020-11-07T15:53:09.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SessionEnv' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RPCSS;LanmanWorkstation
2020-11-07T15:53:09.217+01:00 info vmware-converter-worker[04560]
```

[Originator@6876 sub=Default] Found device driver sfloppy manual
2020-11-07T15:53:09.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: BFE
2020-11-07T15:53:09.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k
netsvcs]/autoStart depends: RpcSs
2020-11-07T15:53:09.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SIM'[C:\Program Files
(x86)\Archestra\OIServerRuntimeComponents\SIM.exe -service
/CLSID={99EF3D29-6021-4E22-9E51-C1AB10727EE7} /ProgID=OI.SIM.1]/manual
depends: slssvc
2020-11-07T15:53:09.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SiSRaid2 bootStart
2020-11-07T15:53:09.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SiSRaid4 bootStart
2020-11-07T15:53:09.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SLS
2020-11-07T15:53:09.389+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SLS
2020-11-07T15:53:09.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'slssvc'["C:\Program Files
(x86)\Common Files\Archestra\slssvc.exe"]/autoStart depends: <none>
2020-11-07T15:53:09.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver smbdirect manual
2020-11-07T15:53:09.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends:
RPCSS
2020-11-07T15:53:09.420+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
3.0.0.0
2020-11-07T15:53:09.420+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
3.0.0.0
2020-11-07T15:53:09.420+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-07T15:53:09.420+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-07T15:53:09.420+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SNMP
2020-11-07T15:53:09.420+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SNMP
2020-11-07T15:53:09.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'SNMPTRAP' [%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-07T15:53:09.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver spaceport bootStart
2020-11-07T15:53:09.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver SpbCx manual
2020-11-07T15:53:09.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Spooler' [%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-07T15:53:09.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'sppsvc' [%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SQLBrowser' ["C:\Program
Files (x86)\Microsoft SQL Server\90\Shared\sqlbrowser.exe"]/autoStart
depends: <none>
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SQLSERVERAGENT' ["C:\Program
Files (x86)\Microsoft SQL
Server\MSSQL12.MSSQLSERVER\MSSQL\Binn\SQLAGENT.EXE" -i
MSSQLSERVER]/autoStart depends: MSSQLSERVER
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'SQLWriter' ["C:\Program
Files\Microsoft SQL Server\90\Shared\sqlwriter.exe"]/autoStart depends:
<none>
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver srv autoStart
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver srv2 manual
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver srvnet manual
2020-11-07T15:53:09.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SSDPSRV' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: HTTP
2020-11-07T15:53:09.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SstpSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:53:09.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'StateRepository' [%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:53:10.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver stexstor bootStart
2020-11-07T15:53:10.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'stisvc' [%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs

2020-11-07T15:53:10.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storahci bootStart
2020-11-07T15:53:10.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storflt bootStart
2020-11-07T15:53:10.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver stornvme bootStart
2020-11-07T15:53:10.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storqosflt autoStart
2020-11-07T15:53:10.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'StorSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:10.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storufs bootStart
2020-11-07T15:53:10.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver storvsc bootStart
2020-11-07T15:53:10.233+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for SuiteLink
2020-11-07T15:53:10.233+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for SuiteLink
2020-11-07T15:53:10.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'svsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:10.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver swenum manual
2020-11-07T15:53:10.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'swprv'[%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-07T15:53:10.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Synth3dVsc manual
2020-11-07T15:53:10.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T15:53:10.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-07T15:53:10.404+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-07T15:53:10.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:10.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

```
'TapiSrv' [%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-07T15:53:10.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Tcpip bootStart
2020-11-07T15:53:10.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Tcpip6 manual
2020-11-07T15:53:10.545+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-07T15:53:10.545+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-07T15:53:10.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tcpipreg autoStart
2020-11-07T15:53:10.545+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
TCPIPTUNNEL
2020-11-07T15:53:10.545+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-07T15:53:10.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tdx systemStart
2020-11-07T15:53:10.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver terminpt manual
2020-11-07T15:53:10.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TermService' [%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-07T15:53:10.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Themes' [%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-07T15:53:10.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TieringEngineService' [%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>
2020-11-07T15:53:10.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'tiledatamodelsvc' [%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-07T15:53:10.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TimeBrokerSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:10.904+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-07T15:53:10.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver TPM manual
2020-11-07T15:53:10.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
```

```
'TrkWks' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:53:10.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'TrustedInstaller' [%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-07T15:53:11.045+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for TSDDD
2020-11-07T15:53:11.045+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for TSDDD
2020-11-07T15:53:11.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver TsUsbFlt manual
2020-11-07T15:53:11.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver TsUsbGD manual
2020-11-07T15:53:11.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tsusbhub manual
2020-11-07T15:53:11.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver tunnel manual
2020-11-07T15:53:11.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'tvnserver'["C:\Program
Files\TightVNC\tnserver.exe" -service]/autoStart depends: <none>
2020-11-07T15:53:11.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'tzautoupdate' [%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T15:53:11.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UALSVC' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UASPStor manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UcmCx0101 manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UcmTcpciCx0101 manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UcmUcsi manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Ucx01000 manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UdeCx manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver udfs disabled
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UEFI manual
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UevAgentDriver
disabled
2020-11-07T15:53:11.186+01:00 info vmware-converter-worker[04560]
```

[Originator@6876 sub=Default] Found service
'UevAgentService' [%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-07T15:53:11.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Ufx01000 manual
2020-11-07T15:53:11.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UfxChipidea manual
2020-11-07T15:53:11.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ufxsynopsys manual
2020-11-07T15:53:11.279+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGatherer
2020-11-07T15:53:11.279+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGatherer
2020-11-07T15:53:11.279+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for UGTHRSVC
2020-11-07T15:53:11.279+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T15:53:11.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UI0Detect' [%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T15:53:11.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver umbus manual
2020-11-07T15:53:11.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UmPass manual
2020-11-07T15:53:11.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UmRdpService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T15:53:11.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UnistoreSvc' [%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:53:11.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'upnphost' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: SSDPSRV;HTTP
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UrsChipidea manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UrsCx01000 manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver UrsSynopsys manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbccgp manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbehci manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbhub manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver USBHUB3 manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbohci manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbprint manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbser manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver USBSTOR manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver usbuhci manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver USBXHCI manual
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UserDataSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:53:11.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UserManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T15:53:11.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'UsSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:53:11.623+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'VaultSvc' [%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T15:53:11.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vdrvroot bootStart
2020-11-07T15:53:11.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vds' [%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VerifierExt manual
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'VGAAuthService' ["C:\Program
Files\VMware\VMware Tools\VMware VGAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vhdmp manual
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vhf manual
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp manual
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp-debug manual
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp-stats manual

```
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vm3dmp_loader manual
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vm3dbservice' [%SystemRoot%\system32\vm3dbservice.exe]/autoStart depends:
<none>
2020-11-07T15:53:11.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000014000000\Windows\sys
em32\oem7.inf
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmbus bootStart
2020-11-07T15:53:11.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VMBusHID manual
2020-11-07T15:53:11.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmci bootStart
2020-11-07T15:53:11.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmgid manual
2020-11-07T15:53:11.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicguestinterface' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:11.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicheartbeat' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:53:11.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmickvpexchange' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:11.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicrdv' [%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicshutdown' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmictimesync' [%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicvmsession' [%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmicvss' [%systemroot%\system32\svchost.exe -k
```

```
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VMMemCtl autoStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmmouse manual
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmusbmouse manual
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{A60A8DE1-3B60-4657-9394-1221F3A1454C}]/manual depends: rpcss
2020-11-07T15:53:11.983+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for vmwefifw
2020-11-07T15:53:11.983+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for vmwefifw
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vmxnet3ndis6 manual
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volmgr bootStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volmgrx bootStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volsnap bootStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver volume bootStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vpci manual
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vsmraid bootStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vsock bootStart
2020-11-07T15:53:11.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T15:53:12.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver VSTXRAID bootStart
2020-11-07T15:53:12.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver vwifibus manual
2020-11-07T15:53:12.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:53:12.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'w3logsvc'[%windir%\system32\svchost.exe -k apphost]/manual depends:
HTTP
```

2020-11-07T15:53:12.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:12.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'W3SVC'[%windir%\system32\svchost.exe -k iissvcs]/autoStart depends:
WAS;HTTP
2020-11-07T15:53:12.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:12.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WacomPen manual
2020-11-07T15:53:12.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T15:53:12.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wanarp manual
2020-11-07T15:53:12.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wanarpv6 manual
2020-11-07T15:53:12.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WAS'[%windir%\system32\svchost.exe -k iissvcs]/manual depends: RPCSS
2020-11-07T15:53:12.279+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:12.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Watchdog_Service'["C:\Program Files (x86)\Schneider Electric\Archestra
Service Bus\CoreServices\Asb.Watchdog.exe"]/autoStart depends: <none>
2020-11-07T15:53:12.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T15:53:12.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wcifs autoStart
2020-11-07T15:53:12.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Wcmsvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:53:12.451+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for wcnscvc
2020-11-07T15:53:12.451+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for wcnscvc
2020-11-07T15:53:12.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver wcnfs manual
2020-11-07T15:53:12.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WdBoot bootStart
2020-11-07T15:53:12.451+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] Found device driver Wdf01000 bootStart
2020-11-07T15:53:12.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WdFilter bootStart
2020-11-07T15:53:12.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WdiServiceHost'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T15:53:12.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WdiSystemHost'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:12.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WdNisDrv manual
2020-11-07T15:53:12.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WdNisSvc'["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T15:53:12.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Webserv'[%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T15:53:12.639+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WEPHOSTSVC'[%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-07T15:53:12.654+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wercplsupport'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-07T15:53:12.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WerSvc'[%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-07T15:53:12.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WFPLWFS bootStart
2020-11-07T15:53:12.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WiaRpc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:12.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WIMMount manual
2020-11-07T15:53:12.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WinDefend'["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T15:53:12.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 3.0.0.0
2020-11-07T15:53:12.889+01:00 warning vmware-converter-worker[04560]

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 3.0.0.0
2020-11-07T15:53:12.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:53:12.889+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:53:12.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRT
bootStart
2020-11-07T15:53:12.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-07T15:53:12.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WinHttpAutoProxySvc' [%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-07T15:53:13.030+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WinMad manual
2020-11-07T15:53:13.030+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'Winmgmt' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-07T15:53:13.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WinNat manual
2020-11-07T15:53:13.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WinRM' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-07T15:53:13.295+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for Winsock
2020-11-07T15:53:13.295+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for Winsock
2020-11-07T15:53:13.295+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WinSock2
2020-11-07T15:53:13.295+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WinSock2
2020-11-07T15:53:13.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WINUSB manual
2020-11-07T15:53:13.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WinVerbs manual
2020-11-07T15:53:13.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wisvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:53:13.436+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WlanSvc
2020-11-07T15:53:13.436+01:00 warning vmware-converter-worker[04560]
```

```
[Originator@6876 sub=Default] Error 2 reading 'Type' for WlanSvc
2020-11-07T15:53:13.436+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wlidsvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:13.561+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WmiAcpi manual
2020-11-07T15:53:13.561+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for WmiApRpl
2020-11-07T15:53:13.561+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WmiApRpl
2020-11-07T15:53:13.561+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'wmiApSrv' [%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-07T15:53:13.623+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WMSVC' [%windir%\system32\inetsrv\wmsvc.exe]/manual depends: HTTP
2020-11-07T15:53:13.623+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:13.623+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver Wof bootStart
2020-11-07T15:53:13.623+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for workerdd
2020-11-07T15:53:13.623+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for workerdd
2020-11-07T15:53:13.623+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WPDBusEnum' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:13.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WpdUpFltr manual
2020-11-07T15:53:13.686+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WpnService' [%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T15:53:13.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WpnUserService' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:53:13.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver ws2ifsl systemStart
2020-11-07T15:53:13.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service
'WSearch' [%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T15:53:13.904+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for
```

WSearchIdxPi

2020-11-07T15:53:13.904+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for WSearchIdxPi

2020-11-07T15:53:13.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'wuauserv' [%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss

2020-11-07T15:53:14.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WudfPf manual

2020-11-07T15:53:14.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WUDFRd manual

2020-11-07T15:53:14.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'wudfsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf

2020-11-07T15:53:14.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver WUDFWpdFs manual

2020-11-07T15:53:14.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'WWNetDDE' ["C:\Program Files
(x86)\Common Files\ArchestrA\wnnetdde.exe"]/manual depends: NetDDE

2020-11-07T15:53:14.123+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'XblAuthManager' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs

2020-11-07T15:53:14.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service

'XblGameSave' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager

2020-11-07T15:53:14.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver xboxgip manual

2020-11-07T15:53:14.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found device driver xinputhid manual

2020-11-07T15:53:14.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for xmlprov

2020-11-07T15:53:14.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for xmlprov

2020-11-07T15:53:14.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Found service 'Zabbix

Agent' ["c:\zabbix\zabbix_agentd.exe" --config
"c:\zabbix\zabbix_agentd.conf"]/autoStart depends: <none>

2020-11-07T15:53:14.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

{4A272B67-ABB8-40E4-93EB-3FF4BF023189}

2020-11-07T15:53:14.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for

{4A272B67-ABB8-40E4-93EB-3FF4BF023189}

2020-11-07T15:53:14.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'startType' for

{91A65735-E034-495B-B39A-37C7007B6CA4}

2020-11-07T15:53:14.342+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:53:14.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi295344454430848277
2020-11-07T15:53:14.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:14.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi3.
2020-11-07T15:53:17.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi3\SOFTWARE is
loaded under the name mntApi309250707030848277
2020-11-07T15:53:17.748+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi309250707030848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:53:17.748+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:53:17.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:53:17.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:53:17.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:53:17.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161.
2020-11-07T15:53:18.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161\SYSTEM is
loaded under the name mntApi312469460930848277
2020-11-07T15:53:18.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi312469460930848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:53:18.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:53:18.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi312469460930848277
2020-11-07T15:53:18.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:18.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi309250707030848277
2020-11-07T15:53:18.342+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:18.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi177.
2020-11-07T15:53:18.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi177\SYSTEM is loaded under the name mntApi313063203930848277
2020-11-07T15:53:18.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi313063203930848277
2020-11-07T15:53:18.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:18.764+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [PopulateVolumeMountPoints] Failed to get mountpoints for volume ?2418320000001000000000: 4146 (type = 2, code=259)
2020-11-07T15:53:18.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi89.
2020-11-07T15:53:21.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi89\SOFTWARE is loaded under the name mntApi313563204630848277
2020-11-07T15:53:21.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi313563204630848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:53:21.811+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading SP information
2020-11-07T15:53:21.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:53:21.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-07T15:53:21.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-07T15:53:21.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161.
2020-11-07T15:53:22.217+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi161\SYSTEM is loaded under the name mntApi316531956530848277
2020-11-07T15:53:22.217+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi316531956530848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:53:22.217+01:00 warning vmware-converter-worker[04560]

[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-07T15:53:22.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi316531956530848277
2020-11-07T15:53:22.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:22.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi313563204630848277
2020-11-07T15:53:22.373+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:22.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi43.
2020-11-07T15:53:22.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi43\SYSTEM is loaded under the name mntApi317094456230848277
2020-11-07T15:53:22.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi317094456230848277
2020-11-07T15:53:22.811+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:22.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi187.
2020-11-07T15:53:25.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi187\SOFTWARE is loaded under the name mntApi317610079130848277
2020-11-07T15:53:25.858+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi317610079130848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:53:25.858+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:53:25.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:53:25.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-07T15:53:25.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter
2020-11-07T15:53:25.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi209.
2020-11-07T15:53:26.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive

C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi209\SYSTEM is loaded under the name mntApi320578828330848277
2020-11-07T15:53:26.264+01:00 warning vmware-converter-worker[04560] [Originator@6876 sub=Default] ERROR: Error reading from mntApi320578828330848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:53:26.264+01:00 warning vmware-converter-worker[04560] [Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed
2020-11-07T15:53:26.373+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] Unloaded hive mntApi320578828330848277
2020-11-07T15:53:26.373+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:26.420+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] Unloaded hive mntApi317610079130848277
2020-11-07T15:53:26.436+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:26.451+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi159.
2020-11-07T15:53:26.795+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi159\SYSTEM is loaded under the name mntApi321156962030848277
2020-11-07T15:53:26.858+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] Unloaded hive mntApi321156962030848277
2020-11-07T15:53:26.858+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.
2020-11-07T15:53:26.936+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi99.
2020-11-07T15:53:29.889+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi99\SOFTWARE is loaded under the name mntApi321641337930848277
2020-11-07T15:53:29.889+01:00 warning vmware-converter-worker[04560] [Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi321641337930848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:53:29.889+01:00 warning vmware-converter-worker[04560] [Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:53:29.889+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:53:29.889+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free
2020-11-07T15:53:29.889+01:00 info vmware-converter-worker[04560] [Originator@6876 sub=Default] Product name is Windows Server 2016

Datacenter

2020-11-07T15:53:29.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi253.
2020-11-07T15:53:30.295+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi253\SYSTEM is
loaded under the name mntApi324610079830848277
2020-11-07T15:53:30.295+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi324610079830848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:53:30.295+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:53:30.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi324610079830848277
2020-11-07T15:53:30.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:30.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi321641337930848277
2020-11-07T15:53:30.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:30.483+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi75.
2020-11-07T15:53:30.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi75\SYSTEM is
loaded under the name mntApi325188206130848277
2020-11-07T15:53:30.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Unloaded hive mntApi325188206130848277
2020-11-07T15:53:30.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:30.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3
2020-11-07T15:53:30.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk
2020-11-07T15:53:30.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [BaseComputerImpl::Open] Config file:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx
2020-11-07T15:53:30.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Caching ComputerInfo with key

```
QueryManagerImpl::Query=55e49825f5d8bf7b8a0360fe68f8c156777a46eb
2020-11-07T15:53:30.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] ==
[Converter::Agent::QueryManagerImpl::Query] ComputerInfo:
--> (converter.info.ComputerInfo) {
-->   hardwareInfo = (converter.info.ComputerHardwareInfo) {
-->     storage = (converter.info.StorageInfo) {
-->       disk = (converter.info.StorageInfo.DiskInfo) [
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-5",
-->           capacityInBytes = 42949672960,
-->           diskUsageInBytes = 42949672960,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 37229615,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->         },
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-6",
-->           capacityInBytes = 64424509440,
-->           diskUsageInBytes = 64424509440,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 2091757959,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->         },
-->         (converter.info.StorageInfo.DiskInfo) {
-->           diskId = "disk-7",
-->           capacityInBytes = 42949672960,
-->           diskUsageInBytes = 42949672960,
-->           biosNumber = <unset>,
-->           lvg = false,
-->           lvgName = <unset>,
-->           gpt = false,
-->           signature = 73182283,
-->           diskGuid = <unset>,
-->           sectorSize = <unset>
-->       }
-->     ],
-->     volume = (converter.info.StorageInfo.VolumeInfo) [
-->       (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = "?24183200000010000000000",
-->         diskId = (string) [
```

```

-->         "disk-5"
-->     ],
-->     partitionNumber = 1,
-->     primary = true,
-->     active = true,
-->     partitionType = 7,
-->     partitionGuid = <unset>,
-->     partitionUuid = <unset>,
-->     fileSystem = "NTFS",
-->     clusterSizeInBytes = 4096,
-->     firstClusterOffsetInBytes = <unset>,
-->     label = "Réservé au système",
-->     capacityInBytes = 524288000,
-->     spaceUsedInBytes = 354906112,
-->     extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->     xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->     lvName = <unset>
--> },
--> (converter.info.StorageInfo.VolumeInfo) {
-->     volumeId = "?2418320000005?100000000",
-->     diskId = (string) [
-->         "disk-5"
-->     ],
-->     partitionNumber = 2,
-->     primary = true,
-->     active = false,
-->     partitionType = 7,
-->     partitionGuid = <unset>,
-->     partitionUuid = <unset>,
-->     fileSystem = "NTFS",
-->     clusterSizeInBytes = 4096,
-->     firstClusterOffsetInBytes = <unset>,
-->     label = "",
-->     capacityInBytes = 42423287808,
-->     spaceUsedInBytes = 31388561408,
-->     extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->     xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->     lvName = <unset>
--> },
--> (converter.info.StorageInfo.VolumeInfo) {
-->     volumeId = "7(1+*<700000100000000000",
-->     diskId = (string) [
-->         "disk-6"
-->     ],
-->     partitionNumber = 1,

```

```

-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "DATA",
-->         capacityInBytes = 64421363712,
-->         spaceUsedInBytes = 198262784,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     },
-->     (converter.info.StorageInfo.VolumeInfo) {
-->         volumeId = ";4<*<540000001000000000",
-->         diskId = (string) [
-->             "disk-7"
-->         ],
-->         partitionNumber = 1,
-->         primary = true,
-->         active = false,
-->         partitionType = 7,
-->         partitionGuid = <unset>,
-->         partitionUuid = <unset>,
-->         fileSystem = "NTFS",
-->         clusterSizeInBytes = 4096,
-->         firstClusterOffsetInBytes = <unset>,
-->         label = "TEst",
-->         capacityInBytes = 42946527232,
-->         spaceUsedInBytes = 90914816,
-->         extfsFeatures =
(converter.info.StorageInfo.VolumeInfo.ExtfsFeatures) null,
-->         xfsFeatures =
(converter.info.StorageInfo.VolumeInfo.XfsFeatures) null,
-->         lvName = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [
-->             (converter.info.NetworkInfo.HostedNicInfo) {
-->                 nicId = "ethernet-10",
-->                 connected = true,
-->                 label = "ethernet0",

```



```

-->         connectionType = <unset>
-->     }
--> ]
--> },
--> basicHardware = (converter.info.BasicHardwareInfo) {
-->     numCPUs = 2,
-->     numCoresPerSocket = 1,
-->     memoryMB = 8192
--> },
--> configInfo = (vim.vm.ConfigInfo) {
-->     changeVersion = "",
-->     modified = "1970-01-01T00:00:00Z",
-->     name = "NHF-INBACH",
-->     guestFullName = "",
-->     version = "vmx-13",
-->     uuid = "cf 7d 21 42 58 09 89 5a-22 a9 d5 3f a1 75 88 49",
-->     instanceUuid = <unset>,
-->     npivWorldWideNameType = <unset>,
-->     npivDesiredNodeWwns = <unset>,
-->     npivDesiredPortWwns = <unset>,
-->     npivTemporaryDisabled = <unset>,
-->     npivOnNonRdmDisks = <unset>,
-->     locationId = "56 4d ca f3 4d 73 d2 51-db b1 85 f4 58 55 9e
1a",
-->     template = false,
-->     guestId = "windows9Server64Guest",
-->     alternateGuestName = "",
-->     annotation = <unset>,
-->     files = (vim.vm.FileInfo) {
-->         vmPathName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx",
-->
-->         snapshotDirectory = <unset>,
-->         suspendDirectory = <unset>,
-->         logDirectory = <unset>,
-->         ftMetadataDirectory = <unset>
-->     },
-->     tools = (vim.vm.ToolsConfigInfo) {
-->         toolsVersion = <unset>,
-->         afterPowerOn = true,
-->         afterResume = true,
-->         beforeGuestStandby = true,
-->         beforeGuestShutdown = true,
-->         beforeGuestReboot = <unset>,
-->         toolsUpgradePolicy = "manual",
-->         pendingCustomization = <unset>,
-->         syncTimeWithHost = false,
-->         lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) null,

```

```

-->         upgradeRebootPredict = <unset>
-->     },
-->     flags = (vim.vm.FlagInfo) {
-->         disableAcceleration = false,
-->         enableLogging = true,
-->         useToe = <unset>,
-->         runWithDebugInfo = <unset>,
-->         monitorType = "release",
-->         htSharing = <unset>,
-->         snapshotDisabled = <unset>,
-->         snapshotLocked = <unset>,
-->         diskUuidEnabled = <unset>,
-->         virtualMmuUsage = <unset>,
-->         virtualExecUsage = <unset>,
-->         snapshotPowerOffBehavior = <unset>,
-->         recordReplayEnabled = <unset>,
-->         faultToleranceType = <unset>
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = <unset>,
-->         suspendType = <unset>,
-->         resetType = <unset>,
-->         defaultPowerOffType = <unset>,
-->         defaultSuspendType = <unset>,
-->         defaultResetType = <unset>,
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 8192,
-->         virtualICH7MPresent = <unset>,
-->         virtualSMCPresent = <unset>,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 1,
-->                 deviceInfo = (vim.Description) {
-->                     label = "ide0",
-->                     summary = "IDE Controller 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,

```

```

-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualIDEController) {
-->         key = 2,
-->         deviceInfo = (vim.Description) {
-->             label = "ide1",
-->             summary = "IDE Controller 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 1,
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 3,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0",
-->             summary = "SCSI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtlrUnitNumber = 7,
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 4,
-->         deviceInfo = (vim.Description) {
-->             label = "sata0",
-->             summary = "AHCI Controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,

```

```

-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 5,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:0",
-->             summary = "Hard Disk 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk"
,
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 0,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 6,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:1",
-->             summary = "Hard Disk 2"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH_1.vmd
k",
-->             datastore = <unset>,
-->             backingObjectId = <unset>

```

```

-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 1,
-->         capacityInKB = 62914560,
-->         capacityInBytes = 64424509440,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 7,
-->         deviceInfo = (vim.Description) {
-->             label = "scsi0:2",
-->             summary = "Hard Disk 3"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.FileBackingInfo) {
-->             fileName =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH_2.vmd
k",
-->             datastore = <unset>,
-->             backingObjectId = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 3,
-->         unitNumber = 2,
-->         capacityInKB = 41943040,
-->         capacityInBytes = 42949672960,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) null,
-->         diskObjectId = <unset>,
-->         vFlashCacheConfigInfo =

```

```

(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->         },
-->         (vim.vm.device.VirtualCdrom) {
-->             key = 8,
-->             deviceInfo = (vim.Description) {
-->                 label = "sata0:0",
-->                 summary = "CD-ROM 1"
-->             },
-->             backing =
(vim.vm.device.VirtualCdrom.RemoteAtapiBackingInfo) {
-->                 deviceName = "emptyBackingString",
-->                 useAutoDetect = <unset>
-->             },
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->                 startConnected = true,
-->                 allowGuestControl = true,
-->                 connected = false,
-->                 status = <unset>
-->             },
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = 4,
-->             unitNumber = 0
-->         },
-->         (vim.vm.device.VirtualFloppy) {
-->             key = 9,
-->             deviceInfo = (vim.Description) {
-->                 label = "floppy0",
-->                 summary = "Floppy 1"
-->             },
-->             backing =
(vim.vm.device.VirtualFloppy.RemoteDeviceBackingInfo) {
-->                 deviceName = "",
-->                 useAutoDetect = <unset>
-->             },
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->                 startConnected = false,
-->                 allowGuestControl = true,
-->                 connected = false,
-->                 status = <unset>
-->             },
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = <unset>,
-->             unitNumber = 0
-->         },
-->         (vim.vm.device.VirtualVmxnet3) {

```

```

-->         key = 10,
-->         deviceInfo = (vim.Description) {
-->             label = "ethernet0",
-->             summary = "Ethernet 0"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = <unset>,
-->             network = <unset>,
-->             inPassthroughMode = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = <unset>
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         addressType = "assigned",
-->         macAddress = "00:50:56:a1:b5:71",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) null,
-->         externalId = <unset>,
-->         uptCompatibilityEnabled = <unset>,
-->     },
-->     (vim.vm.device.VirtualVideoCard) {
-->         key = 11,
-->         deviceInfo = (vim.Description) null,
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         videoRamSizeInKB = 131072,
-->         numDisplays = 1,
-->         useAutoDetect = false,
-->         enable3DSupport = false,
-->         enableMPTSupport = <unset>,
-->         use3dRenderer = <unset>,
-->         graphicsMemorySizeInKB = <unset>

```

```

-->         },
-->         (vim.vm.device.VirtualVMCIDevice) {
-->             key = 12,
-->             deviceInfo = (vim.Description) {
-->                 label = "vmci0",
-->                 summary = "VMCI Adapter 0"
-->             },
-->             backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = <unset>,
-->             unitNumber = <unset>,
-->             id = <unset>,
-->             allowUnrestrictedCommunication = false,
-->             filterEnable = <unset>,
-->             filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->         }
-->     ]
--> },
-->     cpuAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = <unset>,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     memoryAllocation = (vim.ResourceAllocationInfo) {
-->         reservation = 0,
-->         expandableReservation = false,
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 0,
-->             level = "normal"
-->         },
-->         overheadLimit = <unset>
-->     },
-->     latencySensitivity = (vim.LatencySensitivity) null,
-->     memoryHotAddEnabled = false,
-->     cpuHotAddEnabled = false,
-->     cpuHotRemoveEnabled = false,
-->     hotPlugMemoryLimit = <unset>,
-->     hotPlugMemoryIncrementSize = <unset>,

```



```

-->     cpuAffinity = (vim.vm.AffinityInfo) null,
-->     memoryAffinity = (vim.vm.AffinityInfo) null,
-->     networkShaper = (vim.vm.NetworkShaperInfo) null,
-->     extraConfig = (vim.option.OptionValue) [
-->         (vim.option.OptionValue) {
-->             key = "config.readOnly",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.present",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "svga.guestBackedPrimaryAware",
-->             value = "TRUE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.cpu.latencySensitivity",
-->             value = "normal"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.mem.min",
-->             value = "0"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "sched.swap.derivedName",
-->             value =
--> "/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ef42915b-889a-ab8e
--> -6570-e4434b055966/NHF-INBACH-8ea7c8cf.vswp"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.syncTime",
-->             value = "false"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.guest.desktop.autolock",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "tools.remindInstall",
-->             value = "FALSE"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.ctkEnabled",
-->             value = "True"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:1.ctkEnabled",
-->             value = "TRUE"

```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "scsi0:2.ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.shares",
-->     value = "normal"
--> },
--> (vim.option.OptionValue) {
-->     key = "ethernet0.uptCompatibility",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "vc.uuid",
-->     value = "ee 13 21 50 53 94 de 66-6b bc 5f 05 d1 94 93
63"
--> },
--> (vim.option.OptionValue) {
-->     key = "nvram",
-->     value = "NHF-INBACH.nvram"
--> },
--> (vim.option.OptionValue) {
-->     key = "hpet0.present",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "disk.EnableUUID",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "monitor.phys_bits_used",
-->     value = "43"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.cookie",
-->     value = "20001"
--> },
--> (vim.option.OptionValue) {
-->     key = "numa.autosize.vcpu.maxPerVirtualNode",
-->     value = "2"
--> },
--> (vim.option.OptionValue) {
-->     key = "softPowerOff",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genidX",
-->     value = "5043928480328588401"
```

```
--> },
--> (vim.option.OptionValue) {
-->     key = "vm.genid",
-->     value = "-2833367544432486491"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointFBSize",
-->     value = "4194304"
--> },
--> (vim.option.OptionValue) {
-->     key = "vmotion.checkpointSVGAPrimarySize",
-->     value = "134217728"
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.lastInstallError",
-->     value = ""
--> },
--> (vim.option.OptionValue) {
-->     key = "toolsInstallManager.updateCounter",
-->     value = "3"
--> },
--> (vim.option.OptionValue) {
-->     key = "cleanShutdown",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "ctkEnabled",
-->     value = "TRUE"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.toolsInstallErrCode",
-->     value = "1641"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.buildNumber",
-->     value = "16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.description",
-->     value = "VMware Tools 11.1.1 build 16303738"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionNumber",
-->     value = "11297"
--> },
--> (vim.option.OptionValue) {
-->     key = "guestinfo.vmtools.versionString",
-->     value = "11.1.1"
--> },
--> },
```

```

-->         (vim.option.OptionValue) {
-->             key = "virtualHW.productCompatibility",
-->             value = "hosted"
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:2.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:1.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "scsi0:0.redo",
-->             value = ""
-->         },
-->         (vim.option.OptionValue) {
-->             key = "guestOS.detailed.data",
-->             value = ""
-->         }
-->     ],
-->     cpuFeatureMask = (vim.host.CpuIdInfo) [
-->         (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 0,
-->             vendor = "amd",
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 1,
-->             vendor = <unset>,
-->             eax = <unset>,
-->             ebx = <unset>,
-->             ecx = <unset>,
-->             edx = <unset>
-->         },
-->         (vim.host.CpuIdInfo) {
-->             level = 1,
-->             vendor = "amd",

```

```
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483648,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483647,
-->         vendor = "amd",
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = <unset>,
-->         eax = <unset>,
-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     },
-->     (vim.host.CpuIdInfo) {
-->         level = -2147483640,
-->         vendor = "amd",
-->         eax = <unset>,
-->
```

```

-->         ebx = <unset>,
-->         ecx = <unset>,
-->         edx = <unset>
-->     }
--> ],
--> swapPlacement = <unset>,
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = <unset>,
-->     bootRetryDelay = <unset>,
-->     networkBootProtocol = <unset>,
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
--> vAssertsEnabled = <unset>,
--> changeTrackingEnabled = <unset>,
--> firmware = <unset>,
--> maxMksConnections = <unset>,
--> guestAutoLockEnabled = <unset>,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = <unset>,
--> initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) null,
--> nestedHVEEnabled = <unset>,
--> vPMCEnabled = <unset>,
--> scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) null,
--> forkConfigInfo = (vim.vm.ForkConfigInfo) null,
--> vFlashCacheReservation = <unset>,
--> vmxConfigChecksum = <unset>,
--> messageBusQueuePattern = <unset>,
--> messageBusTunnelEnabled = <unset>,
--> vmStorageObjectId = <unset>,
--> swapStorageObjectId = <unset>,
--> },
--> currentEfiBootEntry = <unset>
--> },
--> osInfo = (converter.info.ComputerOsInfo) {
-->     osVersion = (converter.info.ComputerOsInfo.OsVersion) {
-->         guestOsId = "windows8srv-64",
-->         displayName = "Windows Server 2012 (64-bit)",
-->         osType = "windowsOs",
-->         osEdition = "Server",
-->         distribution = <unset>,
-->         majorVersion = 6,
-->         minorVersion = 3,

```

```

-->         kernelVersion = <unset>,
-->         os64Bit = true,
-->         spLevel = <unset>
-->     },
-->     hostname = "NHF-INBACH",
-->     activeVolumeId = "?24183200000010000000000",
-->     systemVolumeId = "?2418320000005?100000000",
-->     logicalVolumeInfo =
(converter.info.ComputerOsInfo.LogicalVolumeInfo) [
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = "?24183200000010000000000",
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 459763712,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             },
-->         },
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = "?2418320000005?100000000",
-->             mountPoint = (string) [
-->                 "C:"
-->             ],
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 34527417548,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = false,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true
-->             }
-->         },
-->         (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->             volumeId = "7(1+=<70000010000000000",
-->             mountPoint = (string) [
-->                 "E:"
-->             ],
-->             volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->                 minSizeInBytes = 303120384,
-->                 canBeSkipped = true,
-->                 canBeResized = true,
-->                 canBeMovedToAnotherDisk = true,
-->                 canChangeClusterSize = true,
-->                 canChangeType = true

```

```

-->         }
-->     },
-->     (converter.info.ComputerOsInfo.LogicalVolumeInfo) {
-->         volumeId = ";4*<540000001000000000",
-->         mountPoint = (string) [
-->             "D:"
-->         ],
-->         volumeCloneFlags =
(converter.info.ComputerOsInfo.VolumeCloneFlags) {
-->             minSizeInBytes = 195772416,
-->             canBeSkipped = true,
-->             canBeResized = true,
-->             canBeMovedToAnotherDisk = true,
-->             canChangeClusterSize = true,
-->             canChangeType = true
-->         }
-->     }
--> ],
--> reconfigPrerequisites = (converter.info.ReconfigPrerequisites)
null,
-->     services = (converter.info.ServiceInfo) [
-->         (converter.info.ServiceInfo) {
-->             serviceName = "aaBootstrap",
-->             displayName = "ArchestrA Bootstrap",
-->             description = "Utility to bootstrap an ArchestrA runtime
to support code-module deployment and process monitoring.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "aaGlobalDataCacheMonitorSvr",
-->             displayName = "ArchestrA GlobalDataCacheMonitorServer",
-->             description = "GlobalDataCacheMonitorServer service to
process file change notifications.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "aaGR",
-->             displayName = "ArchestrA GalaxyRepository",
-->             description = "Galaxy Repository service to process
requests to the ArchestrA configuration subsystem",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {

```



```

-->         serviceName = "aahClientAccessPoint",
-->         displayName = "Wonderware Historian Client Access
Point",
-->         description = "Manages client communication with
Historian Server",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaLogger",
-->         displayName = "ArchestrA Logger",
-->         description = "ArchestrA Logger Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aaUserValidator",
-->         displayName = "ArchestrA UserValidator",
-->         description = "UserValidator service to process user
validations for ArchestrA",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AJRouter",
-->         displayName = "Service de routeur AllJoyn",
-->         description = "Achemine les messages AllJoyn pour les
clients AllJoyn locaux. Si ce service est arrêté, les clients AllJoyn ne
possédant pas leur propre routeur groupé ne peuvent pas s'exécuter.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ALG",
-->         displayName = "Service de la passerelle de la couche
Application",
-->         description = "Fournit la prise en charge de plug-ins de
protocole tiers pour le partage de connexion Internet",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppHostSvc",
-->         displayName =

```

```

"@%windir%\system32\inetsrv\iisres.dll,-30011",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30012",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppIDSvc",
-->         displayName = "Identité de l'application",
-->         description = "Détermine et vérifie l'identité d'une
application. La désactivation de ce service empêchera l'application
d'AppLocker.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Appinfo",
-->         displayName = "Informations d'application",
-->         description = "Permet d'exécuter les applications
interactives avec des droits d'administration supplémentaires. Si ce
service est arrêté, les utilisateurs ne pourront pas lancer les
applications avec les droits d'administration supplémentaires
nécessaires pour effectuer les tâches utilisateur souhaitées.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppMgmt",
-->         displayName = "Gestion d'applications",
-->         description = "Traite les demandes d'installation, de
suppression et d'énumération pour le logiciel déployé au moyen de la
stratégie de groupe. Si le service est désactivé, les utilisateurs ne
pourront pas installer, supprimer ou énumérer le logiciel déployé au
moyen de la stratégie de groupe. Si ce service est désactivé, tous les
services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppReadiness",
-->         displayName = "Préparation des applications",
-->         description = "Prépare les applications pour la première
connexion d'un utilisateur sur cet ordinateur et lors de l'ajout de
nouvelles applications.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppVClient",
-->         displayName = "Microsoft App-V Client",
-->         description = "Manages App-V users and virtual
applications",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AppXSvc",
-->         displayName = "Service de déploiement AppX (AppXSVC)",
-->         description = "Assure la prise en charge de
l'infrastructure pour le déploiement d'applications du Windows Store. Ce
service démarre à la demande. S'il est désactivé, les applications du
Windows Store ne sont pas déployées sur le système et peuvent ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ArchestrADataStore",
-->         displayName = "ArchestrA Data Store",
-->         description = "The ArchestrA Data Store service.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AsbServiceManager",
-->         displayName = "ArchestrA Service Manager Service",
-->         description = "Utility to manage all the service hosts
and instances.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "aspnet_state",
-->         displayName = "ASP.NET State Service",
-->         description = "Provides support for out-of-process
session states for ASP.NET. If this service is stopped, out-of-process
requests will not be processed. If this service is disabled, any
services that explicitly depend on it will fail to start.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AudioEndpointBuilder",
-->         displayName = "Générateur de points de terminaison du
service Audio Windows",
-->         description =
"@%SystemRoot%\System32\AudioEndpointBuilder.dll,-205",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Audiosrv",
-->         displayName = "Audio Windows",
-->         description =
"@%SystemRoot%\System32\audiosrv.dll,-201",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AutoBuild_Service",
-->         displayName = "ArchestrA AutoBuild Service",
-->         description = "ArchestrA AutoBuild Service.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "AxInstSV",
-->         displayName = "Programme d'installation ActiveX
(AxInstSV)",
-->         description = "Valide le contrôle de compte
d'utilisateur pour l'installation des contrôles ActiveX depuis Internet
et permet de gérer leur installation d'après les paramètres de la
stratégie de groupe. Ce service est démarré sur demande et, s'il est
désactivé, l'installation des contrôles ActiveX se comporte conformément
aux paramètres par défaut du navigateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BFE",
-->         displayName = "Moteur de filtrage de base",
-->         description = "Le moteur de filtrage de base est un
service qui gère les stratégies de pare-feu et de sécurité IP (IPsec),

```

et qui implémente le filtrage en mode utilisateur. L'arrêt ou la désactivation du service Moteur de filtrage de base diminue significativement la sécurité du système et aboutit également à un fonctionnement imprévisible des applications de gestion et de pare-feu IPsec.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BITS",
-->         displayName = "Service de transfert intelligent en
arrière-plan",
-->         description = "Transfère des fichiers en arrière-plan en
utilisant la bande passante réseau inactive. Si le service est
désactivé, toutes les applications dépendant du service de transfert
intelligent d'arrière-plan, telles que Windows Update ou MSN Explorer,
ne pourront plus télécharger des programmes ni d'autres informations.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "BrokerInfrastructure",
-->         displayName = "@%windir%\system32\bisrv.dll,-100",
-->         description = "@%windir%\system32\bisrv.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Browser",
-->         displayName = "Explorateur d'ordinateurs",
-->         description = "Tient à jour une liste des ordinateurs
présents sur le réseau et fournit cette liste aux ordinateurs désignés
comme navigateurs. Si ce service est arrêté, la liste ne sera pas mise
ou tenue à jour. Si ce service est désactivé, les services qui en
dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "bthserv",
-->         displayName = "Service de prise en charge Bluetooth",
-->         description = "Le service Bluetooth prend en charge la
découverte et l'association d'appareils Bluetooth distants. L'arrêt ou
la désactivation de ce service peut entraîner un dysfonctionnement des
appareils Bluetooth déjà installés et peut empêcher la découverte et
```

```

l'association de nouveaux appareils.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPSvc",
-->         displayName = "Service de plateforme des appareils
connectés",
-->         description = "Ce service est utilisé pour les appareils
connectés et les scénarios Universal Glass",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CDPUserSvc",
-->         displayName =
"@%SystemRoot%\system32\cdpusersvc.dll,-100",
-->         description =
"@%SystemRoot%\system32\cdpusersvc.dll,-101",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "CertPropSvc",
-->         displayName = "Propagation du certificat",
-->         description = "Copie des certificats utilisateur et des
certificats racines à partir de cartes à puce dans le magasin de
certificats de l'utilisateur actuel, détecte quand une carte à puce est
insérée dans un lecteur de cartes à puce, et, si nécessaire, installe le
minipilote Plug and Play de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ClipSVC",
-->         displayName = "Service de licences de client (ClipSVC)",
-->
-->         description = "Permet la prise en charge de
l'infrastructure de la boutique Microsoft. Ce service démarre à la
demande. S'il est désactivé, les applications achetées via le Windows
Store ne se comportent pas correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "COMSysApp",
-->             displayName = "Application système COM+",
-->             description = "Gère la configuration et le suivi des
composants de base COM+ (Component Object Model). Si le service est
arrêté, la plupart des composants de base COM+ ne fonctionneront pas
correctement. Si ce service est désactivé, les services qui en dépendent
de manière explicite ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "CoreMessagingRegistrar",
-->             displayName = "CoreMessaging",
-->             description = "Manages communication between system
components.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "CryptSvc",
-->             displayName = "Services de chiffrement",
-->             description = "Fournit trois services de gestion : le
service de base de données de catalogues, qui confirme les signatures
des fichiers Windows et autorise l'installation de nouveaux programmes,
le service de racine protégée, qui ajoute et supprime les certificats
d'autorité de certification racines approuvés sur cet ordinateur, et le
service de mise à jour de certificats racines automatique, qui extrait
les certificats racines à partir de Windows Update et autorise les
scénarios tels que SSL. Si ce service est arrêté, les services de
gestion ne fonctionneront pas correctement. Si ce service est désactivé,
les services en dépendant explicitement ne démarreront pas.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "CscService",
-->             displayName = "Fichiers hors connexion",
-->             description = "Le service Fichiers hors connexion
effectue des activités de maintenance sur le cache Fichiers hors
connexion, répond aux événements d'ouverture et de fermeture de session
des utilisateurs, implémente les données internes de l'API public, et
distribue aux utilisateurs intéressés les événements pertinents relatifs
aux activités Fichiers hors connexion et aux modifications apportées en
mémoire cache.",
-->             currentState = "stopped",

```

```

-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcomLaunch",
-->         displayName = "Lanceur de processus serveur DCOM",
-->         description = "Le service DCOMLAUNCH lance les serveurs
COM et DCOM en réponse aux demandes d'activation d'objets. Si ce service
est arrêté ou désactivé, les programmes qui utilisent COM ou DCOM ne
fonctionnent pas correctement. Il est fortement recommandé d'exécuter le
service DCOMLAUNCH.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DcpSvc",
-->         displayName = "DataCollectionPublishingService",
-->         description = "The DCP (Data Collection and Publishing)
service supports first party apps to upload data to cloud.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "defragsvc",
-->         displayName = "Optimiser les lecteurs",
-->         description = "Permet à l'ordinateur de fonctionner plus
efficacement en optimisant les fichiers sur les lecteurs de stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceAssociationService",
-->         displayName = "Service d'association de périphérique",
-->         description = "Permet de coupler des périphériques
câblés ou sans fil au système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DeviceInstall",
-->         displayName = "Service d'installation de périphérique",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",

```



```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DevQueryBroker",
-->         displayName = "Service Broker de découverte en
arrière-plan DevQuery",
-->         description = "Permet aux applications de découvrir les
périphériques avec une tâche en arrière-plan",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dhcp",
-->         displayName = "Client DHCP",
-->         description = "Inscrit et met à jour les adresses IP et
les enregistrements DNS pour cet ordinateur. Si ce service est arrêté,
cet ordinateur ne recevra pas d'adresses IP et de mises à jour DNS
dynamiques. Si ce service est désactivé, tous les services qui en
dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName =
"diagnosticshub.standardcollector.service",
-->         displayName = "Service Collecteur standard du
concentrateur de diagnostic Microsoft (R)",
-->         description = "Service Collecteur standard du
concentrateur de diagnostic. Lors de l'exécution, ce service collecte
les événements ETW en temps réel et les traite.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DiagTrack",
-->         displayName = "Expériences des utilisateurs connectés et
télémétrie",
-->         description = "Le service d'expériences des utilisateurs
connectés et de télémétrie offre des fonctionnalités qui prennent en
charge les expériences des utilisateurs connectés et in-app. En outre,
ce service gère la collecte et la transmission des informations de
diagnostic et d'utilisation en fonction des événements (afin d'améliorer
l'expérience et la qualité de la plateforme Windows) lorsque les
paramètres des options de confidentialité des diagnostics et de

```

```

l'utilisation sont activés sous Commentaires & diagnostics.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DmEnrollmentSvc",
-->         displayName = "Service d'inscription de la gestion des
périphériques",
-->         description = "Assure les activités d'inscription de
périphériques de la gestion des périphériques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dmwappushservice",
-->         displayName = "dmwappushsvc",
-->         description = "Service de routage de message push WAP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Dnscache",
-->         displayName = "Client DNS",
-->         description = "Le service client DNS (dnscache) met en
cache les noms DNS (Domain Name System) et inscrit le nom complet de cet
ordinateur. Si le service est arrêté, les noms DNS continuent d'être
résolus. Toutefois, les résultats des requêtes de noms DNS ne sont pas
mis en cache et le nom de l'ordinateur n'est pas inscrit. Si le service
est désactivé, les services qui en dépendent explicitement ne peuvent
pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "dot3svc",
-->         displayName = "Configuration automatique de réseau
câblé",
-->         description = "Le service Wired AutoConfig (DOT3SVC) est
responsable de l'exécution de l'authentification IEEE 802.1X sur les
interfaces Ethernet. Si votre déploiement de réseau câblé actuel
applique l'authentification 802.1X, le service DOT3SVC doit être
configuré de façon à s'exécuter pour l'établissement de la connectivité
de Couche 2 et/ou fournir l'accès aux ressources réseau. Les réseaux
câblés qui n'appliquent pas l'authentification 802.1X ne sont pas
concernés par le service DOT3SVC.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DPS",
-->         displayName = "Service de stratégie de diagnostic",
-->         description = "Le service de stratégie de diagnostic
permet la détection, le dépannage et la résolution de problèmes pour les
composants de Windows. Si ce service est arrêté, les diagnostics ne
fonctionnent plus.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsmSvc",
-->         displayName = "Gestionnaire d'installation de
périphérique",
-->         description = "Active la détection, le téléchargement et
l'installation du logiciel associé au périphérique. Si ce service est
désactivé, les périphériques risquent d'être configurés avec un logiciel
obsolète et de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "DsSvc",
-->         displayName = "Service de partage des données",
-->         description = "Fournit l'intermédiation des données
entre les applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Eaphost",
-->         displayName = "Protocole EAP (Extensible Authentication
Protocol)",
-->         description = "Le service EAP (Extensible Authentication
Protocol) permet d'authentifier le réseau dans des scénarios tels que
des réseaux câblés et sans fil 802.1x, des réseaux privés virtuels et
NAP (Network Access Protection). Ce service fournit également des API
qui sont utilisées par les clients d'accès à distance, notamment les
clients sans fil et VPN, lors de l'authentification. Si vous désactivez
ce service, cet ordinateur ne pourra pas accéder aux réseaux qui
nécessitent l'authentification EAP.",
-->         currentState = "stopped",

```

```

-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EFS",
-->         displayName = "Système de fichiers EFS (Encrypting File
System)",
-->         description = "Fournit la technologie de chiffrement des
fichiers de base utilisée pour stocker les fichiers chiffrés sur les
volumes NTFS. Si ce service est arrêté ou désactivé, les applications
n'auront pas accès aux fichiers chiffrés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "embeddedmode",
-->         displayName = "Mode incorporé",
-->         description = "Le service Mode incorporé active les
scénarios associés aux applications d'arrière-plan. La désactivation de
ce service empêche l'activation de ces applications.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EntAppSvc",
-->         displayName = "Service de gestion des applications
d'entreprise",
-->         description = "Permet la gestion des applications
d'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "EventLog",
-->         displayName = "Journal d'événements Windows",
-->         description = "Ce service gère les événements et les
journaux d'événements. Il prend en charge l'enregistrement des
événements, les requêtes sur les événements, l'abonnement aux
événements, l'archivage des journaux d'événements et la gestion des
métadonnées d'événements. Il peut afficher des événements en XML et en
format de texte brut. L'arrêt de ce service peut compromettre la
sécurité et la fiabilité du système.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "EventSystem",
-->             displayName = "Système d'événement COM+",
-->             description = "Prend en charge le service de
notification d'événements système (SENS, System Event Notification
Service), qui fournit une distribution automatique d'événements aux
composants COM (Component Object Model) abonnés. Si le service est
arrêté, SENS sera fermé et ne pourra fournir des informations
d'ouverture et de fermeture de session. Si ce service est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "fdPHost",
-->             displayName = "Hôte du fournisseur de découverte de
fonctions",
-->             description = "Le service FDPHOST héberge les
fournisseurs de découverte de réseau de découverte de fonction (FD). Ces
fournisseurs de découverte de fonction fournissent des services de
découverte de réseau pour les protocoles SSDP (Simple Services Discovery
Protocol) et WS-D (Web Services - Discovery). L'arrêt ou la
désactivation du service FDPHOST désactivera la découverte de réseau
pour ces protocoles lors de l'utilisation de la découverte de fonction.
Lorsque ce service n'est pas disponible, les services réseau qui
utilisent la découverte de fonction et qui dépendent de ces protocoles
de découverte ne pourront pas trouver des périphériques ou des
ressources réseau.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "FDResPub",
-->             displayName = "Publication des ressources de découverte
de fonctions",
-->             description = "Publie cet ordinateur et les ressources
qui y sont attachées, de façon à ce que leur découverte soit possible
sur le réseau. Si ce service est arrêté, les ressources réseau ne sont
plus publiées et ne seront donc pas découvertes par les autres
ordinateurs du réseau.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "FontCache",
-->             displayName = "Service de cache de police Windows",

```

```

-->         description = "Optimise les performances des
applications en mettant en cache les données des polices communément
utilisées. Les applications démarrent ce service s'il n'est pas déjà en
fonctionnement. Il peut être désactivé ; il en résulte cependant une
dégradation des performances des applications.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FontCache3.0.0.0",
-->         displayName = "Cache de police de Windows Presentation
Foundation 3.0.0.0",
-->         description = "Optimise les performances des
applications Windows Presentation Foundation (WPF) en mettant en cache
les données de police fréquemment utilisées. Les applications WPF
démarrent ce service s'il n'est pas déjà en cours d'exécution. Ce
dernier peut être désactivé ; toutefois, cela entraîne une dégradation
des performances des applications WPF.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "FrameServer",
-->         displayName = "Serveur de trame de la Caméra Windows",
-->         description = "Permettre à plusieurs clients d'accéder
aux trames vidéo des appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "GATEWAY",
-->         displayName = "GATEWAY",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "gpsvc",
-->         displayName = "Client de stratégie de groupe",
-->         description = "Le service est responsable de
l'application des paramètres configurés par les administrateurs pour
l'ordinateur et pour les utilisateurs via le composant de stratégie de
groupe. Si le service est désactivé, les paramètres ne seront pas
appliqués, et les applications et les composants ne seront pas gérables
par la stratégie de groupe. Tout composant ou application qui dépend du

```

composant de stratégie de groupe risque de ne pas fonctionner si le service est désactivé.",

```
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "hidserv",
-->         displayName = "Service du périphérique d'interface
utilisateur",
-->         description = "Active et maintient l'utilisation des
boutons actifs sur le clavier, les contrôles à distance et d'autres
périphériques multimédias. Nous vous recommandons de veiller à ce que ce
service soit constamment en cours d'exécution.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "HvHost",
-->         displayName = "Service d'hôte HV",
-->         description = "Propose une interface pour l'hyperviseur
Hyper-V afin de fournir des compteurs de performance par partition au
système d'exploitation hôte.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "icssvc",
-->         displayName = "Service Point d'accès sans fil mobile
Windows",
-->         description = "Permet de partager une connexion de
données cellulaires avec un autre appareil.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "IISADMIN",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30007",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30008",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
```

```

-->         serviceName = "IKEEXT",
-->         displayName = "Modules de génération de clés IKE et
AuthIP",
-->         description = "Le service IKEEXT héberge les modules de
génération de clés IKE (Internet Key Exchange) et AuthIP (Authenticated
Internet Protocol). Ces modules de génération de clés sont utilisés pour
l'authentification et l'échange de clés dans la sécurité IP (IPsec).
L'arrêt ou la désactivation du service IKEEXT entraînera la
désactivation de l'échange de clés IKE et AuthIP avec des ordinateurs
homologues. IPsec est généralement configuré pour utiliser IKE ou
AuthIP ; par conséquent, l'arrêt ou la désactivation du service IKEEXT
risque de conduire à la défaillance d'IPsec et de compromettre la
sécurité du système. Il est fortement recommandé d'activer l'exécution
du service IKEEXT.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_BatchMngr",
-->         displayName = "InBatch_BatchMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_EnvMngr",
-->         displayName = "InBatch_EnvMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_HistQMngr",
-->         displayName = "InBatch_HistQMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_HistQReader",
-->         displayName = "InBatch_HistQReader",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true

```



```
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBCli",
-->         displayName = "InBatch_IBCli",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBCli_F1",
-->         displayName = "InBatch_IBCli_F1",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBMX",
-->         displayName = "InBatch_IBMX",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_IBServ",
-->         displayName = "InBatch_IBServ",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_InfoMngr",
-->         displayName = "InBatch_InfoMngr",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "InBatch_lm_tcp",
-->         displayName = "InBatch_lm_tcp",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
--> }
```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_MemTagMngr",
-->             displayName = "InBatch_MemTagMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_SecMngr",
-->             displayName = "InBatch_SecMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_SimMngr",
-->             displayName = "InBatch_SimMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "InBatch_UnlkMngr",
-->             displayName = "InBatch_UnlkMngr",
-->             description = "",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "iphlpvc",
-->             displayName = "Assistance IP",
-->             description = "Fournit une connectivité de tunnel à
l'aide des technologies de transition IPv6 (6to4, ISATAP, Proxy de port
et Teredo) et IP-HTTPS. Si ce service est arrêté, l'ordinateur ne
disposera pas des avantages de la connectivité améliorée offerts par ces
technologies.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "KeyIso",
-->             displayName = "Isolation de clé CNG",
-->             description = "Le service d'isolation de clé CNG est
hébergé dans le processus LSA. Le service fournit une isolation de

```

processus de clé aux clés privés et aux opérations de chiffrement associées, conformément aux critères communs. Le service stocke et utilise des clés à long terme dans le cadre d'un processus sécurisé répondant aux exigences des critères communs.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KPSSVC",
-->         displayName = "Service Serveur proxy KDC",
-->         description = "Le service Serveur proxy KDC s'exécute
sur les serveurs Edge pour permettre la redirection via proxy des
messages du protocole Kerberos vers les contrôleurs de domaine sur le
réseau de l'entreprise.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "KtmRm",
-->         displayName = "Service KtmRm pour Distributed
Transaction Coordinator",
-->         description = "Coordonne les transactions entre
Distributed Transaction Coordinator (MSDTC) et le gestionnaire de
transactions du noyau (KTN). S'il n'est pas requis, il est recommandé
que ce service reste arrêté. S'est requis, MSDTC et KTM démarrent ce
service automatiquement. Si ce service est désactivé, toute transaction
MSDTC interagissant avec un gestionnaire de transactions du noyau échoue
et tout service qui en dépend de façon explicite ne parvient pas à
démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanServer",
-->         displayName = "Serveur",
-->         description = "Prend en charge le partage de fichiers,
d'impression et des canaux nommés via le réseau pour cet ordinateur. Si
ce service est arrêté, ces fonctions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent ne pourront pas
démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LanmanWorkstation",
```

```

-->         displayName = "Station de travail",
-->         description = "Crée et maintient des connexions de
réseau client à des serveurs distants à l'aide du protocole SMB. Si ce
service est arrêté, ces connexions ne seront pas disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "lfsvc",
-->         displayName = "Service de géolocalisation",
-->         description = "Ce service surveille l'emplacement actuel
du système et gère les limites géographiques (un emplacement
géographique accompagné d'événements associés). Si vous désactivez ce
service, les applications ne pourront pas utiliser ni recevoir de
notification pour la géolocalisation ou des limites géographiques.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "License Server Agent Service",
-->         displayName = "License Server Agent Service",
-->         description = "Provides data model to operate License
server",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "License Server Core Service",
-->         displayName = "License Server Core Service",
-->         description = "Provides data model information for FNE
Manager",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "License Server Sam Service",
-->         displayName = "License Server Sam Service",
-->         description = "Provides data model to operate License
server",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "LicenseManager",
-->             displayName = "Serveur Gestionnaire de licences
Windows",
-->             description = "Permet la prise en charge de
l'infrastructure du Windows Store. Ce service démarre à la demande. S'il
est désactivé, le contenu acheté via le Windows Store ne se comporte pas
correctement.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "LicenseManagerDataService",
-->             displayName = "Invensys License Manager",
-->             description = "Provides data model information for
License Manager",
-->             currentState = "stopped",
-->             startType = "disabled",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "lltdsvc",
-->             displayName = "Mappage de découverte de topologie de la
couche de liaison",
-->             description = "Crée un mappage réseau, consistant en
informations sur la topologie des ordinateurs et des périphériques
(connectivité) et en métadonnées décrivant chaque ordinateur et chaque
périphérique. Si ce service est désactivé, le mappage réseau ne
fonctionne pas correctement.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "lmhosts",
-->             displayName = "Assistance NetBIOS sur TCP/IP",
-->             description = "Prend en charge le service NetBIOS sur
TCP/IP (NetBT) et la résolution de noms NetBIOS pour les clients
présents sur le réseau, ce qui permet aux utilisateurs de partager des
fichiers, d'imprimer et d'ouvrir des sessions sur le réseau. Si ce
service est arrêté, ces fonctions risquent de ne pas être disponibles.
Si ce service est désactivé, les services qui en dépendent explicitement
ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {

```

```

-->         serviceName = "LMWebService",
-->         displayName = "License Manager Web Service",
-->         description = "Provides web access for License Manager",

-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "LSM",
-->         displayName = "@%windir%\system32\lsm.dll,-1001",
-->         description = "@%windir%\system32\lsm.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MapsBroker",
-->         displayName = "Gestionnaire des cartes téléchargées",
-->         description = "Service Windows pour l'accès des
applications aux cartes téléchargées. Ce service est démarré à la
demande par l'application, qui accède aux cartes téléchargées. La
désactivation de ce service empêche les applications d'accéder aux
cartes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MpsSvc",
-->         displayName = "Pare-feu Windows",
-->         description = "Le Pare-feu Windows vous aide à protéger
votre ordinateur en empêchant les utilisateurs non autorisés d'accéder à
votre ordinateur via Internet ou un réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSDTC",
-->         displayName = "Coordinateur de transactions
distribuées",
-->         description = "Coordonne les transactions qui comportent
plusieurs gestionnaires de ressources, tels que des bases de données,
des files d'attente de messages net des systèmes de fichiers. Si ce
service est arrêté, ces transactions échoueront. S'il est désactivé, le
démarrage de tout service qui en dépend explicitement échouera.",
-->         currentState = "stopped",
-->         startType = "autoStart",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSiSCSI",
-->         displayName = "Service Initiateur iSCSI de Microsoft",
-->         description = "Gère les sessions iSCSI (Internet SCSI) à
partir de cet ordinateur sur les périphériques cible iSCSI distants. Si
ce service est arrêté, l'ordinateur ne pourra plus ouvrir de session sur
les cibles iSCSI ni y accéder. S'il est désactivé, tous les services qui
dépendent explicitement de lui ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "msiserver",
-->         displayName = "Windows Installer",
-->         description = "Adds, modifies, and removes applications
provided as a Windows Installer (*.msi, *.msp) package. If this service
is disabled, any services that explicitly depend on it will fail to
start.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MSSQLSERVER",
-->         displayName = "SQL Server (MSSQLSERVER)",
-->         description = "Provides storage, processing and
controlled access of data, and rapid transaction processing.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "MWHostService",
-->         displayName = "Wonderware Middleware Host",
-->         description = "The Wonderware Middleware Host Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcaSvc",
-->         displayName = "Assistant Connectivité réseau",
-->         description = "Fournit la notification du statut
DirectAccess aux composants de l'interface utilisateur",
-->         currentState = "stopped",
-->         startType = "manual",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "NcbService",
-->         displayName = "Service Broker pour les connexions
réseau",
-->         description = "Connexions du service Broker qui
permettent aux applications du Windows Store de recevoir des
notifications d'Internet.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netlogon",
-->         displayName = "NetLogon",
-->         description = "Maintient un canal sécurisé entre cet
ordinateur et le contrôleur de domaine pour authentifier les
utilisateurs et les services. Si ce service est arrêté, l'ordinateur
peut ne pas authentifier les utilisateurs et les services et le
contrôleur de domaine ne peut pas inscrire les enregistrements DNS. Si
ce service est désactivé, tout service qui en dépend explicitement ne
pourra pas démarrer.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Netman",
-->         displayName = "Connexions réseau",
-->         description = "Prend en charge les objets dans le
dossier Connexions réseau et accès à distance, dans lequel vous pouvez
afficher à la fois les connexions du réseau local et les connexions à
distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "netprofm",
-->         displayName = "Service Liste des réseaux",
-->         description = "Identifie les réseaux auxquels
l'ordinateur s'est connecté, collecte et stocke les propriétés de ces
réseaux, et signale aux applications toute modification des
propriétés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },

```



```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "NetSetupSvc",
-->             displayName = "Service Configuration du réseau",
-->             description = "Le service Configuration du réseau gère
l'installation des pilotes réseau et autorise la configuration de
paramètres réseau de bas niveau. Si ce service est interrompu, il se
peut que les installations de pilote en cours soient annulées.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NetTcpPortSharing",
-->             displayName = "Service de partage de ports Net.Tcp",
-->             description = "Fournit la possibilité de partager des
ports TCP sur le protocole net.tcp.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NgcCtnrSvc",
-->             displayName = "Conteneur Microsoft Passport",
-->             description = "Gère les clés d'identité d'utilisateur
local servant à authentifier l'utilisateur auprès des fournisseurs
d'identité, ainsi que les cartes à puce virtuelles du module de
plateforme sécurisée (TPM). Si ce service est désactivé, les clés
d'identité d'utilisateur local et les cartes à puce virtuelles TPM ne
seront pas accessibles. Nous vous recommandons de ne pas reconfigurer ce
service.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NgcSvc",
-->             displayName = "Microsoft Passport",
-->             description = "Assure l'isolation des processus pour les
clés de chiffrement servant à l'authentification auprès des fournisseurs
d'identité associés à un utilisateur. Si ce service est désactivé, les
fonctions d'utilisation et de gestion de ces clés, telles que
l'ouverture de session et l'authentification unique pour les
applications et les sites web, ne seront pas disponibles. Ce service
démontre et s'arrête automatiquement. Il est recommandé de ne pas le
reconfigurer.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "NlaSvc",
-->             displayName = "Connaissance des emplacements réseau",
-->             description = "Collecte et stocke les informations de
configuration du réseau, puis notifie les programmes en cas de
modification de ces informations. Si ce service est arrêté, les
informations de configuration risquent de ne pas être disponibles. Si ce
service est désactivé, les services qui en dépendent explicitement ne
pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "NmxSvc",
-->             displayName = "NmxSvc",
-->             description = "Network Message Exchange Service to
handle IAS interprocess communication.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "nsi",
-->             displayName = "Service Interface du magasin réseau",
-->             description = "Ce service fournit des notifications
réseau (ajout/suppression d'interface, etc.) aux clients en mode
utilisateur. L'arrêt de ce service entraîne la perte de la connectivité
réseau. Si ce service est désactivé, les autres services qui en
dépendent explicitement ne pourront pas démarrer.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "OneSyncSvc",
-->             displayName = "Hôte de synchronisation",
-->             description = "Ce service synchronise la messagerie, les
contacts, le calendrier et diverses autres données utilisateur. La
messagerie et d'autres applications dépendantes de cette fonctionnalité
ne fonctionnent pas correctement lorsque ce service n'est pas exécuté.",
-->             currentState = "stopped",
-->             startType = "autoStart",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "OpcEnum",
-->             displayName = "OpcEnum",

```

```

-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PcaSvc",
-->         displayName = "Service de l'Assistant Compatibilité des
programmes",
-->         description = "Ce service fournit une prise en charge de
l'Assistant Compatibilité des programmes. Cet Assistant surveille les
programmes installés et exécutés par l'utilisateur et détecte les
problèmes de compatibilité connus. Si ce service est arrêté, cet
Assistant ne fonctionnera pas correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PerfHost",
-->         displayName = "Hôte de DLL de compteur de performance",
-->         description = "@%systemroot%\SysWow64\perfhst.exe,-1",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PhoneSvc",
-->         displayName = "Service téléphonique",
-->         description = "Gère l'état de téléphonie de l'appareil",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PimIndexMaintenanceSvc",
-->         displayName = "Données de contacts",
-->         description = "Indexe les données de contacts pour une
recherche des contacts plus rapide. Si vous arrêtez ou désactivez ce
service, des contacts risquent de manquer dans vos résultats de
recherche.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "pla",
-->         displayName = "Journaux & alertes de performance",

```

```

-->         description = "Le service des journaux et des alertes de
performance collecte des données de performance sur des ordinateurs
locaux ou distants, en se basant sur des paramètres de planification
préconfigurés, puis écrit ces données dans un journal ou déclenche une
alerte. Si ce service est arrêté, les informations de performance ne
seront plus collectées. Si ce service est désactivé, tous les services
qui en dépendent explicitement ne pourront plus démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PlugPlay",
-->         displayName = "Plug-and-Play",
-->         description = "Permet à l'ordinateur de reconnaître et
d'adapter les modifications matérielles avec peu ou pas du tout
d'intervention de l'utilisateur. Arrêter ou désactiver ce service
provoque une instabilité du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PolicyAgent",
-->         displayName = "Agent de stratégie IPsec",
-->         description =
"@%SystemRoot%\system32\polstore.dll,-5011",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Power",
-->         displayName = "Alimentation",
-->         description = "Gère la stratégie d'alimentation et la
remise de notification de stratégie d'alimentation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "PrintNotify",
-->         displayName =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-1",
-->         description =
"@C:\Windows\system32\spool\drivers\x64\3\PrintConfig.dll,-2",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ProfSvc",
-->         displayName = "Service de profil utilisateur",
-->         description = "Ce service est responsable du chargement
et du déchargement des profils utilisateur. Si ce service est arrêté ou
désactivé, les utilisateurs ne pourront plus se connecter ou se
déconnecter, les applications pourront avoir des problèmes pour obtenir
les données des utilisateurs, et les composants inscrits pour recevoir
les notifications d'événements de profils ne les recevront pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "QWAVE",
-->         displayName = "Expérience audio-vidéo haute qualité
Windows",
-->         description = "qWave (Quality Windows Audio Video
Experience) est une plateforme réseau destinée aux applications de flux
AV (Audio Video) sur des réseaux domestiques IP. qWave améliore les
performances et la fiabilité des flux AV en assurant la qualité de
service (QoS) sur le réseau des applications AV. Cette plateforme
fournit des mécanismes concernant le contrôle d'admission, l'analyse et
la mise en œuvre des principes de protection des informations
personnelles à l'exécution, la rétroaction des applications et la
définition des priorités du trafic.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasAuto",
-->         displayName = "Gestionnaire des connexions automatiques
d'accès à distance",
-->         description = "Crée une connexion vers un réseau distant
à chaque fois qu'un programme référence un nom ou une adresse DNS ou
NetBIOS distant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RasMan",
-->         displayName = "Gestionnaire des connexions d'accès à
distance",
-->         description = "Gère les connexions d'accès à distance et
les connexions de réseau privé virtuel (VPN) entre cet ordinateur et
Internet ou d'autres réseaux distants. Si ce service est désactivé, les

```

```

services qui en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteAccess",
-->         displayName = "Routage et accès distant",
-->         description = "Offre aux entreprises des services de
routage dans les environnements de réseau local ou étendu.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RemoteRegistry",
-->         displayName = "Registre à distance",
-->         description = "Permet aux utilisateurs à distance de
modifier les paramètres du Registre sur cet ordinateur. Si ce service
est arrêté, le Registre ne pourra être modifié que par les utilisateurs
de cet ordinateur. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RmSvc",
-->         displayName = "Service de gestion radio",
-->         description = "Service de gestion radio et de mode
Avion",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcEptMapper",
-->         displayName = "@%windir%\system32\RpcEpMap.dll,-1001",
-->         description = "@%windir%\system32\RpcEpMap.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcLocator",
-->         displayName = "Localisateur d'appels de procédure
distante (RPC)",
-->         description = "Dans Windows 2003 et les versions
antérieures de Windows, le service Localisateur d'appels de procédure

```

distante (RPC) gère la base de données du service de nom RPC. Dans Windows Vista et les versions ultérieures de Windows, ce service ne fournit aucune fonctionnalité et est présent à des fins de compatibilité applicative.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RpcSs",
-->         displayName = "Appel de procédure distante (RPC)",
-->         description = "Le service RPCSS est le Gestionnaire de
contrôle des services pour les serveurs COM et DCOM. Il traite les
demandes d'activation d'objets, les résolutions d'exportateur d'objets
et le nettoyage de la mémoire distribuée pour les serveurs COM et DCOM.
Si ce service est arrêté ou désactivé, les programmes utilisant COM ou
DCOM ne fonctionnent pas correctement. Il est fortement recommandé
d'exécuter le service RPCSS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "RSOPProv",
-->         displayName = "Fournisseur d'un jeu de stratégie
résultant",
-->         description = "Fournit un service réseau qui traite les
demandes pour simuler l'application des paramètres de stratégie de
groupe à un utilisateur ou un ordinateur cible dans différentes
situations et qui calcule les paramètres du jeu de stratégie
résultant.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sacsvr",
-->         displayName = "Application d'assistance de la Console
d'administration spéciale",
-->         description = "Permet aux administrateurs d'accéder à
distance à une invite de commandes en utilisant les services de gestion
d'urgence.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SamSs",
-->         displayName = "Gestionnaire de comptes de sécurité",
```

```

-->         description = "Le démarrage de ce service signale à
d'autres services que le Gestionnaire de comptes de sécurité est prêt à
accepter des demandes. La désactivation de ce service empêchera d'autres
services dans le système d'être prévenus lorsque le Gestionnaire de
comptes de sécurité sera prêt, ce qui pourrait provoquer le démarrage
incorrect de ces services. Ce service ne doit pas être désactivé.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCardSvr",
-->         displayName = "Carte à puce",
-->         description = "Gère l'accès aux cartes à puce lues par
cet ordinateur. Si ce service est arrêté, cet ordinateur ne pourra plus
lire de cartes à puces. Si ce service est désactivé, tout service en
dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ScDeviceEnum",
-->         displayName = "Service d'énumération de périphériques de
carte à puce",
-->         description = "Crée des nœuds de périphériques logiciels
pour tous les lecteurs de cartes à puce accessibles à une session
donnée. Si ce service est désactivé, les API WinRT ne peuvent pas
énumérer les lecteurs de cartes à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Schedule",
-->         displayName = "Planificateur de tâches",
-->         description = "Permet à un utilisateur de configurer et
de planifier des tâches automatisées sur cet ordinateur. Le service
héberge également plusieurs tâches critiques du système Windows. Si ce
service est arrêté ou désactivé, ces tâches ne seront pas exécutées à
l'heure prévue. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SCPolicySvc",
-->         displayName = "Stratégie de retrait de la carte à puce",

```



```

-->         description = "Autorise le système à être configuré pour
verrouiller le Bureau de l'utilisateur au moment du retrait de la carte
à puce.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "seclogon",
-->         displayName = "Ouverture de session secondaire",
-->         description = "Permet le démarrage des processus sous
d'autres informations d'identification. Si ce service est arrêté, ce
type d'ouverture de session sera indisponible. Si ce service est
désactivé, tout service en dépendant explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SENS",
-->         displayName = "Service de notification d'événements
système",
-->         description = "Analyse les événements système et notifie
leur existence aux abonnés du système d'événements COM+.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorDataService",
-->         displayName = "Service Données de capteur",
-->         description = "Fournit les données d'une variété de
capteurs",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensorService",
-->         displayName = "Service de capteur",
-->         description = "Service pour les capteurs permettant de
gérer différentes fonctionnalités. Gère l'orientation de périphérique
simple et l'historique des capteurs. Charge le capteur d'orientation de
périphérique simple rapportant les changements d'orientation du
périphérique. Si le service est interrompu ou désactivé, le capteur
d'orientation de périphérique simple ne sera pas chargé et la rotation
automatique n'aura pas lieu. La collecte d'historiques des capteurs sera
également interrompue.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SensrSvc",
-->         displayName = "Service de surveillance des capteurs",
-->         description = "Surveille plusieurs capteurs pour exposer
les données et s'adapter aux divers états utilisateur et du système. Si
le service est arrêté ou désactivé, la brillance de l'affichage ne
s'adaptera pas aux conditions d'éclairage. L'arrêt de ce service peut
également affecter d'autres fonctionnalités du système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SessionEnv",
-->         displayName = "Configuration des services Bureau à
distance",
-->         description = "Le service Configuration des services
Bureau à distance (RDCS) est responsable de toutes les activités de
maintenance de session et de configuration du Bureau à distance et des
services Bureau à distance nécessitant un contexte SYSTEM. Il faut y
inclure les dossiers temporaires par session, ainsi que les thèmes et
certificats des services Bureau à distance.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SharedAccess",
-->         displayName = "Partage de connexion Internet (ICS)",
-->         description = "Assure la traduction d'adresses de
réseau, l'adressage, les services de résolution de noms et/ou les
services de prévention d'intrusion pour un réseau de petite entreprise
ou un réseau domestique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "ShellHWDetection",
-->         displayName = "Détection matériel noyau",
-->         description = "Fournit des notifications à des
événements matériel de lecture automatique.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SIM",
-->         displayName = "SIM",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "slssvc",
-->         displayName = "Wonderware SuiteLink",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "smphost",
-->         displayName = "SMP de l'Espace de stockages Microsoft",
-->         description = "Service hôte du fournisseur de gestion de
l'Espace de stockages Microsoft. Si ce service est arrêté ou désactivé,
l'Espace de stockages ne peut pas être géré.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SNMPTRAP",
-->         displayName = "Interruption SNMP",
-->         description = "Reçoit les messages d'interception
générés par les agents SNMP (Simple Network Management Protocol) locaux
ou distants et transmet les messages aux programmes de gestion SNMP
s'exécutant sur cet ordinateur. Si ce service est arrêté, les programmes
à base SNMP sur cet ordinateur ne recevront pas les messages
d'interception SNMP. Si ce service est désactivé, tous les services qui
en dépendent explicitement ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Spooler",
-->         displayName = "Spouleur d'impression",
-->         description = "Ce service met en spoule les travaux
d'impression et gère l'interaction avec l'imprimante. Si vous arrêtez ce
service, vous ne pourrez plus imprimer ni voir vos imprimantes.",
-->         currentState = "stopped",
-->         startType = "autoStart",

```

```

-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "sppsvc",
-->         displayName = "Protection logicielle",
-->         description = "Permet le téléchargement, l'installation
et l'application de licences numériques pour Windows et des applications
Windows. Si le service est désactivé, le système d'exploitation et les
applications sous licence peuvent s'exécuter dans un mode de
notification. Et il est instamment recommandé de ne pas désactiver le
service de protection logicielle.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SQLBrowser",
-->         displayName = "SQL Server Browser",
-->         description = "Provides SQL Server connection
information to client computers.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SQLSERVERAGENT",
-->         displayName = "SQL Server Agent (MSSQLSERVER)",
-->         description = "Executes jobs, monitors SQL Server, fires
alerts, and allows automation of some administrative tasks.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SQLWriter",
-->         displayName = "SQL Server VSS Writer",
-->         description = "Provides the interface to backup/restore
Microsoft SQL server through the Windows VSS infrastructure.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SSDPSRV",
-->         displayName = "Découverte SSDP",
-->         description = "Découvre les périphériques et services en
réseau qui utilisent le protocole de découverte SSDP, tels que les
périphériques UPnP. Annonce également les périphériques et services SSDP
exécutés sur l'ordinateur local. Si ce service est arrêté, les

```

périphériques SSDP ne seront pas découverts. S'il est désactivé, tous les services qui dépendent explicitement de lui ne démarreront pas.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SstpSvc",
-->         displayName = "Service SSTP (Secure Socket Tunneling
Protocol)",
-->         description = "Prend en charge la connexion par le
protocole SSTP (Secure Socket Tunneling Protocol) à des ordinateurs
distants via un réseau VPN. Si ce service est désactivé, les
utilisateurs ne peuvent pas utiliser le protocole SSTP pour accéder à
des serveurs distants.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StateRepository",
-->         displayName = "Service State Repository
(StateRepository)",
-->         description = "Fournit la prise en charge
d'infrastructure nécessaire au modèle d'application.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "stisvc",
-->         displayName = "Acquisition d'image Windows (WIA)",
-->         description = "Fournit des services d'acquisition
d'images pour les scanners et les appareils photo.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "StorSvc",
-->         displayName = "Service de stockage",
-->         description = "Fournit des services d'activation pour
les paramètres de stockage et l'extension de stockage externe",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "svsvc",
```

```

-->         displayName = "Vérificateur de points",
-->         description = "Vérifie les endommagements potentiels du
système de fichiers.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "swprv",
-->         displayName = "Fournisseur de cliché instantané de
logiciel Microsoft",
-->         description = "Gère les copies logicielles de clichés
instantanés de volumes créés par le service de cliché instantané de
volumes. Si ce service est arrêté, les copies logicielles de clichés
instantanés ne peuvent pas être gérées. Si le service est désactivé, les
services qui en dépendent ne pourront pas démarrer.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SysMain",
-->         displayName = "Superfetch",
-->         description = "Gère et améliore les performances du
système dans le temps.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "SystemEventsBroker",
-->         displayName =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\SystemEventsBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TabletInputService",
-->         displayName = "Service du clavier tactile et du volet
d'écriture manuscrite",
-->         description = "Active les fonctionnalités de stylet et
d'entrée manuscrite du clavier tactile et du volet d'écriture
manuscrite",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true

```

```

-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TapiSrv",
-->         displayName = "Téléphonie",
-->         description = "Prend en charge l'interface TAPI
(Telephony API) pour les programmes qui contrôlent les périphériques de
téléphonie sur l'ordinateur local et, via le réseau local (LAN), sur les
serveurs qui exécutent également le service.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TermService",
-->         displayName = "Services Bureau à distance",
-->         description = "Autorise les utilisateurs à se connecter
de manière interactive à un ordinateur distant. Le Bureau à distance et
le serveur hôte de session Bureau à distance dépendent de ce service.
Pour empêcher l'utilisation à distance de cet ordinateur, désactivez les
cases à cocher situées sous l'onglet Utilisation à distance des
Propriétés système via l'élément Système du Panneau de configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Themes",
-->         displayName = "Thèmes",
-->         description = "Fournit un système de gestion de thème de
l'expérience utilisateur.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TieringEngineService",
-->         displayName = "Gestion des niveaux de stockage",
-->         description = "Optimise le placement des données dans
les niveaux de stockage de tous les espaces de stockage à plusieurs
niveaux sur le système.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tiledatamodelsvc",
-->         displayName = "Serveur de modèles de données de
vignette",
-->         description = "Serveur de vignettes pour la mise à jour

```

```

des vignettes.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TimeBrokerSvc",
-->         displayName =
"@%windir%\system32\TimeBrokerServer.dll,-1001",
-->         description =
"@%windir%\system32\TimeBrokerServer.dll,-1002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrkWks",
-->         displayName = "Client de suivi de lien distribué",
-->         description = "Conserve les liens entre des fichiers
NTFS au sein d'un ordinateur ou d'un ensemble d'ordinateurs en réseau.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "TrustedInstaller",
-->         displayName = "Programme d'installation pour les modules
Windows",
-->         description = "Permet l'installation, la modification et
la suppression de composants facultatifs et de mises à jour Windows. Si
ce service est désactivé, l'installation ou la désinstallation de mises
à jour Windows peut échouer pour cet ordinateur.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tvnserver",
-->         displayName = "TightVNC Server",
-->         description = "",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "tzautoupdate",
-->         displayName = "Programme de mise à jour automatique du
fuseau horaire",

```



```

-->         description = "Définit automatiquement le fuseau horaire
système.",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UALSVC",
-->         displayName = "Service de journalisation des accès
utilisateur",
-->         description = "Ce service consigne les demandes d'accès
de chaque client, sous forme d'adresses IP et de noms d'utilisateur, des
produits et rôles installés sur le serveur local. Ces informations
peuvent être obtenues via des requêtes PowerShell par les
administrateurs qui ont besoin de quantifier les demandes clients en
logiciels serveur pour la gestion des licences d'accès client (CAL) hors
connexion. Si le service est désactivé, les demandes des clients ne sont
pas consignées et ne pourront pas être extraites via des requêtes
PowerShell. L'arrêt du service n'affectera pas l'interrogation des
données de l'historique (voir la documentation correspondante pour
connaître les étapes nécessaires à la suppression des données de
l'historique). L'administrateur système local doit consulter les termes
de la licence Windows Server pour déterminer le nombre de CAL
nécessaires pour que la licence du logiciel serveur soit correcte ;
l'utilisation du service et des données UAL ne décharge pas de cette
obligation.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UevAgentService",
-->         displayName = "Service User Experience Virtualization",
-->         description = "Assure la prise en charge de l'itinérance
des paramètres d'application et de système d'exploitation",
-->         currentState = "stopped",
-->         startType = "disabled",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UI0Detect",
-->         displayName = "Détection de services interactifs",
-->         description = "Active la notification des entrées
utilisateur pour les services interactifs, qui active l'accès aux boîtes
de dialogue créées par les services interactifs lorsqu'elles
apparaissent. Si ce service est arrêté, les notifications de nouvelles
boîtes de dialogue de services interactifs ne fonctionneront plus et
l'accès aux boîtes de dialogue des services interactifs sera peut-être
perdu. Si ce service est désactivé, les notifications des nouvelles

```

boîtes de dialogue de services interactifs ainsi que leur accès ne fonctionneront plus.",

```
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UmRdpService",
-->         displayName = "Redirection de port du mode utilisateur
des services Bureau à distance",
-->         description = "Permet la redirection des
imprimantes/unités/ports pour les connexions RDP",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UnistoreSvc",
-->         displayName = "Stockage des données utilisateur",
-->         description = "Gère le stockage des données utilisateur
structurées, notamment les coordonnées, les calendriers, les messages et
d'autres éléments de contenu. Si vous arrêtez ou désactivez ce service,
les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "upnphost",
-->         displayName = "Hôte de périphérique UPnP",
-->         description = "Autorise l'hébergement des périphériques
UPnP sur cet ordinateur. Si ce service est arrêté, tous les
périphériques UPnP hébergés cesseront de fonctionner et aucun autre
périphérique hébergé ne pourra être ajouté. Si ce service est désactivé,
tous les services qui dépendent explicitement de lui ne démarreront
pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserDataSvc",
-->         displayName = "Accès aux données utilisateur",
-->         description = "Fournit l'accès des applications aux
données utilisateur structurées, notamment aux coordonnées, calendriers,
messages et autres éléments de contenu. Si vous arrêtez ou désactivez ce
service, les applications qui utilisent ces données risquent de ne pas
fonctionner correctement.",
```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UserManager",
-->         displayName = "Gestionnaire des utilisateurs",
-->         description = "Le Gestionnaire des utilisateurs fournit
les composants d'exécution requis pour une interaction
multi-utilisateur. Si ce service est arrêté, certaines applications
risquent de ne pas fonctionner correctement.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "UsoSvc",
-->         displayName = "Service Update Orchestrator pour Windows
Update",
-->         description = "UsoSvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VaultSvc",
-->         displayName = "Gestionnaire d'informations
d'identification",
-->         description = "Offre un service de stockage et de
récupération sécurisé des informations d'identification pour les
utilisateurs, les applications et les packages de services de
sécurité.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vds",
-->         displayName = "Disque virtuel",
-->         description = "Fournit des services de gestion des
disques, des volumes, des systèmes de fichiers et des groupes de
stockage.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VGAuthService",
-->         displayName = "VMware Alias Manager and Ticket Service",

```

```

-->         description = "Alias Manager and Ticket Service",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vm3dservice",
-->         displayName =
"@oem7.inf,%VM3DSERVICE_DISPLAYNAME%;VMware SVGA Helper Service",
-->         description = "@oem7.inf,%VM3DSERVICE_DESCRIPTION%;Helps
VMware SVGA driver by collecting and conveying user mode information",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicguestinterface",
-->         displayName = "Interface de services d'invité Hyper-V",
-->         description = "Fournit une interface à l'hôte Hyper-V
afin qu'il puisse interagir avec des services spécifiques s'exécutant
sur l'ordinateur virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicheartbeat",
-->         displayName = "Service Pulsation Microsoft Hyper-V",
-->         description = "Surveille l'état de cet ordinateur
virtuel en émettant une pulsation à intervalles réguliers. Ce service
vous permet d'identifier les ordinateurs virtuels en cours d'exécution
qui ne répondent plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmickvpexchange",
-->         displayName = "Service Échange de données Microsoft
Hyper-V",
-->         description = "Propose un mécanisme d'échange de données
entre l'ordinateur virtuel et le système d'exploitation exécuté sur
l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "vmicrdv",
-->         displayName = "Service de virtualisation Bureau à
distance Hyper-V",
-->         description = "Fournit une plateforme pour la
communication entre l'ordinateur virtuel et le système d'exploitation
exécuté sur l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicshutdown",
-->         displayName = "Service Arrêt de l'invité Microsoft
Hyper-V",
-->         description = "Propose un mécanisme permettant d'arrêter
le système d'exploitation de cet ordinateur virtuel à partir des
interfaces de gestion de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmictimesync",
-->         displayName = "Service Synchronisation date/heure
Microsoft Hyper-V",
-->         description = "Synchronise l'heure système de cet
ordinateur virtuel avec l'heure système de l'ordinateur physique.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvmsession",
-->         displayName = "Service Hyper-V PowerShell Direct",
-->         description = "Fournit un mécanisme de gestion des
ordinateurs virtuels avec PowerShell via une session d'ordinateur
virtuel sans réseau virtuel.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmicvss",
-->         displayName = "Requête du service VSS Microsoft
Hyper-V",
-->         description = "Coordonne les communications nécessaires
à l'utilisation du service VSS afin de sauvegarder les applications et
les données de cet ordinateur virtuel à partir du système d'exploitation
de l'ordinateur physique.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VMTools",
-->         displayName = "VMware Tools",
-->         description = "Fournit un support pour la
synchronisation des objets entre les systèmes d'exploitation hôte et
invité.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "vmvss",
-->         displayName = "VMware Snapshot Provider",
-->         description = "VMware Snapshot Provider",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "VSS",
-->         displayName = "Cliché instantané des volumes",
-->         description = "Gère et implémente les clichés
instantanés de volumes pour les sauvegardes et autres utilisations. Si
ce service est arrêté, les clichés instantanés ne seront pas disponibles
pour la sauvegarde et la sauvegarde échouera. Si ce service est
désactivé, les services en dépendant explicitement ne démarreront pas.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W32Time",
-->         displayName = "Temps Windows",
-->         description = "Conserve la synchronisation de la date et
de l'heure sur tous les clients et serveurs sur le réseau. Si ce service
est arrêté, la synchronisation de la date et de l'heure sera
indisponible. Si ce service est désactivé, tout service en dépendant
explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "w3logsvc",

```

```

-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30014",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30015",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "W3SVC",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30003",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30004",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WalletService",
-->         displayName = "WalletService",
-->         description = "Objets d'hôtes utilisés par les clients
du portefeuille",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WAS",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-30001",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-30002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Watchdog_Service",
-->         displayName = "Archestra Watchdog Service",
-->         description = "Utility to start all the Core Services
for Orchestra SOA components.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WbioSrv",
-->         displayName = "Service de biométrie Windows",

```

```

-->         description = "Le service de biométrie Windows permet
aux applications clientes de capturer, comparer, manipuler et stocker
des données biométriques sans avoir directement accès au matériel ou aux
échantillons. Le service est hébergé dans un processus SVCHOST
privilégié.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wcmsvc",
-->         displayName = "Gestionnaire des connexions Windows",
-->         description = "Prends des décisions automatiques de
connexion/déconnexion en fonction des options de connectivité réseau
actuellement disponibles à l'ordinateur, et active la gestion de la
connectivité réseau en fonction des paramètres de la stratégie de
groupe.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiServiceHost",
-->         displayName = "Service hôte WDIServiceHost",
-->         description = "Le service Hôte de service de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de service local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdiSystemHost",
-->         displayName = "Hôte système de diagnostics",
-->         description = "Le service Hôte système de diagnostics
est utilisé par le Service de stratégie de diagnostics pour héberger les
diagnostics qui doivent être exécutés dans un contexte de système local.
Si ce service est arrêté, tous les diagnostics qui en dépendent ne
fonctionneront plus.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WdNisSvc",
-->         displayName = "Service Inspection du réseau Windows
Defender",

```



```

-->         description = "Empêche les tentatives d'intrusion
ciblant les vulnérabilités connues et nouvellement découvertes des
protocoles réseau",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Wecsvc",
-->         displayName = "Collecteur d'événements de Windows",
-->         description = "Ce service gère des abonnements
persistants à des événements de sources distantes prenant en charge le
protocole Gestion de services Web. Cela inclut les journaux d'événements
de Windows Vista, les sources d'événements matériels et IPMI. Le service
stocke les événements transférés dans un journal d'événements local. Si
ce service est arrêté ou désactivé, des abonnements aux événements ne
peuvent pas être créés et les événements transférés ne peuvent pas être
acceptés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WEPHOSTSVC",
-->         displayName = "Service hôte du fournisseur de
chiffrement Windows",
-->         description = "Le service hôte du fournisseur de
chiffrement Windows négocie les fonctionnalités liées au chiffrement
avec les fournisseurs de chiffrement tiers pour les processus qui ont
besoin d'évaluer et d'appliquer des stratégies EAS. L'arrêt de cette
activité compromettra les vérifications de conformité EAS qui ont été
établies par les comptes de messagerie connectés.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wercplsupport",
-->         displayName = "Prise en charge de l'application Rapports
et solutions aux problèmes du Panneau de configuration",
-->         description = "Ce service prend en charge l'affichage,
l'envoi et la suppression des rapports à l'échelle du système pour
l'application Rapports et solutions aux problèmes du Panneau de
configuration.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {

```

```

-->         serviceName = "WerSvc",
-->         displayName = "Service de rapport d'erreurs Windows",
-->         description = "Autorise le signalement des erreurs
lorsque des programmes cessent de fonctionner ou de répondre, ainsi que
la fourniture de solutions existantes. Autorise également la génération
de journaux pour les services de diagnostic et de réparation. Si ce
service est arrêté, le signalement des erreurs risque de ne pas
fonctionner correctement ; par ailleurs, les résultats des services de
diagnostic et de réparation risquent de ne pas s'afficher.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WiaRpc",
-->         displayName = "Événements d'acquisition d'images fixes",
-->         description = "Lance les applications associées aux
événements d'acquisition d'images fixes.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinDefend",
-->         displayName = "Service Windows Defender",
-->         description = "Protège les utilisateurs contre les
logiciels malveillants et les autres logiciels potentiellement
indésirables",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinHttpAutoProxySvc",
-->         displayName = "Service de découverte automatique de
Proxy Web pour les services HTTP Windows",
-->         description = "WinHTTP implémente la pile HTTP du client
et fournit aux développeurs une API Win32 et un composant
d'automatisation COM pour l'envoi des demandes HTTP et la réception des
réponses. En outre, WinHTTP prend en charge la découverte automatique
d'une configuration de proxy via son implémentation du protocole WPAD
(Web Proxy Auto-Discovery).",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Winmgmt",

```

```

-->         displayName = "Infrastructure de gestion Windows",
-->         description = "Fournit une interface commune et un
modèle objet pour accéder aux informations de gestion du système
d'exploitation, des périphériques, des applications et des services. Si
ce service est arrêté, la plupart des logiciels sur base Windows ne
fonctionneront pas correctement. Si ce service est désactivé, tout
service qui en dépend explicitement ne démarrera pas.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WinRM",
-->         displayName = "Gestion à distance de Windows (Gestion
WSM)",
-->         description = "Le service Gestion à distance de Windows
implémente le protocole Gestion des services Web pour la gestion à
distance. La Gestion des services Web est un protocole standard utilisé
pour la gestion à distance de logiciels et de matériels. Le service
Gestion à distance de Windows traite les demandes Gestion des services
Web. Il doit être configuré à l'aide de l'outil winrm.cmd ou via la
stratégie de groupe. Ce service donne accès aux données WMI et permet le
recueil d'événements. Le recueil d'événements et l'abonnement exigent
que ce service s'exécute. Les messages du service Gestion à distance de
Windows utilisent HTTP et HTTPS. Le service Gestion à distance de
Windows ne dépend pas d'IIS mais partage un port avec IIS sur la même
machine. Le service Gestion à distance de Windows réserve le préfixe
d'URL /wsman. Pour éviter les conflits avec IIS, vérifiez que les sites
Web hébergés sur IIS n'utilisent pas le préfixe d'URL /wsman.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wisvc",
-->         displayName = "Service Windows Insider",
-->         description = "wisvc",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wlidsvc",
-->         displayName = "Assistant Connexion avec un compte
Microsoft",
-->         description = "Autorise la connexion des utilisateurs
par le biais des services d'identité de compte Microsoft. Si ce service
est arrêté, les utilisateurs ne pourront pas ouvrir une session sur
l'ordinateur avec leur compte Microsoft.",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "wmiApSrv",
-->         displayName = "Carte de performance WMI",
-->         description = "Fournit des informations concernant la
bibliothèque de performance à partir des fournisseurs HiPerf WMI
(Windows Management Instrumentation) à des clients sur le réseau. Ce
service s'exécute uniquement quand l'assistant de performance des
données est activé.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WMSVC",
-->         displayName =
"@%windir%\system32\inetsrv\iisres.dll,-20001",
-->         description =
"@%windir%\system32\inetsrv\iisres.dll,-20002",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WPDBusEnum",
-->         displayName = "Service Énumérateur d'appareil mobile",
-->         description = "Met en place une stratégie de groupe pour
les dispositifs de stockage de masse amovibles. Permet à des
applications telles que le Lecteur Windows Media et l'Assistant
Importation d'images de transférer et de synchroniser du contenu à
l'aide de dispositifs de stockage de masse amovibles.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "WpnService",
-->         displayName = "Service du système de notifications Push
Windows",
-->         description = "Ce service s'exécute dans la session 0 et
héberge la plateforme de notification et le fournisseur de connexion qui
gère la connexion entre l'appareil et le serveur WNS.",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     },

```

```

-->         (converter.info.ServiceInfo) {
-->             serviceName = "WpnUserService",
-->             displayName = "Service utilisateur de notifications Push
Windows",
-->             description = "Ce service héberge la plateforme de
notification Windows qui fournit la prise en charge des notifications
locales et Push. Les notifications prises en charge sont tile, toast et
raw.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WSearch",
-->             displayName = "Windows Search",
-->             description = "Fournit des fonctionnalités d'indexation
de contenu, de mise en cache des propriétés, de résultats de recherche
pour les fichiers, les messages électroniques et autres contenus.",
-->             currentState = "stopped",
-->             startType = "disabled",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "wuauserv",
-->             displayName = "Windows Update",
-->             description = "Active la détection, le téléchargement et
l'installation des mises à jour de Windows et d'autres programmes. Si ce
service est désactivé, les utilisateurs de cet ordinateur ne pourront
pas utiliser Windows Update ou sa fonctionnalité de mise à jour
automatique, et les programmes ne pourront pas utiliser l'API de l'Agent
de mise à jour automatique Windows Update (WUA).",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "wudfsvc",
-->             displayName = "Windows Driver Foundation -
Infrastructure de pilote mode-utilisateur",
-->             description = "Crée et gère les processus de pilote en
mode utilisateur. Ce service ne peut pas être arrêté.",
-->             currentState = "stopped",
-->             startType = "manual",
-->             canBeStopped = true
-->         },
-->         (converter.info.ServiceInfo) {
-->             serviceName = "WNetDDE",
-->             displayName = "Wonderware NetDDE Helper",
-->             description = "",

```

```

-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblAuthManager",
-->         displayName = "Gestionnaire d'authentification Xbox
Live",
-->         description = "Fournit des services d'authentification
et d'autorisation pour interagir avec Xbox Live. Si ce service est
arrêté, certaines applications peuvent ne pas fonctionner
correctement.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "XblGameSave",
-->         displayName = "Jeu sauvegardé sur Xbox Live",
-->         description = "Ce service synchronise les données
enregistrées pour les jeux dont la sauvegarde sur Xbox Live est activée.
Si ce service est arrêté, les données enregistrées des jeux ne seront
téléchargées ni vers, ni depuis Xbox Live.",
-->         currentState = "stopped",
-->         startType = "manual",
-->         canBeStopped = true
-->     },
-->     (converter.info.ServiceInfo) {
-->         serviceName = "Zabbix Agent",
-->         displayName = "Zabbix Agent",
-->         description = "Provides system monitoring",
-->         currentState = "stopped",
-->         startType = "autoStart",
-->         canBeStopped = true
-->     }
--> ],
--> capabilities = (converter.info.ComputerOsInfo.Capabilities) {
-->     canSynchronize = false,
-->     canPowerOffSourceMachine = false,
-->     canStopServices = false,
-->     canSkipUnwantedFiles = false,
-->     canReconfig = true,
-->     canCustomize = true,
-->     canInstallTools = true,
-->     defaultCloningMode = "diskBasedCloning",
-->     supportedCloningMode = (string) [
-->         "diskBasedCloning",
-->         "volumeBasedCloning"
-->     ]
--> ]

```

```
-->     },
-->     bootLoaderInfo =
(converter.info.ComputerOsInfo.BootLoaderInfo) null,
-->     dracut = <unset>
--> }
--> }
--> =====
2020-11-07T15:53:30.904+01:00 info vmware-converter-worker[02740]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:30.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000013000000\
2020-11-07T15:53:30.936+01:00 info vmware-converter-worker[06592]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:30.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000014000000\
2020-11-07T15:53:30.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:53:30.967+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:53:30.967+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:53:30.983+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:53:30.983+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:53:30.998+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:53:31.014+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,988] Buildin administrators
works without approval mode (FilterAdministratorToken): Yes
2020-11-07T15:53:31.014+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [ufaUtilsWin32,999] All administrators
works without approval mode (EnableLUA): No
2020-11-07T15:53:31.014+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] UAC is enabled! using elevated
administrator 'CLEMESSY\CLBRUNEL'
2020-11-07T15:53:31.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=Default] [Query] Using cached ComputerInfo
2020-11-07T15:53:31.014+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:53:31.014+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] localVersion is: vim.version.version10
2020-11-07T15:53:31.014+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
```

2020-11-07T15:53:31.014+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:53:31.045+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:53:31.045+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ResourcePool for
vim.ComputeResource:domain-s181 is vim.ResourcePool:resgroup-182
2020-11-07T15:53:31.045+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:53:31.061+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:53:31.061+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:53:31.076+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:53:31.076+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:53:31.123+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Chosen host information: vendor 'Dell
Inc.' model 'PowerEdge R640' uuid '4c4c4544-0046-3910-8044-cac04f303133'
CPU: packages 2 cores 32, threads 64, Hz 2793437089 Physical memory:
549173608448 bytes Bios: '2.3.10'
2020-11-07T15:53:31.123+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:53:31.123+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:53:31.123+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:53:31.123+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:53:31.483+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ComputeResource for
vim.HostSystem:host-183 is vim.ComputeResource:domain-s181
2020-11-07T15:53:31.483+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] EnvironmentBrowser for
vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181
2020-11-07T15:53:31.483+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] DefaultValues::SetDefaultCPUAndMemory:

guestOsId=windows8srv-64 recognized by target the ESX/VC, using its defaults

2020-11-07T15:53:31.483+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] ComputeResource for

vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:53:31.498+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] EnvironmentBrowser for

vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:53:31.529+01:00 error vmware-converter-worker[01120]

[Originator@6876 sub=Default]

DefaultValues::TranslateDiskControllerType: Unrecognized disk controller type vim.vm.device.ParaVirtualSCSIController

2020-11-07T15:53:31.529+01:00 error vmware-converter-worker[01120]

[Originator@6876 sub=Default]

DefaultValues::TranslateDiskControllerType: Unrecognized disk controller type VirtualNVMEController

2020-11-07T15:53:31.529+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] DefaultValues::SetDefaultDiskController:

guestOsId=windows8srv-64 recognized by target the ESX/VC, using its defaults

2020-11-07T15:53:31.529+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default]

DefaultValues::AddKeepSourceIfAllControllersSupported: The target supports all source disk controllers, adding keepSource and making it the default

2020-11-07T15:53:31.576+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] ComputeResource for

vim.HostSystem:host-183 is vim.ComputeResource:domain-s181

2020-11-07T15:53:31.576+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] EnvironmentBrowser for

vim.HostSystem:host-183 is vim.EnvironmentBrowser:envbrowser-181

2020-11-07T15:53:31.623+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] The default datastore for

vim.HostSystem:host-183 is vim.Datastore:datastore-184

2020-11-07T15:53:31.623+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] Caching DefaultConversionParamsResult with key

DefaultValues::GetDefaultsForConvert=/converter.ComputerSpec=55e49825f5d8bf7b8a0360fe68f8c156777a46eb/converter.info.ComputerOsInfo=1a531935aa1d44dce51e6a894d7503118d38b209/converter.params.TargetVmSpec=beab136f4951461f9376ee1eae1fbbeb96fec0f28/int[]=e170d1974aee0e5565f00afc30da8cb74c67972a

2020-11-07T15:53:31.623+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive succeeds

2020-11-07T15:53:31.623+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] Connecting to host 192.168.1.5 on port 443

2020-11-07T15:53:31.623+01:00 info vmware-converter-worker[01120]

[Originator@6876 sub=Default] localVersion is: vim.version.version10

2020-11-07T15:53:31.639+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Remote version is: unrecognized
2020-11-07T15:53:31.639+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Authenticating user
Administrator@vsphere.local
2020-11-07T15:53:31.670+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T15:53:31.670+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Task Added : task-5
2020-11-07T15:53:31.670+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:31.670+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:53:31.670+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:53:31.670+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] localVersion is: vim.version.version10
2020-11-07T15:53:31.686+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Remote version is: unrecognized
2020-11-07T15:53:31.686+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Authenticating user
Administrator@vsphere.local
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Getting ConfigInfo for
vim.VirtualMachine:vm-405
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Filtering out invalid extra config options
...
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge0.present is
removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge4.present is
removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge4.virtualDev
is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge4.functions is
removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge5.present is
removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge5.virtualDev
is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]

[Originator@6876 sub=task-5] Extra config option pciBridge5.functions is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge6.present is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge6.virtualDev is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge6.functions is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge7.present is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge7.virtualDev is removed
2020-11-07T15:53:31.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option pciBridge7.functions is removed
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option vmware.tools.internalversion is removed
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option vmware.tools.requiredversion is removed
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Extra config option migrate.hostLog is removed
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] [BaseDiskSetComputer::OpenDiskSet] Will use open retries count 3
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to 192.168.1.5
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get virtual disk filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: updating nfc port as 902
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: get protocol as vpxa-nfcssl
2020-11-07T15:53:31.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get disklib file name as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH.vmdk@srvclyesx01.clemessy.loc:902!52 7b 4f ab ad f4 78 2c-b7 30 77 b0 3d 31 a4 19

2020-11-07T15:53:32.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5

2020-11-07T15:53:32.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH_1.vmdk

2020-11-07T15:53:32.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: updating nfc port as
902

2020-11-07T15:53:32.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: get protocol as
vpxa-nfcssl

2020-11-07T15:53:32.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH_1.vmdk@srvclyesx01.clemessy.loc:902!52 f1 68 57 40
76 2d 98-ea 4d 54 4d e0 95 06 91

2020-11-07T15:53:34.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5

2020-11-07T15:53:34.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH_2.vmdk

2020-11-07T15:53:34.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: updating nfc port as
902

2020-11-07T15:53:34.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: get protocol as
vpxa-nfcssl

2020-11-07T15:53:34.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH_2.vmdk@srvclyesx01.clemessy.loc:902!52 62 ee d9 72
54 9e f9-ea 45 ae af 44 74 c2 39

2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table

2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Disk number 2 has been skipped because of
errors while reading partition table

2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Disk number 3 has been skipped because of
errors while reading partition table

2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted

2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Disk number 2 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted

```
2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Disk number 3 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:53:35.389+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=task-5] [MoveActiveDiskIfNeeded] GetFirstBootDisk
failed, mntapi error: 176
2020-11-07T15:53:36.045+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:53:36.045+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:53:36.701+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:53:36.701+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:53:37.358+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:53:37.358+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:53:37.358+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:53:37.358+01:00 warning vmware-converter-worker[01340]
[Originator@6876 sub=task-5] [PopulateCapabilities] Volume-based cloning
was disabled due to: <no volumes are recognized>
2020-11-07T15:53:37.358+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] [LogMessagesForQA] System volume is not
detected.
2020-11-07T15:53:37.358+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] [BaseComputerImpl::Open] Config file:
[DATASTORE1] NHF-INBACH/NHF-INBACH.vmx
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] CloneTask: AgentCloningParams:
(converter.agent.params.AgentCloningParams) {
-->     source = (converter.ComputerSpec) {
-->         location = (converter.ComputerSpec.VMwareHostedVmLocation) {
-->             configFilePath =
"\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx",

-->             password = <unset>,
-->             networkUsername = <unset>,
-->             networkPassword = <unset>,
-->             type = "vmwareVM"
-->         }
-->     },
-->     targetHardwareInfo = (converter.info.ComputerHardwareInfo) {
-->         storage = (converter.info.StorageInfo) {
-->             disk = (converter.info.StorageInfo.DiskInfo) [
-->                 (converter.info.StorageInfo.DiskInfo) {
-->                     diskId = "disk-2000",
```

```

-->         capacityInBytes = 42949672960,
-->         diskUsageInBytes = 42949672960,
-->         biosNumber = <unset>,
-->         lvg = false,
-->         lvgName = <unset>,
-->         gpt = false,
-->         signature = 0,
-->         diskGuid = <unset>,
-->         sectorSize = <unset>
-->     },
-->     (converter.info.StorageInfo.DiskInfo) {
-->         diskId = "disk-2001",
-->         capacityInBytes = 64424509440,
-->         diskUsageInBytes = 64424509440,
-->         biosNumber = <unset>,
-->         lvg = false,
-->         lvgName = <unset>,
-->         gpt = false,
-->         signature = 0,
-->         diskGuid = <unset>,
-->         sectorSize = <unset>
-->     },
-->     (converter.info.StorageInfo.DiskInfo) {
-->         diskId = "disk-2002",
-->         capacityInBytes = 42949672960,
-->         diskUsageInBytes = 42949672960,
-->         biosNumber = <unset>,
-->         lvg = false,
-->         lvgName = <unset>,
-->         gpt = false,
-->         signature = 0,
-->         diskGuid = <unset>,
-->         sectorSize = <unset>
-->     }
--> ],
-->     bootConfig = (converter.info.BootConfigInfo) null,
--> },
-->     network = (converter.info.NetworkInfo) {
-->         nic = (converter.info.NetworkInfo.NicInfo) [
-->             (converter.info.NetworkInfo.ManagedNicInfo) {
-->                 nicId = "ethernet-4000",
-->                 connected = true,
-->                 label = "Network adapter 1",
-->                 network = "API",
-->                 controllerType = ""
-->             }
-->         ]
-->     },
-->     basicHardware = (converter.info.BasicHardwareInfo) {

```

```

-->         numCPUs = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 8192
-->     },
-->     configInfo = (vim.vm.ConfigInfo) {
-->         changeVersion = "2020-11-07T14:52:27.057211Z",
-->         modified = "1970-01-01T00:00:00Z",
-->         name = "NHF-INBACH",
-->         guestFullName = "Microsoft Windows Server 2012 (64-bit)",
-->         version = "vmx-14",
-->         uuid = "420d4765-7a6d-ba23-cc9b-b840f3715c47",
-->         instanceUuid = "500d6402-8b6b-0f89-48e6-cf8eebf988c",
-->         npivWorldWideNameType = <unset>,
-->         npivDesiredNodeWwns = <unset>,
-->         npivDesiredPortWwns = <unset>,
-->         npivTemporaryDisabled = true,
-->         npivOnNonRdmDisks = <unset>,
-->         locationId = "",
-->         template = false,
-->         guestId = "windows8Server64Guest",
-->         alternateGuestName = "",
-->         annotation = "",
-->         files = (vim.vm.FileInfo) {
-->             vmPathName = "[DATASTORE1] NHF-INBACH/NHF-INBACH.vmx",
-->             snapshotDirectory = "[DATASTORE1] NHF-INBACH/",
-->             suspendDirectory = "[DATASTORE1] NHF-INBACH/",
-->             logDirectory = "[DATASTORE1] NHF-INBACH/",
-->             ftMetadataDirectory = <unset>
-->         },
-->         tools = (vim.vm.ToolsConfigInfo) {
-->             toolsVersion = 0,
-->             afterPowerOn = true,
-->             afterResume = true,
-->             beforeGuestStandby = true,
-->             beforeGuestShutdown = true,
-->             beforeGuestReboot = <unset>,
-->             toolsUpgradePolicy = "manual",
-->             pendingCustomization = <unset>,
-->             syncTimeWithHost = false,
-->             lastInstallInfo =
(vim.vm.ToolsConfigInfo.ToolsLastInstallInfo) {
-->                 counter = 3,
-->                 fault = (vmodl.MethodFault) null
-->             },
-->             upgradeRebootPredict = <unset>
-->         },
-->         flags = (vim.vm.FlagInfo) {
-->             disableAcceleration = false,
-->             enableLogging = true,

```

```

-->         useToe = false,
-->         runWithDebugInfo = false,
-->         monitorType = "release",
-->         htSharing = "any",
-->         snapshotDisabled = false,
-->         snapshotLocked = false,
-->         diskUuidEnabled = true,
-->         virtualMmuUsage = "automatic",
-->         virtualExecUsage = "hvAuto",
-->         snapshotPowerOffBehavior = "powerOff",
-->         recordReplayEnabled = false,
-->         faultToleranceType = "unset"
-->     },
-->     consolePreferences = (vim.vm.ConsolePreferences) null,
-->     defaultPowerOps = (vim.vm.DefaultPowerOpInfo) {
-->         powerOffType = "soft",
-->         suspendType = "hard",
-->         resetType = "soft",
-->         defaultPowerOffType = "soft",
-->         defaultSuspendType = "hard",
-->         defaultResetType = "soft",
-->         standbyAction = "checkpoint"
-->     },
-->     hardware = (vim.vm.VirtualHardware) {
-->         numCPU = 2,
-->         numCoresPerSocket = 1,
-->         memoryMB = 8192,
-->         virtualICH7MPresent = false,
-->         virtualSMCPresent = false,
-->         device = (vim.vm.device.VirtualDevice) [
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 200,
-->                 deviceInfo = (vim.Description) {
-->                     label = "IDE 0",
-->                     summary = "IDE 0"
-->                 },
-->                 backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->                 connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->                 slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->                 controllerKey = <unset>,
-->                 unitNumber = <unset>,
-->                 busNumber = 0,
-->             },
-->             (vim.vm.device.VirtualIDEController) {
-->                 key = 201,
-->                 deviceInfo = (vim.Description) {

```



```

-->             label = "IDE 1",
-->             summary = "IDE 1"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 1,
-->     },
-->     (vim.vm.device.VirtualPS2Controller) {
-->         key = 300,
-->         deviceInfo = (vim.Description) {
-->             label = "PS2 controller 0",
-->             summary = "PS2 controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         device = (int) [
-->             600,
-->             700
-->         ]
-->     },
-->     (vim.vm.device.VirtualPCIController) {
-->         key = 100,
-->         deviceInfo = (vim.Description) {
-->             label = "PCI controller 0",
-->             summary = "PCI controller 0"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = <unset>,
-->         unitNumber = <unset>,
-->         busNumber = 0,
-->         device = (int) [

```

```

-->         500,
-->         12000,
-->         1000,
-->         15000,
-->         4000
-->     ]
--> },
--> (vim.vm.device.VirtualSIOController) {
-->     key = 400,
-->     deviceInfo = (vim.Description) {
-->         label = "SIO controller 0",
-->         summary = "SIO controller 0"
-->     },
-->     backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = <unset>,
-->     unitNumber = <unset>,
-->     busNumber = 0,
-->     device = (int) [
-->         8000
-->     ]
--> },
--> (vim.vm.device.VirtualKeyboard) {
-->     key = 600,
-->     deviceInfo = (vim.Description) {
-->         label = "Keyboard ",
-->         summary = "Keyboard"
-->     },
-->     backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 300,
-->     unitNumber = 0
--> },
--> (vim.vm.device.VirtualPointingDevice) {
-->     key = 700,
-->     deviceInfo = (vim.Description) {
-->         label = "Pointing device",
-->         summary = "Pointing device; Device"
-->     },
-->     backing =
(vim.vm.device.VirtualPointingDevice.DeviceBackingInfo) {

```

```

-->         deviceName = "",
-->         useAutoDetect = false,
-->         hostPointingDevice = "autodetect"
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 300,
-->     unitNumber = 1
--> },
--> (vim.vm.device.VirtualVideoCard) {
-->     key = 500,
-->     deviceInfo = (vim.Description) {
-->         label = "Video card ",
-->         summary = "Video card"
-->     },
-->     backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 100,
-->     unitNumber = 0,
-->     videoRamSizeInKB = 131072,
-->     numDisplays = 1,
-->     useAutoDetect = false,
-->     enable3DSupport = false,
-->     enableMPTSupport = <unset>,
-->     use3dRenderer = "automatic",
-->     graphicsMemorySizeInKB = 262144
--> },
--> (vim.vm.device.VirtualVMCIDevice) {
-->     key = 12000,
-->     deviceInfo = (vim.Description) {
-->         label = "VMCI device",
-->         summary = "Device on the virtual machine PCI
bus that provides support for the virtual machine communication
interface"
-->     },
-->     backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 100,
-->     unitNumber = 17,

```

```

-->         id = -1,
-->         allowUnrestrictedCommunication = false,
-->         filterEnable = true,
-->         filterInfo =
(vim.vm.device.VirtualVMCIDevice.FilterInfo) null
-->     },
-->     (vim.vm.device.VirtualLsiLogicSASController) {
-->         key = 1000,
-->         deviceInfo = (vim.Description) {
-->             label = "SCSI controller 0",
-->             summary = "LSI Logic SAS"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 3,
-->         busNumber = 0,
-->         device = (int) [
-->             2000,
-->             2001,
-->             2002
-->         ],
-->         hotAddRemove = true,
-->         sharedBus = "noSharing",
-->         scsiCtrlrUnitNumber = 7
-->     },
-->     (vim.vm.device.VirtualAHCIController) {
-->         key = 15000,
-->         deviceInfo = (vim.Description) {
-->             label = "SATA controller 0",
-->             summary = "AHCI"
-->         },
-->         backing =
(vim.vm.device.VirtualDevice.BackingInfo) null,
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 24,
-->         busNumber = 0,
-->         device = (int) [
-->             16000
-->         ]
-->     },

```

```

-->         (vim.vm.device.VirtualCdrom) {
-->             key = 16000,
-->             deviceInfo = (vim.Description) {
-->                 label = "CD/DVD drive 1",
-->                 summary = "Remote device"
-->             },
-->             backing =
(vim.vm.device.VirtualCdrom.RemotePassthroughBackingInfo) {
-->                 deviceName = "",
-->                 useAutoDetect = false,
-->                 exclusive = false
-->             },
-->             connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->                 startConnected = false,
-->                 allowGuestControl = true,
-->                 connected = false,
-->                 status = "untried"
-->             },
-->             slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->             controllerKey = 15000,
-->             unitNumber = 0
-->         },
-->         (vim.vm.device.VirtualDisk) {
-->             key = 2000,
-->             deviceInfo = (vim.Description) {
-->                 label = "Hard disk 1",
-->                 summary = "41,943,040 KB"
-->             },
-->             backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->                 fileName = "[DATASTORE1]
NHF-INBACH/NHF-INBACH.vmdk",
-->                 datastore = 'vim.Datastore:datastore-184',
-->                 backingObjectId = "",
-->                 diskMode = "persistent",
-->                 split = false,
-->                 writeThrough = false,
-->                 thinProvisioned = true,
-->                 eagerlyScrub = <unset>,
-->                 uuid = "6000C29d-f2fa-ae94-0446-59c5d795742b",
-->                 contentId = "c56ad1c10f9153b28fda2c16fffffffe",

-->                 changeId = <unset>,
-->                 parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->                 deltaDiskFormat = <unset>,
-->                 digestEnabled = false,

```

```

-->         deltaGrainSize = <unset>,
-->         deltaDiskFormatVariant = <unset>,
-->         sharing = "sharingNone"
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 1000,
-->     unitNumber = 0,
-->     capacityInKB = 41943040,
-->     capacityInBytes = 42949672960,
-->     shares = (vim.SharesInfo) {
-->         shares = 1000,
-->         level = "normal"
-->     },
-->     storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) {
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 1000,
-->             level = "normal"
-->         },
-->         reservation = 0
-->     },
-->     diskObjectId = "134-2000",
-->     vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 2001,
-->         deviceInfo = (vim.Description) {
-->             label = "Hard disk 2",
-->             summary = "62,914,560 KB"
-->         },
-->         backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->             fileName = "[DATASTORE1]
NHF-INBACH/NHF-INBACH_1.vmdk",
-->             datastore = 'vim.Datastore:datastore-184',
-->             backingObjectId = "",
-->             diskMode = "persistent",
-->             split = false,
-->             writeThrough = false,
-->             thinProvisioned = true,
-->             eagerlyScrub = <unset>,
-->             uuid = "6000C290-600c-c323-ec72-78249694f3d8",
-->             contentId = "54cc13247765092b1e38bcdfcfffffe",

```

```

-->         changeId = <unset>,
-->         parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->         deltaDiskFormat = <unset>,
-->         digestEnabled = false,
-->         deltaGrainSize = <unset>,
-->         deltaDiskFormatVariant = <unset>,
-->         sharing = "sharingNone"
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 1000,
-->     unitNumber = 1,
-->     capacityInKB = 62914560,
-->     capacityInBytes = 64424509440,
-->     shares = (vim.SharesInfo) {
-->         shares = 1000,
-->         level = "normal"
-->     },
-->     storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) {
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 1000,
-->             level = "normal"
-->         },
-->         reservation = 0
-->     },
-->     diskObjectId = "134-2001",
-->     vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualDisk) {
-->         key = 2002,
-->         deviceInfo = (vim.Description) {
-->             label = "Hard disk 3",
-->             summary = "41,943,040 KB"
-->         },
-->         backing =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) {
-->             fileName = "[DATASTORE1]
NHf-INBACH/NHf-INBACH_2.vmdk",
-->             datastore = 'vim.Datastore:datastore-184',
-->             backingObjectId = "",
-->             diskMode = "persistent",
-->             split = false,
-->             writeThrough = false,

```

```

-->         thinProvisioned = true,
-->         eagerlyScrub = <unset>,
-->         uuid = "6000C29d-fb15-2f10-b243-47c53ab14091",
-->         contentId = "8dab7c39a1f4b677ce13a31bfffffffffe",

-->         changeId = <unset>,
-->         parent =
(vim.vm.device.VirtualDisk.FlatVer2BackingInfo) null,
-->         deltaDiskFormat = <unset>,
-->         digestEnabled = false,
-->         deltaGrainSize = <unset>,
-->         deltaDiskFormatVariant = <unset>,
-->         sharing = "sharingNone"
-->     },
-->     connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) null,
-->     slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->     controllerKey = 1000,
-->     unitNumber = 2,
-->     capacityInKB = 41943040,
-->     capacityInBytes = 42949672960,
-->     shares = (vim.SharesInfo) {
-->         shares = 1000,
-->         level = "normal"
-->     },
-->     storageIOAllocation =
(vim.StorageResourceManager.IOAllocationInfo) {
-->         limit = -1,
-->         shares = (vim.SharesInfo) {
-->             shares = 1000,
-->             level = "normal"
-->         },
-->         reservation = 0
-->     },
-->     diskObjectId = "134-2002",
-->     vFlashCacheConfigInfo =
(vim.vm.device.VirtualDisk.VFlashCacheConfigInfo) null,
-->     },
-->     (vim.vm.device.VirtualFloppy) {
-->         key = 8000,
-->         deviceInfo = (vim.Description) {
-->             label = "Floppy drive 1",
-->             summary = "Remote"
-->         },
-->         backing =
(vim.vm.device.VirtualFloppy.RemoteDeviceBackingInfo) {
-->             deviceName = "",
-->             useAutoDetect = false

```



```

-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = false,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = "untried"
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 400,
-->         unitNumber = 0
-->     },
-->     (vim.vm.device.VirtualE1000e) {
-->         key = 4000,
-->         deviceInfo = (vim.Description) {
-->             label = "Network adapter 1",
-->             summary = "API"
-->         },
-->         backing =
(vim.vm.device.VirtualEthernetCard.NetworkBackingInfo) {
-->             deviceName = "API",
-->             useAutoDetect = false,
-->             network = 'vim.Network:network-189',
-->             inPassthroughMode = <unset>
-->         },
-->         connectable =
(vim.vm.device.VirtualDevice.ConnectInfo) {
-->             startConnected = true,
-->             allowGuestControl = true,
-->             connected = false,
-->             status = "untried"
-->         },
-->         slotInfo =
(vim.vm.device.VirtualDevice.BusSlotInfo) null,
-->         controllerKey = 100,
-->         unitNumber = 7,
-->         addressType = "assigned",
-->         macAddress = "00:50:56:8d:b2:31",
-->         wakeOnLanEnabled = true,
-->         resourceAllocation =
(vim.vm.device.VirtualEthernetCard.ResourceAllocation) {
-->             reservation = 0,
-->             share = (vim.SharesInfo) {
-->                 shares = 50,
-->                 level = "normal"
-->             },
-->             limit = -1
-->         },

```

```

-->         externalId = <unset>,
-->         uptCompatibilityEnabled = false,
-->     }
--> ]
--> },
--> cpuAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 2000,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> memoryAllocation = (vim.ResourceAllocationInfo) {
-->     reservation = 0,
-->     expandableReservation = false,
-->     limit = -1,
-->     shares = (vim.SharesInfo) {
-->         shares = 81920,
-->         level = "normal"
-->     },
-->     overheadLimit = <unset>
--> },
--> latencySensitivity = (vim.LatencySensitivity) {
-->     level = "normal",
-->     sensitivity = <unset>
--> },
--> memoryHotAddEnabled = false,
--> cpuHotAddEnabled = false,
--> cpuHotRemoveEnabled = false,
--> hotPlugMemoryLimit = <unset>,
--> hotPlugMemoryIncrementSize = <unset>,
--> cpuAffinity = (vim.vm.AffinityInfo) null,
--> memoryAffinity = (vim.vm.AffinityInfo) null,
--> networkShaper = (vim.vm.NetworkShaperInfo) null,
--> extraConfig = (vim.option.OptionValue) [
-->     (vim.option.OptionValue) {
-->         key = "svga.present",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "svga.guestBackedPrimaryAware",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.cpu.latencySensitivity",
-->         value = "normal"

```

```
-->     },
-->     (vim.option.OptionValue) {
-->         key = "sched.swap.derivedName",
-->         value =
"/vmfs/volumes/vsan:525a043b1f58eafc-2ac885ac157956ec/ef42915b-889a-ab8e
-6570-e4434b055966/NHF-INBACH-8ea7c8cf.vswp"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.guest.desktop.autolock",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "tools.remindInstall",
-->         value = "FALSE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:0.ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:1.ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "scsi0:2.ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "nvram",
-->         value = "NHF-INBACH.nvram"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "hpet0.present",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "disk.EnableUUID",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "monitor.phys_bits_used",
-->         value = "43"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "numa.autosize.cookie",
-->         value = "20001"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "numa.autosize.vcpu.maxPerVirtualNode",
```

```
-->         value = "2"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "softPowerOff",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vm.genidX",
-->         value = "5043928480328588401"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vm.genid",
-->         value = "-2833367544432486491"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vmotion.checkpointFBSize",
-->         value = "4194304"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "vmotion.checkpointSVGAPrimarySize",
-->         value = "134217728"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "toolsInstallManager.lastInstallError",
-->         value = "0"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "toolsInstallManager.updateCounter",
-->         value = "3"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "ctkEnabled",
-->         value = "TRUE"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.toolsInstallErrCode",
-->         value = "1641"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmttools.buildNumber",
-->         value = "16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmttools.description",
-->         value = "VMware Tools 11.1.1 build 16303738"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmttools.versionNumber",
-->         value = "11297"
```

```

-->     },
-->     (vim.option.OptionValue) {
-->         key = "guestinfo.vmtools.versionString",
-->         value = "11.1.1"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "virtualHW.productCompatibility",
-->         value = "hosted"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "migrate.hostLogState",
-->         value = "none"
-->     },
-->     (vim.option.OptionValue) {
-->         key = "migrate.migrationId",
-->         value = "0"
-->     }
--> ],
--> datastoreUrl = (vim.vm.ConfigInfo.DatastoreUrlPair) [
-->     (vim.vm.ConfigInfo.DatastoreUrlPair) {
-->         name = "DATASTORE1",
-->         url =
"/vmfs/volumes/5ddeb7f1-36944c32-5cdb-dcf401e578d2"
-->     }
--> ],
--> swapPlacement = "inherit",
--> swapDirectory = <unset>,
--> preserveSwapOnPowerOff = <unset>,
--> bootOptions = (vim.vm.BootOptions) {
-->     bootDelay = 0,
-->     enterBIOSSetup = false,
-->     bootRetryEnabled = false,
-->     bootRetryDelay = 10000,
-->     networkBootProtocol = "ipv4",
--> },
--> ftInfo = (vim.vm.FaultToleranceConfigInfo) null,
--> repConfig = (vim.vm.ReplicationConfigSpec) null,
--> vAppConfig = (vim.vApp.VmConfigInfo) null,
--> vAssertsEnabled = false,
--> changeTrackingEnabled = true,
--> firmware = "bios",
--> maxMksConnections = 40,
--> guestAutoLockEnabled = false,
--> managedBy = (vim.ext.ManagedByInfo) null,
--> memoryReservationLockedToMax = false,
--> initialOverhead = (vim.vm.ConfigInfo.OverheadInfo) {
-->     initialMemoryReservation = 85823488,
-->     initialSwapReservation = 741507072
--> },

```

```

-->         nestedHVEEnabled = false,
-->         vPMCEEnabled = false,
-->         scheduledHardwareUpgradeInfo =
(vim.vm.ScheduledHardwareUpgradeInfo) {
-->             upgradePolicy = "never",
-->             versionKey = <unset>,
-->             scheduledHardwareUpgradeStatus = "none",
-->             fault = (vmodl.MethodFault) null
-->         },
-->         forkConfigInfo = (vim.vm.ForkConfigInfo) null,
-->         vFlashCacheReservation = 0,
-->         vmxConfigChecksum =
-->             52545f97 5871f92c 665ca7e7 c2924348
-->             b67a5d44,
-->         messageBusQueuePattern = <unset>,
-->         messageBusTunnelEnabled = false,
-->         vmStorageObjectId = <unset>,
-->         swapStorageObjectId = <unset>,
-->     },
-->     currentEfiBootEntry = <unset>
--> },
-->     storageMapping = (converter.agent.params.StorageMapping) {
-->         diskMapping =
(converter.agent.params.StorageMapping.DiskMapping) [
-->             (converter.agent.params.StorageMapping.DiskMapping) {
-->                 sourceDiskId = "disk-5",
-->                 targetDiskId = "disk-2000",
-->                 diskCreateType = "vmfsMonolithicFlatThinProvisioned",
-->                 lvg = false,
-->                 gpt = false,
-->                 diskSignature = 37229615,
-->                 diskGuid = <unset>,
-->                 sectorSize = <unset>
-->             },
-->             (converter.agent.params.StorageMapping.DiskMapping) {
-->                 sourceDiskId = "disk-6",
-->                 targetDiskId = "disk-2001",
-->                 diskCreateType = "vmfsMonolithicFlatThinProvisioned",
-->                 lvg = false,
-->                 gpt = false,
-->                 diskSignature = 2091757959,
-->                 diskGuid = <unset>,
-->                 sectorSize = <unset>
-->             },
-->             (converter.agent.params.StorageMapping.DiskMapping) {
-->                 sourceDiskId = "disk-7",
-->                 targetDiskId = "disk-2002",
-->                 diskCreateType = "vmfsMonolithicFlatThinProvisioned",
-->                 lvg = false,

```

```

-->         gpt = false,
-->         diskSignature = 73182283,
-->         diskGuid = <unset>,
-->         sectorSize = <unset>
-->     }
--> ],
--> },
--> nextBitmapId = <unset>,
--> snapshotSource = true,
--> doPersistNextBitmapId = false,
--> cloningMode = "diskBasedCloning",
--> throttlingParams = (converter.params.ThrottlingParams) {
-->     cpuThrottling = "none",
-->     networkBandwidthThrottlingInMB = <unset>
--> },
--> skipCopyingRestoreCheckpointData = true,
--> skipUnwantedFiles = <unset>,
--> doReconfig = true,
--> helperVmNetworkParams = (converter.params.HelperVmNetworkParams)
null,
--> optimizedPartitionAlignment = <unset>,
--> useProxyMode = false,
--> }

```

```

2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=Default] Task Added : task-6
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-6] Cloning mode diskBasedCloning
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[02044]
[Originator@6876 sub=task-6] CloneTask: adding subtask for cloning
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CloneTask::SetupTask
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CloneTask::InitializeSourceComputer
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Creating vmx file parser
2020-11-07T15:53:37.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [BaseParserImpl::Parse] Config info is not
cached
2020-11-07T15:53:37.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Parsing
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx
2020-11-07T15:53:37.404+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Non-standard disk type 11
2020-11-07T15:53:37.420+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Non-standard disk type 11
2020-11-07T15:53:37.420+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Non-standard disk type 11

```

2020-11-07T15:53:37.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [BaseDiskSetComputer::OpenDiskSet] Will use
open retries count 3
2020-11-07T15:53:37.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk signature found 37229615, disk size
in sectors 83886080, sector size 512
2020-11-07T15:53:37.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:1024000 attribs:0x0 active primary NTFS

2020-11-07T15:53:37.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:1026048 size:82857984 attribs:0x0 primary NTFS

2020-11-07T15:53:37.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk with signature 37229615, recognized
partitions 2
2020-11-07T15:53:37.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk signature found 2091757959, disk size
in sectors 125829120, sector size 512
2020-11-07T15:53:37.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:125822976 attribs:0x0 primary NTFS
2020-11-07T15:53:37.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk with signature 2091757959, recognized
partitions 1
2020-11-07T15:53:37.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk signature found 73182283, disk size
in sectors 83886080, sector size 512
2020-11-07T15:53:37.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition found type HPFS/NTFS(7)
name:HPFS/NTFS start:2048 size:83879936 attribs:0x0 primary NTFS
2020-11-07T15:53:37.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk with signature 73182283, recognized
partitions 1
2020-11-07T15:53:37.701+01:00 info vmware-converter-worker[03440]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:37.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\ FS:<NTFS>
2020-11-07T15:53:37.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Found file Boot\BCD on volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\
2020-11-07T15:53:37.795+01:00 info vmware-converter-worker[03440]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:37.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\
2020-11-07T15:53:37.811+01:00 info vmware-converter-worker[09332]

[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:37.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\ FS:<NTFS>
2020-11-07T15:53:37.858+01:00 info vmware-converter-worker[09332]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:37.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\
2020-11-07T15:53:37.858+01:00 info vmware-converter-worker[02588]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:38.186+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000018000000\ FS:<NTFS>
2020-11-07T15:53:38.186+01:00 info vmware-converter-worker[02588]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:38.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000018000000\
2020-11-07T15:53:38.201+01:00 info vmware-converter-worker[03924]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:38.342+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-87B1AD7C000010000000000019000000\ FS:<NTFS>
2020-11-07T15:53:38.342+01:00 info vmware-converter-worker[03924]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:38.342+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-87B1AD7C000010000000000019000000\
2020-11-07T15:53:38.342+01:00 info vmware-converter-worker[05236]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:38.390+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] CloneTask: Agent task moid=task-6
2020-11-07T15:53:38.390+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T15:53:38.451+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-4BAC5C0400001000000000001A000000\ FS:<NTFS>
2020-11-07T15:53:38.467+01:00 info vmware-converter-worker[05236]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T15:53:38.467+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-4BAC5C0400001000000000001A000000\
2020-11-07T15:53:38.467+01:00 info vmware-converter-worker[05424]
[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:38.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\ FS:<NTFS>

2020-11-07T15:53:38.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 4 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi61.
2020-11-07T15:53:38.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi61\BCD is loaded
under the name mntApi333281955630848277
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\12000002
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{df2aff03-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{df2aff02-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{df2aff04-2345-11df-9851-e076a68f85fc}\
Elements\12000002
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{d34eb3e2-b1b4-11e8-8719-909a2d5c6c0e}\
Elements\26000022.
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error 13 reading Element value from
key
mntApi333281955630848277\Objects\{9dea862c-5cdd-4e70-acc1-f32b344d4795}\
Elements\24000001
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{d34eb3e2-b1b4-11e8-8719-909a2d5c6c0e}\
Elements\26000022.
2020-11-07T15:53:38.576+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 opening key
mntApi333281955630848277\Objects\{d34eb3e1-b1b4-11e8-8719-909a2d5c6c0e}\
Elements\26000022.
2020-11-07T15:53:38.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] BootConfiguration::RetrieveVistaOsEntries
error 0 entries:2
2020-11-07T15:53:38.592+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi333281955630848277
2020-11-07T15:53:38.592+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 8 hive log files on
cleanup.
2020-11-07T15:53:38.592+01:00 info vmware-converter-worker[07632]

[Originator@6876 sub=ThreadPool] Thread enlisted
2020-11-07T15:53:38.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Mounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000018000000\ FS:<NTFS>
2020-11-07T15:53:43.889+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi159.
2020-11-07T15:53:46.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi159\SOFTWARE is
loaded under the name mntApi338594460530848277
2020-11-07T15:53:46.858+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi338594460530848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:53:46.858+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:53:46.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:53:46.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:53:46.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:53:47.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi15.
2020-11-07T15:53:48.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi15\SYSTEM is
loaded under the name mntApi342391324130848277
2020-11-07T15:53:48.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi342391324130848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:53:48.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:53:48.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi342391324130848277
2020-11-07T15:53:48.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:48.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi338594460530848277
2020-11-07T15:53:48.248+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:53:48.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on

C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi117.
2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi117\SYSTEM is
loaded under the name mntApi342969455230848277
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for .NET CLR
Data
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NET CLR Data
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for .NET CLR
Networking
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NET CLR
Networking
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for .NET CLR
Networking 4.0.0.0
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NET CLR
Networking 4.0.0.0
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for .NET Data
Provider for Oracle
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NET Data
Provider for Oracle
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for .NET Data
Provider for SqlServer
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NET Data
Provider for SqlServer
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for .NET Memory
Cache 4.0
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NET Memory
Cache 4.0
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
.NETFramework
2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for .NETFramework
2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver 1394ohci manual
2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver 3ware bootStart

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'aaBootstrap'[C:\Program
Files (x86)\Common
Files\ArchestrA\Framework\Bin\aaBootstrap.exe]/autoStart depends:
RPCSS;NETMAN

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'aaGlobalDataCacheMonitorSvr'[C:\Program Files
(x86)\ArchestrA\Framework\Bin\aaGlobalDataCacheMonitorSvr.exe]/autoStart
depends: RPCSS

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'aaGR'[C:\Program Files
(x86)\ArchestrA\Framework\Bin\aaGR.exe]/autoStart depends:
RPCSS;LanmanServer

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'aahClientAccessPoint'["C:\Program Files (x86)\Common
Files\ArchestrA\aahClientAccessPoint.exe"]/autoStart depends:
RpcSs;NetTcpPortSharing

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'aaLogger'["C:\Program Files
(x86)\Common Files\ArchestrA\aaLogger.exe"]/autoStart depends: RPCSS

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'aaUserValidator'[C:\Program
Files (x86)\ArchestrA\Framework\Bin\aaUserValidator.exe]/autoStart
depends: RPCSS

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ACPI bootStart

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AcpiDev manual

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver acpiex bootStart

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver acpipagr manual

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AcpiPmi manual

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver acpitime manual

2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
ADOVMPPackage

2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ADOVMPPackage

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ADP80XX bootStart

2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for adsi

2020-11-07T15:53:48.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for adsi

2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AFD systemStart
2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ahcache systemStart
2020-11-07T15:53:48.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AJRouter'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:48.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'ALG'[%SystemRoot%\System32\alg.exe]/manual depends: <none>
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AmdK8 manual
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AmdPPM manual
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver amdpsata bootStart
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver amdpsbs bootStart
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver amdpxata bootStart
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AppHostSvc'[%windir%\system32\svchost.exe -k apphost]/autoStart
depends: <none>
2020-11-07T15:53:48.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AppID manual
2020-11-07T15:53:48.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AppIDSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;AppID;CryptSvc
2020-11-07T15:53:48.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Appinfo'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs;ProfSvc
2020-11-07T15:53:48.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver applockerfltr manual
2020-11-07T15:53:48.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AppMgmt'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:48.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AppReadiness'[%SystemRoot%\System32\svchost.exe -k AppReadiness]/manual
depends: <none>
2020-11-07T15:53:49.014+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Found service
'AppVClient'[%systemroot%\system32\AppVClient.exe]/disabled depends:
RpcSS;netprofm;AppvVfs;AppVStrm
2020-11-07T15:53:49.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AppvStrm manual
2020-11-07T15:53:49.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AppvVemgr manual
2020-11-07T15:53:49.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AppvVfs manual
2020-11-07T15:53:49.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AppXSvc'[%systemroot%\system32\svchost.exe -k wsappx]/manual depends:
rpcss;staterepository
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ArchestrA
Event Historization Service
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ArchestrA Event
Historization Service
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ArchestrA
EventService
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ArchestrA
EventService
2020-11-07T15:53:49.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'ArchestrADataStore'["C:\Program Files\Schneider Electric\ArchestrA Data
Store\SecureDataService.exe"]/autoStart depends: <none>
2020-11-07T15:53:49.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver arcsas bootStart
2020-11-07T15:53:49.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AsbServiceManager'["C:\Program Files (x86)\Schneider Electric\ArchestrA
Service Bus\CoreServices\Asb.ServiceManager.exe"]/manual depends: <none>
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ASP
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ASP
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ASP.NET
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ASP.NET
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
ASP.NET_2.0.50727
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
ASP.NET_2.0.50727

2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
ASP.NET_4.0.30319
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
ASP.NET_4.0.30319
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
ASP.NET_64_2.0.50727
2020-11-07T15:53:49.217+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
ASP.NET_64_2.0.50727
2020-11-07T15:53:49.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'aspnet_state'[%systemroot%\Microsoft.NET\Framework64\v4.0.30319\aspnet_
state.exe]/manual depends: <none>
2020-11-07T15:53:49.311+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver AsyncMac manual
2020-11-07T15:53:49.311+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver atapi bootStart
2020-11-07T15:53:49.311+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AudioEndpointBuilder'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:49.420+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Audiosrv'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends:
AudioEndpointBuilder;RpcSs
2020-11-07T15:53:49.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AutoBuild_Service'["C:\Program Files
(x86)\Wonderware\OI-Server\AutoBuild\Bin\AutoBuildService.exe"]/autoStar
t depends: <none>
2020-11-07T15:53:49.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'AxInstSV'[%SystemRoot%\system32\svchost.exe -k AxInstSVGroup]/manual
depends: rpcss
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver b06bdrv bootStart
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver BasicDisplay
systemStart
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver BasicRender systemStart
2020-11-07T15:53:49.545+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for BattC
2020-11-07T15:53:49.545+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for BattC

2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bcmfn manual
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bcmfn2 manual
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Beep manual
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bfadfcoei bootStart
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bfadi bootStart
2020-11-07T15:53:49.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'BFE'[%systemroot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: RpcSs
2020-11-07T15:53:49.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'BITS'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:49.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bowser manual
2020-11-07T15:53:49.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'BrokerInfrastructure'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:53:49.826+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\bisrv.dll
2020-11-07T15:53:49.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Browser'[%SystemRoot%\System32\svchost.exe -k smbssvc]/disabled
depends: LanmanWorkstation;LanmanServer
2020-11-07T15:53:49.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for BTHPORT
2020-11-07T15:53:49.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for BTHPORT
2020-11-07T15:53:49.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'bthserv'[%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:53:49.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver buttonconverter manual
2020-11-07T15:53:49.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bxfcoc bootStart
2020-11-07T15:53:49.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver bxois bootStart
2020-11-07T15:53:49.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver CapImg manual
2020-11-07T15:53:49.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver cdfs disabled

2020-11-07T15:53:49.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'CDPSvc'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:53:50.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'CDPUserSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:53:50.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver cdrom systemStart
2020-11-07T15:53:50.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'CertPropSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:53:50.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver cht4iscsi manual
2020-11-07T15:53:50.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver cht4vbd manual
2020-11-07T15:53:50.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver CLFS bootStart
2020-11-07T15:53:50.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'ClipSVC'[%SystemRoot%\System32\svchost.exe -k wsappx]/manual depends:
rpcss
2020-11-07T15:53:50.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver clreg autoStart
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
clr_optimization_v2.0.50727_32
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
clr_optimization_v2.0.50727_32
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
clr_optimization_v2.0.50727_64
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
clr_optimization_v2.0.50727_64
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_32
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
clr_optimization_v4.0.30319_32
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
clr_optimization_v4.0.30319_64
2020-11-07T15:53:50.264+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for

clr_optimization_v4.0.30319_64

```
2020-11-07T15:53:50.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver CmBatt manual
2020-11-07T15:53:50.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver CNG bootStart
2020-11-07T15:53:50.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver cnghwassist disabled
2020-11-07T15:53:50.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver CompositeBus manual
2020-11-07T15:53:50.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'COMSysApp' [%SystemRoot%\system32\dllhost.exe
/Processid:{02D4B3F1-FD88-11D1-960D-00805FC79235}]/manual depends:
RpcSs;EventSystem;SENS
2020-11-07T15:53:50.342+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver condrv manual
2020-11-07T15:53:50.342+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'CoreMessagingRegistrar' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: rpcss
2020-11-07T15:53:50.358+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for CoreUI
2020-11-07T15:53:50.358+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for CoreUI
2020-11-07T15:53:50.358+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for crypt32
2020-11-07T15:53:50.358+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for crypt32
2020-11-07T15:53:50.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'CryptSvc' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: RpcSs
2020-11-07T15:53:50.404+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver CSC disabled
2020-11-07T15:53:50.404+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'CscService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/disabled depends: RpcSs
2020-11-07T15:53:50.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver dam systemStart
2020-11-07T15:53:50.498+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for DCLocator
2020-11-07T15:53:50.498+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for DCLocator
2020-11-07T15:53:50.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DcomLaunch' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:53:50.686+01:00 info vmware-converter-worker[05280]
```

[Originator@6876 sub=task-6] Found service
'DcpSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:50.701+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'defragsvc' [%SystemRoot%\system32\svchost.exe -k defragsvc]/manual
depends: RPCSS
2020-11-07T15:53:50.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DeviceAssociationService' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:50.936+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DeviceInstall' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:53:51.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DevQueryBroker' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:51.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Dfsc systemStart
2020-11-07T15:53:51.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Dhcp' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: NSI;Tdx;Afd
2020-11-07T15:53:51.170+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'diagnosticshub.standardcollector.service' [%SystemRoot%\system32\DiagSvc
s\DiagnosticsHub.StandardCollector.Service.exe]/manual depends: <none>
2020-11-07T15:53:51.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DiagTrack' [%SystemRoot%\System32\svchost.exe -k utcsvc]/autoStart
depends: RpcSs
2020-11-07T15:53:51.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Disk bootStart
2020-11-07T15:53:51.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DmEnrollmentSvc' [%systemroot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:53:51.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver dmvc manual
2020-11-07T15:53:51.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'dmwappushservice' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: rpcss
2020-11-07T15:53:51.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Dnscache' [%SystemRoot%\system32\svchost.exe -k
NetworkService]/autoStart depends: Tdx;nsi

2020-11-07T15:53:51.592+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'dot3svc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;Ndisuio;Eaphost
2020-11-07T15:53:51.701+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DPS'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: <none>
2020-11-07T15:53:51.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DsmSvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:51.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'DsSvc'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:51.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver DXGKrnl manual
2020-11-07T15:53:51.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Eaphost'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RPCSS;KeyIso
2020-11-07T15:53:51.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ebdrv bootStart
2020-11-07T15:53:51.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'EFS'[%SystemRoot%\System32\lsass.exe]/manual depends: RPCSS
2020-11-07T15:53:51.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver EhStorClass bootStart
2020-11-07T15:53:51.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver EhStorTcgDrv bootStart
2020-11-07T15:53:51.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver elxfcoe bootStart
2020-11-07T15:53:51.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver elxstor bootStart
2020-11-07T15:53:51.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'embeddedmode'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: BrokerInfrastructure
2020-11-07T15:53:52.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'EntAppSvc'[%systemroot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:53:52.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ErrDev manual
2020-11-07T15:53:52.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ESENT
2020-11-07T15:53:52.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ESENT

2020-11-07T15:53:52.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'EventLog' [%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: <none>
2020-11-07T15:53:52.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'EventSystem' [%SystemRoot%\system32\svchost.exe -k
LocalService]/autoStart depends: rpcss
2020-11-07T15:53:52.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver exfat manual
2020-11-07T15:53:52.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver fastfat manual
2020-11-07T15:53:52.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver fcvsc manual
2020-11-07T15:53:52.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver fdc manual
2020-11-07T15:53:52.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'fdPHost' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs;http
2020-11-07T15:53:52.295+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'FDResPub' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/autoStart depends: RpcSs;http
2020-11-07T15:53:52.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver FileCrypt systemStart
2020-11-07T15:53:52.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver FileInfo manual
2020-11-07T15:53:52.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Filetrace manual
2020-11-07T15:53:52.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver flpydisk manual
2020-11-07T15:53:52.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver FltMgr bootStart
2020-11-07T15:53:52.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'FontCache' [%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:53:52.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'FontCache3.0.0.0' [%systemroot%\Microsoft.Net\Framework64\v3.0\WPF\Prese
ntationFontCache.exe]/manual depends: <none>
2020-11-07T15:53:52.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'FrameServer' [%SystemRoot%\System32\svchost.exe -k Camera]/manual
depends: rpcss
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver FsDepends manual
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Found device driver Fs_Rec bootStart
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'GATEWAY'[C:\Program Files
(x86)\Wonderware\OI-Server\OI-Gateway\Bin\Gateway.exe -service
/CLSID={00E25490-40B4-4E6A-A888-E658D65BBAEF}
/ProgID=OI.GATEWAY.2]/autoStart depends: slssvc
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver gencounter manual
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver genericusbfn manual
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver GPIOClx0101 manual
2020-11-07T15:53:52.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'gpsvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart depends:
RPCSS;Mup
2020-11-07T15:53:52.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver GpuEnergyDrv
systemStart
2020-11-07T15:53:52.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HDAudBus manual
2020-11-07T15:53:52.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HidBatt manual
2020-11-07T15:53:52.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HidBth manual
2020-11-07T15:53:52.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver hidinterrupt manual
2020-11-07T15:53:52.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'hidserv'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:52.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HidUsb manual
2020-11-07T15:53:52.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
HomeGroupListener
2020-11-07T15:53:52.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
HomeGroupListener
2020-11-07T15:53:52.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HpSAMD bootStart
2020-11-07T15:53:52.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HTTP manual
2020-11-07T15:53:52.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'HvHost'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: hvservice
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver hvservice manual

```
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver hwpolicy bootStart
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver hyperkbd manual
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver HyperVideo manual
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver i8042prt manual
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver iaLPSSi_GPIO manual
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver iaLPSSi_I2C manual
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver iaStorAV bootStart
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver iaStorV bootStart
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ibbus manual
2020-11-07T15:53:52.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'icssvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs;wcmSvc
2020-11-07T15:53:52.936+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'IISADMIN'[%windir%\system32\inetsrv\inetinfo.exe]/autoStart depends:
RPCSS;SamSS;HTTP
2020-11-07T15:53:52.936+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:52.936+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'IKEEXT'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: BFE;nsi
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'InBatch_BatchMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\BatchMngr.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_EnvMngr'["C:\Program
Files (x86)\Wonderware\InBatch\Bin\EnvMngr.exe"]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'InBatch_HistQMngr'["C:\Program Files
(x86)\Wonderware\InBatch\Bin\HistQMngr.exe"]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'InBatch_HistQReader'["C:\Program Files
(x86)\Wonderware\InBatch\Bin\HistQReader.exe"]/autoStart depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
```


[Originator@6876 sub=task-6] Found service 'InBatch_IBCli'[C:\Program Files (x86)\Wonderware\InBatch\bin\IBCli.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_IBCli_F1'[C:\Program Files (x86)\Wonderware\InBatch\bin\IBCli.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_IBMX'[C:\Program Files (x86)\Wonderware\InBatch\bin\IBMX.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_IBServ'[C:\Program Files (x86)\Wonderware\InBatch\bin\IBServ.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_InfoMngr'[C:\Program Files (x86)\Wonderware\InBatch\bin\InfoMngr.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_lm_tcp'["C:\Program Files (x86)\Wonderware\InBatch\Bin\lm_tcp.exe"]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'InBatch_MemTagMngr'[C:\Program Files
(x86)\Wonderware\InBatch\bin\MemTagMngr.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_SecMngr'[C:\Program Files (x86)\Wonderware\InBatch\bin\SecMngr.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_SimMngr'[C:\Program Files (x86)\Wonderware\InBatch\bin\SimMngr.exe]/manual depends: <none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'InBatch_UnlkMngr'[C:\Program Files (x86)\Wonderware\InBatch\bin\UnilinkMngr.exe]/manual depends:
<none>
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver IndirectKmd manual
2020-11-07T15:53:53.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for inetaccs
2020-11-07T15:53:53.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for inetaccs
2020-11-07T15:53:53.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for InetInfo
2020-11-07T15:53:53.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for InetInfo
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver intelide bootStart
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver intelpep bootStart
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver intelppm manual
2020-11-07T15:53:53.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for iorate

2020-11-07T15:53:53.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for iorate
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver IpFilterDriver manual
2020-11-07T15:53:53.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'iphlpvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/autoStart
depends: RpcSS;Tdx;winmgmt;tcpip;nsi;WinHttpAutoProxySvc
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver IPMIDRV manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver IPNAT manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver IPsecGW manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver isapnp bootStart
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver iScsiPrt manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver kbdclass manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver kbdhid manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver kdnic manual
2020-11-07T15:53:53.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'KeyIso'[%SystemRoot%\system32\lsass.exe]/manual depends: RpcSs
2020-11-07T15:53:53.186+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'KPSVC'[%systemroot%\system32\svchost.exe -k KpsSvcGroup]/manual
depends: rpcss;http
2020-11-07T15:53:53.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver KSecDD bootStart
2020-11-07T15:53:53.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver KSecPkg bootStart
2020-11-07T15:53:53.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ksthunk manual
2020-11-07T15:53:53.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'KtmRm'[%SystemRoot%\System32\svchost.exe -k
NetworkServiceAndNoImpersonation]/manual depends: RPCSS;SamSS
2020-11-07T15:53:53.264+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'LanmanServer'[%SystemRoot%\System32\svchost.exe -k smbsvcs]/autoStart
depends: SamSS;Srv2
2020-11-07T15:53:53.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'LanmanWorkstation'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: Bowser;MRxSmb20;NSI

2020-11-07T15:53:53.483+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ldap
2020-11-07T15:53:53.483+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ldap
2020-11-07T15:53:53.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'lfsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:53:53.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'License Server Agent
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\License Server\LicServer.WindowsService.exe"]/autoStart
depends: <none>
2020-11-07T15:53:53.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'License Server Core
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\License Server\SELicServer.exe"]/manual depends: <none>
2020-11-07T15:53:53.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'License Server Sam
Service'["C:\Program Files (x86)\Common Files\ArchestrA\Licensing
Framework\Sam Service\LicServer.SamWindowsService.exe"]/autoStart
depends: <none>
2020-11-07T15:53:53.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'LicenseManager'[%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: rpcss
2020-11-07T15:53:53.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'LicenseManagerDataService'["C:\Program Files (x86)\Invensys\License
Manager\LicenseManagerWindowsService.exe"]/disabled depends: <none>
2020-11-07T15:53:53.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver lltdio autoStart
2020-11-07T15:53:53.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'lltdsvc'[%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: rpcss;lltdio
2020-11-07T15:53:53.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'lmhosts'[%SystemRoot%\System32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: Afd
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'LMWebService'["C:\Program
Files (x86)\Common Files\ArchestrA\Licensing Framework\License
Manager\LMWeb.App\bin\LMWeb.WindowsService.exe"]/autoStart depends:
<none>
2020-11-07T15:53:53.623+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for Lsa
2020-11-07T15:53:53.623+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for Lsa

2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver LSI_SAS bootStart
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver LSI_SAS2i bootStart
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver LSI_SAS3i bootStart
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver LSI_SSS bootStart
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'LSM'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: RpcEptMapper;DcomLaunch;RpcSs
2020-11-07T15:53:53.623+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\lsm.dll
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver luafv autoStart
2020-11-07T15:53:53.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'MapsBroker'[%SystemRoot%\System32\svchost.exe -k
NetworkService]/autoStart depends: rpcss
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver megasas bootStart
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver megasas2i bootStart
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver megasr bootStart
2020-11-07T15:53:53.686+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for MES
Middleware
2020-11-07T15:53:53.686+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for MES Middleware
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mlx4_bus manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver MMCSS manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Modem manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver monitor manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mouclass manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mouhid manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mountmgr bootStart
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mpsdrv manual
2020-11-07T15:53:53.686+01:00 info vmware-converter-worker[05280]

```
[Originator@6876 sub=task-6] Found service
'MpsSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNoNetwork]/autoStart depends: mpsdrv;bfe
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mrxsmb manual
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mrxsmb10 autoStart
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mrxsmb20 manual
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver MsBridge manual
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'MSDTC'[%SystemRoot%\System32\msdtc.exe]/autoStart depends: RPCSS;SamSS
2020-11-07T15:53:53.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for MSDTC
Bridge 3.0.0.0
2020-11-07T15:53:53.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for MSDTC Bridge
3.0.0.0
2020-11-07T15:53:53.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for MSDTC
Bridge 4.0.0.0
2020-11-07T15:53:53.795+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for MSDTC Bridge
4.0.0.0
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Msfs systemStart
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver msgpiowin32 manual
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mshidkmdf manual
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mshidumdf manual
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver msisadv bootStart
2020-11-07T15:53:53.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'MSiSCSI'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:53.842+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'msiserver'[%systemroot%\system32\msiexec.exe /V]/manual depends: rpcss
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver MsLbfoProvider manual
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver MsLldp autoStart
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver MsRPC manual
```

2020-11-07T15:53:53.858+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for MSSCNTRS
2020-11-07T15:53:53.858+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for MSSCNTRS
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mssmbios systemStart
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'MSSQLSERVER'["C:\Program
Files (x86)\Microsoft SQL
Server\MSSQL12.MSSQLSERVER\MSSQL\Binn\sqlservr.exe"
-sMSSQLSERVER]/autoStart depends: <none>
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver MTConfig manual
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Mup bootStart
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver mvumis bootStart
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'MWHostService'["C:\Program
Files (x86)\Wonderware\ProdMiddleware\MWCommon.Host.exe"]/autoStart
depends: <none>
2020-11-07T15:53:53.858+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for napagent
2020-11-07T15:53:53.858+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for napagent
2020-11-07T15:53:53.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NcaSvc'[%SystemRoot%\System32\svchost.exe -k NetSvcs]/manual depends:
BFE;dnscache;NSI;iphlpvc
2020-11-07T15:53:53.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NcbService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSS;tcpip
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ndfltr manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NDIS bootStart
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NdisCap manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NdisImPlatform manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NdisTapi manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Ndisuio manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NdisVirtualBus manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NdisWan manual

2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ndiswanlegacy manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ndproxy manual
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NetBIOS systemStart
2020-11-07T15:53:54.014+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for NetbiosSmb
2020-11-07T15:53:54.014+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for NetbiosSmb
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NetBT systemStart
2020-11-07T15:53:54.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Netlogon' [%systemroot%\system32\lsass.exe]/autoStart depends:
LanmanWorkstation
2020-11-07T15:53:54.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Netman' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs;nsi
2020-11-07T15:53:54.170+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'netprofm' [%SystemRoot%\System32\svchost.exe -k LocalService]/manual
depends: RpcSs;nlasvc
2020-11-07T15:53:54.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NetSetupSvc' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:53:54.295+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NetTcpPortSharing' [%systemroot%\Microsoft.NET\Framework64\v4.0.30319\SM
SvcHost.exe]/autoStart depends: <none>
2020-11-07T15:53:54.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver netvsc manual
2020-11-07T15:53:54.358+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for netvscvfpp
2020-11-07T15:53:54.358+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for netvscvfpp
2020-11-07T15:53:54.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NgcCtnrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:54.451+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NgcSvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:54.561+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'NlaSvc' [%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart

depends: NSI;RpcSs;TcpIp;Dhcp;Eventlog
2020-11-07T15:53:54.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'NmxSvc'[C:\Program Files
(x86)\Archestra\Framework\Bin\NmxSvc.exe]/manual depends: RPCSS
2020-11-07T15:53:54.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Npfs systemStart
2020-11-07T15:53:54.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver npsvctrig systemStart
2020-11-07T15:53:54.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'nsi'[%systemroot%\system32\svchost.exe -k LocalService]/autoStart
depends: rpcss;nsiproxy
2020-11-07T15:53:54.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver nsiproxy systemStart
2020-11-07T15:53:54.686+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for NTDS
2020-11-07T15:53:54.686+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for NTDS
2020-11-07T15:53:54.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver NTFS manual
2020-11-07T15:53:54.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Null systemStart
2020-11-07T15:53:54.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver nvraid bootStart
2020-11-07T15:53:54.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver nvstor bootStart
2020-11-07T15:53:54.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'OneSyncSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/autoStart depends: <none>
2020-11-07T15:53:54.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'OpcEnum'[C:\Windows\SysWOW64\OpcEnum.exe]/autoStart depends: RPCSS
2020-11-07T15:53:54.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Parport manual
2020-11-07T15:53:54.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver partmgr bootStart
2020-11-07T15:53:54.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PcaSvc'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver pci bootStart
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver pciide bootStart
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver pcmcia bootStart
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver pcw bootStart

2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver pdc bootStart
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver PEAUTH autoStart
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver percsas2i bootStart
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver percsas3i bootStart
2020-11-07T15:53:54.826+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for PerfDisk
2020-11-07T15:53:54.826+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for PerfDisk
2020-11-07T15:53:54.826+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PerfHost' [%SystemRoot%\SysWow64\perfhst.exe]/manual depends: RPCSS
2020-11-07T15:53:54.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for PerfNet
2020-11-07T15:53:54.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for PerfNet
2020-11-07T15:53:54.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for PerfOS
2020-11-07T15:53:54.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for PerfOS
2020-11-07T15:53:54.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for PerfProc
2020-11-07T15:53:54.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for PerfProc
2020-11-07T15:53:54.998+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PhoneSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: RpcSs
2020-11-07T15:53:55.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PimIndexMaintenanceSvc' [%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:53:55.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'pla' [%SystemRoot%\System32\svchost.exe -k LocalServiceNoNetwork]/manual
depends: RPCSS
2020-11-07T15:53:55.248+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PlugPlay' [%SystemRoot%\system32\svchost.exe -k DcomLaunch]/manual
depends: <none>
2020-11-07T15:53:55.248+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PolicyAgent' [%SystemRoot%\system32\svchost.exe -k
NetworkServiceNetworkRestricted]/manual depends: Tcpip;bfe
2020-11-07T15:53:55.311+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for PortProxy

2020-11-07T15:53:55.311+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for PortProxy
2020-11-07T15:53:55.311+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Power'[%SystemRoot%\system32\svchost.exe -k DcomLaunch]/autoStart
depends: <none>
2020-11-07T15:53:55.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver PptpMiniport manual
2020-11-07T15:53:55.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'PrintNotify'[%SystemRoot%\system32\svchost.exe -k print]/manual
depends: RpcSs
2020-11-07T15:53:55.373+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000018000000\c:\windows\s
ystem32\spool\drivers\x64\3\printconfig.dll
2020-11-07T15:53:55.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Processor manual
2020-11-07T15:53:55.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'ProfSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs
2020-11-07T15:53:55.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Psched systemStart
2020-11-07T15:53:55.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver pvscsi bootStart
2020-11-07T15:53:55.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ql2300i bootStart
2020-11-07T15:53:55.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ql40xx2i bootStart
2020-11-07T15:53:55.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver qlfcoei bootStart
2020-11-07T15:53:55.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'QWAVE'[%windir%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends:
rpcss;psched;QWAVEdrv;LLTDIO
2020-11-07T15:53:55.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver QWAVEdrv manual
2020-11-07T15:53:55.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RasAcD manual
2020-11-07T15:53:55.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RasAgileVpn manual
2020-11-07T15:53:55.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RasAuto'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
RasAcD
2020-11-07T15:53:55.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RasGre manual

2020-11-07T15:53:55.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Rasl2tp manual
2020-11-07T15:53:55.639+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RasMan' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
SstpSvc
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RasPppoe manual
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RasSstp manual
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver rdbss systemStart
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for RDMANDK
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for RDMANDK
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver rdpsbus manual
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RDPDR manual
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for RDPNP
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for RDPNP
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for RDPUDD
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for RDPUDD
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver RdpVideoMiniport manual
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ReFS manual
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ReFSv1 manual
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for RegFilter
2020-11-07T15:53:55.733+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for RegFilter
2020-11-07T15:53:55.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RemoteAccess' [%SystemRoot%\System32\svchost.exe -k netsvcs]/disabled
depends: RpcSS;Bfe;RasMan;Http
2020-11-07T15:53:55.858+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RemoteRegistry' [%SystemRoot%\system32\svchost.exe -k
localService]/autoStart depends: RPCSS
2020-11-07T15:53:55.936+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RmSvc' [%SystemRoot%\System32\svchost.exe -k

```
LocalServiceNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:55.998+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RpcEptMapper'[%SystemRoot%\system32\svchost.exe -k RPCSS]/autoStart
depends: <none>
2020-11-07T15:53:55.998+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\rpcepmap.dll
2020-11-07T15:53:55.998+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RpcLocator'[%SystemRoot%\system32\locator.exe]/manual depends: <none>
2020-11-07T15:53:56.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RpcSs'[%SystemRoot%\system32\svchost.exe -k rpcss]/autoStart depends:
RpcEptMapper;DcomLaunch
2020-11-07T15:53:56.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'RSOProv'[%SystemRoot%\system32\RSOProv.exe]/manual depends: RPCSS
2020-11-07T15:53:56.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver rspndr autoStart
2020-11-07T15:53:56.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver s3cap manual
2020-11-07T15:53:56.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver sacdrv bootStart
2020-11-07T15:53:56.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'sacsrv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:56.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SamSs'[%SystemRoot%\system32\lsass.exe]/autoStart depends: RPCSS
2020-11-07T15:53:56.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver sbp2port bootStart
2020-11-07T15:53:56.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SCardSvr'[%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/disabled depends: wudfsvc
2020-11-07T15:53:56.279+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'ScDeviceEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:56.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver scfilter manual
2020-11-07T15:53:56.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Schedule'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS;SystemEventsBroker
2020-11-07T15:53:56.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver scmbus bootStart
```

2020-11-07T15:53:56.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver scmdisk0101 manual
2020-11-07T15:53:56.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SCPolicSvc' [%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:53:56.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver sdbus manual
2020-11-07T15:53:56.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver sdstor manual
2020-11-07T15:53:56.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'seclogon' [%windir%\system32\svchost.exe -k netsvcs]/manual depends:
<none>
2020-11-07T15:53:56.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SENS' [%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart depends:
EventSystem
2020-11-07T15:53:56.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SensorDataService' [%SystemRoot%\System32\SensorDataService.exe]/manual
depends: <none>
2020-11-07T15:53:56.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SensorService' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:56.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SensrSvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: <none>
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Sentinel64 autoStart
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver SerCx manual
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver SerCx2 manual
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Serenum manual
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Serial manual
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver sermouse manual
2020-11-07T15:53:56.779+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
ServiceModelEndpoint 3.0.0.0
2020-11-07T15:53:56.779+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
ServiceModelEndpoint 3.0.0.0
2020-11-07T15:53:56.779+01:00 warning vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Error 2 reading 'startType' for ServiceModelOperation 3.0.0.0
2020-11-07T15:53:56.779+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ServiceModelOperation 3.0.0.0
2020-11-07T15:53:56.779+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for ServiceModelService 3.0.0.0
2020-11-07T15:53:56.779+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for ServiceModelService 3.0.0.0
2020-11-07T15:53:56.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'SessionEnv'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends: RPCSS;LanmanWorkstation
2020-11-07T15:53:56.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver sfloppy manual
2020-11-07T15:53:56.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'SharedAccess'[%SystemRoot%\System32\svchost.exe -k netsvcs]/manual depends: BFE
2020-11-07T15:53:56.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'ShellHWDetection'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart depends: RpcSs
2020-11-07T15:53:57.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'SIM'[C:\Program Files (x86)\Archestra\OIServerRuntimeComponents\SIM.exe -service /CLSID={99EF3D29-6021-4E22-9E51-C1AB10727EE7} /ProgID=OI.SIM.1]/manual depends: slssvc
2020-11-07T15:53:57.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver SiSRaid2 bootStart
2020-11-07T15:53:57.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver SiSRaid4 bootStart
2020-11-07T15:53:57.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for SLS
2020-11-07T15:53:57.061+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for SLS
2020-11-07T15:53:57.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'slssvc'["C:\Program Files (x86)\Common Files\Archestra\slssvc.exe"]/autoStart depends: <none>
2020-11-07T15:53:57.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver smbdirect manual
2020-11-07T15:53:57.061+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'smphost'[%SystemRoot%\System32\svchost.exe -k smphost]/manual depends: RPCSS
2020-11-07T15:53:57.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for SMSvcHost

3.0.0.0
2020-11-07T15:53:57.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for SMSvcHost
3.0.0.0
2020-11-07T15:53:57.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for SMSvcHost
4.0.0.0
2020-11-07T15:53:57.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for SMSvcHost
4.0.0.0
2020-11-07T15:53:57.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for SNMP
2020-11-07T15:53:57.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for SNMP
2020-11-07T15:53:57.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SNMPTRAP'[%SystemRoot%\System32\snmptrap.exe]/manual depends: <none>
2020-11-07T15:53:57.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver spaceport bootStart
2020-11-07T15:53:57.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver SpbCx manual
2020-11-07T15:53:57.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Spooler'[%SystemRoot%\System32\spoolsv.exe]/autoStart depends:
RPCSS;http
2020-11-07T15:53:57.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'sppsvc'[%SystemRoot%\system32\sppsvc.exe]/autoStart depends: RpcSs
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'SQLBrowser'["C:\Program
Files (x86)\Microsoft SQL Server\90\Shared\sqlbrowser.exe"]/autoStart
depends: <none>
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'SQLSERVERAGENT'["C:\Program
Files (x86)\Microsoft SQL
Server\MSSQL12.MSSQLSERVER\MSSQL\Binn\SQLAGENT.EXE" -i
MSSQLSERVER]/autoStart depends: MSSQLSERVER
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'SQLWriter'["C:\Program
Files\Microsoft SQL Server\90\Shared\sqlwriter.exe"]/autoStart depends:
<none>
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver srv autoStart
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver srv2 manual
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver srvnet manual
2020-11-07T15:53:57.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service

```
'SSDPSRV' [%SystemRoot%\system32\svchost.exe -k
LocalServiceAndNoImpersonation]/manual depends: HTTP
2020-11-07T15:53:57.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SstpSvc' [%SystemRoot%\system32\svchost.exe -k LocalService]/manual
depends: <none>
2020-11-07T15:53:57.576+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'StateRepository' [%SystemRoot%\system32\svchost.exe -k appmodel]/manual
depends: rpcss
2020-11-07T15:53:57.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver stexstor bootStart
2020-11-07T15:53:57.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'stiscvc' [%SystemRoot%\system32\svchost.exe -k imgsvc]/manual depends:
RpcSs
2020-11-07T15:53:57.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver storahci bootStart
2020-11-07T15:53:57.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver storflt bootStart
2020-11-07T15:53:57.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver stornvme bootStart
2020-11-07T15:53:57.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver storqosflt autoStart
2020-11-07T15:53:57.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'StorSvc' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:57.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver storufs bootStart
2020-11-07T15:53:57.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver storvsc bootStart
2020-11-07T15:53:57.920+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for SuiteLink
2020-11-07T15:53:57.920+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for SuiteLink
2020-11-07T15:53:57.920+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'svsvc' [%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:57.951+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver swenum manual
2020-11-07T15:53:57.951+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'swprv' [%SystemRoot%\System32\svchost.exe -k swprv]/manual depends:
RPCSS
2020-11-07T15:53:58.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Synth3dVsc manual
2020-11-07T15:53:58.014+01:00 info vmware-converter-worker[05280]
```


[Originator@6876 sub=task-6] Found service
'SysMain'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: rpcss
2020-11-07T15:53:58.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'SystemEventsBroker'[%SystemRoot%\system32\svchost.exe -k
DcomLaunch]/autoStart depends: RpcEptMapper;RpcSs
2020-11-07T15:53:58.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\systemeventsbrokerserver.dll
2020-11-07T15:53:58.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TabletInputService'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:53:58.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TapiSrv'[%SystemRoot%\System32\svchost.exe -k NetworkService]/manual
depends: RpcSs
2020-11-07T15:53:58.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Tcip bootStart
2020-11-07T15:53:58.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Tcip6 manual
2020-11-07T15:53:58.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
TCPIP6TUNNEL
2020-11-07T15:53:58.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for TCPIP6TUNNEL
2020-11-07T15:53:58.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver tcpipreg autoStart
2020-11-07T15:53:58.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for TCPIPTUNNEL
2020-11-07T15:53:58.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for TCPIPTUNNEL
2020-11-07T15:53:58.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver tdx systemStart
2020-11-07T15:53:58.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver terminpt manual
2020-11-07T15:53:58.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TermService'[%SystemRoot%\System32\svchost.exe -k termsvcs]/manual
depends: RPCSS
2020-11-07T15:53:58.342+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Themes'[%SystemRoot%\System32\svchost.exe -k netsvcs]/autoStart
depends: <none>
2020-11-07T15:53:58.404+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TieringEngineService'[%SystemRoot%\system32\TieringEngineService.exe]/m
annual depends: <none>

2020-11-07T15:53:58.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'tiledatamodelsvc'[%systemroot%\system32\svchost.exe -k
appmodel]/autoStart depends: rpcss;staterepository
2020-11-07T15:53:58.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TimeBrokerSvc'[%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:58.608+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\timebrokerserver.dll
2020-11-07T15:53:58.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver TPM manual
2020-11-07T15:53:58.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TrkWks'[%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:53:58.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'TrustedInstaller'[%SystemRoot%\servicing\TrustedInstaller.exe]/manual
depends: <none>
2020-11-07T15:53:58.748+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for TSDDD
2020-11-07T15:53:58.748+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for TSDDD
2020-11-07T15:53:58.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver TsUsbFlt manual
2020-11-07T15:53:58.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver TsUsbGD manual
2020-11-07T15:53:58.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver tsusbhub manual
2020-11-07T15:53:58.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver tunnel manual
2020-11-07T15:53:58.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'tvnserver'["C:\Program
Files\TightVNC\tnserver.exe" -service]/autoStart depends: <none>
2020-11-07T15:53:58.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'tzautoupdate'[%SystemRoot%\system32\svchost.exe -k
LocalService]/disabled depends: <none>
2020-11-07T15:53:58.795+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UALSVC'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/autoStart depends: WinMgmt
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UASPStor manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UcmCx0101 manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Found device driver UcmTcpciCx0101 manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UcmUcsi manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Ucx01000 manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UdeCx manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver udfs disabled
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UEFI manual
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UevAgentDriver disabled
2020-11-07T15:53:58.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UevAgentService' [%systemroot%\system32\AgentService.exe]/disabled
depends: <none>
2020-11-07T15:53:58.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Ufx01000 manual
2020-11-07T15:53:58.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UfxChipidea manual
2020-11-07T15:53:58.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ufxsynopsys manual
2020-11-07T15:53:58.983+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for UGatherer
2020-11-07T15:53:58.983+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for UGatherer
2020-11-07T15:53:58.983+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for UGTHRSVC
2020-11-07T15:53:58.983+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for UGTHRSVC
2020-11-07T15:53:58.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UI0Detect' [%SystemRoot%\system32\UI0Detect.exe]/manual depends: <none>
2020-11-07T15:53:59.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver umbus manual
2020-11-07T15:53:59.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UmPass manual
2020-11-07T15:53:59.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UmRdpService' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: TermService;RDPDR
2020-11-07T15:53:59.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UnistoreSvc' [%SystemRoot%\System32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:53:59.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'upnphost' [%SystemRoot%\system32\svchost.exe -k

```
LocalServiceAndNoImpersonation]/manual depends: SSDPSRV;HTTP
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UrsChipidea manual
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UrsCx01000 manual
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver UrsSynopsys manual
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver usbccgp manual
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver usbehci manual
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver USBHUB3 manual
2020-11-07T15:53:59.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver usbohci manual
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver usbprint manual
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver usbser manual
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver USBSTOR manual
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver usbhci manual
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver USBXHCI manual
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UserDataSvc'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: UnistoreSvc
2020-11-07T15:53:59.217+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UserManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RpcSs;ProfSvc
2020-11-07T15:53:59.295+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'UsSvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:53:59.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'VaultSvc'[%SystemRoot%\system32\lsass.exe]/manual depends: rpcss
2020-11-07T15:53:59.420+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vdrvroot bootStart
2020-11-07T15:53:59.420+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vds'[%SystemRoot%\System32\vds.exe]/manual depends: RpcSs
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver VerifierExt manual
```

2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'VGAAuthService'["C:\Program
Files\VMware\VMware Tools\VMware VGAAuth\VGAAuthService.exe"]/autoStart
depends: <none>
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vhdmp manual
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vhf manual
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vm3dmp manual
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vm3dmp-debug manual
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vm3dmp-stats manual
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vm3dmp_loader manual
2020-11-07T15:53:59.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vm3dservice'[%SystemRoot%\system32\vm3dservice.exe]/autoStart depends:
<none>
2020-11-07T15:53:59.529+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
\\.\vstor2-mntapi20-shared-2F1438020000501F0000000018000000\Windows\sys
em32\oem7.inf
2020-11-07T15:53:59.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vmbus bootStart
2020-11-07T15:53:59.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver VMBusHID manual
2020-11-07T15:53:59.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vmci bootStart
2020-11-07T15:53:59.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vmgid manual
2020-11-07T15:53:59.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmicguestinterface'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:59.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmicheartbeat'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:53:59.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmickvpexchange'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:59.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmicrdv'[%systemroot%\system32\svchost.exe -k ICService]/manual
depends: <none>
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Found service
'vmicshutdown'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmictimesync'[%systemroot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/manual depends: VmGid
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmicvmsession'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmicvss'[%systemroot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver VMMemCtl autoStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vmmouse manual
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'VMTools'["C:\Program
Files\VMware\VMware Tools\vmtoolsd.exe"]/autoStart depends: <none>
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vmusbmouse manual
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'vmvss'[C:\Windows\system32\dlhhost.exe
/Processid:{A60A8DE1-3B60-4657-9394-1221F3A1454C}]/manual depends: rpcss
2020-11-07T15:53:59.686+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for vmwefifw
2020-11-07T15:53:59.686+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for vmwefifw
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vmxnet3ndis6 manual
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver volmgr bootStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver volmgrx bootStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver volsnap bootStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver volume bootStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vpci manual
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vsmraid bootStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vsock bootStart
2020-11-07T15:53:59.686+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Found service
'VSS'[%systemroot%\system32\vssvc.exe]/manual depends: RPCSS
2020-11-07T15:53:59.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver VSTXRAID bootStart
2020-11-07T15:53:59.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver vwifibus manual
2020-11-07T15:53:59.811+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'W32Time'[%SystemRoot%\system32\svchost.exe -k LocalService]/autoStart
depends: <none>
2020-11-07T15:53:59.889+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'w3logsvc'[%windir%\system32\svchost.exe -k apphost]/manual depends:
HTTP
2020-11-07T15:53:59.889+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:59.889+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'W3SVC'[%windir%\system32\svchost.exe -k iissvcs]/autoStart depends:
WAS;HTTP
2020-11-07T15:53:59.889+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:59.889+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WacomPen manual
2020-11-07T15:53:59.889+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WalletService'[%SystemRoot%\System32\svchost.exe -k appmodel]/manual
depends: <none>
2020-11-07T15:53:59.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver wanarp manual
2020-11-07T15:53:59.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver wanarpv6 manual
2020-11-07T15:53:59.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WAS'[%windir%\system32\svchost.exe -k iissvcs]/manual depends: RPCSS
2020-11-07T15:53:59.983+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:53:59.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Watchdog_Service'["C:\Program Files (x86)\Schneider Electric\Archestra
Service Bus\CoreServices\Asb.Watchdog.exe"]/autoStart depends: <none>
2020-11-07T15:53:59.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WbioSrv'[%SystemRoot%\system32\svchost.exe -k WbioSvcGroup]/autoStart
depends: RpcSs;WUDFSvc
2020-11-07T15:54:00.092+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Found device driver wcifs autoStart
2020-11-07T15:54:00.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Wcmsvc' [%SystemRoot%\system32\svchost.exe -k
LocalServiceNetworkRestricted]/autoStart depends: RpcSs
2020-11-07T15:54:00.154+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for wcnscvc
2020-11-07T15:54:00.154+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for wcnscvc
2020-11-07T15:54:00.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver wcnfs manual
2020-11-07T15:54:00.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WdBoot bootStart
2020-11-07T15:54:00.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Wdf01000 bootStart
2020-11-07T15:54:00.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WdFilter bootStart
2020-11-07T15:54:00.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WdiServiceHost' [%SystemRoot%\System32\svchost.exe -k
LocalService]/manual depends: <none>
2020-11-07T15:54:00.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WdiSystemHost' [%SystemRoot%\System32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: <none>
2020-11-07T15:54:00.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WdNisDrv manual
2020-11-07T15:54:00.201+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WdNisSvc' ["%ProgramData%\Microsoft\Windows
Defender\platform\4.18.1903.4-0\NisSrv.exe"]/manual depends: WdNisDrv
2020-11-07T15:54:00.280+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Wecsvc' [%SystemRoot%\system32\svchost.exe -k NetworkService]/manual
depends: HTTP;Eventlog
2020-11-07T15:54:00.326+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WEPHOSTSVC' [%systemroot%\system32\svchost.exe -k
WepHostSvcGroup]/manual depends: rpcss
2020-11-07T15:54:00.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'wercplsupport' [%SystemRoot%\System32\svchost.exe -k netsvcs]/manual
depends: <none>
2020-11-07T15:54:00.404+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WerSvc' [%SystemRoot%\System32\svchost.exe -k WerSvcGroup]/manual
depends: <none>
2020-11-07T15:54:00.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WFPLWFS bootStart

2020-11-07T15:54:00.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WiaRpc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:54:00.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WIMMount manual
2020-11-07T15:54:00.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WinDefend'["C:\ProgramData\Microsoft\Windows
Defender\platform\4.18.1903.4-0\MsMpEng.exe"]/autoStart depends: RpcSs
2020-11-07T15:54:00.498+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for Windows
Workflow Foundation 3.0.0.0
2020-11-07T15:54:00.498+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for Windows Workflow
Foundation 3.0.0.0
2020-11-07T15:54:00.514+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for Windows
Workflow Foundation 4.0.0.0
2020-11-07T15:54:00.514+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for Windows Workflow
Foundation 4.0.0.0
2020-11-07T15:54:00.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WindowsTrustedRT
bootStart
2020-11-07T15:54:00.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WindowsTrustedRTProxy
bootStart
2020-11-07T15:54:00.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WinHttpAutoProxySvc'[%SystemRoot%\system32\svchost.exe -k
LocalService]/manual depends: Dhcp
2020-11-07T15:54:00.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WinMad manual
2020-11-07T15:54:00.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'Winmgmt'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: RPCSS
2020-11-07T15:54:00.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WinNat manual
2020-11-07T15:54:00.748+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WinRM'[%SystemRoot%\System32\svchost.exe -k NetworkService]/autoStart
depends: RPCSS;HTTP
2020-11-07T15:54:00.904+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for Winsock
2020-11-07T15:54:00.904+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for Winsock
2020-11-07T15:54:00.904+01:00 warning vmware-converter-worker[05280]

```
[Originator@6876 sub=task-6] Error 2 reading 'startType' for WinSock2
2020-11-07T15:54:00.904+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for WinSock2
2020-11-07T15:54:00.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WINUSB manual
2020-11-07T15:54:00.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WinVerbs manual
2020-11-07T15:54:00.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'wisvc'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:54:01.029+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for WlanSvc
2020-11-07T15:54:01.029+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for WlanSvc
2020-11-07T15:54:01.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'wlidsvc'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual depends:
RpcSs
2020-11-07T15:54:01.170+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WmiAcpi manual
2020-11-07T15:54:01.170+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for WmiApRpl
2020-11-07T15:54:01.170+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for WmiApRpl
2020-11-07T15:54:01.170+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'wmiApSrv'[%systemroot%\system32\wbem\WmiApSrv.exe]/manual depends:
<none>
2020-11-07T15:54:01.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WMSVC'[%windir%\system32\inetsrv\wmsvc.exe]/manual depends: HTTP
2020-11-07T15:54:01.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Could not find resource DLL
%windir%\system32\inetsrv\iisres.dll
2020-11-07T15:54:01.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver Wof bootStart
2020-11-07T15:54:01.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for workerdd
2020-11-07T15:54:01.233+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for workerdd
2020-11-07T15:54:01.233+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WPDBusEnum'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: RpcSs
2020-11-07T15:54:01.295+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WpdUpFltr manual
2020-11-07T15:54:01.295+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
```

```
'WpnService'[%systemroot%\system32\svchost.exe -k netsvcs]/autoStart
depends: rpcss
2020-11-07T15:54:01.358+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WpnUserService'[%SystemRoot%\system32\svchost.exe -k
UnistackSvcGroup]/manual depends: <none>
2020-11-07T15:54:01.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver ws2ifsl systemStart
2020-11-07T15:54:01.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'WSearch'[%systemroot%\system32\SearchIndexer.exe /Embedding]/disabled
depends: RPCSS
2020-11-07T15:54:01.483+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
WSearchIdxPi
2020-11-07T15:54:01.483+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for WSearchIdxPi
2020-11-07T15:54:01.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'wuauaserv'[%systemroot%\system32\svchost.exe -k netsvcs]/manual depends:
rpcss
2020-11-07T15:54:01.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WudfPf manual
2020-11-07T15:54:01.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WUDFRd manual
2020-11-07T15:54:01.623+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'wudfsvc'[%SystemRoot%\system32\svchost.exe -k
LocalSystemNetworkRestricted]/manual depends: WudfPf
2020-11-07T15:54:01.670+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver WUDFWpdFs manual
2020-11-07T15:54:01.670+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'WWNetDDE'["C:\Program Files
(x86)\Common Files\ArchestrA\wwnetdde.exe"]/manual depends: NetDDE
2020-11-07T15:54:01.670+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'XblAuthManager'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: RpcSs
2020-11-07T15:54:01.779+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service
'XblGameSave'[%SystemRoot%\system32\svchost.exe -k netsvcs]/manual
depends: UserManager;XblAuthManager
2020-11-07T15:54:01.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver xboxgip manual
2020-11-07T15:54:01.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found device driver xinputhid manual
2020-11-07T15:54:01.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for xmlprov
2020-11-07T15:54:01.873+01:00 warning vmware-converter-worker[05280]
```

[Originator@6876 sub=task-6] Error 2 reading 'Type' for xmlprov
2020-11-07T15:54:01.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Found service 'Zabbix
Agent'["c:\zabbix\zabbix_agentd.exe" --config
"c:\zabbix\zabbix_agentd.conf"]/autoStart depends: <none>
2020-11-07T15:54:01.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
{4A272B67-ABB8-40E4-93EB-3FF4BF023189}
2020-11-07T15:54:01.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
{4A272B67-ABB8-40E4-93EB-3FF4BF023189}
2020-11-07T15:54:01.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'startType' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:54:01.873+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Error 2 reading 'Type' for
{91A65735-E034-495B-B39A-37C7007B6CA4}
2020-11-07T15:54:01.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi342969455230848277
2020-11-07T15:54:01.873+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:01.983+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi123.
2020-11-07T15:54:04.951+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi123\SOFTWARE is
loaded under the name mntApi356688205230848277
2020-11-07T15:54:04.951+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi356688205230848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:54:04.951+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:54:04.951+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:54:04.951+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:54:04.951+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:54:04.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23.
2020-11-07T15:54:05.373+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23\SYSTEM is
loaded under the name mntApi359672601630848277

2020-11-07T15:54:05.373+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi359672601630848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:54:05.373+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:54:05.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi359672601630848277
2020-11-07T15:54:05.483+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:05.514+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi356688205230848277
2020-11-07T15:54:05.529+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:05.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi81.
2020-11-07T15:54:05.904+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi81\SYSTEM is
loaded under the name mntApi360250702530848277
2020-11-07T15:54:05.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi360250702530848277
2020-11-07T15:54:05.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:05.967+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [PopulateVolumeMountPoints] Failed to get
mountpoints for volume ?241832000000100000000000: 4146 (type = 2,
code=259)
2020-11-07T15:54:06.045+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi187.
2020-11-07T15:54:09.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi187\SOFTWARE is
loaded under the name mntApi360750705830848277
2020-11-07T15:54:09.014+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi360750705830848277\Microsoft\Windows NT\CurrentVersion
2020-11-07T15:54:09.014+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:54:09.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:54:09.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free

2020-11-07T15:54:09.014+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter

2020-11-07T15:54:09.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi29.

2020-11-07T15:54:09.436+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi29\SYSTEM is
loaded under the name mntApi363735080530848277

2020-11-07T15:54:09.436+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi363735080530848277\ControlSet001\Services\vmxnet - 2.

2020-11-07T15:54:09.436+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed

2020-11-07T15:54:09.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi363735080530848277

2020-11-07T15:54:09.545+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:54:09.592+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi360750705830848277

2020-11-07T15:54:09.592+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:54:09.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi239.

2020-11-07T15:54:09.967+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi239\SYSTEM is
loaded under the name mntApi364313203930848277

2020-11-07T15:54:10.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi364313203930848277

2020-11-07T15:54:10.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.

2020-11-07T15:54:10.108+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23.

2020-11-07T15:54:13.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi23\SOFTWARE is
loaded under the name mntApi364813209130848277

2020-11-07T15:54:13.092+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value
from key mntApi364813209130848277\Microsoft\Windows NT\CurrentVersion

2020-11-07T15:54:13.092+01:00 warning vmware-converter-worker[05280]

[Originator@6876 sub=Default] ERROR 2 reading SP information
2020-11-07T15:54:13.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free
2020-11-07T15:54:13.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor
Free
2020-11-07T15:54:13.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Product name is Windows Server 2016
Datacenter
2020-11-07T15:54:13.108+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi63.
2020-11-07T15:54:13.498+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi63\SYSTEM is
loaded under the name mntApi367813202730848277
2020-11-07T15:54:13.498+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error reading from
mntApi367813202730848277\ControlSet001\Services\vmxnet - 2.
2020-11-07T15:54:13.498+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information,
assuming vmxnet is not installed
2020-11-07T15:54:13.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi367813202730848277
2020-11-07T15:54:13.608+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:13.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi364813209130848277
2020-11-07T15:54:13.670+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:13.686+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi117.
2020-11-07T15:54:14.029+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi117\SYSTEM is
loaded under the name mntApi368391329430848277
2020-11-07T15:54:14.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi368391329430848277
2020-11-07T15:54:14.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on
cleanup.
2020-11-07T15:54:14.170+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on
C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi19.
2020-11-07T15:54:17.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive

C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi19\SOFTWARE is loaded under the name mntApi368875703230848277

2020-11-07T15:54:17.139+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error 2 reading CSDVersion value from key mntApi368875703230848277\Microsoft\Windows NT\CurrentVersion

2020-11-07T15:54:17.139+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 reading SP information

2020-11-07T15:54:17.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CurrentType key is Multiprocessor Free

2020-11-07T15:54:17.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] 64 bit registry contains Multiprocessor Free

2020-11-07T15:54:17.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Product name is Windows Server 2016 Datacenter

2020-11-07T15:54:17.154+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi201.

2020-11-07T15:54:17.561+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi201\SYSTEM is loaded under the name mntApi371860077130848277

2020-11-07T15:54:17.561+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR: Error reading from mntApi371860077130848277\ControlSet001\Services\vmxnet - 2.

2020-11-07T15:54:17.561+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] ERROR 2 getting vmxnet information, assuming vmxnet is not installed

2020-11-07T15:54:17.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi371860077130848277

2020-11-07T15:54:17.654+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.

2020-11-07T15:54:17.701+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi368875703230848277

2020-11-07T15:54:17.717+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on cleanup.

2020-11-07T15:54:17.733+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] CopyHive: Copied 3 hive log files on C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi45.

2020-11-07T15:54:18.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] [LoadTempHive] Registry hive C:\WINDOWS\TEMP\vmware-temp\vmware-__vmuser__\vixmntapi45\SYSTEM is loaded under the name mntApi372438203630848277

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Unloaded hive mntApi372438203630848277

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] DeleteHive: Deleted 7 hive log files on

cleanup.

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [LogMessagesForQA] MNTAPI OS Info:
Microsoft Windows Server 2016 Datacenter edition: Server root: Windows
Service Pack: 0 Ver: 6.3

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [LogMessagesForQA] snapshot type: <none>,
OS resides on partition 2 disk path

\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] [BaseComputerImpl::Open] Config file:

\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmx

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Create SingleDiskCloneTask subtask with
disk capacity 42949672960 bytes contribution 28

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Create SingleDiskCloneTask subtask with
disk capacity 64424509440 bytes contribution 42

2020-11-07T15:54:18.139+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] Create SingleDiskCloneTask subtask with
disk capacity 42949672960 bytes contribution 30

2020-11-07T15:54:18.233+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: Estimated bytes to read =
42949672960

2020-11-07T15:54:18.233+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: Estimated bytes to write =
42949672960

2020-11-07T15:54:18.233+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: estimated time to clone
disk in seconds = 4995

2020-11-07T15:54:18.311+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: Estimated bytes to read =
64424509440

2020-11-07T15:54:18.311+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: Estimated bytes to write =
64424509440

2020-11-07T15:54:18.311+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: estimated time to clone
disk in seconds = 7494

2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: Estimated bytes to read =
42949672960

2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: Estimated bytes to write =
42949672960

2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] H2MDiskCloneMgr: estimated time to clone
disk in seconds = 4995

2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]

[Originator@6876 sub=task-6] CloneTask::InitializeTargetComputer
2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Not a Windows P2V. Skipping reconfig data
writing.
2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): <unknown>
2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [BaseDiskSetComputer::OpenDiskSet] Will use
open retries count 3
2020-11-07T15:54:18.389+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:54:18.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
2020-11-07T15:54:18.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: updating nfc port as
902
2020-11-07T15:54:18.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-07T15:54:18.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH.vmdk@srvclyesx01.clemessy.loc:902!52 b4 df eb 18
41 08 76-bf b8 c5 b2 1c d0 8d 1c
2020-11-07T15:54:19.608+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:54:19.623+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get virtual disk
filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH_1.vmdk
2020-11-07T15:54:19.623+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: updating nfc port as
902
2020-11-07T15:54:19.623+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-07T15:54:19.623+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH_1.vmdk@srvclyesx01.clemessy.loc:902!52 81 22 4c cc
dd 2f 16-88 3c 29 f5 42 3d cf 98
2020-11-07T15:54:20.826+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5
2020-11-07T15:54:20.842+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get virtual disk

filebacking [DATASTORE1] NHF-INBACH/NHF-INBACH_2.vmdk
2020-11-07T15:54:20.842+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: updating nfc port as
902
2020-11-07T15:54:20.842+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: get protocol as
vpxa-nfcssl
2020-11-07T15:54:20.842+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] GetManagedDiskName: Get disklib file name
as vpxa-nfcssl://[DATASTORE1]
NHF-INBACH/NHF-INBACH_2.vmdk@srvclyesx01.clemessy.loc:902!52 ef 21 68 fd
cc 09 80-61 f4 64 46 32 71 5f 82
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading partition table
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk number 2 has been skipped because of
errors while reading partition table
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk number 3 has been skipped because of
errors while reading partition table
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk number 1 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk number 2 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Disk number 3 has been skipped because of
errors while reading dynamic disks header or LDM database is corrupted
2020-11-07T15:54:22.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [MoveActiveDiskIfNeeded] GetFirstBootDisk
failed, mntapi error: 176
2020-11-07T15:54:22.748+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:54:22.748+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:54:23.420+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:54:23.420+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:54:24.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:54:24.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=Default] Partition:Invalid sector magic number.
2020-11-07T15:54:24.076+01:00 warning vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [PopulateCapabilities] Volume-based cloning
was disabled due to: <no volumes are recognized>
2020-11-07T15:54:24.076+01:00 info vmware-converter-worker[05280]

```
[Originator@6876 sub=task-6] [LogMessagesForQA] System volume is not
detected.
2020-11-07T15:54:24.076+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] [BaseComputerImpl::Open] Config file:
[DATASTORE1] NHF-INBACH/NHF-INBACH.vmx
2020-11-07T15:54:24.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T15:54:24.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CompositeTask::DoRun using 1 parallel
connections for 3 tasks
2020-11-07T15:54:24.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T15:54:24.155+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Source logical geometry not found in DDB.
Guessing from MBR: cyl: 5221 heads: 255 sectors: 63
2020-11-07T15:54:24.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Connecting to host 192.168.1.5 on port 443
2020-11-07T15:54:24.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] localVersion is: vim.version.version10
2020-11-07T15:54:24.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Remote version is: unrecognized
2020-11-07T15:54:24.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Authenticating user
Administrator@vsphere.local
2020-11-07T15:54:24.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] updating nfc hostname as
srvclyesx01.clemessy.loc
2020-11-07T15:54:24.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] updating nfc ssl thumbprint as
8C:D5:A2:AC:42:57:0A:2E:32:70:04:A2:CF:3F:00:C6:57:1B:84:20 from ticket
2020-11-07T15:54:24.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] updating nfc port as 902
-->
2020-11-07T15:54:24.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] establishing nfc connection to host
srvclyesx01.clemessy.loc port 902
2020-11-07T15:54:24.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Sysimgbase_Nfc_PutFile source disk:
\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk,
target disk [DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
2020-11-07T15:54:32.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 0, xfer rate (Bps): 58118637
```

2020-11-07T15:54:32.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 0, xfer rate (Bps): 58118637
2020-11-07T15:54:32.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): 58118637
2020-11-07T15:54:32.154+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 1, xfer rate (Bps): 58118637
2020-11-07T15:54:32.154+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 0, xfer rate (Bps): 58118144
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 1, xfer rate (Bps): 56853098
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 0, xfer rate (Bps): 56853098
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 0,
xfer rate (Bps): 56853098
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 2, xfer rate (Bps): 56853098
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 1, xfer rate (Bps): 56853098
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 56853098
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): 58118144
2020-11-07T15:54:39.873+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): 56852480
2020-11-07T15:54:48.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 2, xfer rate (Bps): 54074625
2020-11-07T15:54:48.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->

NHF-INBACH updates, state: 1, percentage: 1, xfer rate (Bps): 54074625
2020-11-07T15:54:48.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 54074625
2020-11-07T15:54:48.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 3, xfer rate (Bps): 54074625
2020-11-07T15:54:48.592+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): 54074368
2020-11-07T15:54:55.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 3, xfer rate (Bps): 55503082
2020-11-07T15:54:55.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 1, xfer rate (Bps): 55503082
2020-11-07T15:54:55.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 55503082
2020-11-07T15:54:55.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 4, xfer rate (Bps): 55503082
2020-11-07T15:54:55.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 1, xfer rate (Bps): 55502848
2020-11-07T15:55:04.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 4, xfer rate (Bps): 54604445
2020-11-07T15:55:04.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 1, xfer rate (Bps): 54604445
2020-11-07T15:55:04.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 54604445
2020-11-07T15:55:04.092+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 5, xfer rate (Bps): 54604445
2020-11-07T15:55:04.092+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,

percentage: 1, xfer rate (Bps): 54603776
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 5, xfer rate (Bps): 54288791
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 1, xfer rate (Bps): 54288791
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 1,
xfer rate (Bps): 54288791
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 6, xfer rate (Bps): 54288791
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 2, xfer rate (Bps): 54288791
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 54288791
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 54603776
2020-11-07T15:55:12.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 54288384
2020-11-07T15:55:20.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 6, xfer rate (Bps): 54156121
2020-11-07T15:55:20.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 2, xfer rate (Bps): 54156121
2020-11-07T15:55:20.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 54156121
2020-11-07T15:55:20.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 7, xfer rate (Bps): 54156121
2020-11-07T15:55:20.279+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 54155264
2020-11-07T15:55:29.483+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 7, xfer rate (Bps): 53091471
2020-11-07T15:55:29.483+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 2, xfer rate (Bps): 53091471
2020-11-07T15:55:29.483+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 53091471
2020-11-07T15:55:29.483+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 8, xfer rate (Bps): 53091471
2020-11-07T15:55:29.483+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 2, xfer rate (Bps): 53091328
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 8, xfer rate (Bps): 53214077
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 2, xfer rate (Bps): 53214077
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 2,
xfer rate (Bps): 53214077
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 53214077
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 3, xfer rate (Bps): 53214077
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 53214077
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 53091328
2020-11-07T15:55:37.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 53213184
2020-11-07T15:55:46.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-

INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 52780584
2020-11-07T15:55:46.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 3, xfer rate (Bps): 52780584
2020-11-07T15:55:46.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 52780584
2020-11-07T15:55:46.139+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 10, xfer rate (Bps): 52780584
2020-11-07T15:55:46.139+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 52780032
2020-11-07T15:55:54.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 10, xfer rate (Bps): 52778461
2020-11-07T15:55:54.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 3, xfer rate (Bps): 52778461
2020-11-07T15:55:54.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 52778461
2020-11-07T15:55:54.279+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 11, xfer rate (Bps): 52778461
2020-11-07T15:55:54.279+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 52777984
2020-11-07T15:56:02.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 11, xfer rate (Bps): 52818880
2020-11-07T15:56:02.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 3, xfer rate (Bps): 52818880
2020-11-07T15:56:02.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 52818880
2020-11-07T15:56:02.342+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-

INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 12, xfer rate (Bps): 52818880
2020-11-07T15:56:02.342+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 52817920
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 12, xfer rate (Bps): 51954604
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 3, xfer rate (Bps): 51954604
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 51954604
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 13, xfer rate (Bps): 51954604
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 4, xfer rate (Bps): 51954604
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 51954604
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 52817920
2020-11-07T15:56:12.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 51953664
2020-11-07T15:56:20.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 13, xfer rate (Bps): 51780460
2020-11-07T15:56:20.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 4, xfer rate (Bps): 51780460
2020-11-07T15:56:20.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 51780460
2020-11-07T15:56:20.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 14, xfer rate (Bps): 51780460

2020-11-07T15:56:20.889+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 51779584
2020-11-07T15:56:29.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 14, xfer rate (Bps): 51475366
2020-11-07T15:56:29.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 4, xfer rate (Bps): 51475366
2020-11-07T15:56:29.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 51475366
2020-11-07T15:56:29.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 15, xfer rate (Bps): 51475366
2020-11-07T15:56:29.920+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 51474432
2020-11-07T15:56:37.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 15, xfer rate (Bps): 51864147
2020-11-07T15:56:37.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 4, xfer rate (Bps): 51864147
2020-11-07T15:56:37.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 51864147
2020-11-07T15:56:37.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 16, xfer rate (Bps): 51864147
2020-11-07T15:56:37.264+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 4, xfer rate (Bps): 51863552
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 16, xfer rate (Bps): 49988665
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 4, xfer rate (Bps): 49988665

2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 4,
xfer rate (Bps): 49988665
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 17, xfer rate (Bps): 49988665
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 5, xfer rate (Bps): 49988665
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 49988665
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 51863552
2020-11-07T15:56:50.826+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 49988608
2020-11-07T15:56:58.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 17, xfer rate (Bps): 50282870
2020-11-07T15:56:58.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 5, xfer rate (Bps): 50282870
2020-11-07T15:56:58.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 50282870
2020-11-07T15:56:58.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 18, xfer rate (Bps): 50282870
2020-11-07T15:56:58.514+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 50282496
2020-11-07T15:57:06.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 18, xfer rate (Bps): 50499946
2020-11-07T15:57:06.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 5, xfer rate (Bps): 50499946
2020-11-07T15:57:06.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 5,

xfer rate (Bps): 50499946
2020-11-07T15:57:06.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 19, xfer rate (Bps): 50499946
2020-11-07T15:57:06.358+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 5, xfer rate (Bps): 50499584
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 19, xfer rate (Bps): 50757735
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 5, xfer rate (Bps): 50757735
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 5,
xfer rate (Bps): 50757735
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 20, xfer rate (Bps): 50757735
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 6, xfer rate (Bps): 50757735
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 50757735
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 50499584
2020-11-07T15:57:13.998+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 50757632
2020-11-07T15:57:22.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 20, xfer rate (Bps): 50836323
2020-11-07T15:57:22.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 6, xfer rate (Bps): 50836323
2020-11-07T15:57:22.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 50836323
2020-11-07T15:57:22.186+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 21, xfer rate (Bps): 50836323
2020-11-07T15:57:22.186+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 50835456
2020-11-07T15:57:29.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 21, xfer rate (Bps): 51231195
2020-11-07T15:57:29.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 6, xfer rate (Bps): 51231195
2020-11-07T15:57:29.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 51231195
2020-11-07T15:57:29.201+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 22, xfer rate (Bps): 51231195
2020-11-07T15:57:29.201+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 51230720
2020-11-07T15:57:38.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 22, xfer rate (Bps): 51051554
2020-11-07T15:57:38.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 6, xfer rate (Bps): 51051554
2020-11-07T15:57:38.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 51051554
2020-11-07T15:57:38.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 23, xfer rate (Bps): 51051554
2020-11-07T15:57:38.264+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 6, xfer rate (Bps): 51051520
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

updates, state: 1, percentage: 23, xfer rate (Bps): 51140202
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 6, xfer rate (Bps): 51140202
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 6,
xfer rate (Bps): 51140202
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 24, xfer rate (Bps): 51140202
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 7, xfer rate (Bps): 51140202
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 7,
xfer rate (Bps): 51140202
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 7, xfer rate (Bps): 51051520
2020-11-07T15:57:46.326+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 7, xfer rate (Bps): 51139584
2020-11-07T15:57:55.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 24, xfer rate (Bps): 50888479
2020-11-07T15:57:55.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 7, xfer rate (Bps): 50888479
2020-11-07T15:57:55.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 7,
xfer rate (Bps): 50888479
2020-11-07T15:57:55.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 25, xfer rate (Bps): 50888479
2020-11-07T15:57:55.764+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 7, xfer rate (Bps): 50887680
2020-11-07T15:57:57.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 25, xfer rate (Bps): 52430769
2020-11-07T15:57:57.748+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 7, xfer rate (Bps): 52430769
2020-11-07T15:57:57.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 7,
xfer rate (Bps): 52430769
2020-11-07T15:57:57.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 26, xfer rate (Bps): 52430769
2020-11-07T15:57:57.748+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 7, xfer rate (Bps): 52429824
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 26, xfer rate (Bps): 52948025
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 7, xfer rate (Bps): 52948025
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 7,
xfer rate (Bps): 52948025
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 27, xfer rate (Bps): 52948025
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 8, xfer rate (Bps): 52948025
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 52948025
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 52429824
2020-11-07T15:58:03.779+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 52947968
2020-11-07T15:58:11.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 27, xfer rate (Bps): 52937691
2020-11-07T15:58:11.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 8, xfer rate (Bps): 52937691

2020-11-07T15:58:11.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 52937691
2020-11-07T15:58:11.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 28, xfer rate (Bps): 52937691
2020-11-07T15:58:11.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 52936704
2020-11-07T15:58:19.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 28, xfer rate (Bps): 53068793
2020-11-07T15:58:19.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 8, xfer rate (Bps): 53068793
2020-11-07T15:58:19.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 53068793
2020-11-07T15:58:19.467+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 29, xfer rate (Bps): 53068793
2020-11-07T15:58:19.467+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 53067776
2020-11-07T15:58:27.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 29, xfer rate (Bps): 53123538
2020-11-07T15:58:27.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 8, xfer rate (Bps): 53123538
2020-11-07T15:58:27.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 53123538
2020-11-07T15:58:27.311+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 30, xfer rate (Bps): 53123538
2020-11-07T15:58:27.311+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 8, xfer rate (Bps): 53123072

2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 30, xfer rate (Bps): 52629409
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 8, xfer rate (Bps): 52629409
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 8,
xfer rate (Bps): 52629409
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 31, xfer rate (Bps): 52629409
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 9, xfer rate (Bps): 52629409
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 9,
xfer rate (Bps): 52629409
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 53123072
2020-11-07T15:58:37.748+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 52628480
2020-11-07T15:58:46.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 31, xfer rate (Bps): 52489069
2020-11-07T15:58:46.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 9, xfer rate (Bps): 52489069
2020-11-07T15:58:46.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 9,
xfer rate (Bps): 52489069
2020-11-07T15:58:46.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 32, xfer rate (Bps): 52489069
2020-11-07T15:58:46.608+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 9, xfer rate (Bps): 52488192
2020-11-07T15:58:54.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask

[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 32, xfer rate (Bps): 52475969
2020-11-07T15:58:54.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 9, xfer rate (Bps): 52475969
2020-11-07T15:58:54.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 9, xfer rate (Bps): 52475969
2020-11-07T15:58:54.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 33, xfer rate (Bps): 52475969
2020-11-07T15:58:54.858+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 9, xfer rate (Bps): 52475904
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 33, xfer rate (Bps): 52493066
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 9, xfer rate (Bps): 52493066
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 9, xfer rate (Bps): 52493066
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 34, xfer rate (Bps): 52493066
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 10, xfer rate (Bps): 52493066
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 52493066
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 52475904
2020-11-07T15:59:02.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 10, xfer rate (Bps): 52492288
2020-11-07T15:59:10.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

updates, state: 1, percentage: 34, xfer rate (Bps): 52540764
2020-11-07T15:59:10.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 10, xfer rate (Bps): 52540764
2020-11-07T15:59:10.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
10, xfer rate (Bps): 52540764
2020-11-07T15:59:10.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 35, xfer rate (Bps): 52540764
2020-11-07T15:59:10.873+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 10, xfer rate (Bps): 52540416
2020-11-07T15:59:18.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 35, xfer rate (Bps): 52555148
2020-11-07T15:59:18.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 10, xfer rate (Bps): 52555148
2020-11-07T15:59:18.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
10, xfer rate (Bps): 52555148
2020-11-07T15:59:18.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 36, xfer rate (Bps): 52555148
2020-11-07T15:59:18.967+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 10, xfer rate (Bps): 52554752
2020-11-07T15:59:27.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 36, xfer rate (Bps): 52549813
2020-11-07T15:59:27.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 10, xfer rate (Bps): 52549813
2020-11-07T15:59:27.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
10, xfer rate (Bps): 52549813
2020-11-07T15:59:27.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

updates, state: 1, percentage: 37, xfer rate (Bps): 52549813
2020-11-07T15:59:27.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 10, xfer rate (Bps): 52549632
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 37, xfer rate (Bps): 52521088
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 10, xfer rate (Bps): 52521088
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
10, xfer rate (Bps): 52521088
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 38, xfer rate (Bps): 52521088
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 11, xfer rate (Bps): 52521088
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
11, xfer rate (Bps): 52521088
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 11, xfer rate (Bps): 52549632
2020-11-07T15:59:35.514+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 11, xfer rate (Bps): 52520960
2020-11-07T15:59:43.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 38, xfer rate (Bps): 52511638
2020-11-07T15:59:43.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 11, xfer rate (Bps): 52511638
2020-11-07T15:59:43.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
11, xfer rate (Bps): 52511638
2020-11-07T15:59:43.748+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 39, xfer rate (Bps): 52511638
2020-11-07T15:59:43.748+01:00 info vmware-converter-worker[01340]

[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 52510720
2020-11-07T15:59:52.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 39, xfer rate (Bps): 52420161
2020-11-07T15:59:52.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 11, xfer rate (Bps): 52420161
2020-11-07T15:59:52.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 52420161
2020-11-07T15:59:52.498+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 40, xfer rate (Bps): 52420161
2020-11-07T15:59:52.498+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 52419584
2020-11-07T16:00:00.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 40, xfer rate (Bps): 52491939
2020-11-07T16:00:00.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 11, xfer rate (Bps): 52491939
2020-11-07T16:00:00.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 52491939
2020-11-07T16:00:00.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 41, xfer rate (Bps): 52491939
2020-11-07T16:00:00.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 52491264
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 41, xfer rate (Bps): 52417221
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 11, xfer rate (Bps): 52417221
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 11, xfer rate (Bps): 52417221
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 42, xfer rate (Bps): 52417221
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 12, xfer rate (Bps): 52417221
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 12, xfer rate (Bps): 52417221
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 12, xfer rate (Bps): 52491264
2020-11-07T16:00:08.904+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 12, xfer rate (Bps): 52416512
2020-11-07T16:00:16.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 42, xfer rate (Bps): 52448453
2020-11-07T16:00:16.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 12, xfer rate (Bps): 52448453
2020-11-07T16:00:16.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 12, xfer rate (Bps): 52448453
2020-11-07T16:00:16.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 43, xfer rate (Bps): 52448453
2020-11-07T16:00:16.889+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 12, xfer rate (Bps): 52448256
2020-11-07T16:00:24.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 43, xfer rate (Bps): 52516947
2020-11-07T16:00:24.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 12, xfer rate (Bps): 52516947
2020-11-07T16:00:24.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 12, xfer rate (Bps): 52516947

2020-11-07T16:00:24.608+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 44, xfer rate (Bps): 52516947
2020-11-07T16:00:24.608+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 12, xfer rate (Bps): 52516864
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 44, xfer rate (Bps): 52428800
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 12, xfer rate (Bps): 52428800
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
12, xfer rate (Bps): 52428800
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 45, xfer rate (Bps): 52428800
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 13, xfer rate (Bps): 52428800
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
13, xfer rate (Bps): 52428800
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 13, xfer rate (Bps): 52516864
2020-11-07T16:00:33.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 13, xfer rate (Bps): 52428800
2020-11-07T16:00:41.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 45, xfer rate (Bps): 52411970
2020-11-07T16:00:41.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 13, xfer rate (Bps): 52411970
2020-11-07T16:00:41.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
13, xfer rate (Bps): 52411970
2020-11-07T16:00:41.717+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask

[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 46, xfer rate (Bps): 52411970
2020-11-07T16:00:41.717+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 52411392
2020-11-07T16:00:49.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 46, xfer rate (Bps): 52427846
2020-11-07T16:00:49.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 13, xfer rate (Bps): 52427846
2020-11-07T16:00:49.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 52427846
2020-11-07T16:00:49.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 47, xfer rate (Bps): 52427846
2020-11-07T16:00:49.795+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 52427776
2020-11-07T16:00:57.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 47, xfer rate (Bps): 52466026
2020-11-07T16:00:57.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 13, xfer rate (Bps): 52466026
2020-11-07T16:00:57.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 52466026
2020-11-07T16:00:57.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 48, xfer rate (Bps): 52466026
2020-11-07T16:00:57.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 13, xfer rate (Bps): 52465664
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 48, xfer rate (Bps): 52527204

2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 13, xfer rate (Bps): 52527204
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
13, xfer rate (Bps): 52527204
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 49, xfer rate (Bps): 52527204
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 14, xfer rate (Bps): 52527204
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
14, xfer rate (Bps): 52527204
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 14, xfer rate (Bps): 52465664
2020-11-07T16:01:05.420+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 14, xfer rate (Bps): 52527104
2020-11-07T16:01:13.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 49, xfer rate (Bps): 52554026
2020-11-07T16:01:13.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 14, xfer rate (Bps): 52554026
2020-11-07T16:01:13.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
14, xfer rate (Bps): 52554026
2020-11-07T16:01:13.389+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 50, xfer rate (Bps): 52554026
2020-11-07T16:01:13.389+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 14, xfer rate (Bps): 52553728
2020-11-07T16:01:21.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 50, xfer rate (Bps): 52579695
2020-11-07T16:01:21.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->

NHF-INBACH updates, state: 1, percentage: 14, xfer rate (Bps): 52579695
2020-11-07T16:01:21.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
14, xfer rate (Bps): 52579695
2020-11-07T16:01:21.358+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 51, xfer rate (Bps): 52579695
2020-11-07T16:01:21.358+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 14, xfer rate (Bps): 52579328
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 51, xfer rate (Bps): 52573444
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 14, xfer rate (Bps): 52573444
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
14, xfer rate (Bps): 52573444
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 52, xfer rate (Bps): 52573444
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 15, xfer rate (Bps): 52573444
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 52573444
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 52579328
2020-11-07T16:01:29.576+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 52573184
2020-11-07T16:01:35.326+01:00 error vmware-converter-worker[10196]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x0560356c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T16:01:37.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-

INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 52, xfer rate (Bps): 52550440
2020-11-07T16:01:37.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 15, xfer rate (Bps): 52550440
2020-11-07T16:01:37.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 52550440
2020-11-07T16:01:37.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 53, xfer rate (Bps): 52550440
2020-11-07T16:01:37.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 52549632
2020-11-07T16:01:46.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 53, xfer rate (Bps): 52500364
2020-11-07T16:01:46.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 15, xfer rate (Bps): 52500364
2020-11-07T16:01:46.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 52500364
2020-11-07T16:01:46.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 54, xfer rate (Bps): 52500364
2020-11-07T16:01:46.529+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 52499456
2020-11-07T16:01:54.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 54, xfer rate (Bps): 52505012
2020-11-07T16:01:54.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 15, xfer rate (Bps): 52505012
2020-11-07T16:01:54.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 52505012
2020-11-07T16:01:54.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-

INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 55, xfer rate (Bps): 52505012
2020-11-07T16:01:54.670+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 15, xfer rate (Bps): 52504576
2020-11-07T16:02:00.373+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x05602aec, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 55, xfer rate (Bps): 52610110
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 15, xfer rate (Bps): 52610110
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
15, xfer rate (Bps): 52610110
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 56, xfer rate (Bps): 52610110
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 16, xfer rate (Bps): 52610110
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 52610110
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 52504576
2020-11-07T16:02:01.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 52610048
2020-11-07T16:02:09.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 56, xfer rate (Bps): 52646287
2020-11-07T16:02:09.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 16, xfer rate (Bps): 52646287
2020-11-07T16:02:09.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:

16, xfer rate (Bps): 52646287
2020-11-07T16:02:09.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 57, xfer rate (Bps): 52646287
2020-11-07T16:02:09.795+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 52645888
2020-11-07T16:02:17.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 57, xfer rate (Bps): 52672576
2020-11-07T16:02:17.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 16, xfer rate (Bps): 52672576
2020-11-07T16:02:17.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 52672576
2020-11-07T16:02:17.701+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 58, xfer rate (Bps): 52672576
2020-11-07T16:02:17.701+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 16, xfer rate (Bps): 52672512
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 58, xfer rate (Bps): 52636480
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 16, xfer rate (Bps): 52636480
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
16, xfer rate (Bps): 52636480
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 59, xfer rate (Bps): 52636480
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 17, xfer rate (Bps): 52636480
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:

17, xfer rate (Bps): 52636480
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 52672512
2020-11-07T16:02:26.186+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 52635648
2020-11-07T16:02:33.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 59, xfer rate (Bps): 52724323
2020-11-07T16:02:33.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 17, xfer rate (Bps): 52724323
2020-11-07T16:02:33.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
17, xfer rate (Bps): 52724323
2020-11-07T16:02:33.529+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 60, xfer rate (Bps): 52724323
2020-11-07T16:02:33.529+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 52723712
2020-11-07T16:02:41.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 60, xfer rate (Bps): 52734838
2020-11-07T16:02:41.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 17, xfer rate (Bps): 52734838
2020-11-07T16:02:41.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
17, xfer rate (Bps): 52734838
2020-11-07T16:02:41.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 61, xfer rate (Bps): 52734838
2020-11-07T16:02:41.576+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 52733952
2020-11-07T16:02:48.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

updates, state: 1, percentage: 61, xfer rate (Bps): 52821919
2020-11-07T16:02:48.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 17, xfer rate (Bps): 52821919
2020-11-07T16:02:48.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
17, xfer rate (Bps): 52821919
2020-11-07T16:02:48.889+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 62, xfer rate (Bps): 52821919
2020-11-07T16:02:48.889+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 17, xfer rate (Bps): 52820992
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 62, xfer rate (Bps): 52639420
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 17, xfer rate (Bps): 52639420
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
17, xfer rate (Bps): 52639420
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 63, xfer rate (Bps): 52639420
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 18, xfer rate (Bps): 52639420
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 52639420
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 18, xfer rate (Bps): 52820992
2020-11-07T16:02:58.795+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 18, xfer rate (Bps): 52638720
2020-11-07T16:03:06.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 63, xfer rate (Bps): 52639745
2020-11-07T16:03:06.951+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 18, xfer rate (Bps): 52639745
2020-11-07T16:03:06.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 52639745
2020-11-07T16:03:06.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 64, xfer rate (Bps): 52639745
2020-11-07T16:03:06.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 18, xfer rate (Bps): 52639744
2020-11-07T16:03:16.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 64, xfer rate (Bps): 52547121
2020-11-07T16:03:16.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 18, xfer rate (Bps): 52547121
2020-11-07T16:03:16.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 52547121
2020-11-07T16:03:16.045+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 65, xfer rate (Bps): 52547121
2020-11-07T16:03:16.045+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 18, xfer rate (Bps): 52546560
2020-11-07T16:03:23.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 65, xfer rate (Bps): 52582363
2020-11-07T16:03:23.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 18, xfer rate (Bps): 52582363
2020-11-07T16:03:23.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
18, xfer rate (Bps): 52582363
2020-11-07T16:03:23.873+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 66, xfer rate (Bps): 52582363
2020-11-07T16:03:23.873+01:00 info vmware-converter-worker[01340]

[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 18, xfer rate (Bps): 52581376
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 66, xfer rate (Bps): 52586502
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 18, xfer rate (Bps): 52586502
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 18, xfer rate (Bps): 52586502
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 67, xfer rate (Bps): 52586502
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 19, xfer rate (Bps): 52586502
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 19, xfer rate (Bps): 52586502
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 19, xfer rate (Bps): 52581376
2020-11-07T16:03:31.983+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 19, xfer rate (Bps): 52586496
2020-11-07T16:03:38.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 67, xfer rate (Bps): 52698699
2020-11-07T16:03:38.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH --> NHF-INBACH updates, state: 1, percentage: 19, xfer rate (Bps): 52698699
2020-11-07T16:03:38.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 19, xfer rate (Bps): 52698699
2020-11-07T16:03:38.967+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 68, xfer rate (Bps): 52698699
2020-11-07T16:03:38.967+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 19, xfer rate (Bps): 52698112

2020-11-07T16:03:46.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 68, xfer rate (Bps): 52718672
2020-11-07T16:03:46.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 19, xfer rate (Bps): 52718672
2020-11-07T16:03:46.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
19, xfer rate (Bps): 52718672
2020-11-07T16:03:46.904+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 69, xfer rate (Bps): 52718672
2020-11-07T16:03:46.904+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 19, xfer rate (Bps): 52718592
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 69, xfer rate (Bps): 53294233
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 19, xfer rate (Bps): 53294233
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
19, xfer rate (Bps): 53294233
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 71, xfer rate (Bps): 53294233
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 20, xfer rate (Bps): 53294233
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
20, xfer rate (Bps): 53294233
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 20, xfer rate (Bps): 52718592
2020-11-07T16:03:56.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 20, xfer rate (Bps): 53294080
2020-11-07T16:04:04.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask

[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 71, xfer rate (Bps): 54048680
2020-11-07T16:04:04.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 20, xfer rate (Bps): 54048680
2020-11-07T16:04:04.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 54048680
2020-11-07T16:04:04.858+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 73, xfer rate (Bps): 54048680
2020-11-07T16:04:04.858+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 54047744
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 73, xfer rate (Bps): 54451714
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 20, xfer rate (Bps): 54451714
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 20, xfer rate (Bps): 54451714
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk updates, state: 1, percentage: 74, xfer rate (Bps): 54451714
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 21, xfer rate (Bps): 54451714
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54451714
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54047744
2020-11-07T16:04:08.451+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1, percentage: 21, xfer rate (Bps): 54451200
2020-11-07T16:04:17.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

updates, state: 1, percentage: 74, xfer rate (Bps): 55065448
2020-11-07T16:04:17.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 21, xfer rate (Bps): 55065448
2020-11-07T16:04:17.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
21, xfer rate (Bps): 55065448
2020-11-07T16:04:17.545+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 76, xfer rate (Bps): 55065448
2020-11-07T16:04:17.545+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 21, xfer rate (Bps): 55064576
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 76, xfer rate (Bps): 55759114
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 21, xfer rate (Bps): 55759114
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
21, xfer rate (Bps): 55759114
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 78, xfer rate (Bps): 55759114
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 22, xfer rate (Bps): 55759114
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 55759114
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 55064576
2020-11-07T16:04:25.576+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 55758848
2020-11-07T16:04:33.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 78, xfer rate (Bps): 56428641
2020-11-07T16:04:33.670+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 22, xfer rate (Bps): 56428641
2020-11-07T16:04:33.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 56428641
2020-11-07T16:04:33.670+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 80, xfer rate (Bps): 56428641
2020-11-07T16:04:33.670+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 22, xfer rate (Bps): 56428544
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 80, xfer rate (Bps): 57073387
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 22, xfer rate (Bps): 57073387
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
22, xfer rate (Bps): 57073387
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 82, xfer rate (Bps): 57073387
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 23, xfer rate (Bps): 57073387
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
23, xfer rate (Bps): 57073387
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 23, xfer rate (Bps): 56428544
2020-11-07T16:04:41.842+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 23, xfer rate (Bps): 57072640
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 82, xfer rate (Bps): 57707094
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 23, xfer rate (Bps): 57707094

2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
23, xfer rate (Bps): 57707094
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 84, xfer rate (Bps): 57707094
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 24, xfer rate (Bps): 57707094
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
24, xfer rate (Bps): 57707094
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 24, xfer rate (Bps): 57072640
2020-11-07T16:04:49.951+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 24, xfer rate (Bps): 57706496
2020-11-07T16:04:57.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 84, xfer rate (Bps): 58385051
2020-11-07T16:04:57.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 24, xfer rate (Bps): 58385051
2020-11-07T16:04:57.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
24, xfer rate (Bps): 58385051
2020-11-07T16:04:57.404+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 86, xfer rate (Bps): 58385051
2020-11-07T16:04:57.404+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 24, xfer rate (Bps): 58384384
2020-11-07T16:05:03.248+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 86, xfer rate (Bps): 58523338
2020-11-07T16:05:03.248+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 24, xfer rate (Bps): 58523338
2020-11-07T16:05:03.248+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:

24, xfer rate (Bps): 58523338
2020-11-07T16:05:03.248+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 87, xfer rate (Bps): 58523338
2020-11-07T16:05:03.248+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 24, xfer rate (Bps): 58522624
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 87, xfer rate (Bps): 58042683
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 24, xfer rate (Bps): 58042683
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
24, xfer rate (Bps): 58042683
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 88, xfer rate (Bps): 58042683
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 25, xfer rate (Bps): 58042683
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
25, xfer rate (Bps): 58042683
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 25, xfer rate (Bps): 58522624
2020-11-07T16:05:15.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 25, xfer rate (Bps): 58042368
2020-11-07T16:05:23.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 88, xfer rate (Bps): 58003549
2020-11-07T16:05:23.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 25, xfer rate (Bps): 58003549
2020-11-07T16:05:23.779+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
25, xfer rate (Bps): 58003549
2020-11-07T16:05:23.779+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 89, xfer rate (Bps): 58003549
2020-11-07T16:05:23.779+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 25, xfer rate (Bps): 58003456
2020-11-07T16:05:36.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 89, xfer rate (Bps): 57564800
2020-11-07T16:05:36.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 25, xfer rate (Bps): 57564800
2020-11-07T16:05:36.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
25, xfer rate (Bps): 57564800
2020-11-07T16:05:36.264+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 90, xfer rate (Bps): 57564800
2020-11-07T16:05:36.264+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 25, xfer rate (Bps): 57564160
2020-11-07T16:05:48.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 90, xfer rate (Bps): 57185124
2020-11-07T16:05:48.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 25, xfer rate (Bps): 57185124
2020-11-07T16:05:48.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
25, xfer rate (Bps): 57185124
2020-11-07T16:05:48.233+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 91, xfer rate (Bps): 57185124
2020-11-07T16:05:48.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 25, xfer rate (Bps): 57184256
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk

updates, state: 1, percentage: 91, xfer rate (Bps): 57000393
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 25, xfer rate (Bps): 57000393
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
25, xfer rate (Bps): 57000393
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 92, xfer rate (Bps): 57000393
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 26, xfer rate (Bps): 57000393
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 57000393
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 26, xfer rate (Bps): 57184256
2020-11-07T16:05:57.983+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 26, xfer rate (Bps): 56999936
2020-11-07T16:06:05.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 92, xfer rate (Bps): 57041417
2020-11-07T16:06:05.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 26, xfer rate (Bps): 57041417
2020-11-07T16:06:05.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 57041417
2020-11-07T16:06:05.014+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 93, xfer rate (Bps): 57041417
2020-11-07T16:06:05.014+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 26, xfer rate (Bps): 57040896
2020-11-07T16:06:12.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 93, xfer rate (Bps): 57023657
2020-11-07T16:06:12.764+01:00 info vmware-converter-worker[04560]

[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 26, xfer rate (Bps): 57023657
2020-11-07T16:06:12.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 57023657
2020-11-07T16:06:12.764+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 94, xfer rate (Bps): 57023657
2020-11-07T16:06:12.764+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 26, xfer rate (Bps): 57023488
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 94, xfer rate (Bps): 56894440
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 26, xfer rate (Bps): 56894440
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
26, xfer rate (Bps): 56894440
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 95, xfer rate (Bps): 56894440
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 27, xfer rate (Bps): 56894440
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
27, xfer rate (Bps): 56894440
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 57023488
2020-11-07T16:06:21.920+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 56893440
2020-11-07T16:06:35.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 95, xfer rate (Bps): 56978713
2020-11-07T16:06:35.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 27, xfer rate (Bps): 56978713

2020-11-07T16:06:35.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
27, xfer rate (Bps): 56978713
2020-11-07T16:06:35.936+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 97, xfer rate (Bps): 56978713
2020-11-07T16:06:35.936+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 27, xfer rate (Bps): 56978432
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 97, xfer rate (Bps): 57513169
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 27, xfer rate (Bps): 57513169
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
27, xfer rate (Bps): 57513169
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 99, xfer rate (Bps): 57513169
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 28, xfer rate (Bps): 57513169
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
28, xfer rate (Bps): 57513169
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 28, xfer rate (Bps): 56978432
2020-11-07T16:06:44.076+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 28, xfer rate (Bps): 57512960
2020-11-07T16:06:45.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 99, xfer rate (Bps): 57975229
2020-11-07T16:06:45.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 28, xfer rate (Bps): 57975229
2020-11-07T16:06:45.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:

28, xfer rate (Bps): 57975229
2020-11-07T16:06:45.592+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 100, xfer rate (Bps): 57975229
2020-11-07T16:06:45.592+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 28, xfer rate (Bps): 57974784
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 100, xfer rate (Bps): 5213702
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 28, xfer rate (Bps): 5213702
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage:
28, xfer rate (Bps): 5213702
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 1, percentage: 9, xfer rate (Bps): 5213702
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 1, percentage: 3, xfer rate (Bps): 5213702
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] CloneTask updates, state: 1, percentage: 3,
xfer rate (Bps): 5213702
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 57974784
2020-11-07T16:06:46.170+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 1,
percentage: 3, xfer rate (Bps): 5213184
2020-11-07T16:06:46.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNetTcpWrite: bWritten:
-1
2020-11-07T16:06:46.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcFile_SendMessage: hdr
send failed:
2020-11-07T16:06:46.170+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] The operation experienced
a network error -- Failed to send header message
2020-11-07T16:06:46.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcSendFile: Failed to
send block track file

```
'\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-INBACH-ctk.vmdk': 3
2020-11-07T16:06:46.186+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Sysimgbase_Nfc_PutFile failed in
H2MDiskCloneMgr with nfcError 'The operation experienced a network
error' (error code:3)
2020-11-07T16:06:46.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] SSL: Unknown SSL Error
2020-11-07T16:06:46.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcNetTcpWrite: bWritten:
-1
2020-11-07T16:06:46.186+01:00 warning vmware-converter-worker[04560]
[Originator@6876 sub=Default] [,0] [NFC ERROR] NfcSendMessage: send
failed: NFC_NETWORK_ERROR
2020-11-07T16:06:46.186+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-6] hosted to managed disk clone failed: The
operation experienced a network error
2020-11-07T16:06:46.186+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-6] Disk clone failed with clone error The
operation experienced a network error
2020-11-07T16:06:46.186+01:00 error vmware-converter-worker[04560]
[Originator@6876 sub=task-6] TaskImpl has failed with
MethodFault::Exception: converter.fault.CloneFault
2020-11-07T16:06:46.186+01:00 info vmware-converter-worker[04560]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 4, percentage: 9, xfer rate (Bps): 5213702
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CompositeTask canceling #3 subtasks
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] TaskImpl issuing Cancel command
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH.vmdk
updates, state: 4, percentage: 9, xfer rate (Bps): 5213702
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] TaskImpl issuing Cancel command
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
INBACH_1.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH_1.vmdk
updates, state: 0, percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] TaskImpl issuing Cancel command
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] SingleDiskCloneTask
[NHF-INBACH]-\\192.168.1.4\clemessy\PASSERELLE\CBL\NIGAY\NHF-INBACH\NHF-
```

```
INBACH_2.vmdk --> [NHF-INBACH]-[DATASTORE1] NHF-INBACH/NHF-INBACH_2.vmdk
updates, state: 0, percentage: 0, xfer rate (Bps): <unknown>
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] DiskBasedCloneTask NHF-INBACH -->
NHF-INBACH updates, state: 4, percentage: 3, xfer rate (Bps): 5213702
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CloneTask updates, state: 4, percentage: 3,
xfer rate (Bps): 5213702
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] CloneTask failed
2020-11-07T16:06:47.092+01:00 error vmware-converter-worker[05280]
[Originator@6876 sub=Default] Task failed:
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05424]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F143802000010000000000017000000\
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[07632]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T16:06:47.092+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] MNTAPI: Unmounted volume
\\.\vstor2-mntapi20-shared-2F1438020000501F00000000018000000\
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=task-6] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=Default] Task Completed : task-6
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[05280]
[Originator@6876 sub=ThreadPool] Thread delisted
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Worker CloneTask updates, state: 4,
percentage: 3, xfer rate (Bps): 5213184
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] TargetVmManagerImpl::DeleteVM
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Reusing existing VIM connection to
192.168.1.5
2020-11-07T16:06:47.123+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Destroying vim.VirtualMachine:vm-405 on
192.168.1.5
2020-11-07T16:06:47.233+01:00 error vmware-converter-worker[01340]
[Originator@6876 sub=Default] Task failed:
2020-11-07T16:06:47.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=task-5] Scheduled timer canceled, StopKeepAlive
succeeds
2020-11-07T16:06:47.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=Default] Task Completed : task-5
2020-11-07T16:06:47.233+01:00 info vmware-converter-worker[01340]
[Originator@6876 sub=ThreadPool] Thread delisted
```

2020-11-07T16:06:47.233+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default]
[Converter.Worker.DiagnosticManagerImpl][task-5] Generating task log
bundle.

2020-11-07T16:06:47.420+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Created log bundle "task-5-qemjadv.zip" with size "1009942" and CRC
"-858418011"

2020-11-07T16:06:47.436+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Adjusted log bundle "task-5-qemjadv.zip" with size "1009942" and CRC
"-858418011"

2020-11-07T16:06:47.436+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Retrieving log bundle with key "task-5-qemjadv.zip" at offset = "0" and
max size = "1009942".

2020-11-07T16:06:47.545+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] [Converter.Worker.DiagnosticManagerImpl]
Deleting log bundle with key "task-5-qemjadv.zip"

2020-11-07T16:06:47.608+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Stopped impersonating in session
52a451cb-0fab-99db-a49b-d90901cdb8b0

2020-11-07T16:06:47.608+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] Session is closing, releasing cached
session objects

2020-11-07T16:06:47.608+01:00 info vmware-converter-worker[01120]
[Originator@6876 sub=Default] ConverterConnection: KeepAlive timer
canceled, StopKeepAlive succeeded

2020-11-07T16:07:35.936+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x057f359c, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)

2020-11-07T16:12:21.404+01:00 error vmware-converter-worker[02044]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x056b0654, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)

2020-11-07T16:12:51.467+01:00 error vmware-converter-worker[00864]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x05602fbc, h:-1, <pipe
'\\.\pipe\vmware-converter-worker-soap'>, <pipe
'\\.\pipe\vmware-converter-worker-soap'>>, error: class
Vmacore::TimeoutException(Operation timed out)

2020-11-07T16:26:53.014+01:00 error vmware-converter-worker[01120]
[Originator@6876 sub=Ufa.HTTPService] Failed to read request; stream:
<io_obj p:0x056b0734, h:-1, <pipe


```
'\\.\pipe\vmware-converter-worker-soap'>, <pipe  
'\\.\pipe\vmware-converter-worker-soap'>>, error: class  
Vmacore::TimeoutException(Operation timed out)
```