

DiskWarrior scanned the disk named "Macintosh HD" checking all files and folders for damage and potential compatibility problems.

Permissions:

Started verify/repair permissions on disk disk0s2 Macintosh HD

Determining correct file permissions.

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/Dutch.lproj/Production50Help/DP50mac.bak, should be -rwxrwxr-x, they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/Dutch.lproj/Production50Help/DP50mac.bak

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/Dutch.lproj/Production50Help/DP50mac.bak

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/DP50mac.bak, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/DP50mac.bak

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/DP50mac.bak

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/LANDSCAPE.BMP, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/LANDSCAPE.BMP

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/LANDSCAPE.BMP

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/PORTRAIT.BMP, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/PORTRAIT.BMP

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/PORTRAIT.BMP

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_mac.css, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_mac.css

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_mac.css

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_mac_ns.css, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_mac_ns.css

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_mac_ns.css

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_ns.css, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_ns.css

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/centreware_ns.css

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/rscape.bmp, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/rscape.bmp

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/rscape.bmp

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/whdata/whftdata.js, should be -rw-rw-r--, they are -rwxrwxr-x

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox DocuColor 2045_2060.plugin/Contents/Resources/English.lproj/Production50Help/whdata/whftdata.js

Production50Help/whihost.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whmozemu.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whmozemu.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whmozemu.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whmsg.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whmsg.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whmsg.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whproxy.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whproxy.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whproxy.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whrstart.ico, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whrstart.ico

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whrstart.ico

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstart.ico, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstart.ico

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstart.ico

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstart.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstart.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstart.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstub.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstub.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whstub.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whutils.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whutils.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whutils.js

Permissions differ on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whver.js, should be -rwxrwxr-x , they are -rw-rw-r--

Owner and group corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whver.js

Permissions corrected on ./Library/Printers/Xerox/PDEs/Xerox iGen3.plugin/Contents/Resources/French.lproj/

Production50Help/whver.js

Symbolic link ./Library/Printers/hp/Frameworks/ResourceManager.framework/ResourceManager->./Versions/

Current/ResourceManager repaired

Symbolic link ./Library/Printers/hp/Frameworks/ResourceManager.framework/Resources->./Versions/Current/

Resources repaired

The privileges have been verified or repaired on the selected volume
Verify/repair finished permissions on disk disk0s2 Macintosh HD

Disk: "Macintosh HD"

The Property List data was checked in 6,665 files.

The Resource Data was checked in 15,679 files.

The maximum Folder Depth on this disk is 21. This does not exceed the maximum recommended depth.

The System Symbolic Link Files were checked and no problems were found.

Location: "Desktop"

File: "com.mactracker.plist"

Detected that Property List data is damaged and cannot be repaired.

XML parser error:

Unexpected character C at line 1

Old-style plist parser error:

Unexpected ';' or '=' after key at line 1

Location: "Macintosh HD/Users/stevequattrone/Library/Preferences/"

Explanations:

Folder Depth: This number indicates how many folders are nested inside each other. If a disk contains only three folders and Folder A is inside Folder B and Folder B is inside Folder C, then this disk has a maximum folder depth of three. Folders nested too deeply can cause software compatibility problems.

Property List: This is a standard file format for storing data and is often used to store preferences. The names of these files normally end with a .plist file extension. Corrupt property list files can cause system instability.

Resource Data: This is an older file format for storing data and was often used to store preferences. The names of these files normally end with a .rsrc file extension. Corrupt resource data files can cause system instability.

System Symbolic Link Files: These are files used by the operating system that are similar to aliases. If these files are damaged it may prevent startup or cause system instability.

Time: 1/3/08 2:12:58 PM

DiskWarrior Version: 4.0

